

# Package ‘classyfireR’

February 18, 2020

**Type** Package

**Title** R Interface to the ClassyFire RESTful API

**Version** 0.3.3

**Date** 2020-02-18

**Description** Access to the ClassyFire RESTful API <<http://classyfire.wishartlab.com>>. Retrieve existing entity classifications and submit new entities for classification.

**Depends** magrittr

**Imports** httr, jsonlite, tibble, crayon, clisymbols, cli, purrr, dplyr, stringr, methods

**Suggests** testthat, covr

**License** GPL (>= 3)

**Encoding** UTF-8

**LazyData** true

**URL** <https://github.com/aberHRML/classyfireR>

**BugReports** <https://github.com/aberHRML/classyfireR/issues>

**RoxygenNote** 7.0.2

**Roxygen** list(markdown = TRUE)

**Collate** 'allGenerics.R' 'allClasses.R' 'accessor-methods.R' 'get\_classification.R' 'internals.R' 'show-method.R' 'zzz.R'

**NeedsCompilation** no

**Author** Tom Wilson [aut, cre] (<<https://orcid.org/0000-0003-3112-4682>>),  
Jasen Finch [aut]

**Maintainer** Tom Wilson <[tpw2@aber.ac.uk](mailto:tpw2@aber.ac.uk)>

## R topics documented:

alternative_parents . . . . .	2
chebi . . . . .	2
classification . . . . .	3

ClassyFire-class . . . . .	3
description . . . . .	4
descriptors . . . . .	4
direct_parent . . . . .	5
get_classification . . . . .	5
meta . . . . .	6
show,ClassyFire-method . . . . .	6

<b>Index</b>	<b>7</b>
--------------	----------

---

alternative_parents	<i>alternative_parents</i>
---------------------	----------------------------

---

**Description**

Get the alternative\_parents

**Usage**

```
alternative_parents(object)

## S4 method for signature 'ClassyFire'
alternative_parents(object)
```

**Arguments**

object            a ClassyFire S4 object

---

chebi	<i>chebi</i>
-------	--------------

---

**Description**

Get the predicted ChEBI identifications

**Usage**

```
chebi(object)

## S4 method for signature 'ClassyFire'
chebi(object)
```

**Arguments**

object            a ClassyFire S4 object

---

classification	<i>Accessor Methods for the ClassyFire S4 class</i>
----------------	---

---

**Description**

Get the ClassyFire classification results

**Usage**

```
classification(object)

## S4 method for signature 'ClassyFire'
classification(object)
```

**Arguments**

object            a ClassyFire S4 object

---

ClassyFire-class	<i>ClassyFire Class</i>
------------------	-------------------------

---

**Description**

A S4 class to store the results from the ClassFire RESTful API

**Slots**

meta   a list of the input SMILE, InChI Key and classification version used  
classification   a tibble of the ClassyFire classification results  
direct\_parent   a list of the direct parent  
alternative\_parents   a tibble of alternative parents  
predicted\_chebi   a character vector of the predicted ChEBI terms  
external\_descriptors   a tibble of any external identifications  
description   a character string of the compound description

---

description	<i>description</i>
-------------	--------------------

---

**Description**

Get the ClassyFire description

**Usage**

```
description(object)
```

```
## S4 method for signature 'ClassyFire'  
description(object)
```

**Arguments**

object	a ClassyFire S4 object
--------	------------------------

---

descriptors	<i>descriptors</i>
-------------	--------------------

---

**Description**

Get the external descriptors

**Usage**

```
descriptors(object)
```

```
## S4 method for signature 'ClassyFire'  
descriptors(object)
```

**Arguments**

object	a ClassyFire S4 object
--------	------------------------

---

direct_parent	<i>direct_parent</i>
---------------	----------------------

---

**Description**

Get the direct\_parent

**Usage**

```
direct_parent(object)

## S4 method for signature 'ClassyFire'
direct_parent(object)
```

**Arguments**

object	a ClassyFire S4 object
--------	------------------------

---

get_classification	<i>Get Entity Classification</i>
--------------------	----------------------------------

---

**Description**

Retrieve entity classification from 'http://classyfire.wishartlab.com/entities/'

**Usage**

```
get_classification(inchi_key)
```

**Arguments**

inchi_key	a character string of a valid InChIKey
-----------	--

**Value**

a ClassyFire S4 object.

**See Also**

ClassyFire-class

## Examples

```
## Not run:

# Valid InChI key where all four classification levels are available
get_classification('BRMWTNUJHUMWMS-LURJTMIESA-N')

# Valid InChI key where only three classification levels are available
get_classification('MDHYEMXUFSJLGV-UHFFFAOYSA-N')

# Invalid InChI key
get_classification('MDHYEMXUFSJLGV-UHFFFAOYSA-B')

## End(Not run)
```

---

meta	<i>meta</i>
------	-------------

---

## Description

Get the ClassyFire meta data

## Usage

```
meta(object)

## S4 method for signature 'ClassyFire'
meta(object)
```

## Arguments

object	a ClassyFire S4 object
--------	------------------------

---

show,ClassyFire-method	<i>show-ClassyFire</i>
------------------------	------------------------

---

## Description

show-ClassyFire

## Usage

```
## S4 method for signature 'ClassyFire'
show(object)
```

## Arguments

object	a ClassyFire S4 object
--------	------------------------

# Index

alternative\_parents, [2](#)  
alternative\_parents, ClassyFire-method  
    (alternative\_parents), [2](#)  
  
chebi, [2](#)  
chebi, ClassyFire-method (chebi), [2](#)  
classification, [3](#)  
classification, ClassyFire-method  
    (classification), [3](#)  
ClassyFire-class, [3](#)  
  
description, [4](#)  
description, ClassyFire-method  
    (description), [4](#)  
descriptors, [4](#)  
descriptors, ClassyFire-method  
    (descriptors), [4](#)  
direct\_parent, [5](#)  
direct\_parent, ClassyFire-method  
    (direct\_parent), [5](#)  
  
get\_classification, [5](#)  
  
meta, [6](#)  
meta, ClassyFire-method (meta), [6](#)  
  
show, ClassyFire-method, [6](#)