

Package ‘BigVAR’

December 2, 2019

Type Package

Title Dimension Reduction Methods for Multivariate Time Series

Version 1.0.6

Maintainer Will Nicholson <wbn8@cornell.edu>

Date 2019-12-1

Description Estimates VAR and VARX models with structured Lasso Penalties.

Depends R (>= 3.1.0), methods

Imports MASS, zoo, lattice, Rcpp, stats, utils, grDevices, graphics

License GPL (>= 2)

LazyLoad yes

SystemRequirements C++11

LinkingTo Rcpp, RcppArmadillo, RcppEigen

URL <http://www.github.com/wbnicholson/BigVAR>

RoxygenNote 7.0.1

NeedsCompilation yes

Author Will Nicholson [cre, aut],
David Matteson [aut],
Jacob Bien [aut]

Repository CRAN

Date/Publication 2019-12-02 06:50:12 UTC

R topics documented:

A	2
BigVAR	3
BigVAR-class	4
BigVAR.est	5
BigVAR.fit	6
BigVAR.results	8
constructModel	9

cv.BigVAR	12
MultVarSim	13
plot	14
plot.BigVAR	14
predict	15
PredictVARX	16
show	16
show.BigVAR	17
SparsityPlot.BigVAR.results	18
VarptoVar1MC	18
VARXFit	19
VARXForecastEval	20
VARXLagCons	22
Y	23
Index	24

Description

Coefficient matrix for a stationary simulated multivariate time series

Details

Example generator matrix adapted from Table 3.2 of Gredenhoff and Karlsson (1997)

Author(s)

Will Nicholson

References

Gredenhoff, Mikael, and Sune Karlsson. "Lag-length selection in VAR-models using equal and unequal lag-length procedures." *Computational Statistics* 14.2 (1999): 171-187.

Description

BigVAR implements the HVAR and VARX-L frameworks which allow for the estimation of vector autoregressions and vector autoregressions with exogenous variables using structured convex penalties. This package originated as a 2014 Google "Summer of Code" Project. The development version of this package is hosted on github: <http://www.github.com/wbnicholson/BigVAR>.

Details

To use the facilities of this package, starting with an $T \times k + m$ multivariate time series (in which T denotes the length of the series, k the number of endogenous or "model") and run `constructModel` to create an object of class `BigVAR`. `cv.BigVAR` creates an object of class `BigVAR.results`, which chooses an optimal penalty parameter based on minimizing h-step ahead forecasts on a specified cross-validation period over a grid of values as well as comparisons against AIC, BIC, unconditional mean, and a random walk. There are plot functions for both BigVAR (`plot.BigVAR`) and `BigVAR.results` (`plot`) as well as a predict function for `BigVAR.results` (`predict`).

Author(s)

Will Nicholson <wbn8@cornell.edu>

References

Lutkepohl "New Introduction to Multivariate Time Series", William B Nicholson, Jacob Bien, and David S Matteson. "High Dimensional Forecasting via Interpretable Vector Autoregression." arXiv preprint arXiv:1412.5250, 2016. William B Nicholson, David S. Matteson, and Jacob Bien (2015), "VARX-L Structured regularization for large vector autoregressions with exogenous variables," arXiv preprint arXiv:1508.07497, 2016.. William B Nicholson, David S. Matteson, and Jacob Bien (2016), "BigVAR: Dimension Reduction Reduction Methods for Multivariate Time Series," <http://www.wbnicholson.com/BigVAR.pdf>.

See Also

`constructModel`, `cv.BigVAR`, `BigVAR.results`, `plot`, `predict`

Examples

```
# Fit a Basic VAR-L(3,4) on simulated data
data(Y)
T1=floor(nrow(Y)/3)
T2=floor(2*nrow(Y)/3)
m1=constructModel(Y,p=4,struct="Basic",gran=c(50,10),verbose=FALSE,T1=T1,T2=T2,IC=FALSE)
plot(m1)
results=cv.BigVAR(m1)
plot(results)
predict(results,n.ahead=1)
```

 BigVAR-class

BigVAR Object Class

Description

An object class to be used with `cv.BigVAR`

Details

To construct an object of class `BigVAR`, use the function [constructModel](#)

Slots

`Data` a $T \times k$ multivariate time Series

`lagmax` Maximal lag order for modeled series

`intercept` Indicator as to whether an intercept should be included

`Structure` Penalty Structure

`Relaxed` Indicator for relaxed VAR

`Granularity` Granularity of Penalty Grid

`horizon` Desired Forecast Horizon

`crossval` Cross-Validation Procedure

`Minnesota` Minnesota Prior Indicator

`verbose` Indicator for Verbose output

`dates` dates extracted from an xts object

`ic` Indicator for including AIC and BIC benchmarks

`VARX` VARX Model Specifications

`T1` Index of time series in which to start cross validation

`T2` Index of times series in which to start forecast evaluation

`ONESE` Indicator for "One Standard Error Heuristic"

`ownlambdas` Indicator for user-supplied lambdas

`tf` Indicator for transfer function

`alpha` Grid of candidate alpha values (applies only to Sparse VARX-L and Elastic Net models)

`recursive` Indicator as to whether recursive multi-step forecasts are used (applies only to multiple horizon VAR models)

`constvec` vector indicating variables to shrink toward a random walk instead of toward zero (valid only if Minnesota is TRUE)

`tol` optimization tolerance

`window.size` size of rolling window. If set to NULL an expanding window will be used.

`separate_lambdas` indicator to use separate penalty parameter for each time series (default FALSE)

See Also

[constructModel](#)

BigVAR.est

BigVAR Estimation

Description

Fit a BigVAR object with a structured penalty (VARX-L or HVAR).

Usage

```
BigVAR.est(object)
```

Arguments

object BigVAR object created from ConstructModel

Details

Fits HVAR or VARX-L model on a BigVAR object. Does not perform cross-validation. This method allows the user to construct their own penalty parameter selection procedure.

Value

An array of $k \times kp \times n$ or $k \times kp + ms \times n$ coefficient matrices; one for each of the n values of lambda.

See Also

[constructModel](#), [BigVAR.results.cv.BigVAR](#)

Examples

```
data(Y)
Y=Y[1:100,]
#construct a Basic VAR-L
Model1=constructModel(Y,p=4,struct="Basic",gran=c(50,10))
BigVAR.est(Model1)
```

BigVAR.fit

*Simple function to fit BigVAR model with fixed penalty parameter***Description**

Simple function to fit BigVAR model with fixed penalty parameter

Usage

```
BigVAR.fit(Y, p, struct, lambda, alpha = NULL, VARX = list(),
  separate_lambdas = F, MN = F, C = as.double(NULL),
  intercept = TRUE, tf = F, tol = 1e-04, RVAR = F, beta = NULL)
```

Arguments

Y	$T \times k$ multivariate time series or $Y T \times (k + m)$ endogenous and exogenous series, respectively
p	Predetermined maximal lag order (for modeled series)
struct	The choice of penalty structure (see details).
lambda	vector or matrix of penalty parameters.
alpha	grid of candidate parameters for the alpha in the Sparse Lag and Sparse Own/Other VARX-L
VARX	List containing VARX model specifications.
separate_lambdas	indicator for separate penalty parameters for each time series (default FALSE)
MN	Minnesota Prior Indicator
C	vector of coefficients to shrink toward a random walk (if MN is TRUE)
intercept	True or False: option to fit an intercept
tf	transfer function indicator (i.e. VARX in which $p=0$ & $s>0$) (default false)
tol	optimization tolerance (default 1e-4)
RVAR	True or False: option to refit based upon the support selected using the Relaxed-VAR procedure
beta	optional $k \times (k \times p + m \times s + 1)$ coefficient matrix to use as a "warm start" (default FALSE)

@details The choices for "struct" are as follows

- "Basic" (Basic VARX-L)
- "Lag" (Lag Group VARX-L)
- "SparseLag" (Lag Sparse Group VARX-L)
- "OwnOther" (Own/Other Group VARX-L)
- "SparseOO" (Own/Other Sparse Group VARX-L)
- "EFX" (Endogenous First VARX-L)
- "HVARC" (Componentwise HVAR)

- "HVAROO" (Own/Other HVAR)
- "HVARELEM" (Elementwise HVAR)
- "Tapered" (Lag weighted Lasso VAR)
- "BGR" (Bayesian Ridge Regression (cf. Banbura et al))

VARX specifications consist of a list with entry `k` denoting the series that are to be modeled and entry `s` to denote the maximal lag order for exogenous series.

The argument `alpha` is ignored unless the structure choice is "SparseLag" or "Lag." By default "alpha" is set to `NULL` and will be initialized as $1/(k+1)$ in `cv.BigVAR` and `BigVAR.est`. Any user supplied values must be between 0 and 1.

Note

The specifications "Basic", "Lag," "SparseLag," "SparseOO," and "OwnOther" can accommodate both VAR and VARX models. EFX only applies to VARX models. "HVARC," "HVAROO," "HVARELEM," and "Tapered" can only be used with VAR models.

References

William B Nicholson, Jacob Bien, and David S Matteson. "High Dimensional Forecasting via Interpretable Vector Autoregression." arXiv preprint arXiv:1412.5250, 2016. William B. Nicholson, David S. Matteson, Jacob Bien, VARX-L: Structured regularization for large vector autoregressions with exogenous variables, International Journal of Forecasting, Volume 33, Issue 3, 2017, Pages 627-651, William B Nicholson, David S. Matteson, and Jacob Bien (2016), "BigVAR: Tools for Modeling Sparse High-Dimensional Multivariate Time Series" arxiv:1702.07094

Banbura, Marta, Domenico Giannone, and Lucrezia Reichlin. "Large Bayesian vector auto regressions." Journal of Applied Econometrics 25.1 (2010): 71-92.

See Also

[cv.BigVAR, BigVAR.est, constructModel](#)

Examples

```
# VARX Example
# Fit a Basic VARX-L with k=2, m=1, s=2, p=4, lambda=1e-2
VARX=list()
VARX$k=2 # indicates that the first two series are modeled
VARX$s=2 # sets 2 as the maximal lag order for exogenous series
data(Y)
BigVAR.fit(Y,p=4,"Basic",lambda=1e-2,VARX=VARX)
```

 BigVAR.results

BigVAR.results This class contains the results from cv.BigVAR.

Description

It inherits the class BigVAR, but contains substantially more information.

Fields

InSampMSFE In-sample MSFE from optimal value of lambda
 LambdaGrid Grid of candidate lambda values
 index Rank of optimal lambda value
 OptimalLambda Value of lambda that minimizes MSFE
 OOSMSFE Average Out of sample MSFE of BigVAR model with optimal lambda
 seosfmsfe Standard error of out of sample MSFE of BigVAR model with optimal lambda
 MeanMSFE Average out of sample MSFE of unconditional mean forecast
 MeanSD Standard error of out of sample MSFE of unconditional mean forecast
 MeanPreds predictions from conditional mean model
 RWMSFE Average out of sample MSFE of random walk forecast
 RWPreds Predictions from random walk model
 RWSF Standard error of out of sample MSFE of random walk forecast
 AICMSFE Average out of sample MSFE of AIC forecast
 AICSD Standard error of out of sample MSFE of AIC forecast
 AICPreds Predictions from AIC VAR/VARX model
 AICpvec Lag orders selected from AIC VAR model
 AICpvec Lag orders selected from AIC VARX model
 BICMSFE Average out of sample MSFE of BIC forecast
 BICSD Standard error of out of sample MSFE of BIC forecast
 BICPreds Predictions from BIC VAR/VARX model
 BICpvec Lag orders selected from BIC VAR model
 BICpvec Lag orders selected from BIC VARX model
 betaPred The final estimated $k \times kp + ms + 1$ coefficient matrix, to be used for prediction
 Zvals The final lagged values of Y, to be used for prediction
 fitted fitted values obtained from betaPred
 resids residuals obtained from betaPred
 Data a $T \times k$ or $T \times k + m$ multivariate time Series
 lagmax Maximal lag order
 Structure Penalty structure

Relaxed Indicator for relaxed VAR
 Granularity Granularity of penalty grid
 horizon Desired forecast horizon
 crossval Cross-Validation procedure
 alpha additional penalty parameter for Sparse Lag Group or Sparse Own/Other methods. Will contain either the heuristic choice of $1/(k + 1)$ or the value selected by cross validation if the argument dual is set to TRUE
 VARXI VARX Indicator
 Minnesota Minnesota Prior Indicator
 verbose verbose indicator
 dual indicator as to whether dual cross validation was conducted
 contemp indicator if contemporaneous exogenous predictors are used
 lagmatrix matrix of lagged values used to compute residuals (of which Zvals is the final column)
 betaArray array of VAR/VARX coefficients from out of sample forecasts
 sparse_count average fraction of active coefficients in validation period

Note

One can also access any object of class BigVAR from BigVAR.results

Author(s)

Will Nicholson

constructModel	<i>Construct an object of class BigVAR</i>
----------------	--

Description

Construct an object of class BigVAR

Usage

```

constructModel(Y, p, struct, gran, RVAR = FALSE, h = 1,
  cv = "Rolling", MN = FALSE, verbose = TRUE, IC = TRUE,
  VARX = list(), T1 = floor(nrow(Y)/3), T2 = floor(2 * nrow(Y)/3),
  ONESE = FALSE, ownlambdas = FALSE, alpha = as.double(NULL),
  recursive = FALSE, C = as.double(NULL), dates = as.character(NULL),
  intercept = TRUE, tol = 1e-04, window.size = 0,
  separate_lambdas = FALSE)

```

Arguments

Y	$T \times k$ multivariate time series or $Y T \times (k + m)$ endogenous and exogenous series, respectively
p	Predetermined maximal lag order (for modeled series)
struct	The choice of penalty structure (see details).
gran	vector of penalty parameter specifications.
RVAR	True or False: option to refit based upon the support selected using the Relaxed-VAR procedure
h	Desired forecast horizon
cv	Cross-validation approach, either "Rolling" for rolling cross-validation or "LOO" for leave-one-out cross-validation.
MN	Minnesota Prior Indicator
verbose	Verbose output while estimating
IC	True or False: whether to include AIC and BIC benchmarks
VARX	List containing VARX model specifications.
T1	Index of time series in which to start cross validation
T2	Index of times series in which to start forecast evaluation
ONESE	True or False: whether to use the "One Standard Error Heuristic"
ownlambdas	True or False: Indicator for user-supplied penalty parameters
alpha	grid of candidate parameters for the alpha in the Sparse Lag and Sparse Own/Other VARX-L
recursive	True or False: Indicator as to whether iterative multi-step predictions are desired in the VAR context if the forecast horizon is greater than 1
C	vector of coefficients to shrink toward a random walk (if MN is TRUE)
dates	optional vector of dates corresponding to Y
intercept	True or False: option to fit an intercept
tol	optimization tolerance (default 1e-4)
window.size	size of rolling window. If set to 0 an expanding window will be used. @details The choices for "struct" are as follows <ul style="list-style-type: none"> • "Basic" (Basic VARX-L) • "Lag" (Lag Group VARX-L) • "SparseLag" (Lag Sparse Group VARX-L) • "OwnOther" (Own/Other Group VARX-L) • "SparseOO" (Own/Other Sparse Group VARX-L) • "EFX" (Endogenous First VARX-L) • "HVARC" (Componentwise HVAR) • "HVAROO" (Own/Other HVAR) • "HVARELEM" (Elementwise HVAR) • "Tapered" (Lag weighted Lasso VAR)

- "BGR" (Bayesian Ridge Regression (cf. Banbura et al))

The first number in the vector "gran" specifies how deep to construct the penalty grid and the second specifies how many penalty parameters to use. If ownlambdas is set to TRUE, gran should contain the user-supplied penalty parameters.

VARX specifications consist of a list with entry k denoting the series that are to be modeled and entry s to denote the maximal lag order for exogenous series.

The argument alpha is ignored unless the structure choice is "SparseLag" or "Lag." By default "alpha" is set to NULL and will be initialized as $1/(k+1)$ in `cv.BigVAR` and `BigVAR.est`. Any user supplied values must be between 0 and 1.

`separate_lambdas`

indicator for separate penalty parameters for each time series (default FALSE)

Note

The specifications "Basic", "Lag", "SparseLag", "SparseOO", and "OwnOther" can accommodate both VAR and VARX models. EFX only applies to VARX models. "HVARC", "HVAROO", "HVARELEM", and "Tapered" can only be used with VAR models.

References

William B Nicholson, Jacob Bien, and David S Matteson. "High Dimensional Forecasting via Interpretable Vector Autoregression." arXiv preprint arXiv:1412.5250, 2016. William B. Nicholson, David S. Matteson, Jacob Bien, VARX-L: Structured regularization for large vector autoregressions with exogenous variables, International Journal of Forecasting, Volume 33, Issue 3, 2017, Pages 627-651, William B Nicholson, David S. Matteson, and Jacob Bien (2016), "BigVAR: Tools for Modeling Sparse High-Dimensional Multivariate Time Series" arxiv:1702.07094

Banbura, Marta, Domenico Giannone, and Lucrezia Reichlin. "Large Bayesian vector auto regressions." Journal of Applied Econometrics 25.1 (2010): 71-92.

See Also

[cv.BigVAR, BigVAR.est](#)

Examples

```
# VARX Example
# Create a Basic VARX-L with k=2, m=1, s=2, p=4
VARX=list()
VARX$k=2 # indicates that the first two series are modeled
VARX$s=2 # sets 2 as the maximal lag order for exogenous series
data(Y)
T1=floor(nrow(Y)/3)
T2=floor(2*nrow(Y)/3)
Model1=constructModel(Y,p=4,struct="Basic",gran=c(50,10),verbose=FALSE,VARX=VARX,T1=T1,T2=T2)
```

`cv.BigVAR`*Cross Validation for BigVAR*

Description

Cross Validation for BigVAR

Usage

```
cv.BigVAR(object)
```

Arguments

`object` BigVAR object created from `ConstructModel`

Details

The main function of the BigVAR package. Performs cross validation to select penalty parameters over a training sample (as the minimizer of in-sample MSFE), then evaluates them over a test set. Compares against sample mean, random walk, AIC, and BIC benchmarks. Creates an object of class `BigVAR.results`

Value

An object of class `BigVAR.results`.

See Also

[constructModel](#), [BigVAR.results](#), [BigVAR.est](#)

Examples

```
data(Y)
# Fit a Basic VARX-L with rolling cross validation
Model1=constructModel(Y,p=4,struct="Basic",gran=c(50,10))
results=cv.BigVAR(Model1)
```

MultVarSim *Simulate a VAR*

Description

Simulate a VAR

Usage

```
MultVarSim(k, A1, p, Sigma, T)
```

Arguments

k	Number of Series
A1	Either a $k \times k$ coefficient matrix or a $kp \times kp$ matrix created using VarptoVar1MC .
p	Maximum Lag Order
Sigma	Residual Covariance Matrix of dimension $k \times k$
T	Number of simulations

Value

Returns a $T \times k$ of realizations from a VAR.

References

Lutkepohl, "A New Introduction to Multiple Time Series Analysis"

See Also

[VarptoVar1MC](#)

Examples

```
k=3;p=6
B=matrix(0,nrow=k,ncol=p*k)
A1<- matrix(c(.4,-.02,.01,-.02,.3,.02,.01,.04,.3),ncol=3,nrow=3)
A2 <- matrix(c(.2,0,0,0,.3,0,0,0,.13),ncol=3,nrow=3)
B[,1:k]=A1
B[, (4*k+1):(5*k)]=A2
A <- VarptoVar1MC(B,p,k)
Y <-MultVarSim(k,A,p,.1*diag(k),100)
```

plot	<i>Plot an object of class BigVAR.results</i>
------	---

Description

Plot an object of class BigVAR.results

Usage

```
## S4 method for signature 'BigVAR.results'
plot(x, y = NULL, ...)
```

Arguments

x	BigVAR.results object created from cv.BigVAR
y	NULL
...	additional arguments

Details

Plots the in sample MSFE of all values of lambda with the optimal value highlighted.

plot.BigVAR	<i>Plot a BigVAR object</i>
-------------	-----------------------------

Description

Plot a BigVAR object

Usage

```
## S4 method for signature 'BigVAR'
plot(x, y = NULL, ...)
```

Arguments

x	BigVAR object created from ConstructModel
y	NULL
...	additional plot arguments

Details

Uses plot.zoo to plot each individual series of Y on a single plot

Value

NA, side effect is graph

See Also

[constructModel](#)

predict	<i>Forecast using a BigVAR.results object</i>
---------	---

Description

Forecast using a BigVAR.results object

Usage

```
predict(object,...)
```

Arguments

object	BigVAR.results object from cv.BigVAR
...	additional arguments affecting the predictions produced (e.g. n. ahead)

Details

Provides n. ahead step forecasts using the model produced by cv.BigVAR.

See Also

[cv.BigVAR](#)

Examples

```
data(Y)
Y=Y[1:100,]
Model1=constructModel(Y,p=4,struct="Basic",gran=c(50,10),verbose=FALSE)
results=cv.BigVAR(Model1)
predict(results,n.ahead=1)
```

`PredictVARX`*One-step ahead predictions for VARX models*

Description

One-step ahead predictions for VARX models

Usage

```
PredictVARX(VARXRes)
```

Arguments

`VARXRes` the results from [VARXFit](#)

Value

Returns a vector consisting of the out-of-sample forecasts for the provided [VARXFit](#) model.

See Also

[VARXFit](#)

Examples

```
data(Y)
# fit a VAR_3(3)
mod <- VARXFit(Y,3,NULL,NULL)
pred <-PredictVARX(mod)
```

`show`*Default show method for an object of class BigVAR.results*

Description

Default show method for an object of class BigVAR.results

Usage

```
## S4 method for signature 'BigVAR.results'
show(object)
```

Arguments

`object` BigVAR.results object created from `cv.BigVAR`

Details

prints forecast results and additional diagnostic information as well as comparisons with mean, random walk, and AIC, and BIC benchmarks

See Also

[cv.BigVAR,BigVAR.results](#)

show.BigVAR

Default show method for an object of class BigVAR

Description

Default show method for an object of class BigVAR

Usage

```
## S4 method for signature 'BigVAR'  
show(object)
```

Arguments

object BigVAR object created from ConstructModel

Value

Displays the following information about the BigVAR object:

- Prints the first 5 rows of Y
- Penalty Structure
- Relaxed Least Squares Indicator
- Maximum lag order
- VARX Specifications (if applicable)
- Start, end of cross validation period

See Also

[constructModel](#)

SparsityPlot.BigVAR.results
Sparsity Plot of a BigVAR.results object

Description

Sparsity Plot of a BigVAR.results object

Usage

```
SparsityPlot.BigVAR.results(object)
```

Arguments

object BigVAR.results object

Details

Uses levelplot from the lattice package to plot the magnitude of each coefficient in the last coefficient estimated by cv.BigVAR.

Value

NA, side effect is graph

See Also

[cv.BigVAR](#), [BigVAR.results](#)

Examples

```
data(Y)
Y <- Y[1:100,]
Model1 <- constructModel(Y,p=4,struct="Basic",gran=c(50,10),verbose=FALSE)
SparsityPlot.BigVAR.results(cv.BigVAR(Model1))
```

VarptoVar1MC *Converts a VAR coefficient matrix of order p to multiple companion form*

Description

Converts a VAR coefficient matrix of order p to multiple companion form

Usage

```
VarptoVar1MC(B, p, k)
```

Arguments

B	a $k \times kp$ coefficient matrix
p	Lag order
k	Number of Series

Value

Returns a $kp \times kp$ coefficient matrix representing all coefficient matrices contained in Ai as a VAR(1).

References

See page 15 of Lutkepohl, "A New Introduction to Multiple Time Series Analysis"

See Also

[MultVarSim](#)

Examples

```
k=3;p=6
B=matrix(0,nrow=k,ncol=p*k)
A1<- matrix(c(.4,-.02,.01,-.02,.3,.02,.01,.04,.3),ncol=3,nrow=3)
A2 <- matrix(c(.2,0,0,0,.3,0,0,0,.13),ncol=3,nrow=3)
B[,1:k]=A1
B[, (4*k+1):(5*k)]=A2
A <- VarptoVar1MC(B,p,k)
```

VARXFit

Fit a VAR or VARX model by least squares

Description

Fit a VAR or VARX model by least squares

Usage

```
VARXFit(Y, p, IC, VARX = NULL)
```

Arguments

Y	a $t \times k$ multivariate time series
p	maximum lag order
IC	Information criterion indicator, if set to NULL, it will fit a least squares VAR(X) of orders p and s. Otherwise, if set to "AIC" or "BIC" it return the model with lag orders that minimize the given IC.
VARX	a list of VARX specifications (as in constructModel (or NULL))

Details

This function uses a modified form of the least squares technique proposed by Neumaier and Schneider (2001). It fits a least squares VAR or VARX via a QR decomposition that does not require explicit matrix inversion. This results in improved computational performance as well as numerical stability over the conventional least squares approach.

Value

Returns a list with four entries:

- "Bhat" Estimated $k \times kp + ms$ coefficient matrix
- "SigmaUEstimated $k \times k$ residual covariance matrix
- "phat" Selected lag order for VAR component
- "shat" Selected lag order for VARX component
- "Y" multivariate time series retained for prediction purposes
- "Y" number of endogenous (modeled) time series

References

Neumaier, Arnold, and Tapio Schneider. "Estimation of parameters and eigenmodes of multivariate autoregressive models." *ACM Transactions on Mathematical Software (TOMS)* 27.1 (2001): 27-57.

See Also

[constructModel](#), [cv.BigVAR](#), [BigVAR.fit](#)

Examples

```
data(Y)
# fit a VAR_3(3)
mod <- VARXFit(Y,3,NULL,NULL)
# fit a VAR_3 with p= 6 and lag selected according to AIC
modAIC <- VARXFit(Y,6,"AIC",NULL)
# Fit a VARX_{2,1} with p=6, s=4 and lags selected by BIC
modXBIC <- VARXFit(Y,6,"BIC",list(k=1,s=4))
```

VARXForecastEval	<i>Evaluate forecasts from a VAR or VARX with lag orders selected by AIC/BIC</i>
------------------	--

Description

Evaluate forecasts from a VAR or VARX with lag orders selected by AIC/BIC

Usage

```
VARXForecastEval(Y, X, p, s, T1, T2, IC, h, iterated = FALSE)
```

Arguments

Y	a $T \times k$ multivariate time series
X	a $T \times m$ multivariate time series of unmodeled exogenous variables
p	maximum lag order for endogenous series
s	maximum lag order for exogenous series
T1	start of forecast evaluation period.
T2	end of forecast evaluation period
IC	specifies whether to select lag order according to "AIC" or "BIC"
h	desired forecast horizon
iterated	indicator as to whether to use iterated or direct multistep forecasts (if applicable, VAR context only)

Details

This function evaluates the one-step ahead forecasts of a VAR or VARX fit by least squares over an evaluation period. At every point in time, lag orders for the endogenous and exogenous series are selected according to AIC or BIC. This function is run automatically when `cv.BigVAR` is called unless `ic` is set to FALSE in `constructModel`.

Value

Returns the one-step ahead MSFE as well as the forecasts over the evaluation period and lag order selected.

References

Neumaier, Arnold, and Tapio Schneider. "Estimation of parameters and eigenmodes of multivariate autoregressive models." *ACM Transactions on Mathematical Software (TOMS)* 27.1 (2001): 27-57.

See Also

[VARXFit](#), [constructModel](#), [cv.BigVAR](#)

Examples

```
data(Y)

# Evaluate the performance of a VAR with lags selected by BIC.
p <- 4
T1 <- floor(nrow(Y))/3
T2 <- floor(2*nrow(Y))/3
# Matrix of zeros for X
X <- matrix(0, nrow=nrow(Y), ncol=ncol(Y))
BICMSFE <- VARXForecastEval(Y, X, p, 0, T1, T2, "BIC", 1)
```

 VARXLagCons

 Construct a VAR or VARX lag matrix

Description

Construct a VAR or VARX lag matrix

Usage

```
VARXLagCons(Y, X = NULL, p, s = 0, oos = FALSE, contemp = FALSE)
```

Arguments

Y	a $T \times k$ matrix of endogenous (modeled) series
X	a $T \times m$ matrix of exogenous (unmodeled) series (default NULL)
p	Endogenous Lag order
s	exogenous lag order (default zero)
oos	indicator as to whether the data should be constructed for out of sample prediction (i.e. last available entries of Y as final lags default FALSE)
contemp	indicator as to whether to use contemporaneous exogenous predictors (for example, if exogenous series become available before exogenous default FALSE).

Details

This function is not required unless you wish to design your own cross validation routine.

Value

list with two entries:

- "Z" $k \times (p + s + 1) \times T - \max(p, s)$ VARX lag matrix
- "Y"adjusted $k \times T - \max(p, s)$ endogenous series

References

See page 15 of Lutkepohl, "A New Introduction to Multiple Time Series Analysis"

See Also

[MultVarSim](#)

Examples

```
data(Y)
# construct VAR lag matrix with p=4
ZZ<-VARXLagCons(Y,X=NULL,p=4,s=0)
```

Description

Realization of a simulated multivariate time series

Details

100 × 3 multivariate time series distributed according to the generator matrix [A](#).

Author(s)

Will Nicholson

Index

A, [2](#), [23](#)

BigVAR, [3](#), [3](#)

BigVAR-class, [4](#)

BigVAR-package (BigVAR), [3](#)

BigVAR.est, [5](#), [7](#), [11](#), [12](#)

BigVAR.est, BigVAR-method (BigVAR.est), [5](#)

BigVAR.fit, [6](#), [20](#)

BigVAR.results, [3](#), [5](#), [8](#), [12](#), [17](#), [18](#)

BigVAR.results-class (BigVAR.results), [8](#)

constructModel, [3–5](#), [7](#), [9](#), [12](#), [15](#), [17](#), [19–21](#)

cv.BigVAR, [3](#), [5](#), [7](#), [11](#), [12](#), [15](#), [17](#), [18](#), [20](#), [21](#)

cv.BigVAR, BigVAR-method (cv.BigVAR), [12](#)

MultVarSim, [13](#), [19](#), [22](#)

plot, [3](#), [14](#)

plot, BigVAR-method (plot.BigVAR), [14](#)

plot, BigVAR.results-method (plot), [14](#)

plot.BigVAR, [3](#), [14](#)

predict, [3](#), [15](#)

predict, BigVAR.results-method
(predict), [15](#)

PredictVARX, [16](#)

show, [16](#)

show, BigVAR-method (show.BigVAR), [17](#)

show, BigVAR.results-method (show), [16](#)

show.BigVAR, [17](#)

SparsityPlot.BigVAR.results, [18](#)

SparsityPlot.BigVAR.results, BigVAR.results-method
(SparsityPlot.BigVAR.results),
[18](#)

VarptoVar1MC, [13](#), [18](#)

VARXFit, [16](#), [19](#), [21](#)

VARXForecastEval, [20](#)

VARXLagCons, [22](#)

Y, [23](#)