

Package ‘DiceOptim’

June 29, 2020

Version 2.0.1

Title Kriging-Based Optimization for Computer Experiments

Date 2020-06-29

Description Efficient Global Optimization (EGO) algorithm as described in ``Roustant et al. (2012)'' <doi:10.18637/jss.v051.i01> and adaptations for problems with noise ('`Picheny and Ginsbourger, 2012''') <doi:10.1016/j.csda.2013.03.018>, parallel infill, and problems with constraints.

Depends DiceKriging (>= 1.2), methods

Imports randtoolbox, pbivnorm, rgenoud, mnormt, DiceDesign

Suggests KrigInv, GPareto, lhs

License GPL-2 | GPL-3

URL <http://dice.emse.fr/>

RoxygenNote 7.1.0

NeedsCompilation yes

Repository CRAN

Date/Publication 2020-06-29 17:10:03 UTC

Author Victor Picheny [aut, cre],
David Ginsbourger Green [aut],
Olivier Roustant [aut],
Mickael Binois [ctb],
Sebastien Marmin [ctb],
Tobias Wagner [ctb]

Maintainer Victor Picheny <victor.picheny@toulouse.inra.fr>

R topics documented:

DiceOptim-package	2
AEI	7
AEI.grad	9
AKG	11
AKG.grad	13

checkPredict	14
critest_optimizer	15
crit_AL	19
crit_EFI	23
crit_SUR_cst	26
easyEGO.cst	29
EGO.cst	33
EGO.nsteps	39
EI	43
EI.grad	45
EQI	47
EQI.grad	50
fastfun	51
integration_design_cst	52
kriging.quantile	54
kriging.quantile.grad	56
max_AEI	58
max_AKG	60
max_EI	62
max_EQI	66
max_qEI	68
min_quantile	71
noisy.optimizer	73
ParrConstraint	78
qEGO.nsteps	79
qEI	83
qEI.grad	85
sampleFromEI	88
test feas vec	90
update_km_noisyEGO	91

Index	93
--------------	-----------

DiceOptim-package *Kriging-based optimization methods for computer experiments*

Description

Sequential and parallel Kriging-based optimization methods relying on expected improvement criteria.

Details

Package:	DiceOptim
Type:	Package
Version:	2.0
Date:	July 2016
License:	GPL-2 GPL-3

Note

This work is a follow-up of DiceOptim 1.0, which was produced within the frame of the DICE (Deep Inside Computer Experiments) Consortium between ARMINES, Renault, EDF, IRSN, ONERA and TOTAL S.A.

The authors would like to thank Yves Deville for his precious advice in R programming and packaging, as well as the DICE members for useful feedbacks, and especially Yann Richet (IRSN) for numerous discussions concerning the user-friendliness of this package.

Package `rgenoud >=5.3.3.` is recommended.

Important functions or methods:

<code>EGO.nsteps</code>	Standard Efficient Global Optimization algorithm with a fixed number of iterations (<code>nsteps</code>)—with model updates including re-estimation of covariance hyperparameters
<code>EI</code>	Expected Improvement criterion (single infill point, noise-free, constraint free problems)
<code>max_EI</code>	Maximization of the EI criterion. No need to specify any objective function
<code>qEI.nsteps</code>	EGO algorithm with batch-sequential (parallel) infill strategy
<code>noisy.optimizer</code>	EGO algorithm for noisy objective functions
<code>EGO.cst</code>	EGO algorithm for (non-linear) constrained problems
<code>easyEGO.cst</code>	User-friendly wrapper for <code>EGO.cst</code>

Author(s)

Victor Picheny (INRA, Castanet-Tolosan, France)

David Ginsbourger (Idiap Research Institute and University of Bern, Switzerland)

Olivier Roustant (Mines Saint-Etienne, France).

with contributions by M. Binois, C. Chevalier, S. Marmin and T. Wagner

References

- N.A.C. Cressie (1993), *Statistics for spatial data*, Wiley series in probability and mathematical statistics.
- D. Ginsbourger (2009), *Multiples métamodèles pour l'approximation et l'optimisation de fonctions numériques multivariées*, Ph.D. thesis, Ecole Nationale Supérieure des Mines de Saint-Etienne, 2009. <https://tel.archives-ouvertes.fr/tel-00772384>
- D. Ginsbourger, R. Le Riche, and L. Carraro (2010), chapter "Kriging is well-suited to parallelize optimization", in *Computational Intelligence in Expensive Optimization Problems*, Studies in Evolutionary Learning and Optimization, Springer.
- D.R. Jones (2001), A taxonomy of global optimization methods based on response surfaces, *Journal of Global Optimization*, 21, 345-383.
- D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.
- W.R. Jr. Mebane and J.S. Sekhon (2011), Genetic optimization using derivatives: The `rgenoud` package for R, *Journal of Statistical Software*, 51(1), 1-55, <http://www.jstatsoft.org/v51/i01/>.

- J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.
- V. Picheny and D. Ginsbourger (2013), Noisy kriging-based optimization methods: A unified implementation within the DiceOptim package, *Computational Statistics & Data Analysis*, 71, 1035-1053.
- C.E. Rasmussen and C.K.I. Williams (2006), *Gaussian Processes for Machine Learning*, the MIT Press, <http://www.GaussianProcess.org/gpml>
- B.D. Ripley (1987), *Stochastic Simulation*, Wiley.
- O. Roustant, D. Ginsbourger and Yves Deville (2012), DiceKriging, DiceOptim: Two R Packages for the Analysis of Computer Experiments by Kriging-Based Metamodelling and Optimization, *Journal of Statistical Software*, **42**(11), 1–26, <https://www.jstatsoft.org/article/view/v042i11>.
- T.J. Santner, B.J. Williams, and W.J. Notz (2003), *The design and analysis of computer experiments*, Springer.
- M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

Examples

```
set.seed(123)

#####
### 2D optimization USING EGO.nsteps and qEGO.nsteps #####
#####

# a 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design.fact <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design.fact)<-c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact)<-c("x1", "x2")
response.branin <- data.frame(apply(design.fact, 1, branin))
names(response.branin) <- "y"

# model identification
fitted.model1 <- km(~1, design=design.fact, response=response.branin,
covtype="gauss", control=list(pop.size=50,trace=FALSE), parinit=c(0.5, 0.5))

#####
## EGO, 5 steps #####
library(rgenoud)
nsteps <- 5
lower <- rep(0,d)
upper <- rep(1,d)
oEGO <- EGO.nsteps(model=fitted.model1, fun=branin, nsteps=nsteps,
lower=lower, upper=upper, control=list(pop.size=20, BFGSburnin=2))
print(oEGO$par)
print(oEGO$value)
```

```

# graphics
n.grid <- 15
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, branin)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid, y.grid, z.grid, 40)
title("EGO")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")
points(oEGO$par, pch=19, col="red")
text(oEGO$par[,1], oEGO$par[,2], labels=1:nsteps, pos=3)

##### Parallel EGO, 3 steps with batches of 3 #####
nsteps <- 3
lower <- rep(0,d)
upper <- rep(1,d)
npoints <- 3 # The batchsize
oEGO <- qEGO.nsteps(model = fitted.model1, branin, npoints = npoints, nsteps = nsteps,
crit="exact", lower, upper, optimcontrol = NULL)
print(oEGO$par)
print(oEGO$value)

# graphics
contour(x.grid, y.grid, z.grid, 40)
title("qEGO")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")
points(oEGO$par, pch=19, col="red")
text(oEGO$par[,1], oEGO$par[,2], labels=c(tcrossprod(rep(1,npoints),1:nsteps)), pos=3)

#####
##### 2D OPTIMIZATION, NOISY OBJECTIVE #####
#####

set.seed(10)
library(DiceDesign)
# Set test problem parameters
doe.size <- 9
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.1

# Build noisy simulator
funnoise <- function(x)
{
  f.new <- test.function(x) + sqrt(noise.var)*rnorm(n=1)
  return(f.new)}

# Generate DOE and response
doe <- as.data.frame(lhsDesign(doe.size, dim)$design)
y.tilde <- funnoise(doe)

# Create kriging model

```

```

model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Optimisation with noisy.optimizer
optim.param <- list()
optim.param$quantile <- .7
optim.result <- noisy.optimizer(optim.crit="EQI", optim.param=optim.param, model=model,
n.ite=5, noise.var=noise.var, funnoise=funnoise, lower=lower, upper=upper,
NoiseReEstimate=FALSE, CovReEstimate=FALSE)

print(optim.result$best.x)

#####
#### 2D OPTIMIZATION, 2 INEQUALITY CONSTRAINTS #####
#####

set.seed(25468)
library(DiceDesign)

fun <- goldsteinprice
fun1.cst <- function(x){return(-branin(x) + 25)}
fun2.cst <- function(x){return(3/2 - x[1] - 2*x[2] - .5*sin(2*pi*(x[1]^2 - 2*x[2])))}
constraint <- function(x){return(c(fun1.cst(x), fun2.cst(x)))}

lower <- rep(0, 2)
upper <- rep(1, 2)

## Optimization using the Expected Feasible Improvement criterion
res <- easyEGO.cst(fun=fun, constraint=constraint, n.cst=2, lower=lower, upper=upper, budget=10,
control=list(method="EFI", inneroptim="genoud", maxit=20))

cat("best design found:", res$par, "\n")
cat("corresponding objective and constraints:", res$value, "\n")

# Objective function in colour, constraint boundaries in red
# Initial DoE: white circles, added points: blue crosses, best solution: red cross

n.grid <- 15
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun)
cst1.grid <- apply(test.grid, 1, fun1.cst)
cst2.grid <- apply(test.grid, 1, fun2.cst)
filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
matrix(obj.grid, n.grid), main = "Two inequality constraints",
xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
plot.axes = {axis(1); axis(2);
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(cst1.grid, n.grid), level = 0, add=TRUE,
drawlabels=FALSE, lwd=1.5, col = "red")
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(cst2.grid, n.grid), level = 0, add=TRUE, drawlabels=FALSE,
lwd=1.5, col = "red")
points(res$history$X, col = "blue", pch = 4, lwd = 2)

```

```

    points(res$par[1], res$par[2], col = "red", pch = 4, lwd = 2, cex=2)
}
)
```

AEI

Augmented Expected Improvement

Description

Evaluation of the Augmented Expected Improvement (AEI) criterion, which is a modification of the classical EI criterion for noisy functions. The AEI consists of the regular EI multiplied by a penalization function that accounts for the diminishing payoff of observation replicates. The current minimum *y.min* is chosen as the kriging predictor of the observation with smallest kriging quantile.

Usage

```
AEI(x, model, new.noise.var = 0, y.min = NULL, type = "UK", envir = NULL)
```

Arguments

<i>x</i>	the input vector at which one wants to evaluate the criterion
<i>model</i>	a Kriging model of "km" class
<i>new.noise.var</i>	the (scalar) noise variance of the future observation.
<i>y.min</i>	The kriging predictor at the current best point (point with smallest kriging quantile). If not provided, this quantity is evaluated.
<i>type</i>	Kriging type: "SK" or "UK"
<i>envir</i>	environment for saving intermediate calculations and reusing them within AEI.grad

Value

Augmented Expected Improvement

Author(s)

Victor Picheny

David Ginsbourger

References

D. Huang, T.T. Allen, W.I. Notz, and N. Zeng (2006), Global Optimization of Stochastic Black-Box Systems via Sequential Kriging Meta-Models, *Journal of Global Optimization*, 34, 441-466.

Examples

```
#####
#### AEI SURFACE ASSOCIATED WITH AN ORDINARY KRIGING MODEL #####
### OF THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####

set.seed(421)

# Set test problem parameters
doe.size <- 12
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
nt <- nrow(design.grid)
crit.grid <- rep(0,1,nt)
func.grid <- rep(0,1,nt)

crit.grid <- apply(design.grid, 1, AEI, model=model, new.noise.var=noise.var)
func.grid <- apply(design.grid, 1, test.function)

# Compute kriging mean and variance on a grid
names(design.grid) <- c("V1", "V2")
pred <- predict.km(model, newdata=design.grid, type="UK")
mk.grid <- pred$m
sk.grid <- pred$sd

# Plot actual function
z.grid <- matrix(func.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
               plot.axes = {title("Actual function")};
```

```

points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})

# Plot Kriging mean
z.grid <- matrix(mk.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title("Kriging mean")};
points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})

# Plot Kriging variance
z.grid <- matrix(sk.grid^2, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title("Kriging variance")};
points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})

# Plot AEI criterion
z.grid <- matrix(crit.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title("AEI")};
points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})

```

AEI.grad*AEI's Gradient***Description**

Analytical gradient of the Augmented Expected Improvement (AEI) criterion.

Usage

```
AEI.grad(x, model, new.noise.var = 0, y.min = NULL, type = "UK", envir = NULL)
```

Arguments

- | | |
|----------------------------|--|
| <code>x</code> | the input vector at which one wants to evaluate the criterion |
| <code>model</code> | a Kriging model of "km" class |
| <code>new.noise.var</code> | the (scalar) noise variance of the new observation. |
| <code>y.min</code> | The kriging predictor at the current best point (point with smallest kriging quantile). If not provided, this quantity is evaluated. |
| <code>type</code> | Kriging type: "SK" or "UK" |
| <code>envir</code> | environment for inheriting intermediate calculations from AEI |

Value

Gradient of the Augmented Expected Improvement

Author(s)

Victor Picheny
 David Ginsbourger

Examples

```

set.seed(421)

# Set test problem parameters
doe.size <- 12
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 8 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
nt <- nrow(design.grid)

crit.grid <- apply(design.grid, 1, AEI, model=model, new.noise.var=noise.var)
crit.grad <- t(apply(design.grid, 1, AEI.grad, model=model, new.noise.var=noise.var))

z.grid <- matrix(crit.grid, n.grid, n.grid)
contour(x.grid,y.grid, z.grid, 30)
title("AEI and its gradient")
points(model@X[,1],model@X[,2],pch=17,col="blue")

for (i in 1:nt)
{
  x <- design.grid[i,]
  suppressWarnings(arrows(x$Var1,x$Var2, x$Var1+crit.grad[i,1]*.6,x$Var2+crit.grad[i,2]*.6,
  length=0.04,code=2,col="orange",lwd=2))
}

```

AKG	<i>Approximate Knowledge Gradient (AKG)</i>
-----	---

Description

Evaluation of the Approximate Knowledge Gradient (AKG) criterion.

Usage

```
AKG(x, model, new.noise.var = 0, type = "UK", envir = NULL)
```

Arguments

x	the input vector at which one wants to evaluate the criterion
model	a Kriging model of "km" class
new.noise.var	(scalar) noise variance of the future observation. Default value is 0 (noise-free observation).
type	Kriging type: "SK" or "UK"
envir	environment for saving intermediate calculations and reusing them within AKG.grad

Value

Approximate Knowledge Gradient

Author(s)

Victor Picheny

David Ginsbourger

References

Scott, W., Frazier, P., Powell, W. (2011). The correlated knowledge gradient for simulation optimization of continuous parameters using gaussian process regression. *SIAM Journal on Optimization*, 21(3), 996-1026.

Examples

```
#####
###   AKG SURFACE ASSOCIATED WITH AN ORDINARY KRIGING MODEL      #####
### OF THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####
set.seed(421)
# Set test problem parameters
doe.size <- 12
dim <- 2
test.function <- get("branin2")
```

```

lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
nt <- nrow(design.grid)

crit.grid <- apply(design.grid, 1, AKG, model=model, new.noise.var=noise.var)
func.grid <- apply(design.grid, 1, test.function)

# Compute kriging mean and variance on a grid
names(design.grid) <- c("V1","V2")
pred <- predict.km(model, newdata=design.grid, type="UK")
mk.grid <- pred$m
sk.grid <- pred$sd

# Plot actual function
z.grid <- matrix(func.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
               plot.axes = {title("Actual function");
                            points(model@X[,1],model@X[,2],pch=17,col="blue");
                            axis(1); axis(2)})

# Plot Kriging mean
z.grid <- matrix(mk.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
               plot.axes = {title("Kriging mean");
                            points(model@X[,1],model@X[,2],pch=17,col="blue");
                            axis(1); axis(2)})

# Plot Kriging variance
z.grid <- matrix(sk.grid^2, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
               plot.axes = {title("Kriging variance");
                            points(model@X[,1],model@X[,2],pch=17,col="blue");
                            axis(1); axis(2)})

```

```
# Plot AKG criterion
z.grid <- matrix(crit.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
               plot.axes = {title("AKG");
                             points(model@X[,1],model@X[,2],pch=17,col="blue");
                             axis(1); axis(2)})
```

AKG.grad

AKG's Gradient

Description

Gradient of the Approximate Knowledge Gradient (AKG) criterion.

Usage

```
AKG.grad(x, model, new.noise.var = 0, type = "UK", envir = NULL)
```

Arguments

x	the input vector at which one wants to evaluate the criterion
model	a Kriging model of "km" class
new.noise.var	(scalar) noise variance of the future observation. Default value is 0 (noise-free observation).
type	Kriging type: "SK" or "UK"
envir	optional: environment for reusing intermediate calculations from AKG

Value

Gradient of the Approximate Knowledge Gradient

Author(s)

Victor Picheny

Examples

```
#####
### AKG SURFACE AND ITS GRADIENT ASSOCIATED WITH AN ORDINARY #####
###                                     KRIGING MODEL          #####
### OF THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####
set.seed(421)

# Set test problem parameters
doe.size <- 12
dim <- 2
```

```

test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 9 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
nt <- nrow(design.grid)

crit.grid <- apply(design.grid, 1, AKG, model=model, new.noise.var=noise.var)
crit.grad <- t(apply(design.grid, 1, AKG.grad, model=model, new.noise.var=noise.var))

z.grid <- matrix(crit.grid, n.grid, n.grid)
contour(x.grid,y.grid, z.grid, 30)
title("AKG and its gradient")
points(model@X[,1],model@X[,2],pch=17,col="blue")

for (i in 1:nt)
{
  x <- design.grid[i,]
  suppressWarnings(arrows(x$Var1,x$Var2, x$Var1+crit.grad[i,1]*.2,x$Var2+crit.grad[i,2]*.2,
  length=0.04,code=2,col="orange",lwd=2))
}

```

Description

Check that the new point is not too close to already known observations to avoid numerical issues. Closeness can be estimated with several distances.

Usage

```
checkPredict(x, model, threshold = 1e-04, distance = "covdist", type = "UK")
```

Arguments

<code>x</code>	a vector representing the input to check,
<code>model</code>	list of objects of class <code>km</code> , one for each objective functions,
<code>threshold</code>	optional value for the minimal distance to an existing observation, default to <code>1e-4</code> ,
<code>distance</code>	selection of the distance between new observations, between "euclidean", "covdist" (default) and "covratio", see details,
<code>type</code>	"SK" or "UK" (default), depending whether uncertainty related to trend estimation has to be taken into account.

Details

If the distance between `x` and the closest observations in `model` is below `threshold`, `x` should not be evaluated to avoid numerical instabilities. The distance can simply be the Euclidean distance or the canonical distance associated with the kriging covariance `k`:

$$d(x, y) = \sqrt{k(x, x) - 2k(x, y) + k(y, y)}.$$

The last solution is the ratio between the prediction variance at `x` and the variance of the process.

Value

TRUE if the point should not be tested.

Author(s)

Mickael Binois

<code>critcst_optimizer</code>	<i>Maximization of constrained Expected Improvement criteria</i>
--------------------------------	--

Description

Given objects of class `km` for the objective and constraints, and a set of tuning parameters (`lower`, `upper` and `critcontrol`), `critcst_optimizer` performs the maximization of a constrained Expected Improvement or SUR criterion and delivers the next point to be visited in an EGO-like procedure.

The latter maximization relies either on a genetic algorithm using derivatives, `genoud` or exhaustive search at pre-specified points. It is important to remark that the information needed about the objective and constraint functions reduces here to the vector of response values embedded in the models (no call to the objective/constraint functions or simulators (except possibly for the objective)).

Usage

```
critcst_optimizer(
  crit = "EFI",
  model.fun,
  model.constraint,
  equality = FALSE,
  lower,
  upper,
  type = "UK",
  critcontrol = NULL,
  optimcontrol = NULL
)
```

Arguments

<code>crit</code>	sampling criterion. Three choices are available : "EFI", "AL" and "SUR",
<code>model.fun</code>	object of class km corresponding to the objective function, or, if the objective function is fast-to-evaluate, either the objective function to be minimized or a fastfun object, see details and examples below,
<code>model.constraint</code>	either one or a list of models of class km , one for each constraint,
<code>equality</code>	either FALSE if all constraints are inequalities, or a Boolean vector indicating which are equalities,
<code>lower</code>	vector of lower bounds for the variables to be optimized over,
<code>upper</code>	vector of upper bounds for the variables to be optimized over,
<code>type</code>	"SK" or "UK" (default), depending whether uncertainty related to trend estimation has to be taken into account.
<code>critcontrol</code>	optional list of control parameters for criterion <code>crit</code> , see details. Options for the checkPredict function: <code>threshold(1e-4)</code> and <code>distance(covdist)</code> are used to avoid numerical issues occurring when adding points too close to the existing ones.
<code>optimcontrol</code>	optional list of control parameters for optimization of the selected infill criterion. "method" set the optimization method; one can choose between "discrete" and "genoud". For each method, further parameters can be set. For "discrete", one has to provide the argument "candidate.points". For "genoud", one can control, among others, "pop.size" (default : [N = 3*2^dim for dim < 6 and N = 32*dim otherwise]), "max.generations" (12), "wait.generations" (2)), see genoud . Numbers into brackets are the default values. @return A list with components: <ul style="list-style-type: none">• <code>par</code>: The best set of parameters found,• <code>value</code>: The value of expected improvement at <code>par</code>.

Details

Extension of the function [max_EI](#) for constrained optimization.

Available infill criteria with `crit` are :

- Expected Probability of Feasibility (EFI) `crit_EFI`,
- Augmented Lagrangian (AL) `crit_AL`,
- Stepwise Uncertainty Reduction of the excursion volume (SUR) `crit_SUR_cst`.

Depending on the selected criterion, parameters can be given with `critcontrol`. Also options for `checkPredict` are available. More precisions are given in the corresponding help pages.

If the objective function to minimize is inexpensive, i.e. no need of a kriging model, then one can provide it in `model.obj`, which is handled next with class `fastfun` (or directly as a `fastfun` object). See example below.

In the case of equality constraints, it is possible to define them with `equality`. Additionally, one can modify the tolerance on the constraints using the `tolConstraints` component of `critcontrol`: an optional vector giving a tolerance for each of the constraints (equality or inequality). It is highly recommended to use it when there are equality constraints since the default tolerance of 0.05 (resp. 0 for inequality constraints) in such case might not be suited.

Author(s)

Victor Picheny

Mickael Binois

References

W.R. Jr. Mebane and J.S. Sekhon (2011), Genetic optimization using derivatives: The `rgenoud` package for R, *Journal of Statistical Software*, 42(11), 1-26

D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.

See Also

`critcst_optimizer`, `crit_EFI`, `crit_AL`, `crit_SUR_cst`

Examples

```
#-----
# 2D objective function, 2 cases
#-----

set.seed(2546)
library(DiceDesign)

n_var <- 2
fun <- branin
```

```

fun1.cst <- function(x){return(goldsteinprice(x)+.5)}
fun2.cst <- function(x){return(3/2 - x[1] - 2*x[2] - .5*sin(2*pi*(x[1]^2 - 2*x[2])))}

# Constraint function with vectorial output
cstfun <- function(x){return(c(fun1.cst(x), fun2.cst(x)))}

n.grid <- 31
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun)
cst1.grid <- apply(test.grid, 1, fun1.cst)
cst2.grid <- apply(test.grid, 1, fun2.cst)

n_appr <- 12
design.grid <- round(maximinESE_LHS(lhsDesign(n_appr, n_var, seed = 2)$design)$design, 1)
obj.init <- apply(design.grid, 1, fun)
cst1.init <- apply(design.grid, 1, fun1.cst)
cst2.init <- apply(design.grid, 1, fun2.cst)
model.fun <- km(~., design = design.grid, response = obj.init)
model.constraint1 <- km(~., design = design.grid, response = cst1.init, lower=c(.2,.2))
model.constraint2 <- km(~., design = design.grid, response = cst2.init, lower=c(.2,.2))
models.cst <- list(model.constraint1, model.constraint2)

lower <- rep(0, n_var)
upper <- rep(1, n_var)

#-----
# Augmented Lagrangian Improvement, fast objective function, two ineq constraints,
# optimization with genoud
#-----
critcontrol <- list(lambda=c(.5,2), rho=.5)
optimcontrol <- list(method = "genoud", max.generations=10, pop.size=20)

AL_grid <- apply(test.grid, 1, crit_AL, model.fun = fastfun(fun, design.grid),
                  model.constraint = models.cst, critcontrol=critcontrol)

cstEG01 <- critcst_optimizer(crit = "AL", model.fun = fun,
                               model.constraint = models.cst, equality = FALSE,
                               lower = lower, upper = upper,
                               optimcontrol = optimcontrol, critcontrol=critcontrol)

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(AL_grid, n.grid), main = "AL map and its maximizer (blue)",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);
                           points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")}
               )
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
        matrix(obj.grid, n.grid), nlevels = 10, add=TRUE, drawlabels=TRUE,
        col = "black")
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
        matrix(cst1.grid, n.grid), level = 0, add=TRUE, drawlabels=FALSE,
        lwd=1.5, col = "red")
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
        matrix(cst2.grid, n.grid), level = 0, add=TRUE, drawlabels=FALSE,
        lwd=1.5, col = "red")

```

```

        lwd=1.5, col = "red")
    points(cstEG01$par, col = "blue", pch = 4, lwd = 2)
}
)

#-----
# SUR, expensive objective function, one equality constraint,
# optimization with genoud, integration on a regular grid
#-----
optimcontrol <- list(method = "genoud", s = 40, maxit = 40)
critcontrol <- list(tolConstraints = .15, integration.points=as.matrix(test.grid))

SUR_grid <- apply(test.grid, 1, crit_SUR_cst, model.fun = model.fun,
model.constraint = model.constraint1, equality = TRUE, critcontrol = critcontrol)

cstEG02 <- critcst_optimizer(crit = "SUR", model.fun = model.fun,
model.constraint = model.constraint1, equality = TRUE,
lower = lower, upper = upper,
optimcontrol = optimcontrol, critcontrol = critcontrol)

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
matrix(SUR_grid, n.grid), main = "SUR map and its maximizer (blue)",
xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
plot.axes = {axis(1); axis(2);
points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(obj.grid, n.grid), nlevels = 10, add=TRUE,
drawlabels=TRUE, col = "black")
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(cst1.grid, n.grid), level = c(-critcontrol$tolConstraints,
critcontrol$tolConstraints),
add=TRUE, drawlabels=FALSE,lwd=1.5, col = "orange")
points(cstEG02$par, col = "blue", pch = 4, lwd = 2)
})
)

```

crit_AL*Expected Augmented Lagrangian Improvement***Description**

Computes the Expected Augmented Lagrangian Improvement at current location, with or without slack variables. Depending on the cases, the computation is either analytical (very fast), based on MC integration (slow) or on the CDF of a weighted sum of non-central chi-square (WNCS) variates (intermediate)

Usage

```
crit_AL(
  x,
```

```

model.fun,
model.constraint,
equality = FALSE,
critcontrol = NULL,
type = "UK"
)

```

Arguments

<code>x</code>	either a vector representing the design or the design AND slack variables (see details)
<code>model.fun</code>	object of class <code>km</code> corresponding to the objective function, or, if the objective function is fast-to-evaluate, a <code>fastfun</code> object,
<code>model.constraint</code>	either one or a list of objects of class <code>km</code> , one for each constraint function,
<code>equality</code>	either FALSE if all constraints are for inequalities, or a vector of Booleans indicating which are equalities
<code>critcontrol</code>	optional list with the following arguments: <ul style="list-style-type: none"> • <code>slack</code>: logical. If TRUE, slack variables are used for inequality constraints (see Details) • <code>rho</code>: penalty term (scalar), • <code>lambda</code>: Lagrange multipliers (vector of size the number of constraints), • <code>elit</code>: logical. If TRUE, sets the criterion to zero for all x's not improving the objective function • <code>n.mc</code>: number of Monte-Carlo drawings used to evaluate the criterion (see Details) • <code>nt</code>: number of discretization points for the WNCS distribution (see Details) • <code>tolConstraints</code>, an optional vector giving a tolerance (> 0) for each of the constraints (equality or inequality). It is highly recommended to use it when there are equality constraints since the default tolerance of 0.05 in such case might not be suited. Options for the <code>checkPredict</code> function: <code>threshold(1e-4)</code> and <code>distance(covdist)</code> are used to avoid numerical issues occurring when adding points too close to the existing ones.
<code>type</code>	"SK" or "UK" (by default), depending whether uncertainty related to trend estimation has to be taken into account.

Details

The AL can be used with or without the help of slack variables for the inequality constraints. If `critcontrol$slack=FALSE`: With a single constraint (inequality or equality) and a fast objective, a very fast formula is used to compute the criterion (recommended setting). Otherwise, an MC estimator of the criterion is used, which is much more costly. The argument `critcontrol$n.mc` tunes the precision of the estimator. On both cases `x` must be of size `d`.

If `critcontrol$slack=TRUE`: Slack variables are used to handle the inequality constraints. They can be provided directly through `x`, which should be of size `d+the number of inequality constraints`. The last values of `x` are slack variables scaled to [0,1].

If x is of size d , estimates of optimal slack variable are used.

Value

The Expected Augmented Lagrangian Improvement at x .

Author(s)

Victor Picheny

Mickael Binois

References

R.B. Gramacy, G.A. Gray, S. Le Digabel, H.K.H Lee, P. Ranjan, G. Wells, Garth, and S.M. Wild (2014+), Modeling an augmented Lagrangian for improved blackbox constrained optimization, *arXiv preprint arXiv:1403.4890*.

See Also

[EI](#) from package DiceOptim, [crit_EFI](#), [crit_SUR_cst](#).

Examples

```
#-----
# Expected Augmented Lagrangian Improvement surface with one inequality constraint,
# fast objective
#-----

set.seed(25468)
library(DiceDesign)

n_var <- 2
fun.obj <- goldsteinprice
fun.cst <- function(x){return(-branin(x) + 25)}
n.grid <- 31
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun.obj)
cst.grid <- apply(test.grid, 1, fun.cst)
n.init <- 15
design.grid <- round(maximinESE_LHS(lhsDesign(n.init, n_var, seed = 42)$design)$design, 1)
obj.init <- apply(design.grid, 1, fun.obj)
cst.init <- apply(design.grid, 1, fun.cst)
model.constraint <- km(~., design = design.grid, response = cst.init)
model.fun <- fastfun(fun.obj, design.grid)
AL_grid <- apply(test.grid, 1, crit_AL, model.fun = model.fun,
                  model.constraint = model.constraint)

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(AL_grid, n.grid), main = "Expected AL Improvement",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);}
```

```

    points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
            matrix(obj.grid, n.grid), nlevels = 10,
            add=TRUE, drawlabels=TRUE, col = "black")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
            matrix(cst.grid, n.grid), level = 0, add=TRUE,
            drawlabels=FALSE, lwd=1.5, col = "red")
        }
    )

#-----
# Expected AL Improvement surface with one inequality and one equality constraint,
# using slack variables
#-----

set.seed(25468)
library(DiceDesign)

n_var <- 2
fun.obj <- goldsteinprice
fun.cstineq <- function(x){return(3/2 - x[1] - 2*x[2] - .5*sin(2*pi*(x[1]^2 - 2*x[2])))}
fun.csteq <- function(x){return(branin(x) - 25)}
n.grid <- 51
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun.obj)
cstineq.grid <- apply(test.grid, 1, fun.cstineq)
csteq.grid <- apply(test.grid, 1, fun.csteq)
n.init <- 25
design.grid <- round(maximinESE_LHS(lhsDesign(n.init, n_var, seed = 42)$design)$design, 1)
obj.init <- apply(design.grid, 1, fun.obj)
cstineq.init <- apply(design.grid, 1, fun.cstineq)
csteq.init <- apply(design.grid, 1, fun.csteq)
model.fun <- km(~., design = design.grid, response = obj.init)
model.constraintineq <- km(~., design = design.grid, response = cstineq.init)
model.constrainteq <- km(~., design = design.grid, response = csteq.init)

models.cst <- list(model.constraintineq, model.constrainteq)

AL_grid <- apply(test.grid, 1, crit_AL, model.fun = model.fun, model.constraint = models.cst,
                  equality = c(FALSE, TRUE), critcontrol = list(tolConstraints = c(0.05, 3),
                                                                slack=TRUE))

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(AL_grid, n.grid), main = "Expected AL Improvement",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);
                           points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(obj.grid, n.grid), nlevels = 10,
                                   add=TRUE, drawlabels=TRUE, col = "black")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(cstineq.grid, n.grid), level = 0, add=TRUE,
                                   drawlabels=FALSE, lwd=1.5, col = "red")})

```

```

        contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
               matrix(csteq.grid, n.grid), level = 0, add=TRUE,
               drawlabels=FALSE, lwd=1.5, col = "orange")
    }
)

```

crit_EFI*Expected Feasible Improvement***Description**

Computes the Expected Feasible Improvement at current location. The current feasible minimum of the observations can be replaced by an arbitrary value (plugin), which is usefull in particular in noisy frameworks.

Usage

```

crit_EFI(
  x,
  model.fun,
  model.constraint,
  equality = FALSE,
  critcontrol = NULL,
  plugin = NULL,
  type = "UK"
)

```

Arguments

- | | |
|-------------------------------|--|
| <code>x</code> | a vector representing the input for which one wishes to calculate EFI, |
| <code>model.fun</code> | object of class <code>km</code> corresponding to the objective function, or, if the objective function is fast-to-evaluate, a <code>fastfun</code> object, |
| <code>model.constraint</code> | either one or a list of objects of class <code>km</code> , one for each constraint function, |
| <code>equality</code> | either FALSE if all constraints are for inequalities, else a vector of boolean indicating which are equalities, |
| <code>critcontrol</code> | optional list with argument <code>tolConstraints</code> , an optional vector giving a tolerance (> 0) for each of the constraints (equality or inequality). It is highly recommended to use it when there are equality constraints since the default tolerance of 0.05 in such case might not be suited. |

Options for the `checkPredict` function: `threshold(1e-4)` and `distance(covdist)` are used to avoid numerical issues occurring when adding points too close to the existing ones.

plugin	optional scalar: if provided, it replaces the feasible minimum of the current observations. If set to Inf, e.g. when there is no feasible solution, then the criterion is equal to the probability of feasibility,
type	"SK" or "UK" (by default), depending whether uncertainty related to trend estimation has to be taken into account.

Value

The Expected Feasible Improvement at x .

Author(s)

Victor Picheny

Mickael Binois

References

M. Schonlau, W.J. Welch, and D.R. Jones (1998), Global versus local search in constrained optimization of computer models, *Lecture Notes-Monograph Series*, 11-25.

M.J. Sasena, P. Papalambros, and P. Goovaerts (2002), Exploration of metamodeling sampling criteria for constrained global optimization, *Engineering optimization*, 34, 263-278.

See Also

`EI` from package DiceOptim, `crit_AL`, `crit_SUR_cst`.

Examples

```

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
  matrix(EFI_grid, n.grid), main = "Expected Feasible Improvement",
  xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
  plot.axes = {axis(1); axis(2);
    points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
      matrix(obj.grid, n.grid), nlevels = 10,
      add=TRUE, drawlabels=TRUE, col = "black")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
      matrix(cst.grid, n.grid), level = 0, add=TRUE,
      drawlabels=FALSE, lwd=1.5, col = "red")
  }
}

#-----
# Expected Feasible Improvement surface with one inequality and one equality constraint
#-----

set.seed(25468)
library(DiceDesign)

n_var <- 2
fun.obj <- goldsteinprice
fun.cstineq <- function(x){return(3/2 - x[1] - 2*x[2] - .5*sin(2*pi*(x[1]^2 - 2*x[2])))}
fun.csteq <- function(x){return(branin(x) - 25)}
n.grid <- 51
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun.obj)
cstineq.grid <- apply(test.grid, 1, fun.cstineq)
csteq.grid <- apply(test.grid, 1, fun.csteq)
n.init <- 25
design.grid <- round(maximinESE_LHS(lhsDesign(n.init, n_var, seed = 42)$design)$design, 1)
obj.init <- apply(design.grid, 1, fun.obj)
cstineq.init <- apply(design.grid, 1, fun.cstineq)
csteq.init <- apply(design.grid, 1, fun.csteq)
model.fun <- km(~., design = design.grid, response = obj.init)
model.constraintineq <- km(~., design = design.grid, response = cstineq.init)
model.constrainteq <- km(~., design = design.grid, response = csteq.init)

models.cst <- list(model.constraintineq, model.constrainteq)

EFI_grid <- apply(test.grid, 1, crit_EFI, model.fun = model.fun, model.constraint = models.cst,
  equality = c(FALSE, TRUE), critcontrol = list(tolConstraints = c(0.05, 3)))

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
  matrix(EFI_grid, n.grid), main = "Expected Feasible Improvement",
  xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
  plot.axes = {axis(1); axis(2);
    points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
      matrix(obj.grid, n.grid), nlevels = 10,
      add=TRUE, drawlabels=TRUE, col = "black")
  }
}

```

```

    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
            matrix(cstineq.grid, n.grid), level = 0, add=TRUE,
            drawlabels=FALSE,lwd=1.5, col = "red")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
            matrix(csteq.grid, n.grid), level = 0, add=TRUE,
            drawlabels=FALSE,lwd=1.5, col = "orange")
    }
)

```

crit_SUR_cst*Stepwise Uncertainty Reduction criterion***Description**

Computes the Stepwise Uncertainty Reduction (SUR) criterion at current location

Usage

```

crit_SUR_cst(
  x,
  model.fun,
  model.constraint,
  equality = FALSE,
  critcontrol = NULL,
  type = "UK"
)

```

Arguments

- | | |
|-------------------------------|--|
| <code>x</code> | a vector representing the input for which one wishes to calculate SUR, |
| <code>model.fun</code> | object of class <code>km</code> corresponding to the objective function, or, if the objective function is fast-to-evaluate, a <code>fastfun</code> object, |
| <code>model.constraint</code> | either one or a list of objects of class <code>km</code> , one for each constraint function, |
| <code>equality</code> | either FALSE if all constraints are for inequalities, else a vector of boolean indicating which are equalities |
| <code>critcontrol</code> | optional list with arguments: <ul style="list-style-type: none"> • <code>tolConstraints</code> optional vector giving a tolerance (> 0) for each of the constraints (equality or inequality). It is highly recommended to use it when there are equality constraints since the default tolerance of 0.05 in such case might not be suited; • <code>integration.points</code> and <code>integration.weights</code>: optional matrix and vector of integration points; • <code>precalc.data.cst, precalc.data.obj, mn.X.cst, sn.X.cst, mn.X.obj, sn.X.obj</code>: useful quantities for the fast evaluation of the criterion. |

- Options for the `checkPredict` function: `threshold` (`1e-4`) and `distance` (`covdist`) are used to avoid numerical issues occurring when adding points too close to the existing ones.
- type** "SK" or "UK" (by default), depending whether uncertainty related to trend estimation has to be taken into account.

Value

The Stepwise Uncertainty Reduction criterion at x.

Author(s)

Victor Picheny

Mickael Binois

References

V. Picheny (2014), A stepwise uncertainty reduction approach to constrained global optimization, *Proceedings of the 17th International Conference on Artificial Intelligence and Statistics*, JMLR W&CP 33, 787-795.

See Also

`EI` from package DiceOptim, `crit_EFI`, `crit_AL`.

Examples

```
#-----
# Stepwise Uncertainty Reduction criterion surface with one inequality constraint
#-----

set.seed(25468)
library(DiceDesign)

n_var <- 2
fun.obj <- goldsteinprice
fun.cst <- function(x){return(-branin(x) + 25)}
n.grid <- 21
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun.obj)
cst.grid <- apply(test.grid, 1, fun.cst)

n_appr <- 15
design.grid <- round(maximinESE_LHS(lhsDesign(n_appr, n_var, seed = 42)$design)$design, 1)
obj.init <- apply(design.grid, 1, fun.obj)
cst.init <- apply(design.grid, 1, fun.cst)
model.fun <- km(~., design = design.grid, response = obj.init)
model.constraint <- km(~., design = design.grid, response = cst.init)

integration.param <- integration_design_cst(integcontrol = list(integration.points = test.grid),
                                             lower = rep(0, n_var), upper = rep(1, n_var))
```

```

SUR_grid <- apply(test.grid, 1, crit_SUR_cst, model.fun = model.fun,
                   model.constraint = model.constraint, critcontrol=integration.param)

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(SUR_grid, n.grid), main = "SUR criterion",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);
                           points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(obj.grid, n.grid), nlevels = 10,
                                   add=TRUE, drawlabels=TRUE, col = "black")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(cst.grid, n.grid), level = 0, add=TRUE,
                                   drawlabels=FALSE, lwd=1.5, col = "red")
                           }
               )
)

#-----
# SUR with one inequality and one equality constraint
#-----

set.seed(25468)
library(DiceDesign)

n_var <- 2
fun.obj <- goldsteinprice
fun.cstineq <- function(x){return(3/2 - x[1] - 2*x[2] - .5*sin(2*pi*(x[1]^2 - 2*x[2])))}
fun.csteq <- function(x){return(branin(x) - 25)}
n.grid <- 21
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun.obj)
cstineq.grid <- apply(test.grid, 1, fun.cstineq)
csteq.grid <- apply(test.grid, 1, fun.csteq)
n_appr <- 25
design.grid <- round(maximinESE_LHS(lhsDesign(n_appr, n_var, seed = 42)$design)$design, 1)
obj.init <- apply(design.grid, 1, fun.obj)
cstineq.init <- apply(design.grid, 1, fun.cstineq)
csteq.init <- apply(design.grid, 1, fun.csteq)
model.fun <- km(~., design = design.grid, response = obj.init)
model.constraintineq <- km(~., design = design.grid, response = cstineq.init)
model.constrainteq <- km(~., design = design.grid, response = csteq.init)

models.cst <- list(model.constraintineq, model.constrainteq)

SUR_grid <- apply(test.grid, 1, crit_SUR_cst, model.fun = model.fun, model.constraint = models.cst,
                   equality = c(FALSE, TRUE), critcontrol = list(tolConstraints = c(0.05, 3),
                                                               integration.points=integration.param$integration.points))

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(SUR_grid, n.grid), main = "SUR criterion",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);

```

```

    points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
            matrix(obj.grid, n.grid), nlevels = 10,
            add=TRUE, drawlabels=TRUE, col = "black")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
            matrix(cstineq.grid, n.grid), level = 0, add=TRUE,
            drawlabels=FALSE,lwd=1.5, col = "red")
    contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
            matrix(csteq.grid, n.grid), level = 0, add=TRUE,
            drawlabels=FALSE,lwd=1.5, col = "orange")
    }
)

```

easyEGO.cst*EGO algorithm with constraints***Description**

User-friendly wrapper of the function [EGO.cst](#) Generates initial DOEs and kriging models (objects of class [km](#)), and executes nsteps iterations of EGO methods integrating constraints.

Usage

```

easyEGO.cst(
  fun,
  constraint,
  n.cst = 1,
  budget,
  lower,
  upper,
  cheapfun = FALSE,
  equality = FALSE,
  X = NULL,
  y = NULL,
  C = NULL,
  control = list(method = "EFI", trace = 1, inneroptim = "genoud", maxit = 100, seed =
  42),
  ...
)

```

Arguments

<code>fun</code>	scalar function to be minimized,
<code>constraint</code>	vectorial function corresponding to the constraints, see details below,
<code>n.cst</code>	number of constraints,

<code>budget</code>	total number of calls to the objective and constraint functions,
<code>lower</code>	vector of lower bounds for the variables to be optimized over,
<code>upper</code>	vector of upper bounds for the variables to be optimized over,
<code>cheapfun</code>	optional boolean, TRUE if the objective is a fast-to-evaluate function that does not need a kriging model
<code>equality</code>	either FALSE if all constraints are inequalities, else a Boolean vector indicating which are equalities
<code>X</code>	initial design of experiments. If not provided, X is taken as a maximin LHD with budget/3 points
<code>y</code>	initial set of objective observations $f(X)$. Computed if not provided.
<code>C</code>	initial set of constraint observations $g(X)$. Computed if not provided.
<code>control</code>	an optional list of control parameters. See "Details".
<code>...</code>	additional parameters to be given to BOTH the objective fun and constraints.

Details

Does not require knowledge on kriging models (objects of class [km](#))

The problem considered is of the form: $\min f(x)$ s.t. $g(x) \leq 0$, g having a vectorial output. By default all its components are supposed to be inequalities, but one can use a Boolean vector in `equality` to specify which are equality constraints, hence of the type $g(x) = 0$. The `control` argument is a list that can supply any of the following components:

- `method`: choice of constrained improvement function: "AL", "EFI" or "SUR" (see [crit_EFI](#), [crit_AL](#), [crit_SUR_cst](#))
- `trace`: if positive, tracing information on the progress of the optimization is produced.
- `inneroptim`: choice of the inner optimization algorithm: "genoud" or "random" (see [genoud](#)).
- `maxit`: maximum number of iterations of the inner loop.
- `seed`: to fix the random variable generator

For additional details, see [EGO.cst](#).

Value

A list with components:

- `par`: the best feasible point
- `values`: a vector of the objective and constraints at the point given in `par`,
- `history`: a list containing all the points visited by the algorithm (`X`) and their corresponding objectives (`y`) and constraints (`C`)

If no feasible point is found, `par` returns the most feasible point (in the least square sense).

Author(s)

Victor Picheny

Mickael Binois

References

- D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.
- M. Schonlau, W.J. Welch, and D.R. Jones (1998), Global versus local search in constrained optimization of computer models, *Lecture Notes-Monograph Series*, 11-25.
- M.J. Sasena, P. Papalambros, and P. Goovaerts (2002), Exploration of metamodeling sampling criteria for constrained global optimization, *Engineering optimization*, 34, 263-278.
- R.B. Gramacy, G.A. Gray, S. Le Digabel, H.K.H Lee, P. Ranjan, G. Wells, Garth, and S.M. Wild (2014+), Modeling an augmented Lagrangian for improved blackbox constrained optimization, *arXiv preprint arXiv:1403.4890*.
- J.M. Parr (2012), *Improvement criteria for constraint handling and multiobjective optimization*, University of Southampton.
- V. Picheny (2014), A stepwise uncertainty reduction approach to constrained global optimization, *Proceedings of the 17th International Conference on Artificial Intelligence and Statistics*, JMLR W&CP 33, 787-795.

Examples

```
#-----
# 2D objective function, 3 cases
#-----

set.seed(25468)
library(DiceDesign)

n_var <- 2
fun <- goldsteinprice
fun1.cst <- function(x){return(-branin(x) + 25)}
fun2.cst <- function(x){return(3/2 - x[1] - 2*x[2] - .5*sin(2*pi*(x[1]^2 - 2*x[2])))}

# Constraint function with vectorial output
constraint <- function(x){return(c(fun1.cst(x), fun2.cst(x)))}

# For illustration purposes
n.grid <- 31
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun)
cst1.grid <- apply(test.grid, 1, fun1.cst)
cst2.grid <- apply(test.grid, 1, fun2.cst)

lower <- rep(0, n_var)
upper <- rep(1, n_var)

#-----
```

```

# 1- Expected Feasible Improvement criterion, expensive objective function,
# two inequality constraints, 15 observations budget, using genoud
#-----
res <- easyEGO.cst(fun=fun, constraint=constraint, n.cst=2, lower=lower, upper=upper, budget=15,
control=list(method="EFI", inneroptim="genoud", maxit=20))

cat("best design found:", res$par, "\n")
cat("corresponding objective and constraints:", res$value, "\n")

# Objective function in colour, constraint boundaries in red
# Initial DoE: white circles, added points: blue crosses, best solution: red cross

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
matrix(obj.grid, n.grid), main = "Two inequality constraints",
xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
plot.axes = {axis(1); axis(2);
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(cst1.grid, n.grid), level = 0, add=TRUE,
drawlabels=FALSE, lwd=1.5, col = "red")
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(cst2.grid, n.grid), level = 0, add=TRUE, drawlabels=FALSE,
lwd=1.5, col = "red")
points(res$history$X, col = "blue", pch = 4, lwd = 2)
points(res$par[1], res$par[2], col = "red", pch = 4, lwd = 2, cex=2)
}
}

#-----
# 2- Augmented Lagrangian Improvement criterion, expensive objective function,
# one inequality and one equality constraint, 25 observations budget, using random search
#-----
res2 <- easyEGO.cst(fun=fun, constraint=constraint, n.cst=2, lower=lower, upper=upper, budget=25,
equality = c(TRUE, FALSE),
control=list(method="AL", inneroptim="random", maxit=100))

cat("best design found:", res2$par, "\n")
cat("corresponding objective and constraints:", res2$value, "\n")

# Objective function in colour, inequality constraint boundary in red, equality
# constraint in orange
# Initial DoE: white circles, added points: blue crosses, best solution: red cross

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
matrix(obj.grid, n.grid), xlab = expression(x[1]), ylab = expression(x[2]),
main = "Inequality (red) and equality (orange) constraints", color = terrain.colors,
plot.axes = {axis(1); axis(2);
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(cst1.grid, n.grid), level = 0, add=TRUE,
drawlabels=FALSE, lwd=1.5, col = "orange")
contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
matrix(cst2.grid, n.grid), level = 0, add=TRUE,
drawlabels=FALSE, lwd=1.5, col = "red")
points(res2$history$X, col = "blue", pch = 4, lwd = 2)
}
}

```

```

    points(res2$par[1], res2$par[2], col = "red", pch = 4, lwd = 2, cex=2)
  }

#-----
# 3- Stepwise Uncertainty Reduction criterion, fast objective function,
# single inequality constraint, with initial DOE given + 10 observations,
# using genoud
#-----
n.init <- 12
design.grid <- round(maximinESE_LHS(lhsDesign(n.init, n_var, seed = 42)$design)$design, 1)
cst2.init <- apply(design.grid, 1, fun2.cst)

res3 <- easyEGO.cst(fun=fun, constraint=fun2.cst, n.cst=1, lower=lower, upper=upper, budget=10,
                     X=design.grid, C=cst2.init,
                     cheapfun=TRUE, control=list(method="SUR", inneroptim="genoud", maxit=20))

cat("best design found:", res3$par, "\n")
cat("corresponding objective and constraint:", res3$value, "\n")

# Objective function in colour, inequality constraint boundary in red
# Initial DoE: white circles, added points: blue crosses, best solution: red cross

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(obj.grid, n.grid), main = "Single constraint, fast objective",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);
                           points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(obj.grid, n.grid), nlevels = 10, add = TRUE,
                                   drawlabels = TRUE)
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(cst2.grid, n.grid), level = 0, add = TRUE,
                                   drawlabels = FALSE, lwd = 1.5, col = "red")
                           points(res3$history$X, col = "blue", pch = 4, lwd = 2)
                           points(res3$par[1], res3$par[2], col = "red", pch = 4, lwd = 2, cex=2)
                           })
)

```

EGO.cst

Sequential constrained Expected Improvement maximization and model re-estimation, with a number of iterations fixed in advance by the user

Description

Executes `nsteps` iterations of EGO methods integrating constraints, based on objects of class [km](#). At each step, kriging models are re-estimated (including covariance parameters re-estimation) based

on the initial design points plus the points visited during all previous iterations; then a new point is obtained by maximizing one of the constrained Expected Improvement criteria available.

Usage

```
EGO.cst(
  model.fun = NULL,
  fun,
  cheapfun = NULL,
  model.constraint,
  constraint,
  equality = FALSE,
  crit = "EFI",
  nsteps,
  lower,
  upper,
  type = "UK",
  cov.reestim = TRUE,
  critcontrol = NULL,
  optimcontrol = list(method = "genoud", threshold = 1e-05, distance = "euclidean",
    notrace = FALSE),
  ...
)
```

Arguments

<code>model.fun</code>	object of class km corresponding to the objective function,
<code>fun</code>	scalar function to be minimized, corresponding to <code>model.fun</code> found by a call to match.fun ,
<code>cheapfun</code>	optional scalar function to use if the objective is a fast-to-evaluate function (handled next with class fastfun , through the use of match.fun), which does not need a kriging model, see details below,
<code>model.constraint</code>	either one or a list of models of class km , one per constraint,
<code>constraint</code>	vectorial function corresponding to the constraints, see details below,
<code>equality</code>	either FALSE if all constraints are for inequalities, else a vector of boolean indicating which are equalities
<code>crit</code>	choice of constrained improvement function: "AL", "EFI" or "SUR", see details below,
<code>nsteps</code>	an integer representing the desired number of iterations,
<code>lower</code>	vector of lower bounds for the variables to be optimized over,
<code>upper</code>	vector of upper bounds for the variables to be optimized over,
<code>type</code>	"SK" or "UK" (by default), depending whether uncertainty related to trend estimation has to be taken into account,
<code>cov.reestim</code>	optional boolean specifying if the kriging hyperparameters should be re-estimated at each iteration,

<code>critcontrol</code>	optional list of parameters for criterion <code>crit</code> , see details,
<code>optimcontrol</code>	an optional list of control parameters for optimization of the selected infill criterion:
	<ul style="list-style-type: none"> • method can be set to "discrete" or "genoud". For "discrete", a matrix <code>candidate.points</code> must be given, For "genoud", specific parameters to the chosen method can also be specified (see genoud). • Options for the checkPredict function: threshold (1e-4) and distance (<code>covdist</code>) are used to avoid numerical issues occurring when adding points too close to the existing ones. • <code>notrace</code> can be set to TRUE to suppress printing of the optimization progresses.
...	additional parameters to be given to the objective fun and constraint.

Details

Extension of the function [EGO.nsteps](#) to constrained optimization.

The problem considered is of the form: $\min f(x)$ s.t. $g(x) \leq 0$, g having a vectorial output. By default all its components are supposed to be inequalities, but one can use a boolean vector in `equality` to specify which are equality constraints. In this case one can modify the tolerance on the constraints using the `tolConstraints` component of `critcontrol`: an optional vector giving a tolerance for each of the constraints (equality or inequality). It is highly recommended to use it when there are equality constraints since the default tolerance of 0.05 in such case might not be suited.

Available infill criteria with `crit` are:

- Expected Probability of Feasibility (EFI) [crit_EFI](#),
- Augmented Lagrangian (AL) [crit_AL](#),
- Stepwise Uncertainty Reduction of the excursion volume (SUR) [crit_SUR_cst](#).

Depending on the selected criterion, various parameters are available. More precisions are given in the corresponding help pages.

It is possible to consider a cheap to evaluate objective function submitted to expensive constraints. In this case, provide only a function in `cheapfun`, with both `model.fun` and `fun` to NULL, see examples below.

Value

A list with components:

- `par`: a matrix representing the additional points visited during the algorithm,
- `values`: a vector representing the response (objective) values at the points given in `par`,
- `constraint`: a matrix representing the constraints values at the points given in `par`,

- **feasibility**: a boolean vector saying if points given in `par` respect the constraints,
- **nsteps**: an integer representing the desired number of iterations (given in argument),
- **lastmodel.fun**: an object of class `km` corresponding to the objective function,
- **lastmodel.constraint**: one or a list of objects of class `km` corresponding to the last kriging models fitted to the constraints.

If a problem occurs during either model updates or criterion maximization, the last working model and corresponding values are returned.

Author(s)

Victor Picheny

Mickael Binois

References

- D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.
- M. Schonlau, W.J. Welch, and D.R. Jones (1998), Global versus local search in constrained optimization of computer models, *Lecture Notes-Monograph Series*, 11-25.
- M.J. Sasena, P. Papalambros, and P. Goovaerts (2002), Exploration of metamodeling sampling criteria for constrained global optimization, *Engineering optimization*, 34, 263-278.
- R.B. Gramacy, G.A. Gray, S. Le Digabel, H.K.H Lee, P. Ranjan, G. Wells, Garth, and S.M. Wild (2014+), Modeling an augmented Lagrangian for improved blackbox constrained optimization, *arXiv preprint arXiv:1403.4890*.
- J.M. Parr (2012), *Improvement criteria for constraint handling and multiobjective optimization*, University of Southampton.
- V. Picheny (2014), A stepwise uncertainty reduction approach to constrained global optimization, *Proceedings of the 17th International Conference on Artificial Intelligence and Statistics*, JMLR W&CP 33, 787-795.

See Also

`critcst_optimizer`, `crit_EFI`, `crit_AL`, `crit_SUR_cst`, `easyEGO.cst`

Examples

```
#-----
# 2D objective function, 3 cases
#-----

set.seed(25468)
library(DiceDesign)

n_var <- 2
fun <- goldsteinprice
fun1.cst <- function(x){return(-branin(x) + 25)}
```

```

fun2.cst <- function(x){return(3/2 - x[1] - 2*x[2] - .5*sin(2*pi*(x[1]^2 - 2*x[2])))}

# Constraint function with vectorial output
cstfun <- function(x){
  return(c(fun1.cst(x), fun2.cst(x)))
}

# For illustration purposes
n.grid <- 31
test.grid <- expand.grid(X1 = seq(0, 1, length.out = n.grid), X2 = seq(0, 1, length.out = n.grid))
obj.grid <- apply(test.grid, 1, fun)
cst1.grid <- apply(test.grid, 1, fun1.cst)
cst2.grid <- apply(test.grid, 1, fun2.cst)

# Initial set of observations and models
n.init <- 12
design.grid <- round(maximinESE_LHS(lhsDesign(n.init, n_var, seed = 42)$design)$design, 1)
obj.init <- apply(design.grid, 1, fun)
cst1.init <- apply(design.grid, 1, fun1.cst)
cst2.init <- apply(design.grid, 1, fun2.cst)
model.fun <- km(~., design = design.grid, response = obj.init)
model.constraint1 <- km(~., design = design.grid, response = cst1.init, lower=c(.2,.2))
model.constraint2 <- km(~., design = design.grid, response = cst2.init, lower=c(.2,.2))
model.constraint <- list(model.constraint1, model.constraint2)

lower <- rep(0, n_var)
upper <- rep(1, n_var)

#-----
# 1- Expected Feasible Improvement criterion, expensive objective function,
# two inequality constraints, 5 iterations, using genoud
#-----
cstEGO <- EGO.cst(model.fun = model.fun, fun = fun, model.constraint = model.constraint,
                    crit = "EFI", constraint = cstfun, equality = FALSE, lower = lower,
                    upper = upper, nsteps = 5, optimcontrol = list(method = "genoud", maxit = 20))

# Plots: objective function in colour, constraint boundaries in red
# Initial DoE: white circles, added points: blue crosses, best solution: red cross

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(obj.grid, n.grid), main = "Two inequality constraints",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);
                           points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(cst1.grid, n.grid), level = 0, add=TRUE, drawlabels=FALSE,
                                   lwd=1.5, col = "red")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(cst2.grid, n.grid), level = 0, add=TRUE, drawlabels=FALSE,
                                   lwd=1.5, col = "red")
                           points(cstEGO$par, col = "blue", pch = 4, lwd = 2)
               })
}

```

```

#-----
# 2- Augmented Lagrangian Improvement criterion, expensive objective function,
# one inequality and one equality constraint, using a discrete set of candidates (grid)
#-----
cstEG02 <- EG0.cst(model.fun = model.fun, fun = fun, model.constraint = model.constraint,
                     crit = "AL", constraint = cstfun, equality = c(TRUE, FALSE), lower = lower,
                     upper = upper, nsteps = 10,
                     critcontrol = list(tolConstraints = c(2, 0), always.update=TRUE),
                     optimcontrol=list(method="discrete", candidate.points=as.matrix(test.grid)))

# Plots: objective function in colour, inequality constraint boundary in red,
# equality constraint in orange
# Initial DoE: white circles, added points: blue crosses, best solution: red cross

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(obj.grid, n.grid),
               main = "Inequality (red) and equality (orange) constraints",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);
                           points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(cst1.grid, n.grid), level = 0, add=TRUE,
                                   drawlabels=FALSE,lwd=1.5, col = "orange")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(cst2.grid, n.grid), level = 0, add=TRUE,
                                   drawlabels=FALSE,lwd=1.5, col = "red")
                           points(cstEG02$par, col = "blue", pch = 4, lwd = 2)
               })
)

#-----
# 3- Stepwise Uncertainty Reduction criterion, fast objective function,
# single inequality constraint, 5 steps, importance sampling scheme
#-----
cstEG03 <- EG0.cst(model.fun = NULL, fun = NULL, cheapfun = fun,
                     model.constraint = model.constraint2, constraint = fun2.cst,
                     crit = "SUR", lower = lower, upper = upper,
                     nsteps =5, critcontrol=list(distrib="SUR"))

# Plots: objective function in colour, inequality constraint boundary in red,
# Initial DoE: white circles, added points: blue crosses, best solution: red cross

filled.contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid), nlevels = 50,
               matrix(obj.grid, n.grid), main = "Single constraint, fast objective",
               xlab = expression(x[1]), ylab = expression(x[2]), color = terrain.colors,
               plot.axes = {axis(1); axis(2);
                           points(design.grid[,1], design.grid[,2], pch = 21, bg = "white")
                           contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
                                   matrix(obj.grid, n.grid), nlevels = 10, add = TRUE,
                                   drawlabels = TRUE)
               })
)

```

```

        contour(seq(0, 1, length.out = n.grid), seq(0, 1, length.out = n.grid),
               matrix(cst2.grid, n.grid), level = 0, add=TRUE,
               drawlabels=FALSE, lwd=1.5, col = "black")
        points(cstEGO3$par, col = "blue", pch = 4, lwd = 2)
    }
)

```

EGO.nsteps

Sequential EI maximization and model re-estimation, with a number of iterations fixed in advance by the user

Description

Executes *nsteps* iterations of the EGO method to an object of class [km](#). At each step, a kriging model is re-estimated (including covariance parameters re-estimation) based on the initial design points plus the points visited during all previous iterations; then a new point is obtained by maximizing the Expected Improvement criterion ([EI](#)).

Usage

```

EGO.nsteps(
  model,
  fun,
  nsteps,
  lower,
  upper,
  parinit = NULL,
  control = NULL,
  kmcontrol = NULL
)

```

Arguments

<code>model</code>	an object of class km ,
<code>fun</code>	the objective function to be minimized,
<code>nsteps</code>	an integer representing the desired number of iterations,
<code>lower</code>	vector of lower bounds for the variables to be optimized over,
<code>upper</code>	vector of upper bounds for the variables to be optimized over,
<code>parinit</code>	optional vector of initial values for the variables to be optimized over,
<code>control</code>	an optional list of control parameters for optimization. One can control "pop.size" (default : [4+3*log(nb of variables)]), "max.generations" (default :5), "wait.generations" (default :2), "BFGSburnin" (default :0), of the function genoud .

<code>kmcontrol</code>	an optional list representing the control variables for the re-estimation of the kriging model. The items are the same as in km : <code>penalty, optim.method, parinit, control</code> . The default values are those contained in <code>model</code> , typically corresponding to the variables used in km to estimate a kriging model from the initial design points.
------------------------	---

Value

A list with components:

<code>par</code>	a data frame representing the additional points visited during the algorithm,
<code>value</code>	a data frame representing the response values at the points given in <code>par</code> ,
<code>npoints</code>	an integer representing the number of parallel computations (=1 here),
<code>nsteps</code>	an integer representing the desired number of iterations (given in argument),
<code>lastmodel</code>	an object of class km corresponding to the last kriging model fitted.

Note

Most EGO-like methods (EI algorithms) usually work with Ordinary Kriging (constant trend), by maximization of the expected improvement. Here, the EI maximization is also possible with any linear trend. However, note that the optimization may perform much faster and better when the trend is a constant since it is the only case where the analytical gradient is available.

For more details on `kmcontrol`, see the documentation of [km](#).

Author(s)

David Ginsbourger

Olivier Roustant

References

- D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.
- J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.
- T.J. Santner, B.J. Williams, and W.J. Notz (2003), *The design and analysis of computer experiments*, Springer.
- M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

See Also

[EI](#), [max_EI](#), [EI.grad](#)

Examples

```

set.seed(123)
#####
### 10 ITERATIONS OF EGO ON THE BRANIN FUNCTION,      #####
### STARTING FROM A 9-POINTS FACTORIAL DESIGN      #####
#####

# a 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design.fact <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design.fact)<-c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact)<-c("x1", "x2")
response.branin <- apply(design.fact, 1, branin)
response.branin <- data.frame(response.branin)
names(response.branin) <- "y"

# model identification
fitted.model1 <- km(~1, design=design.fact, response=response.branin,
covtype="gauss", control=list(pop.size=50,trace=FALSE), parinit=c(0.5, 0.5))

# EGO n steps
library(rgenoud)
nsteps <- 5 # Was 10, reduced to 5 for speeding up compilation
lower <- rep(0,d)
upper <- rep(1,d)
oEGO <- EGO.nsteps(model=fitted.model1, fun=branin, nsteps=nsteps,
lower=lower, upper=upper, control=list(pop.size=20, BFGSburnin=2))
print(oEGO$par)
print(oEGO$value)

# graphics
n.grid <- 15 # Was 20, reduced to 15 for speeding up compilation
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, branin)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid, y.grid, z.grid, 40)
title("Branin function")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")
points(oEGO$par, pch=19, col="red")
text(oEGO$par[,1], oEGO$par[,2], labels=1:nsteps, pos=3)

#####
### 20 ITERATIONS OF EGO ON THE GOLDSTEIN-PRICE,      #####
### STARTING FROM A 9-POINTS FACTORIAL DESIGN      #####
#####
## Not run:

```

```

# a 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design факт <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design факт)<-c("x1", "x2")
design факт <- data.frame(design факт)
names(design факт)<-c("x1", "x2")
response.goldsteinPrice <- apply(design факт, 1, goldsteinPrice)
response.goldsteinPrice <- data.frame(response.goldsteinPrice)
names(response.goldsteinPrice) <- "y"

# model identification
fitted.model1 <- km(~1, design=design факт, response=response.goldsteinPrice,
covtype="gauss", control=list(pop.size=50, max.generations=50,
wait.generations=5, BFGSburnin=10, trace=FALSE), parinit=c(0.5, 0.5), optim.method="BFGS")

# EGO n steps
library(rgenoud)
nsteps <- 10 # Was 20, reduced to 10 for speeding up compilation
lower <- rep(0,d)
upper <- rep(1,d)
oEGO <- EGO.nsteps(model=fitted.model1, fun=goldsteinPrice, nsteps=nsteps,
lower, upper, control=list(pop.size=20, BFGSburnin=2))
print(oEGO$par)
print(oEGO$value)

# graphics
n.grid <- 15 # Was 20, reduced to 15 for speeding up compilation
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, goldsteinPrice)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid, y.grid, z.grid, 40)
title("Goldstein-Price Function")
points(design факт[,1], design факт[,2], pch=17, col="blue")
points(oEGO$par, pch=19, col="red")
text(oEGO$par[,1], oEGO$par[,2], labels=1:nsteps, pos=3)

## End(Not run)

#####
### nsteps ITERATIONS OF EGO ON THE HARTMAN6 FUNCTION, #####
### STARTING FROM A 10-POINTS UNIFORM DESIGN #####
#####

## Not run:
fonction<-hartman6
data(mydata)
a <- mydata
nb<-10
nsteps <- 3 # Maybe be changed to a larger value
x1<-a[[1]][1:nb];x2<-a[[2]][1:nb];x3<-a[[3]][1:nb]
x4<-a[[4]][1:nb];x5<-a[[5]][1:nb];x6<-a[[6]][1:nb]

```

```

design <- data.frame(cbind(x1,x2,x3,x4,x5,x6))
names(design)<-c("x1", "x2","x3","x4","x5","x6")
n <- nrow(design)

response <- data.frame(q=apply(design,1,fonction))
names(response) <- "y"
fitted.model1 <- km(~1, design=design, response=response, covtype="gauss",
control=list(pop.size=50, max.generations=20, wait.generations=5, BFGSburnin=5,
trace=FALSE), optim.method="gen", parinit=rep(0.8,6))

res.nsteps <- EGO.nsteps(model=fitted.model1, fun=fonction, nsteps=nsteps,
lower=rep(0,6), upper=rep(1,6), parinit=rep(0.5,6), control=list(pop.size=50,
max.generations=20, wait.generations=5, BFGSburnin=5), kmcontrol=NULL)
print(res.nsteps)
plot(res.nsteps$value,type="l")

## End(Not run)

```

EI*Analytical expression of the Expected Improvement criterion***Description**

Computes the Expected Improvement at current location. The current minimum of the observations can be replaced by an arbitrary value (plugin), which is usefull in particular in noisy frameworks.

Usage

```
EI(x, model, plugin = NULL, type = "UK", minimization = TRUE, envir = NULL)
```

Arguments

- | | |
|---------------------|---|
| x | a vector representing the input for which one wishes to calculate EI, |
| model | an object of class km , |
| plugin | optional scalar: if provided, it replaces the minimum of the current observations, |
| type | "SK" or "UK" (by default), depending whether uncertainty related to trend estimation has to be taken into account, |
| minimization | logical specifying if EI is used in minimization or in maximization, |
| envir | an optional environment specifying where to assign intermediate values for future gradient calculations. Default is NULL. |

Value

The expected improvement, defined as

$$EI(x) := E[(\min(Y(X)) - Y(x))^+ | Y(X) = y(X)],$$

where X is the current design of experiments and Y is the random process assumed to have generated the objective function y. If a plugin is specified, it replaces

$$\min(Y(X))$$

in the previous formula.

Author(s)

David Ginsbourger

Olivier Roustant

Victor Picheny

References

- D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.
- J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.
- T.J. Santner, B.J. Williams, and W.J. Notz (2003), *The design and analysis of computer experiments*, Springer.
- M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

See Also

[max_EI](#), [EGO.nsteps](#), [qEI](#)

Examples

```
set.seed(123)
#####
###      EI SURFACE ASSOCIATED WITH AN ORDINARY KRIGING MODEL      #####
###      OF THE BRANIN FUNCTION KNOWN AT A 9-POINTS FACTORIAL DESIGN  #####
#####

# a 9-points factorial design, and the corresponding response
d <- 2; n <- 9
design.fact <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design.fact)<-c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact)<-c("x1", "x2")
response.branin <- apply(design.fact, 1, branin)
response.branin <- data.frame(response.branin)
```

```

names(response.branin) <- "y"

# model identification
fitted.model1 <- km(~1, design=design.fact, response=response.branin,
covtype="gauss", control=list(pop.size=50,trace=FALSE), parinit=c(0.5, 0.5))

# graphics
n.grid <- 12
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
#response.grid <- apply(design.grid, 1, branin)
EI.grid <- apply(design.grid, 1, EI,fitted.model1)
z.grid <- matrix(EI.grid, n.grid, n.grid)
contour(x.grid,y.grid,z.grid,25)
title("Expected Improvement for the Branin function known at 9 points")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")

```

EI.grad*Analytical gradient of the Expected Improvement criterion***Description**

Computes the gradient of the Expected Improvement at the current location. The current minimum of the observations can be replaced by an arbitrary value (plugin), which is usefull in particular in noisy frameworks.

Usage

```

EI.grad(
  x,
  model,
  plugin = NULL,
  type = "UK",
  minimization = TRUE,
  envir = NULL
)

```

Arguments

x	a vector representing the input for which one wishes to calculate EI .
model	an object of class km .
plugin	optional scalar: if provided, it replaces the minimum of the current observations,
type	Kriging type: "SK" or "UK"
minimization	logical specifying if EI is used in minimization or in maximization,
envir	an optional environment specifying where to get intermediate values calculated in EI .

Value

The gradient of the expected improvement criterion with respect to x. Returns 0 at design points (where the gradient does not exist).

Author(s)

David Ginsbourger
 Olivier Roustant
 Victor Picheny

References

- D. Ginsbourger (2009), *Multiples métamodèles pour l'approximation et l'optimisation de fonctions numériques multivariées*, Ph.D. thesis, Ecole Nationale Supérieure des Mines de Saint-Etienne, 2009.
- J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.
- T.J. Santner, B.J. Williams, and W.J. Notz (2003), *The design and analysis of computer experiments*, Springer.
- M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

See Also

[EI](#)

Examples

```
set.seed(123)
# a 9-points factorial design, and the corresponding response
d <- 2; n <- 9
design факт <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design факт) <- c("x1", "x2")
design факт <- data.frame(design факт)
names(design факт) <- c("x1", "x2")
response.branin <- apply(design факт, 1, branin)
response.branin <- data.frame(response.branin)
names(response.branin) <- "y"

# model identification
fitted.model1 <- km(~1, design=design факт, response=response.branin,
covtype="gauss", control=list(pop.size=50, trace=FALSE), parinit=c(0.5, 0.5))

# graphics
n.grid <- 9 # Increase to 50 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
#response.grid <- apply(design.grid, 1, branin)
EI.grid <- apply(design.grid, 1, EI,fitted.model1)
```

```

#EI.grid <- apply(design.grid, 1, EI.plot,fitted.model1, gr=TRUE)

z.grid <- matrix(EI.grid, n.grid, n.grid)

contour(x.grid,y.grid,z.grid,20)
title("Expected Improvement for the Brannin function known at 9 points")
points(design факт[,1], design факт[,2], pch=17, col="blue")

# graphics
n.gridx <- 5 # increase to 15 for nicer picture
n.gridy <- 5 # increase to 15 for nicer picture
x.grid2 <- seq(0,1,length=n.gridx)
y.grid2 <- seq(0,1,length=n.gridy)
design.grid2 <- expand.grid(x.grid2, y.grid2)

EI.envir <- new.env()
environment(EI) <- environment(EI.grad) <- EI.envir

for(i in seq(1, nrow(design.grid2)) )
{
  x <- design.grid2[i,]
  ei <- EI(x, model=fitted.model1, envir=EI.envir)
  eigrad <- EI.grad(x , model=fitted.model1, envir=EI.envir)
  if(!(is.null(ei)))
  {
    suppressWarnings(arrows(x$Var1,x$Var2,
    x$Var1 + eigrad[1]*2.2*10e-5, x$Var2 + eigrad[2]*2.2*10e-5,
    length = 0.04, code=2, col="orange", lwd=2))
  }
}

```

EQI

Expected Quantile Improvement

Description

Evaluation of the Expected Quantile Improvement (EQI) criterion.

Usage

```

EQI(
  x,
  model,
  new.noise.var = 0,
  beta = 0.9,
  q.min = NULL,
  type = "UK",
  envir = NULL
)

```

Arguments

x	the input vector at which one wants to evaluate the criterion
model	a Kriging model of "km" class
new.noise.var	(scalar) noise variance of the future observation. Default value is 0 (noise-free observation).
beta	Quantile level (default value is 0.9)
q.min	Best kriging quantile. If not provided, this quantity is evaluated.
type	Kriging type: "SK" or "UK"
envir	environment for saving intermediate calculations and reusing them within EQI.grad

Value

Expected Quantile Improvement

Author(s)

Victor Picheny

David Ginsbourger

References

Picheny, V., Ginsbourger, D., Richet, Y., Caplin, G. (2013). Quantile-based optimization of noisy computer experiments with tunable precision. *Technometrics*, 55(1), 2-13.

Examples

```
#####
### EQI SURFACE ASSOCIATED WITH AN ORDINARY KRIGING MODEL #####
### OF THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####

set.seed(421)

# Set test problem parameters
doe.size <- 12
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
```

```

y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
nt <- nrow(design.grid)

crit.grid <- apply(design.grid, 1, EQI, model=model, new.noise.var=noise.var, beta=.9)
func.grid <- apply(design.grid, 1, test.function)

# Compute kriging mean and variance on a grid
names(design.grid) <- c("V1","V2")
pred <- predict(model, newdata=design.grid, type="UK", checkNames = FALSE)
mk.grid <- pred$m
sk.grid <- pred$sd

# Plot actual function
z.grid <- matrix(func.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
               plot.axes = {title("Actual function");
               points(model@X[,1],model@X[,2],pch=17,col="blue");
               axis(1); axis(2)})

# Plot Kriging mean
z.grid <- matrix(mk.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
               plot.axes = {title("Kriging mean");
               points(model@X[,1],model@X[,2],pch=17,col="blue");
               axis(1); axis(2)})

# Plot Kriging variance
z.grid <- matrix(sk.grid^2, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
               plot.axes = {title("Kriging variance");
               points(model@X[,1],model@X[,2],pch=17,col="blue");
               axis(1); axis(2)})

# Plot EQI criterion
z.grid <- matrix(crit.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
               plot.axes = {title("EQI");
               points(model@X[,1],model@X[,2],pch=17,col="blue");
               axis(1); axis(2)})

```

EQI.grad

*EQI's Gradient***Description**

Analytical gradient of the Expected Quantile Improvement (EQI) criterion.

Usage

```
EQI.grad(
  x,
  model,
  new.noise.var = 0,
  beta = 0.9,
  q.min = NULL,
  type = "UK",
  envir = NULL
)
```

Arguments

<code>x</code>	the input vector at which one wants to evaluate the criterion
<code>model</code>	a Kriging model of "km" class
<code>new.noise.var</code>	(scalar) noise variance of the future observation. Default value is 0 (noise-free observation).
<code>beta</code>	Quantile level (default value is 0.9)
<code>q.min</code>	Best kriging quantile. If not provided, this quantity is evaluated.
<code>type</code>	Kriging type: "SK" or "UK"
<code>envir</code>	environment for inheriting intermediate calculations from EQI

Value

Gradient of the Expected Quantile Improvement

Author(s)

Victor Picheny

David Ginsbourger

Examples

```
set.seed(421)

# Set test problem parameters
doe.size <- 12
```

```

dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 9 # change to 21 for nicer visuals
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
nt <- nrow(design.grid)

crit.grid <- apply(design.grid, 1, EQI, model=model, new.noise.var=noise.var, beta=.9)
crit.grad <- t(apply(design.grid, 1, EQI.grad, model=model, new.noise.var=noise.var, beta=.9))

z.grid <- matrix(crit.grid, n.grid, n.grid)
contour(x.grid,y.grid, z.grid, 30)
title("EQI and its gradient")
points(model@X[,1],model@X[,2],pch=17,col="blue")

for (i in 1:nt)
{
  x <- design.grid[i,]
  suppressWarnings(arrows(x$Var1,x$Var2, x$Var1+crit.grad[i,1]*.2,x$Var2+crit.grad[i,2]*.2,
  length=0.04,code=2,col="orange",lwd=2))
}

```

Description

Modification of an R function to be used as with methods `predict` and `update` (similar to a [km](#) object). It creates an S4 object which contains the values corresponding to evaluations of other costly observations. It is useful when an objective can be evaluated fast.

Usage

```
fastfun(fn, design, response = NULL)
```

Arguments

<code>fn</code>	the evaluator function, found by a call to match.fun ,
<code>design</code>	a data frame representing the design of experiments. The i th row contains the values of the d input variables corresponding to the i th evaluation.
<code>response</code>	optional vector (or 1-column matrix or data frame) containing the values of the 1-dimensional output given by the objective function at the design points.

Value

An object of class [fastfun-class](#).

integration_design_cst

Generic function to build integration points (for the SUR criterion)

Description

Modification of the function [integration_design](#) from the package KrigInv to be usable for SUR-based optimization with constraints.

Usage

```
integration_design_cst(
  integcontrol = NULL,
  lower,
  upper,
  model.fun = NULL,
  model.constraint = NULL,
  equality = FALSE,
  critcontrol = NULL,
  min.prob = 0.001
)
```

Arguments

<code>integcontrol</code>	Optional list specifying the procedure to build the integration points and weights. Many options are possible. A) If nothing is specified, $100*d$ points are chosen using the Sobol sequence. B) One can directly set the field <code>integration.points</code> ($p * d$ matrix) for pre-specified integration points. In this case these integration points and the corresponding vector <code>integration.weights</code> will be used for all the iterations of the algorithm.
---------------------------	---

C) If the field `integration.points` is not set then the integration points are renewed at each iteration. In that case one can control the number of integration points `n.points` (default: `100*d`) and a specific distribution `distrib`. Possible values for `distrib` are: "sobol", "MC" and "SUR" (default: "sobol").

C.1) The choice "sobol" corresponds to integration points chosen with the Sobol sequence in dimension `d` (uniform weight).

C.2) The choice "MC" corresponds to points chosen randomly, uniformly on the domain.

C.3) The choice "SUR" corresponds to importance sampling distributions (unequal weights).

When important sampling procedures are chosen, `n.points` points are chosen using importance sampling among a discrete set of `n.candidates` points (default: `n.points*10`) which are distributed according to a distribution `init.distrib` (default: "sobol"). Possible values for `init.distrib` are the space filling distributions "sobol" and "MC" or an user defined distribution "spec". The "sobol" and "MC" choices correspond to quasi random and random points in the domain. If the "spec" value is chosen the user must fill in manually the field `init.distrib.spec` to specify himself a `n.candidates * d` matrix of points in dimension `d`.

<code>lower</code>	Vector containing the lower bounds of the design space.
<code>upper</code>	Vector containing the upper bounds of the design space.
<code>model.fun</code>	object of class <code>km</code> corresponding to the objective functions, or, if the objective function is fast-to-evaluate, a <code>fastfun</code> object,
<code>model.constraint</code>	either one or a list of objects of class <code>km</code> , one for each constraint function,
<code>equality</code>	either FALSE if all constraints are for inequalities, else a vector of boolean indicating which are equalities
<code>critcontrol</code>	optional list of parameters (see <code>crit_SUR_cst</code>); here only the component <code>tolConstraints</code> is used.
<code>min.prob</code>	This argument applies only when importance sampling distributions are chosen. For numerical reasons we give a minimum probability for a point to belong to the importance sample. This avoids probabilities equal to zero and importance sampling weights equal to infinity. In an importance sample of <code>M</code> points, the maximum weight becomes $1/\text{min.prob} * 1/M$.

Value

A list with components:

- `integration.points` $p \times d$ matrix of `p` points used for the numerical calculation of integrals
- `integration.weights` a vector of size `p` corresponding to the weight of each point. If all the points are equally weighted, `integration.weights` is set to NULL

Author(s)

Victor Picheny

Mickael Binois

References

- Chevalier C., Picheny V., Ginsbourger D. (2012), The KrigInv package: An efficient and user-friendly R implementation of Kriging-based inversion algorithms, *Computational Statistics and Data Analysis*, 71, 1021-1034.
- Chevalier C., Bect J., Ginsbourger D., Vazquez E., Picheny V., Richet Y. (2011), Fast parallel kriging-based stepwise uncertainty reduction with application to the identification of an excursion set, *Technometrics*, 56(4), 455-465.
- V. Picheny (2014), A stepwise uncertainty reduction approach to constrained global optimization, *Proceedings of the 17th International Conference on Artificial Intelligence and Statistics*, JMLR W&CP 33, 787-795.

See Also

[crit_SUR_cst](#) KrigInv integration_design

kriging.quantile *Kriging quantile*

Description

Evaluation of a kriging quantile at a new point. To be used in an optimization loop.

Usage

```
kriging.quantile(x, model, beta = 0.1, type = "UK", envir = NULL)
```

Arguments

x	the input vector at which one wants to evaluate the criterion
model	a Kriging model of "km" class
beta	Quantile level (default value is 0.1)
type	Kriging type: "SK" or "UK"
envir	an optional environment specifying where to assign intermediate values for future gradient calculations. Default is NULL.

Value

Kriging quantile

Author(s)

Victor Picheny

David Ginsbourger

Examples

```
#####
#### KРИGING QUANTILE SURFACE #####
### OF THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####

set.seed(421)

# Set test problem parameters
doe.size <- 12
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
nt <- nrow(design.grid)

crit.grid <- apply(design.grid, 1, kriging.quantile, model=model, beta=.1)
func.grid <- apply(design.grid, 1, test.function)

# Compute kriging mean and variance on a grid
names(design.grid) <- c("V1","V2")
pred <- predict(model, newdata=design.grid, type="UK", checkNames = FALSE)
mk.grid <- pred$m
sk.grid <- pred$sd

# Plot actual function
z.grid <- matrix(func.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title("Actual function");
points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})
```

```

# Plot Kriging mean
z.grid <- matrix(mk.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title("Kriging mean");
points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})

# Plot Kriging variance
z.grid <- matrix(sk.grid^2, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title("Kriging variance");
points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})

# Plot kriging.quantile criterion
z.grid <- matrix(crit.grid, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title("kriging.quantile");
points(model@X[,1],model@X[,2],pch=17,col="blue");
axis(1); axis(2)})

```

`kriging.quantile.grad` *Analytical gradient of the Kriging quantile of level beta*

Description

Computes the gradient of the Kriging quantile of level beta at the current location. Only available for Universal Kriging with constant trend (Ordinary Kriging).

Usage

```
kriging.quantile.grad(x, model, beta = 0.1, type = "UK", envir = NULL)
```

Arguments

<code>x</code>	a vector representing the input for which one wishes to calculate <code>kriging.quantile.grad</code> .
<code>model</code>	an object of class <code>km</code> .
<code>beta</code>	A quantile level (between 0 and 1)
<code>type</code>	Kriging type: "SK" or "UK"
<code>envir</code>	environment for inheriting intermediate calculations from "kriging.quantile"

Value

The gradient of the Kriging mean predictor with respect to `x`. Returns 0 at design points (where the gradient does not exist).

Author(s)

Victor Picheny
 David Ginsbourger

References

- O. Roustant, D. Ginsbourger, Y. Deville, *DiceKriging, DiceOptim: Two R packages for the analysis of computer experiments by kriging-based metamodeling and optimization*, J. Stat. Soft., 2010.
<https://www.jstatsoft.org/article/view/v051i01>
- D. Ginsbourger (2009), *Multiples métamodèles pour l'approximation et l'optimisation de fonctions numériques multivariées*, Ph.D. thesis, Ecole Nationale Supérieure des Mines de Saint-Etienne, 2009.

See Also

[EI.grad](#)

Examples

```
#####
### KRIGING QUANTILE SURFACE AND ITS GRADIENT FOR #####
### THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####
set.seed(421)

# Set test problem parameters
doe.size <- 12
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {
  y.tilde[i] <- test.function(doe[i,]) + sqrt(noise.var)*rnorm(n=1)
}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Compute actual function and criterion on a grid
n.grid <- 9 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
```

```

nt <- nrow(design.grid)

crit.grid <- apply(design.grid, 1, kriging.quantile, model=model, beta=.1)
crit.grad <- t(apply(design.grid, 1, kriging.quantile.grad, model=model, beta=.1))

z.grid <- matrix(crit.grid, n.grid, n.grid)
contour(x.grid,y.grid, z.grid, 30)
title("kriging.quantile and its gradient")
points(model@X[,1],model@X[,2],pch=17,col="blue")

for (i in 1:nt)
{
  x <- design.grid[i,]
  arrows(x$Var1,x$Var2, x$Var1+crit.grad[i,1]*.01,x$Var2+crit.grad[i,2]*.01,
  length=0.04,code=2,col="orange",lwd=2)
}

```

max_AEI*Maximizer of the Augmented Expected Improvement criterion function***Description**

Maximization, based on the package rgenoud of the Augmented Expected Improvement (AEI) criterion.

Usage

```

max_AEI(
  model,
  new.noise.var = 0,
  y.min = NULL,
  type = "UK",
  lower,
  upper,
  parinit = NULL,
  control = NULL
)

```

Arguments

- | | |
|----------------------------|--|
| <code>model</code> | a Kriging model of "km" class |
| <code>new.noise.var</code> | the (scalar) noise variance of the new observation. |
| <code>y.min</code> | The kriging mean prediction at the current best point (point with smallest kriging quantile). If not provided, this quantity is evaluated inside the AEI function (may increase computational time). |
| <code>type</code> | Kriging type: "SK" or "UK" |

lower	vector containing the lower bounds of the variables to be optimized over
upper	optional vector containing the upper bounds of the variables to be optimized over
parinit	optional vector containing the initial values for the variables to be optimized over
control	optional list of control parameters for optimization. One can control "pop.size" (default : [N=3*2^dim for dim<6 and N=32*dim otherwise]), "max.generations" (12), "wait.generations" (2) and "BFGSburnin" (2) of function "genoud" (see genoud). Numbers into brackets are the default values

Value

A list with components:

par	the best set of parameters found.
value	the value AEI at par.

Author(s)

Victor Picheny

David Ginsbourger

Examples

```
library(DiceDesign)
set.seed(100)

# Set test problem parameters
doe.size <- 10
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(lhsDesign(doe.size, dim)$design)
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {y.tilde[i] <- test.function(doe[i,])
+ sqrt(noise.var)*rnorm(n=1)}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
covtype="gauss", noise.var=rep(noise.var,1,doe.size),
lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Optimisation using max_AEI
res <- max_AEI(model, new.noise.var=noise.var, type = "UK",
```

```

lower=c(0,0), upper=c(1,1))
X.genoud <- res$par

# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
names(design.grid) <- c("V1","V2")
nt <- nrow(design.grid)
crit.grid <- apply(design.grid, 1, AEI, model=model, new.noise.var=noise.var)

## Not run:
# # 2D plots
z.grid <- matrix(crit.grid, n.grid, n.grid)
tit <- "Green: best point found by optimizer"
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title(tit);points(model@X[,1],model@X[,2],pch=17,col="blue");
points(X.genoud[1],X.genoud[2],pch=17,col="green");}
axis(1); axis(2)}

## End(Not run)

```

max_AKG*Maximizer of the Expected Quantile Improvement criterion function***Description**

Maximization, based on the package rgenoud of the Expected Quantile Improvement (AKG) criterion.

Usage

```

max_AKG(
  model,
  new.noise.var = 0,
  type = "UK",
  lower,
  upper,
  parinit = NULL,
  control = NULL
)

```

Arguments

- | | |
|----------------------------|---|
| <code>model</code> | a Kriging model of "km" class |
| <code>new.noise.var</code> | the (scalar) noise variance of an observation. Default value is 0 (noise-free observation). |

type	Kriging type: "SK" or "UK"
lower	vector containing the lower bounds of the variables to be optimized over
upper	vector containing the upper bounds of the variables to be optimized over
parinit	optional vector containing the initial values for the variables to be optimized over
control	optional list of control parameters for optimization. One can control "pop.size" (default : [N=3*2^dim for dim<6 and N=32*dim otherwise]), "max.generations" (12), "wait.generations" (2) and "BFGSburnin" (2) of function "genoud" (see genoud). Numbers into brackets are the default values

Value

A list with components:

par	the best set of parameters found.
value	the value AKG at par.

Author(s)

Victor Picheny
David Ginsbourger

Examples

```
#####
###   AKG SURFACE AND OPTIMIZATION PERFORMED BY GENOUD      #####
###   FOR AN ORDINARY KRIGING MODEL                          #####
### OF THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####
set.seed(10)

# Set test problem parameters
doe.size <- 10
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
library(DiceDesign)
doe <- as.data.frame(lhsDesign(doe.size, dim)$design)
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {y.tilde[i] <- test.function(doe[i,])
+ sqrt(noise.var)*rnorm(n=1)}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
```

```

covtype="gauss", noise.var=rep(noise.var,1,doe.size),
lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Optimisation using max_AKG
res <- max_AKG(model, new.noise.var=noise.var, type = "UK",
lower=c(0,0), upper=c(1,1))
X.genoud <- res$par

## Not run:
# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
names(design.grid) <- c("V1","V2")
nt <- nrow(design.grid)
crit.grid <- apply(design.grid, 1, AKG, model=model, new.noise.var=noise.var)

# # 2D plots
z.grid <- matrix(crit.grid, n.grid, n.grid)
tit <- "Green: best point found by optimizer"
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
plot.axes = {title(tit);points(model@X[,1],model@X[,2],pch=17,col="blue");
points(X.genoud[1],X.genoud[2],pch=17,col="green");
axis(1); axis(2)})

## End(Not run)

```

max_EI*Maximization of the Expected Improvement criterion***Description**

Given an object of class [km](#) and a set of tuning parameters (`lower`,`upper`,`parinit`, and `control`), `max_EI` performs the maximization of the Expected Improvement criterion and delivers the next point to be visited in an EGO-like procedure.

Usage

```

max_EI(
  model,
  plugin = NULL,
  type = "UK",
  lower,
  upper,
  parinit = NULL,
  minimization = TRUE,
  control = NULL
)

```

Arguments

<code>model</code>	an object of class <code>km</code> ,
<code>plugin</code>	optional scalar: if provided, it replaces the minimum of the current observations,
<code>type</code>	Kriging type: "SK" or "UK"
<code>lower</code>	vector of lower bounds for the variables to be optimized over,
<code>upper</code>	vector of upper bounds for the variables to be optimized over,
<code>parinit</code>	optional vector of initial values for the variables to be optimized over,
<code>minimization</code>	logical specifying if EI is used in minimization or in maximization,
<code>control</code>	optional list of control parameters for optimization. One can control "pop.size" (default : [N=3*2^dim for dim<6 and N=32*dim otherwise]), "max.generations" (12), "wait.generations" (2) and "BFGSburnin" (2) of function "genoud" (see genoud). Numbers into brackets are the default values

Details

The latter maximization relies on a genetic algorithm using derivatives, [genoud](#). This function plays a central role in the package since it is in constant use in the proposed algorithms. It is important to remark that the information needed about the objective function reduces here to the vector of response values embedded in `model` (no call to the objective function or simulator).

The current minimum of the observations can be replaced by an arbitrary value (`plugin`), which is usefull in particular in noisy frameworks.

Value

A list with components:

<code>par</code>	The best set of parameters found.
<code>value</code>	The value of expected improvement at <code>par</code> .

Author(s)

David Ginsbourger
Olivier Roustant
Victor Picheny

References

- D. Ginsbourger (2009), *Multiples metamodeles pour l'approximation et l'optimisation de fonctions numeriques multivariables*, Ph.D. thesis, Ecole Nationale Supérieure des Mines de Saint-Etienne, 2009.
- D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.
- W.R. Jr. Mebane and J.S. Sekhon (2009), in press, Genetic optimization using derivatives: The `genoud` package for R, *Journal of Statistical Software*.

Examples

```

set.seed(123)
#####
#### "ONE-SHOT" EI-MAXIMIZATION OF THE BRANIN FUNCTION #####
#### KNOWN AT A 9-POINTS FACTORIAL DESIGN #####
#####

# a 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design.fact <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design.fact) <- c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact) <- c("x1", "x2")
response.branin <- apply(design.fact, 1, branin)
response.branin <- data.frame(response.branin)
names(response.branin) <- "y"

# model identification
fitted.model1 <- km(~1, design=design.fact, response=response.branin,
covtype="gauss", control=list(pop.size=50, trace=FALSE), parinit=c(0.5, 0.5))

# EGO one step
library(rgenoud)
lower <- rep(0,d)
upper <- rep(1,d)      # domain for Branin function
oEGO <- max_EI(fitted.model1, lower=lower, upper=upper,
control=list(pop.size=20, BFGSburnin=2))
print(oEGO)

# graphics
n.grid <- 20
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, branin)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid,y.grid,z.grid,40)
title("Branin Function")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")
points(oEGO$par[1], oEGO$par[2], pch=19, col="red")

#####
#### "ONE-SHOT" EI-MAXIMIZATION OF THE CAMELBACK FUNCTION #####
#### KNOWN AT A 16-POINTS FACTORIAL DESIGN #####
#####

## Not run:
# a 16-points factorial design, and the corresponding response
d <- 2
n <- 16
design.fact <- expand.grid(seq(0,1,length=4), seq(0,1,length=4))

```

```

names(design.fact)<-c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact) <- c("x1", "x2")
response.camelback <- apply(design.fact, 1, camelback)
response.camelback <- data.frame(response.camelback)
names(response.camelback) <- "y"

# model identification
fitted.model1 <- km(~1, design=design.fact, response=response.camelback,
covtype="gauss", control=list(pop.size=50, trace=FALSE), parinit=c(0.5, 0.5))

# EI maximization
library(rgenoud)
lower <- rep(0,d)
upper <- rep(1,d)
oEGO <- max_EI(fitted.model1, lower=lower, upper=upper,
control=list(pop.size=20, BFGSburnin=2))
print(oEGO)

# graphics
n.grid <- 20
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, camelback)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid,y.grid,z.grid,40)
title("Camelback Function")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")
points(oEGO$par[1], oEGO$par[2], pch=19, col="red")

## End(Not run)

#####
### "ONE-SHOT" EI-MAXIMIZATION OF THE GOLDSTEIN-PRICE FUNCTION #####
###      KNOWN AT A 9-POINTS FACTORIAL DESIGN      #####
#####

## Not run:
# a 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design.fact <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design.fact)<-c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact)<-c("x1", "x2")
response.goldsteinPrice <- apply(design.fact, 1, goldsteinPrice)
response.goldsteinPrice <- data.frame(response.goldsteinPrice)
names(response.goldsteinPrice) <- "y"

# model identification
fitted.model1 <- km(~1, design=design.fact, response=response.goldsteinPrice,
covtype="gauss", control=list(pop.size=50, max.generations=50,
wait.generations=5, BFGSburnin=10, trace=FALSE), parinit=c(0.5, 0.5), optim.method="gen")

```

```

# EI maximization
library(rgenoud)
lower <- rep(0,d); upper <- rep(1,d);      # domain for Branin function
oEGO <- max_EI(fitted.model1, lower=lower, upper=upper, control
=list(pop.size=50, max.generations=50, wait.generations=5, BFGSburnin=10))
print(oEGO)

# graphics
n.grid <- 20
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, goldsteinPrice)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid,y.grid,z.grid,40)
title("Goldstein-Price Function")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")
points(oEGO$par[1], oEGO$par[2], pch=19, col="red")

## End(Not run)

```

max_EQI*Maximizer of the Expected Quantile Improvement criterion function***Description**

Maximization, based on the package rgenoud of the Expected Quantile Improvement (EQI) criterion.

Usage

```
max_EQI(
  model,
  new.noise.var = 0,
  beta = 0.9,
  q.min = NULL,
  type = "UK",
  lower,
  upper,
  parinit = NULL,
  control = NULL
)
```

Arguments

- | | |
|----------------------------|---|
| <code>model</code> | a Kriging model of "km" class |
| <code>new.noise.var</code> | the (scalar) noise variance of an observation. Default value is 0 (noise-free observation). |

beta	Quantile level (default value is 0.9)
q.min	The current best kriging quantile. If not provided, this quantity is evaluated inside the EQI function (may increase computational time).
type	Kriging type: "SK" or "UK"
lower	vector containing the lower bounds of the variables to be optimized over
upper	optional vector containing the upper bounds of the variables to be optimized over
parinit	optional vector containing the initial values for the variables to be optimized over
control	optional list of control parameters for optimization. One can control "pop.size" (default : [N=3*2^dim for dim<6 and N=32*dim otherwise]), "max.generations" (12), "wait.generations" (2) and "BFGSburnin" (2) of function "genoud" (see genoud). Numbers into brackets are the default values

Value

A list with components:

par	the best set of parameters found.
value	the value EQI at par.

Author(s)

Victor Picheny

David Ginsbourger

Examples

```
set.seed(10)

# Set test problem parameters
doe.size <- 10
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {y.tilde[i] <- test.function(doe[i,])
+ sqrt(noise.var)*rnorm(n=1)}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
covtype="gauss", noise.var=rep(noise.var,1,doe.size),
```

```

lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Optimisation using max_EQI
res <- max_EQI(model, new.noise.var=noise.var, type = "UK",
lower=c(0,0), upper=c(1,1))
X.genoud <- res$par

## Not run:
# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
names(design.grid) <- c("V1","V2")
nt <- nrow(design.grid)
crit.grid <- apply(design.grid, 1, EQI, model=model, new.noise.var=noise.var, beta=.9)

# # 2D plots
z.grid <- matrix(crit.grid, n.grid, n.grid)
tit <- "Green: best point found by optimizer"
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = rainbow,
plot.axes = {title(tit);points(model@X[,1],model@X[,2],pch=17,col="blue");
points(X.genoud[1],X.genoud[2],pch=17,col="green"));
axis(1); axis(2)})

## End(Not run)

```

max_qEI*Maximization of multipoint expected improvement criterion (qEI)***Description**

Maximization of the [qEI](#) criterion. Two options are available : Constant Liar (CL), and brute force qEI maximization with Broyden-Fletcher-Goldfarb-Shanno (BFGS) algorithm, or GENetic Optimization Using Derivative (genoud) algorithm.

Usage

```

max_qEI(
  model,
  npoints,
  lower,
  upper,
  crit = "exact",
  minimization = TRUE,
  optimcontrol = NULL
)

```

Arguments

<code>model</code>	an object of class <code>km</code> ,
<code>npoints</code>	an integer representing the desired number of iterations,
<code>lower</code>	vector of lower bounds,
<code>upper</code>	vector of upper bounds,
<code>crit</code>	"exact", "CL" : a string specifying the criterion used. "exact" triggers the maximization of the multipoint expected improvement at each iteration (see max_qEI), "CL" applies the Constant Liar heuristic,
<code>minimization</code>	logical specifying if the qEI to be maximized is used in minimization or in maximization,
<code>optimcontrol</code>	an optional list of control parameters for optimization. See details.

Details

- CL is a heuristic method. First, the regular Expected Improvement EI is maximized ([max_EI](#)). Then, for the next points, the Expected Improvement is maximized again, but with an artificially updated Kriging model. Since the response values corresponding to the last best point obtained are not available, the idea of CL is to replace them by an arbitrary constant value L (a "lie") set by the user (default is the minimum of all currently available observations).

- The BFGS algorithm is implemented in the standard function `optim`. Analytical formulae of `qEI` and its gradient `qEI.grad` are used. The `nStarts` starting points are by default sampled with respect to the regular EI ([sampleFromEI](#)) criterion.
- The "genoud" method calls the function `genoud` using analytical formulae of `qEI` and its gradient `qEI.grad`.

The parameters of list `optimcontrol` are :

- `optimcontrol$method` : "BFGS" (default), "genoud" ; a string specifying the method used to maximize the criterion (irrelevant when `crit` is "CL" because this method always uses genoud),
- when `crit="CL"` :
 - + `optimcontrol$parinit` : optional matrix of initial values (must have `model@d` columns, the number of rows is not constrained),
 - + `optimcontrol$L` : "max", "min", "mean" or a scalar value specifying the liar ; "min" takes `model@min`, "max" takes `model@max`, "mean" takes the prediction of the model ; When L is NULL, "min" is taken if `minimization==TRUE`, else it is "max".
- + The parameters of function `genoud`. Main parameters are : "pop.size" (default : [N=3*2^`model@d` for dim<6 and N=32*`model@d` otherwise]), "max.generations" (default : 12), "wait.generations" (default : 2) and "BFGSburnin" (default : 2).
- when `optimcontrol$method = "BFGS"` :
 - + `optimcontrol$nStarts` (default : 4),
 - + `optimcontrol$fastCompute` : if TRUE (default), a fast approximation method based on a semi-analytic formula is used, see [Marmin 2014] for details,
 - + `optimcontrol$samplingFun` : a function which sample a batch of starting point (default : [sampleFromEI](#)),

+ optimcontrol\$parinit : optional 3d-array of initial (or candidate) batches (for all k, parinit[,k] is a matrix of size npoints*model@d representing one batch). The number of initial batches (length(parinit[1,1,])) is not constrained and does not have to be equal to nStarts. If there is too few initial batches for nStarts, missing batches are drawn with samplingFun (default : NULL),
 - when optimcontrol\$method = "genoud" :
 + optimcontrol\$fastCompute : if TRUE (default), a fast approximation method based on a semi-analytic formula is used, see [Marmin 2014] for details,
 + optimcontrol\$parinit : optional matrix of candidate starting points (one row corresponds to one point),
 + The parameters of the [genoud](#) function. Main parameters are "pop.size" (default : [50*(model@d)*(npoints)]), "max.generations" (default : 5), "wait.generations" (default : 2), "BFGSburnin" (default : 2).

Value

A list with components:

par	A matrix containing the npoints input vectors found.
value	A value giving the qEI computed in par.

Author(s)

Sebastien Marmin

Clement Chevalier

David Ginsbourger

References

- C. Chevalier and D. Ginsbourger (2014) Learning and Intelligent Optimization - 7th International Conference, Lion 7, Catania, Italy, January 7-11, 2013, Revised Selected Papers, chapter Fast computation of the multipoint Expected Improvement with applications in batch selection, pages 59-69, Springer.
- D. Ginsbourger, R. Le Riche, L. Carraro (2007), A Multipoint Criterion for Deterministic Parallel Global Optimization based on Kriging. The International Conference on Non Convex Programming, 2007.
- D. Ginsbourger, R. Le Riche, and L. Carraro. Kriging is well-suited to parallelize optimization (2010), In Lim Meng Hiot, Yew Soon Ong, Yoel Tenne, and Chi-Keong Goh, editors, *Computational Intelligence in Expensive Optimization Problems*, Adaptation Learning and Optimization, pages 131-162. Springer Berlin Heidelberg.
- J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.
- M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

See Also

[qEI](#), [qEI.grad](#)

Examples

```

set.seed(000)
# 3-points EI maximization.
# 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design факт <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design факт) <- c("x1", "x2")
design факт <- data.frame(design факт)
names(design факт) <- c("x1", "x2")
response.branin <- apply(design факт, 1, branin)
response.branin <- data.frame(response.branin)
names(response.branin) <- "y"
lower <- c(0,0)
upper <- c(1,1)

# number of point in the batch
batchSize <- 3

# model identification
fitted.model <- km(~1, design=design факт, response=response.branin,
covtype="gauss", control=list(pop.size=50, trace=FALSE), parinit=c(0.5, 0.5))

# maximization of qEI

# With a multistarted BFGS algorithm
maxBFGS <- max_qEI(model = fitted.model, npoints = batchSize, lower = lower, upper = upper,
crit = "exact", optimcontrol=list(nStarts=3, method = "BFGS"))

# comparison
print(maxBFGS$value)
## Not run:
# With a genetic algorithme using derivatives
maxGen <- max_qEI(model = fitted.model, npoints = batchSize, lower = lower, upper = upper,
crit = "exact", optimcontrol=list(nStarts=3, method = "genoud", pop.size=100, max.generations = 15))
# With the constant liar heuristic
maxCL <- max_qEI(model = fitted.model, npoints = batchSize, lower = lower, upper = upper,
crit = "CL", optimcontrol=list(pop.size=20))
print(maxGen$value)
print(maxCL$value)

## End(Not run)

```

Description

Minimization, based on the package rgenoud of the kriging quantile.

Usage

```
min_quantile(
  model,
  beta = 0.1,
  type = "UK",
  lower,
  upper,
  parinit = NULL,
  control = NULL
)
```

Arguments

<code>model</code>	a Kriging model of "km" class
<code>beta</code>	Quantile level (default value is 0.1)
<code>type</code>	Kriging type: "SK" or "UK"
<code>lower</code>	vector containing the lower bounds of the variables to be optimized over
<code>upper</code>	vector containing the upper bounds of the variables to be optimized over
<code>parinit</code>	optional vector containing the initial values for the variables to be optimized over
<code>control</code>	optional list of control parameters for optimization. One can control "pop.size" (default : [N=3*2^dim for dim<6 and N=32*dim otherwise]), "max.generations" (12), "wait.generations" (2) and "BFGSburnin" (2) of function "genoud" (see genoud). Numbers into brackets are the default values

Value

A list with components:

<code>par</code>	the best set of parameters found.
<code>value</code>	the value of the kriging quantile at par.

Author(s)

Victor Picheny

David Ginsbourger

Examples

```
#####
###   KRIGING QUANTILE SURFACE AND OPTIMIZATION PERFORMED BY GENOUD  #####
#####
```

```

##### FOR AN ORDINARY KRIGING MODEL #####
##### OF THE BRANIN FUNCTION KNOWN AT A 12-POINT LATIN HYPERCUBE DESIGN #####
#####
set.seed(10)

# Set test problem parameters
doe.size <- 10
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.2

# Generate DOE and response
doe <- as.data.frame(matrix(runif(doe.size*dim),doe.size))
y.tilde <- rep(0, 1, doe.size)
for (i in 1:doe.size) {y.tilde[i] <- test.function(doe[i,])
+ sqrt(noise.var)*rnorm(n=1)}
y.tilde <- as.numeric(y.tilde)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
covtype="gauss", noise.var=rep(noise.var,1,doe.size),
lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Optimisation using max_kriging.quantile
res <- min_quantile(model, beta=0.1, type = "UK", lower=c(0,0), upper=c(1,1))
X.genoud <- res$par

# Compute actual function and criterion on a grid
n.grid <- 12 # Change to 21 for a nicer picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
names(design.grid) <- c("V1","V2")
nt <- nrow(design.grid)
crit.grid <- apply(design.grid, 1, kriging.quantile, model=model, beta=.1)

# # 2D plots
z.grid <- matrix(crit.grid, n.grid, n.grid)
tit <- "Green: best point found by optimizer"
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
plot.axes = {title(tit);points(model@X[,1],model@X[,2],pch=17,col="blue");
points(X.genoud[1],X.genoud[2],pch=17,col="green");
axis(1); axis(2)})

```

Description

Sequential optimization of kriging-based criterion conditional on noisy observations, with model update after each evaluation. Eight criteria are proposed to choose the next observation: random search, sequential parameter optimization (SPO), reinterpolation, Expected Improvement (EI) with plugin, Expected Quantile Improvement (EQI), quantile minimization, Augmented Expected Improvement (AEI) and Approximate Knowledge Gradient (AKG). The criterion optimization is based on the package rgenoud.

Usage

```
noisy.optimizer(
  optim.crit,
  optim.param = NULL,
  model,
  n.ite,
  noise.var = NULL,
  funnoise,
  lower,
  upper,
  parinit = NULL,
  control = NULL,
  CovReEstimate = TRUE,
  NoiseReEstimate = FALSE,
  nugget.LB = 1e-05,
  estim.model = NULL,
  type = "UK"
)
```

Arguments

<code>optim.crit</code>	String defining the criterion to be optimized at each iteration. Possible values are: "random.search", "SPO", "reinterpolation", "EI.plugin", "EQI", "min.quantile", "AEI", "AKG".
<code>optim.param</code>	List of parameters for the chosen criterion. For "EI.plugin": <code>optim.param\$plugin.type</code> is a string defining which plugin is to be used. Possible values are "ytilde", "quantile" and "other". If "quantile" is chosen, <code>optim.param\$quantile</code> defines the quantile level. If "other" is chosen, <code>optim.param\$plugin</code> directly sets the plugin value. For "EQI": <code>optim.param\$quantile</code> defines the quantile level. If not provided, default value is 0.9. For "min.quantile": <code>optim.param\$quantile</code> defines the quantile level. If not provided, default value is 0.1. For "AEI": <code>optim.param\$quantile</code> defines the quantile level to choose the current best point. If not provided, default value is 0.75.
<code>model</code>	a Kriging model of "km" class
<code>n.ite</code>	Number of iterations

noise.var	Noise variance (scalar). If noiseReEstimate=TRUE, it is an initial guess for the unknown variance (used in optimization).
funnoise	objective (noisy) function
lower	vector containing the lower bounds of the variables to be optimized over
upper	vector containing the upper bounds of the variables to be optimized over
parinit	optional vector of initial values for the variables to be optimized over
control	optional list of control parameters for optimization. One can control "pop.size" (default : [N=3*2^dim for dim<6 and N=32*dim otherwise]], "max.generations" (N), "wait.generations" (2) and "BFGSburnin" (0) of function "genoud" (see genoud). Numbers into brackets are the default values
CovReEstimate	optional boolean specifying if the covariance parameters should be re-estimated at every iteration (default value = TRUE)
NoiseReEstimate	optional boolean specifying if the noise variance should be re-estimated at every iteration (default value = FALSE)
nugget.LB	optional scalar of minimal value for the estimated noise variance. Default value is 1e-5.
estim.model	optional kriging model of "km" class with homogeneous nugget effect (no noise.var). Required if noise variance is reestimated and the initial "model" has heterogeneous noise variances.
type	"SK" or "UK" for Kriging with known or estimated trend

Value

A list with components:

model	the current (last) kriging model of "km" class
best.x	The best design found
best.y	The objective function value at best.x
best.index	The index of best.x in the design of experiments
history.x	The added observations
history.y	The added observation values
history.hyperparam	The history of the kriging parameters
estim.model	If noiseReEstimate=TRUE, the current (last) kriging model of "km" class for estimating the noise variance.
history.noise.var	If noiseReEstimate=TRUE, the history of the noise variance estimate.

Author(s)

Victor Picheny

References

V. Picheny and D. Ginsbourger (2013), Noisy kriging-based optimization methods: A unified implementation within the DiceOptim package, *Computational Statistics & Data Analysis*

Examples

```
#####
### EXAMPLE 1: 3 OPTIMIZATION STEPS USING EQI WITH KNOWN NOISE      #####
### AND KNOWN COVARIANCE PARAMETERS FOR THE BRANIN FUNCTION          #####
#####

set.seed(10)
library(DiceDesign)
# Set test problem parameters
doe.size <- 9
dim <- 2
test.function <- get("branin2")
lower <- rep(0,1,dim)
upper <- rep(1,1,dim)
noise.var <- 0.1

# Build noisy simulator
funnoise <- function(x)
{   f.new <- test.function(x) + sqrt(noise.var)*rnorm(n=1)
    return(f.new)}

# Generate DOE and response
doe <- as.data.frame(lhsDesign(doe.size, dim)$design)
y.tilde <- funnoise(doe)

# Create kriging model
model <- km(y~1, design=doe, response=data.frame(y=y.tilde),
             covtype="gauss", noise.var=rep(noise.var,1,doe.size),
             lower=rep(.1,dim), upper=rep(1,dim), control=list(trace=FALSE))

# Optimisation with noisy.optimizer (n.ite can be increased)
n.ite <- 2
optim.param <- list()
optim.param$quantile <- .9
optim.result <- noisy.optimizer(optim.crit="EQI", optim.param=optim.param, model=model,
                                n.ite=n.ite, noise.var=noise.var, funnoise=funnoise, lower=lower, upper=upper,
                                NoiseReEstimate=FALSE, CovReEstimate=FALSE)

new.model <- optim.result$model
best.x     <- optim.result$best.x
new.doe    <- optim.result$history.x

## Not run:
##### DRAW RESULTS #####
# Compute actual function on a grid
n.grid <- 12
```

```

x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
names(design.grid) <- c("V1","V2")
nt <- nrow(design.grid)
func.grid <- rep(0,1,nt)

for (i in 1:nt)
{ func.grid[i] <- test.function(x=design.grid[i,])}

# Compute initial and final kriging on a grid
pred <- predict(object=model, newdata=design.grid, type="UK", checkNames = FALSE)
mk.grid1 <- pred$m
sk.grid1 <- pred$sd

pred <- predict(object=new.model, newdata=design.grid, type="UK", checkNames = FALSE)
mk.grid2 <- pred$m
sk.grid2 <- pred$sd

# Plot initial kriging mean
z.grid <- matrix(mk.grid1, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
plot.axes = {title("Initial kriging mean");
points(model@X[,1],model@X[,2],pch=17,col="black");
axis(1); axis(2)})

# Plot initial kriging variance
z.grid <- matrix(sk.grid1^2, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
plot.axes = {title("Initial kriging variance");
points(model@X[,1],model@X[,2],pch=17,col="black");
axis(1); axis(2)})

# Plot final kriging mean
z.grid <- matrix(mk.grid2, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
plot.axes = {title("Final kriging mean");
points(new.model@X[,1],new.model@X[,2],pch=17,col="black");
axis(1); axis(2)})

# Plot final kriging variance
z.grid <- matrix(sk.grid2^2, n.grid, n.grid)
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
plot.axes = {title("Final kriging variance");
points(new.model@X[,1],new.model@X[,2],pch=17,col="black");
axis(1); axis(2)})

# Plot actual function and observations
z.grid <- matrix(func.grid, n.grid, n.grid)
tit <- "Actual function - Black: initial points; red: added points"
filled.contour(x.grid,y.grid, z.grid, nlevels=50, color = topo.colors,
plot.axes = {title(tit);points(model@X[,1],model@X[,2],pch=17,col="black");
points(new.doe[1,],new.doe[2,],pch=15,col="red");
axis(1); axis(2)})

```

```

## End(Not run)

#####
#### EXAMPLE 2: 3 OPTIMIZATION STEPS USING EQI WITH UNKNOWN NOISE      #####
#### AND UNKNOWN COVARIANCE PARAMETERS FOR THE BRANIN FUNCTION      #####
#####
# Same initial model and parameters as for example 1
n.ite <- 2 # May be changed to a larger value
res <- noisy.optimizer(optim.crit="min.quantile",
optim.param=list(type="quantile",quantile=0.01),
model=model, n.ite=n.ite, noise.var=noise.var, funnoise=funnoise,
lower=lower, upper=upper,
control=list(print.level=0),CovReEstimate=TRUE, NoiseReEstimate=TRUE)

# Plot actual function and observations
plot(model@X[,1], model@X[,2], pch=17,xlim=c(0,1),ylim=c(0,1))
points(res$history.x[1,], res$history.x[2,], col="blue")

# Restart: requires the output estim.model of the previous run
# to deal with potential repetitions
res2 <- noisy.optimizer(optim.crit="min.quantile",
optim.param=list(type="quantile",quantile=0.01),
model=res$model, n.ite=n.ite, noise.var=noise.var, funnoise=funnoise,
lower=lower, upper=upper, estim.model=res$estim.model,
control=list(print.level=0),CovReEstimate=TRUE, NoiseReEstimate=TRUE)

# Plot new observations
points(res2$history.x[1,], res2$history.x[2,], col="red")

```

Description

Strongly multimodal constraint function from Parr et al. (standardized version)

Usage

```
ParrConstraint(x)
```

Arguments

- x a 2-dimensional vector or a two-column matrix specifying the location(s) where the function is to be evaluated.

Value

A scalar

Examples

```
n.grid <- 20
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, ParrConstraint)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid,y.grid,z.grid,40)
title("Parr constraint function")
```

qEGO.nsteps

Sequential multipoint Expected improvement (qEI) maximizations and model re-estimation

Description

Executes `nsteps` iterations of the multipoint EGO method to an object of class `km`. At each step, a kriging model (including covariance parameters) is re-estimated based on the initial design points plus the points visited during all previous iterations; then a new batch of points is obtained by maximizing the multipoint Expected Improvement criterion ([qEI](#)).

Usage

```
qEGO.nsteps(
  fun,
  model,
  npoints,
  nsteps,
  lower = rep(0, model@d),
  upper = rep(1, model@d),
  crit = "exact",
  minimization = TRUE,
  optimcontrol = NULL,
  cov.reestim = TRUE,
  ...
)
```

Arguments

<code>fun</code>	the objective function to be optimized,
<code>model</code>	an object of class <code>km</code> ,
<code>npoints</code>	an integer representing the desired batchsize,
<code>nsteps</code>	an integer representing the desired number of iterations,
<code>lower</code>	vector of lower bounds for the variables to be optimized over,
<code>upper</code>	vector of upper bounds for the variables to be optimized over,

<code>crit</code>	"exact", "CL" : a string specifying the criterion used. "exact" triggers the maximization of the multipoint expected improvement at each iteration (see max_qEI), "CL" applies the Constant Liar heuristic,
<code>minimization</code>	logical specifying if we want to minimize or maximize fun,
<code>optimcontrol</code>	an optional list of control parameters for the qEI optimization (see details or max_qEI),
<code>cov.reestim</code>	optional boolean specifying if the kriging hyperparameters should be re-estimated at each iteration,
<code>...</code>	optional arguments for fun.

Details

The parameters of list `optimcontrol` are :

- `optimcontrol$method` : "BFGS" (default), "genoud" ; a string specifying the method used to maximize the criterion (irrelevant when `crit` is "CL" because this method always uses genoud),
- when `crit="CL"` :
 - + `optimcontrol$parinit` : optional matrix of initial values (must have `model@d` columns, the number of rows is not constrained),
 - + `optimcontrol$L` : "max", "min", "mean" or a scalar value specifying the liar ; "min" takes `model@min`, "max" takes `model@max`, "mean" takes the prediction of the model ; When `L` is NULL, "min" is taken if `minimization==TRUE`, else it is "max".
 - + The parameters of function [genoud](#). Main parameters are : "pop.size" (default : [N=3*2^`model@d` for dim<6 and N=32*`model@d` otherwise]), "max.generations" (default : 12), "wait.generations" (default : 2) and "BFGSburnin" (default : 2).
 - when `optimcontrol$method = "BFGS"` :
 - + `optimcontrol$nStarts` (default : 4),
 - + `optimcontrol$fastCompute` : if TRUE (default), a fast approximation method based on a semi-analytic formula is used, see [Marmin 2014] for details,
 - + `optimcontrol$samplingFun` : a function which sample a batch of starting point (default : [sampleFromEI](#)),
 - + `optimcontrol$parinit` : optional 3d-array of initial (or candidate) batches (for all k, `parinit[,k]` is a matrix of size `npoints*model@d` representing one batch). The number of initial batches (`length(parinit[1,1,])`) is not constrained and does not have to be equal to `nStarts`. If there is too few initial batches for `nStarts`, missing batches are drawn with `samplingFun` (default : NULL),
 - when `optimcontrol$method = "genoud"` :
 - + `optimcontrol$fastCompute` : if TRUE (default), a fast approximation method based on a semi-analytic formula is used, see [Marmin 2014] for details,
 - + `optimcontrol$parinit` : optional matrix of candidate starting points (one row corresponds to one point),
 - + The parameters of the [genoud](#) function. Main parameters are "pop.size" (default : [50*(`model@d`)*(`npoints`)]), "max.generations" (default : 5), "wait.generations" (default : 2), "BFGSburnin" (default : 2).

Value

A list with components:

par	a data frame representing the additional points visited during the algorithm,
value	a data frame representing the response values at the points given in par,
npoints	an integer representing the number of parallel computations,
nsteps	an integer representing the desired number of iterations (given in argument),
lastmodel	an object of class km corresponding to the last kriging model fitted,
history	a vector of size nsteps representing the current known optimum at each step.

Author(s)

Sebastien Marmin

Clement Chevalier

David Ginsbourger

References

- C. Chevalier and D. Ginsbourger (2014) Learning and Intelligent Optimization - 7th International Conference, Lion 7, Catania, Italy, January 7-11, 2013, Revised Selected Papers, chapter Fast computation of the multipoint Expected Improvement with applications in batch selection, pages 59-69, Springer.
- D. Ginsbourger, R. Le Riche, L. Carraro (2007), A Multipoint Criterion for Deterministic Parallel Global Optimization based on Kriging. The International Conference on Non Convex Programming, 2007.
- D. Ginsbourger, R. Le Riche, and L. Carraro. Kriging is well-suited to parallelize optimization (2010), In Lim Meng Hiot, Yew Soon Ong, Yoel Tenne, and Chi-Keong Goh, editors, *Computational Intelligence in Expensive Optimization Problems*, Adaptation Learning and Optimization, pages 131-162. Springer Berlin Heidelberg.
- S. Marmin. Developpements pour l'évaluation et la maximisation du critere d'amelioration esperee multipoint en optimisation globale (2014). Master's thesis, Mines Saint-Etienne (France) and University of Bern (Switzerland).
- J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.
- M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

See Also

[qEI](#), [max_qEI](#), [qEI.grad](#)

Examples

```

set.seed(123)
#####
#### 2 ITERATIONS OF EGO ON THE BRANIN FUNCTION,  #####
#### STARTING FROM A 9-POINTS FACTORIAL DESIGN    #####
#####

# a 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design.fact <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design.fact)<-c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact)<-c("x1", "x2")
response.branin <- apply(design.fact, 1, branin)
response.branin <- data.frame(response.branin)
names(response.branin) <- "y"

# model identification
fitted.model1 <- km(~1, design=design.fact, response=response.branin,
covtype="gauss", control=list(pop.size=50,trace=FALSE), parinit=c(0.5, 0.5))

# EGO n steps
library(rgenoud)
nsteps <- 2 # increase to 10 for a more meaningful example
lower <- rep(0,d)
upper <- rep(1,d)
npoints <- 3 # The batchsize
oEGO <- qEGO.nsteps(model = fitted.model1, branin, npoints = npoints, nsteps = nsteps,
crit="exact", lower, upper, optimcontrol = NULL)
print(oEGO$par)
print(oEGO$value)
plot(c(1:nsteps),oEGO$history,xlab='step',ylab='Current known minimum')

## Not run:
# graphics
n.grid <- 15 # increase to 21 for better picture
x.grid <- y.grid <- seq(0,1,length=n.grid)
design.grid <- expand.grid(x.grid, y.grid)
response.grid <- apply(design.grid, 1, branin)
z.grid <- matrix(response.grid, n.grid, n.grid)
contour(x.grid, y.grid, z.grid, 40)
title("Branin function")
points(design.fact[,1], design.fact[,2], pch=17, col="blue")
points(oEGO$par, pch=19, col="red")
text(oEGO$par[,1], oEGO$par[,2], labels=c(tcrossprod(rep(1,npoin
## End(Not run)

```

qEI*Analytical expression of the multipoint expected improvement (qEI) criterion*

Description

Computes the multipoint expected improvement criterion.

Usage

```
qEI(
  x,
  model,
  plugin = NULL,
  type = "UK",
  minimization = TRUE,
  fastCompute = TRUE,
  eps = 10^(-5),
  envir = NULL
)
```

Arguments

<code>x</code>	a matrix representing the set of input points (one row corresponds to one point) where to evaluate the qEI criterion,
<code>model</code>	an object of class <code>km</code> ,
<code>plugin</code>	optional scalar: if provided, it replaces the minimum of the current observations,
<code>type</code>	"SK" or "UK" (by default), depending whether uncertainty related to trend estimation has to be taken into account,
<code>minimization</code>	logical specifying if EI is used in minimization or in maximization,
<code>fastCompute</code>	if <code>TRUE</code> , a fast approximation method based on a semi-analytic formula is used (see [Marmin 2014] for details),
<code>eps</code>	the value of <code>epsilon</code> of the fast computation trick. Relevant only if <code>fastComputation</code> is <code>TRUE</code> ,
<code>envir</code>	an optional environment specifying where to get intermediate values calculated in <code>qEI</code> .

Value

The multipoint Expected Improvement, defined as

$$qEI(X_{new}) := E[(\min(Y(X)) - \min(Y(X_{new})))_+ | Y(X) = y(X)],$$

where X is the current design of experiments, X_{new} is a new candidate design, and Y is a random process assumed to have generated the objective function y .

Author(s)

Sebastien Marmin
 Clement Chevalier
 David Ginsbourger

References

- C. Chevalier and D. Ginsbourger (2014) Learning and Intelligent Optimization - 7th International Conference, Lion 7, Catania, Italy, January 7-11, 2013, Revised Selected Papers, chapter Fast computation of the multipoint Expected Improvement with applications in batch selection, pages 59-69, Springer.
- D. Ginsbourger, R. Le Riche, L. Carraro (2007), A Multipoint Criterion for Deterministic Parallel Global Optimization based on Kriging. The International Conference on Non Convex Programming, 2007.
- S. Marmin. Developpements pour l'évaluation et la maximisation du critere d'amelioration esperee multipoint en optimisation globale (2014). Master's thesis, Mines Saint-Etienne (France) and University of Bern (Switzerland).
- D. Ginsbourger, R. Le Riche, and L. Carraro. Kriging is well-suited to parallelize optimization (2010), In Lim Meng Hiot, Yew Soon Ong, Yoel Tenne, and Chi-Keong Goh, editors, *Computational Intelligence in Expensive Optimization Problems*, Adaptation Learning and Optimization, pages 131-162. Springer Berlin Heidelberg.
- J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.
- M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

See Also

[EI](#)

Examples

```
set.seed(007)

# Monte-Carlo validation

# a 4-d, 81-points grid design, and the corresponding response
d <- 4; n <- 3^d
design <- do.call(expand.grid, rep(list(seq(0,1,length=3)),d))
names(design) <- paste("x",1:d,sep="")
y <- data.frame(apply(design, 1, hartman4))
names(y) <- "y"

# learning
model <- km(~1, design=design, response=y, control=list(trace=FALSE))

# pick up 10 points sampled from the 1-point expected improvement
```

```

q <- 10
X <- sampleFromEI(model,n=q)
# simulation of the minimum of the kriging random vector at X
t1 <- proc.time()
newdata <- as.data.frame(X)
colnames(newdata) <- colnames(model@X)

krig <- predict(object=model, newdata=newdata, type="UK", se.compute=TRUE, cov.compute=TRUE)
mk <- krig$mean
Sigma.q <- krig$cov
mychol <- chol(Sigma.q)
nsim <- 300000
white.noise <- rnorm(n=nsim*q)
minYsim <- apply(crossprod(mychol,matrix(white.noise,nrow=q)) + mk,2,min)
# simulation of the improvement (minimization)
qImprovement <- (min(model@y)-minYsim)*((min(model@y)-minYsim) > 0)

# empirical expectation of the improvement and confident interval (95%)
eiMC <- mean(qImprovement)
confInterv <- c(eiMC - 1.96*sd(qImprovement)*1/sqrt(nsim),eiMC + 1.96*sd(qImprovement)*1/sqrt(nsim))

# MC estimation of the qEI
print(eiMC)
t2 <- proc.time()
# qEI with analytical formula
qEI(X,model,fastCompute= FALSE)
t3 <- proc.time()
# qEI with fast computation trick
qEI(X,model)
t4 <- proc.time()
t2-t1 # Time of MC computation
t3-t2 # Time of normal computation
t4-t3 # Time of fast computation

```

qEI.grad*Gradient of the multipoint expected improvement (qEI) criterion***Description**

Computes an exact or approximate gradient of the multipoint expected improvement criterion

Usage

```
qEI.grad(
  x,
  model,
  plugin = NULL,
  type = "UK",
```

```

minimization = TRUE,
fastCompute = TRUE,
eps = 10^(-6),
envir = NULL
)

```

Arguments

<code>x</code>	a matrix representing the set of input points (one row corresponds to one point) where to evaluate the gradient,
<code>model</code>	an object of class km ,
<code>plugin</code>	optional scalar: if provided, it replaces the minimum of the current observations,
<code>type</code>	"SK" or "UK" (by default), depending whether uncertainty related to trend estimation has to be taken into account,
<code>minimization</code>	logical specifying if EI is used in minimization or in maximization,
<code>fastCompute</code>	if TRUE, a fast approximation method based on a semi-analytic formula is used (see [Marmin 2014] for details),
<code>eps</code>	the value of <i>epsilon</i> of the fast computation trick. Relevant only if <code>fastComputation</code> is TRUE,
<code>envir</code>	an optional environment specifying where to get intermediate values calculated in qEI .

Value

The gradient of the multipoint expected improvement criterion with respect to `x`. A 0-matrix is returned if the batch of input points contains twice the same point or a point from the design experiment of the `km` object (the gradient does not exist in these cases).

Author(s)

Sebastien Marmin
 Clement Chevalier
 David Ginsbourger

References

- C. Chevalier and D. Ginsbourger (2014) Learning and Intelligent Optimization - 7th International Conference, Lion 7, Catania, Italy, January 7-11, 2013, Revised Selected Papers, chapter Fast computation of the multipoint Expected Improvement with applications in batch selection, pages 59-69, Springer.
- D. Ginsbourger, R. Le Riche, L. Carraro (2007), A Multipoint Criterion for Deterministic Parallel Global Optimization based on Kriging. The International Conference on Non Convex Programming, 2007.
- D. Ginsbourger, R. Le Riche, and L. Carraro. Kriging is well-suited to parallelize optimization (2010), In Lim Meng Hiot, Yew Soon Ong, Yoel Tenne, and Chi-Keong Goh, editors, *Computational Intelligence in Expensive Optimization Problems*, Adaptation Learning and Optimization, pages 131-162. Springer Berlin Heidelberg.

S. Marmin. Developpements pour l'évaluation et la maximisation du critere d'amelioration esperee multipoint en optimisation globale (2014). Master's thesis, Mines Saint-Etienne (France) and University of Bern (Switzerland).

J. Mockus (1988), *Bayesian Approach to Global Optimization*. Kluwer academic publishers.

M. Schonlau (1997), *Computer experiments and global optimization*, Ph.D. thesis, University of Waterloo.

See Also

[qEI](#)

Examples

```
set.seed(15)
# Example 1 - validation by comparison to finite difference approximations

# a 9-points factorial design, and the corresponding response
d <- 2
n <- 9
design <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design)<-c("x1", "x2")
design <- data.frame(design)
names(design)<-c("x1", "x2")
y <- apply(design, 1, branin)
y <- data.frame(y)
names(y) <- "y"

# learning
model <- km(~1, design=design, response=y)

# pick up 2 points sampled from the simple expected improvement
q <- 2 # increase to 4 for a more meaningful test
X <- sampleFromEI(model,n=q)

# compute the gradient at the 4-point batch
grad.analytic <- qEI.grad(X,model)
# numerically compute the gradient
grad.numeric <- matrix(NaN,q,d)
eps <- 10^(-6)
EPS <- matrix(0,q,d)
for (i in 1:q) {
  for (j in 1:d) {
    EPS[i,j] <- eps
    grad.numeric[i,j] <- 1/eps*(qEI(X+EPS,model,fastCompute=FALSE)-qEI(X,model,fastCompute=FALSE))
    EPS[i,j] <- 0
  }
}
print(grad.numeric)
print(grad.analytic)

## Not run:
```

```

# graphics: displays the EI criterion, the design points in black,
# the batch points in red and the gradient in blue.
nGrid <- 15
gridAxe1 <- seq(lower[1],upper[1],length=nGrid)
gridAxe2 <- seq(lower[2],upper[2],length=nGrid)
grid <- expand.grid(gridAxe1,gridAxe2)
aa <- apply(grid,1,EI,model=model)
myMat <- matrix(aa,nrow=nGrid)
image(x = gridAxe1, y = gridAxe2, z = myMat,
      col = colorRampPalette(c("darkgray","white"))(5*10),
      ylab = names(design)[1], xlab=names(design)[2],
      main = "qEI-gradient of a batch of 4 points", axes = TRUE,
      zlim = c(min(myMat), max(myMat)))
contour(x = gridAxe1, y = gridAxe2, z = myMat,
        add = TRUE, nlevels = 10)
points(X[,1],X[,2],pch=19,col='red')
points(model@X[,1],model@X[,2],pch=19)
arrows(X[,1],X[,2],X[,1]+0.012*grad.analytic[,1],X[,2]+0.012*grad.analytic[,2],col='blue')

## End(Not run)

```

sampleFromEI*Sampling points according to the expected improvement criterion***Description**

Samples n points from a distribution proportional to the expected improvement (EI) computed from a **km** object.

Usage

```
sampleFromEI(
  model,
  minimization = TRUE,
  n = 1,
  initdistrib = NULL,
  lower = rep(0, model@d),
  upper = rep(1, model@d),
  T = NULL
)
```

Arguments

model	an object of class km ,
minimization	logical specifying if EI is used in minimization or in maximization,
n	number of points to be sampled,
initdistrib	matrix of candidate points.

lower	vector of lower bounds,
upper	vector of upper bounds,
T	optional scalar : if provided, it replaces the current minimum (or maximum) of observations.

Value

A n*d matrix containing the sampled points. If NULL, 1000*d points are obtained by latin hypercube sampling,

Author(s)

Sebastien Marmin

Clement Chevalier

David Ginsbourger

References

D.R. Jones, M. Schonlau, and W.J. Welch (1998), Efficient global optimization of expensive black-box functions, *Journal of Global Optimization*, 13, 455-492.

See Also

[EI](#), [km](#), [qEI](#)

Examples

```
set.seed(004)

# a 9-points factorial design, and the corresponding responses
d <- 2
n <- 9
design.fact <- expand.grid(seq(0,1,length=3), seq(0,1,length=3))
names(design.fact)<-c("x1", "x2")
design.fact <- data.frame(design.fact)
names(design.fact)<-c("x1", "x2")
response.branin <- apply(design.fact, 1, branin)
response.branin <- data.frame(response.branin)
lower <- c(0,0)
upper <- c(1,1)
names(response.branin) <- "y"

# model identification
fitted.model <- km(~1, design=design.fact, response=response.branin,
covtype="gauss", control=list(pop.size=50, trace=FALSE), parinit=c(0.5, 0.5))
```

```

# sample a 30 point batch
batchSize <- 30
x <- sampleFromEI(model = fitted.model, n = batchSize, lower = lower, upper = upper)

# graphics
# displays the EI criterion, the design points in black and the EI-sampled points in red.
nGrid <- 15
gridAxe1 <- seq(lower[1],upper[1],length=nGrid)
gridAxe2 <- seq(lower[2],upper[2],length=nGrid)
grid <- expand.grid(gridAxe1,gridAxe2)
aa <- apply(grid,1,EI,model=fitted.model)
myMat <- matrix(aa,nrow=nGrid)
image(x = gridAxe1, y = gridAxe2, z = myMat,
      col = colorRampPalette(c("darkgray","white"))(5*10),
      ylab = names(design.fact)[1], xlab=names(design.fact)[2],
      main = "Sampling from the expected improvement criterion",
      axes = TRUE, ylim = c(min(myMat), max(myMat)))
contour(x = gridAxe1, y = gridAxe2, z = myMat,
        add = TRUE, nlevels = 10)
points(x[,1],x[,2],pch=19,col='red')
points(fitted.model@X[,1],fitted.model@X[,2],pch=19)

```

test_feas_vec*Test constraints violation (vectorized)***Description**

Test whether a set of constraints are violated or not, depending on their nature (equality or inequality) and tolerance parameters

Usage

```
test_feas_vec(cst, equality = FALSE, tolConstraints = NULL)
```

Arguments

- | | |
|----------------|---|
| cst | matrix of constraints (one column for each constraint function) |
| equality | either FALSE or a Boolean vector defining which constraints are treated as equalities |
| tolConstraints | tolerance (vector) for all constraints. If not provided, set to zero for inequalities and 0.05 for equalities |

Value

A Boolean vector, TRUE if the point is feasible, FALSE if at least one constraint is violated

Author(s)

Mickael Binois
Victor Picheny

update_km_noisyEGO *Update of one or two Kriging models when adding new observation*

Description

Update of a noisy Kriging model when adding new observation, with or without covariance parameter re-estimation. When the noise level is unknown, a twin model "estim.model" is also updated.

Usage

```
update_km_noisyEGO(
  model,
  x.new,
  y.new,
  noise.var = 0,
  type = "UK",
  add.obs = TRUE,
  index.in.DOE = NULL,
  CovReEstimate = TRUE,
  NoiseReEstimate = FALSE,
  estim.model = NULL,
  nugget.LB = 1e-05
)
```

Arguments

model	a Kriging model of "km" class
x.new	a matrix containing the new points of experiments
y.new	a matrix containing the function values on the points NewX
noise.var	scalar: noise variance
type	kriging type: "SK" or "UK"
add.obs	boolean: if TRUE, the new point does not exist already in the design of experiment model@X
index.in.DOE	optional integer: if add.obs=TRUE, it specifies the index of the observation in model@X corresponding to x.new
CovReEstimate	optional boolean specifying if the covariance parameters should be re-estimated (default value = TRUE)
NoiseReEstimate	optional boolean specifying if the noise variance should be re-estimated (default value = TRUE)

- `estim.model` optional input of "km" class. Required if NoiseReEstimate=TRUE, in order to deal with repetitions.
- `nugget.LB` optional scalar: is used to define a lower bound on the noise variance.

Value

A list containing:

- `model` The updated Kriging model
- `estim.model` If NoiseReEstimate=TRUE, the updated estim.model
- `noise.var` If NoiseReEstimate=TRUE, the re-estimated noise variance

Author(s)

Victor Picheny

References

- V. Picheny and D. Ginsbourger (2013), Noisy kriging-based optimization methods: A unified implementation within the DiceOptim package, *Computational Statistics & Data Analysis*

Index

* **models**
 AEI, 7
 EI, 43
 EI.grad, 45
 kriging.quantile.grad, 56
 qEI, 83
 qEI.grad, 85

* **optimization**
 qEI, 83
 sampleFromEI, 88

* **optimize**
 EGO.nsteps, 39
 EI.grad, 45
 kriging.quantile.grad, 56
 max_EI, 62
 max_qEI, 68
 qEGO.nsteps, 79
 qEI.grad, 85

* **parallel**
 qEI, 83

 AEI, 7
 AEI.grad, 9
 AKG, 11
 AKG.grad, 13

 checkPredict, 14, 16, 17, 20, 23, 27, 35
 crit_AL, 17, 19, 24, 27, 30, 35, 36
 crit_EFI, 17, 21, 23, 27, 30, 35, 36
 crit_SUR_cst, 17, 21, 24, 26, 30, 35, 36, 53,
 54
 critcst_optimizer, 15, 17, 36

 DiceOptim (DiceOptim-package), 2
 DiceOptim-package, 2

 easyEGO.cst, 29, 36
 EGO.cst, 29, 30, 33
 EGO.nsteps, 35, 39, 44
 EI, 21, 24, 27, 39, 40, 43, 45, 46, 84, 89

 EI.grad, 40, 45, 57
 EQI, 47
 EQI.grad, 50

 fastfun, 16, 17, 20, 23, 26, 34, 51, 53

 genoud, 15, 16, 30, 35, 39, 59, 61, 63, 67, 69,
 70, 72, 75, 80

 integration_design, 52
 integration_design_cst, 52

 km, 15, 16, 20, 23, 26, 29, 30, 33, 34, 36, 39,
 40, 43, 45, 51, 53, 56, 62, 63, 69, 79,
 81, 86, 88, 89

 kriging.quantile, 54
 kriging.quantile.grad, 56

 match.fun, 34, 52
 max_AEI, 58
 max_AKG, 60
 max_EI, 16, 40, 44, 62, 69
 max_EQI, 66
 max_qEI, 68, 69, 80, 81
 min_quantile, 71

 noisy.optimizer, 73

 optim, 69

 ParrConstraint, 78

 qEGO.nsteps, 79
 qEI, 44, 68–70, 79, 81, 83, 83, 86, 87, 89
 qEI.grad, 69, 70, 81, 85

 sampleFromEI, 69, 80, 88

 test feas_vec, 90

 update_km_noisyEGO, 91