

# Package ‘EGRET’

February 8, 2019

**Type** Package

**Title** Exploration and Graphics for RivEr Trends

**Version** 3.0.2

**Description** Statistics and graphics for streamflow history, water quality trends, and the statistical modeling algorithm: Weighted Regressions on Time, Discharge, and Season (WRTDS). The modeling method is introduced and discussed in Hirsch et al. (2010) <doi:10.1111/j.1752-1688.2010.00482.x>, and expanded in Hirsch and De Cicco (2015) <doi:10.3133/tm4A10>.

**License** CC0

**Depends** R (>= 3.0)

**Imports** dataRetrieval (>= 2.0.1), survival, fields, methods, utils, graphics, stats, grDevices, truncnorm, foreach

**Suggests** EGRETCi, xtable, knitr, rmarkdown, extrafont, testthat, rkt, doParallel, parallel

**LazyLoad** yes

**LazyData** yes

**BugReports** <https://github.com/USGS-R/EGRET/issues>

**VignetteBuilder** knitr

**BuildVignettes** true

**URL** <https://pubs.usgs.gov/tm/04/a10/>,  
<https://github.com/USGS-R/EGRET/wiki>

**Copyright** This software is in the public domain because it contains materials that originally came from the United States Geological Survey, an agency of the United States Department of Interior. For more information, see the official USGS copyright policy at [https://www.usgs.gov/visual-id/credit\\_usgs.html#copyright](https://www.usgs.gov/visual-id/credit_usgs.html#copyright)

**RoxygenNote** 6.1.1

**NeedsCompilation** no

**Author** Robert Hirsch [aut] (<<https://orcid.org/0000-0002-4534-075X>>),  
 Laura DeCicco [aut, cre] (<<https://orcid.org/0000-0002-3915-9487>>),  
 David Watkins [ctb],  
 Lindsay Carr [ctb],  
 Jennifer Murphy [ctb]

**Maintainer** Laura DeCicco <ldecicco@usgs.gov>

**Repository** CRAN

**Date/Publication** 2019-02-08 22:43:33 UTC

## R topics documented:

EGRET-package	4
as.egret	5
blankTime	6
boxConcMonth	6
boxConcThree	8
boxQTwice	9
boxResidMonth	10
calculateMonthlyResults	11
censoredSegments	12
checkStartEndDate	13
checkSurfaceSpan	14
Choptank_eList	14
compressData	15
Constants	15
dataOverview	16
dateFormatCheck	16
decimalHighLow	17
estCrossVal	18
estDailyFromSurfaces	19
estSurfaces	20
fixSampleFrame	22
flexFN	22
flexPlotAddOn	24
flowDuration	25
fluxBiasMulti	26
fluxBiasStat	27
fluxUnit-class	28
formatCheckDate	28
formatCheckParameterCd	29
generalAxis	29
genericEGRETDotPlot	30
getDaily	32
getInfo	33
getSample	34
getSurfaces	35
INFOdataframe	35

is.egret . . . . .	37
logPretty1 . . . . .	38
logPretty3 . . . . .	38
makeAnnualSeries . . . . .	39
makeAugmentedSample . . . . .	40
makeDateInfo . . . . .	41
mergeReport . . . . .	41
modelEstimation . . . . .	43
monthLabel-class . . . . .	44
multiPlotDataOverview . . . . .	44
plot15 . . . . .	45
plot1of15 . . . . .	46
plotConcHist . . . . .	47
plotConcPred . . . . .	48
plotConcQ . . . . .	50
plotConcQSmooth . . . . .	51
plotConcTime . . . . .	54
plotConcTimeDaily . . . . .	55
plotConcTimeSmooth . . . . .	57
plotContours . . . . .	59
plotDiffContours . . . . .	62
plotFlowSingle . . . . .	64
plotFluxHist . . . . .	66
plotFluxPred . . . . .	68
plotFluxQ . . . . .	69
plotFluxTimeDaily . . . . .	71
plotFour . . . . .	72
plotFourStats . . . . .	73
plotQTimeDaily . . . . .	75
plotResidPred . . . . .	76
plotResidQ . . . . .	77
plotResidTime . . . . .	79
plotSDLogQ . . . . .	80
populateConcentrations . . . . .	81
populateDaily . . . . .	82
populateDateColumns . . . . .	83
populateParameterINFO . . . . .	84
populateSampleColumns . . . . .	85
populateSiteINFO . . . . .	85
print.egret . . . . .	86
printFluxUnitCheatSheet . . . . .	87
printqUnitCheatSheet . . . . .	87
printSeries . . . . .	88
processQWData . . . . .	89
qUnit-class . . . . .	90
readDataFromFile . . . . .	90
readNWISDaily . . . . .	91
readNWISSample . . . . .	92

readUserDaily . . . . .	93
readUserSample . . . . .	94
readWQPSample . . . . .	95
removeDuplicates . . . . .	97
runGroups . . . . .	97
runPairs . . . . .	100
runSeries . . . . .	103
runSurvReg . . . . .	106
saveResults . . . . .	107
selectDays . . . . .	108
setPA . . . . .	109
setSeasonLabel . . . . .	110
setSeasonLabelByUser . . . . .	110
setUpEstimation . . . . .	111
setupYears . . . . .	112
startEnd . . . . .	113
stitch . . . . .	114
surfaceIndex . . . . .	116
surfaceStartEnd . . . . .	116
tableChange . . . . .	117
tableFlowChange . . . . .	118
tableResults . . . . .	119
triCube . . . . .	120
yPretty . . . . .	120

<b>Index</b>	<b>122</b>
--------------	------------

---

EGRET-package	<i>EGRET package includes WRTDS and flowHistory</i>
---------------	---

---

## Description

Package: EGRET  
 Type: Package  
 License: Unlimited for this package, dependencies have more restrictive licensing.  
 Copyright: This software is in the public domain because it contains materials that originally came from the United States G  
 LazyLoad: yes

## Details

Collection of functions to do WRTDS and flowHistory analysis, and produce graphs and tables of data and results from these analyses.

**Author(s)**

Robert M. Hirsch <rhirsch@usgs.gov>, Laura De Cicco <ldecicco@usgs.gov>

**References**

Hirsch, R.M., and De Cicco, L.A., 2014, User guide to Exploration and Graphics for RivEr Trends (EGRET) and dataRetrieval: R packages for hydrologic data: U.S. Geological Survey Techniques and Methods book 4, chap. A10, 94 p., <https://doi.org/10.3133/tm4A10>

---

as.egret

*Create named list for EGRET analysis*

---

**Description**

Create a named list with the INFO, Daily, and Sample dataframes, and surface matrix. If any of these are not available, an NA should be

**Usage**

```
as.egret(INFO, Daily, Sample = NA, surfaces = NA)
```

**Arguments**

INFO	dataframe containing the INFO dataframe
Daily	dataframe containing the daily data
Sample	dataframe containing the sample data
surfaces	matrix returned from modelEstimation. Default is NA.

**Value**

eList named list with Daily, Sample, and INFO dataframes, along with the surfaces matrix. Any of these values can be NA, not all EGRET functions will work with missing parts of the named list eList.

**See Also**

[readNWISDaily](#), [readNWISSample](#)

**Examples**

```
eList <- Choptank_eList
Daily <- getDaily(eList)
INFO <- getInfo(eList)
eList_flowHistory <- as.egret(INFO, Daily)
plotFlowSingle(eList_flowHistory, 1)
Sample <- getSample(eList)
surfaces <- getSurfaces(eList)
eList_full <- as.egret(INFO, Daily, Sample, surfaces)
plotFluxQ(eList_full)
```

---

blankTime	<i>Deletes the computed values during periods of time when there are no sample data</i>
-----------	---

---

### Description

This function is used when the data analyst believes that a gap in the sample data record is so long that estimates during that period are not reliable. This is only used for periods of several years in duration. For this period, the values of Conc, Flux, FNConc and FNFlux are all converted to NA.

### Usage

```
blankTime(eList, startBlank, endBlank)
```

### Arguments

eList	named list with at least the Daily dataframe
startBlank	character specifying starting date of blank period, input in quotes in yyyy-mm-dd format
endBlank	character specifying the ending date of blank period, input in quotes in yyyy-mm-dd format

### Value

eList named list with modified Daily data frame.

### Examples

```
startBlank = "2004-10-01"
endBlank = "2006-09-30"
eList <- Choptank_eList
eList <- blankTime(eList, startBlank, endBlank)
```

---

boxConcMonth	<i>Box plot of the water quality data by month</i>
--------------	--

---

### Description

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

Although there are a lot of optional arguments to this function, most are set to a logical default.

**Usage**

```
boxConcMonth(eList, printTitle = TRUE, cex = 0.8, cex.axis = 1.1,
             cex.main = 1.1, las = 1, logScale = FALSE, tcl = 0.5,
             tinyPlot = FALSE, customPar = FALSE, showYLabels = TRUE,
             showXLabels = TRUE, showXAxis = TRUE, showYAxis = TRUE, ...)
```

**Arguments**

eList	named list with at least the Sample and INFO dataframes
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
las	numeric in 0,1,2,3; the style of axis labels, see ?par
logScale	logical if TRUE y plotted in log axis
tcl	number defaults to 0.5, specifies length of tick marks as fraction of height of a line of text
tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-plot figure, default is FALSE.
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function
showYLabels	logical defaults to TRUE. If FALSE, the y axis label is not plotted
showXLabels	logical defaults to TRUE. If FALSE, the x axis label is not plotted
showXAxis	logical defaults to TRUE. If FALSE, the x axis is not plotted
showYAxis	logical defaults to TRUE. If FALSE, the y axis is not plotted
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[boxplot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
boxConcMonth(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
boxConcMonth(eList)
```

---

 boxConcThree

*Three box plots side-by-side*


---

### Description

This function is used to compare the distribution of concentration in the sample and predicted data set. It shows three boxplots. One for the sample, one for the predictions on days with sample values, and one for all days (whether or not they had sample values).

Data come from named list, which contains a Sample dataframe with the sample data, a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

Although there are a lot of optional arguments to this function, most are set to a logical default.

### Usage

```
boxConcThree(eList, tinyPlot = FALSE, printTitle = TRUE,
  moreTitle = "WRTDS", customPar = FALSE, font.main = 2, cex = 0.8,
  cex.main = 1.1, cex.axis = 1.1, ...)
```

### Arguments

eList	named list with at least the Daily, Sample, and INFO dataframes
tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-plot figure, default is FALSE.
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
moreTitle	character specifying some additional information to go in figure title, typically some information about the specific estimation method used, default is no additional information
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function
font.main	font to be used for plot main titles
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.main	magnification to be used for main titles relative to the current setting of cex
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

### See Also

[boxplot](#)



**Examples**

```
eList <- Choptank_eList
# Water year:
boxConcThree(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
boxConcThree(eList)
```

---

boxQTwice	<i>Two box plots side-by-side, discharge on sample days, and discharge on all days</i>
-----------	--

---

**Description**

This function is used to compare the distribution of discharges in the sample data set and the discharges in the full daily data set. Note that discharge is plotted on a logarithmic axis. The boxplot is created using the log values but the scale is presented in the original units. An ideal situation would show the two boxes roughly similar to each other or the sample boxplot having median, upper quartile, and higher values being slightly greater than in the boxplot of all days.

Data come from named list, which contains a Sample dataframe with the sample data, a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

Although there are a lot of optional arguments to this function, most are set to a logical default.

**Usage**

```
boxQTwice(eList, printTitle = TRUE, qUnit = 2, cex = 0.8,
  cex.main = 1.1, logScale = TRUE, cex.axis = 1.1, tcl = 0.5,
  las = 1, tinyPlot = FALSE, usgsStyle = FALSE, customPar = FALSE,
  ...)
```

**Arguments**

eList	named list with at least the Daily, Sample, and INFO dataframes
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.main	magnification to be used for main titles relative to the current setting of cex
logScale	logical if TRUE y plotted in log axis. Defaults to TRUE.
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
tcl	number defaults to 0.5, specifies length of tick marks as fraction of height of a line of text

las	numeric in 0,1,2,3; the style of axis labels, see ?par
tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-plot figure, default is FALSE.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[boxplot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
boxQTwice(eList)
boxQTwice(eList, qUnit=1)
boxQTwice(eList, qUnit='cfs')
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
boxQTwice(eList)
```

---

boxResidMonth

*A box plot of WRTDS residuals by month*

---

**Description**

This function produces a boxplot of the residuals from WRTDS, expressed in natural log concentration units. It provides an alternative for viewing the standardized residuals, where the each residual is divided by its estimated standard error. The monthly boxplot widths are proportional to the square root of the sample size. The residuals for a censored value are determined as the difference between the natural log of the average of the upper and lower bounds on the sample value, minus the log space estimate of concentration.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata

**Usage**

```
boxResidMonth(eList, stdResid = FALSE, las = 1, printTitle = TRUE,
  cex = 0.8, cex.axis = 1.1, cex.main = 1.1, font.main = 2,
  tinyPlot = FALSE, customPar = FALSE, randomCensored = FALSE, ...)
```

**Arguments**

eList	named list with at least the Sample and INFO dataframes
stdResid	logical variable, if TRUE it uses the standardized residual, if FALSE it uses the actual, default is FALSE
las	numeric in 0,1,2,3; the style of axis labels
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
font.main	font to be used for plot main titles
tinyPlot	logical variable, if TRUE plot is designed to be plotted small, as a part of a multipart figure, default is FALSE
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function
randomCensored	logical. Show censored residuals as randomized. Default = FALSE.
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[boxplot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
boxResidMonth(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
boxResidMonth(eList)
```

---

calculateMonthlyResults

*Calculates monthly mean values of Q, Conc, Flux, FNConc, and FN-Flux for the entire record.*

---

**Description**

Computes the monthly mean values of discharge, concentration, flux, flow-normalized concentration and flow-normalized flux (Q, Conc, Flux, FNConc, and FNFlux) in SI units Note that the Flux and FNFlux values are average flux values (not totals). For discharge they are in m<sup>3</sup>/s, concentration is mg/L, and flux is kg/day. It returns a data frame containing month, year, decimal year, and mean values of DecYear, Q, Conc, Flux, FNConc, and FNFlux.

**Usage**

```
calculateMonthlyResults(eList)
```

**Arguments**

eList                    named list with at least the Daily dataframes

**Value**

MonthlyResults data frame of numeric values describing the monthly average values

**Examples**

```
eList <- Choptank_eList
monthlyResults <- calculateMonthlyResults(eList)
```

---

censoredSegments            *Generic plotting function to create censored line segments*

---

**Description**

Basic plotting framework for EGRET dot plots. Graphical parameters default to values that work well with most plots, but all can be re-assigned. See ?par for complete definitions of most optional input variables.

**Usage**

```
censoredSegments(yBottom, yLow, yHigh, x, Uncen, col = "black",
                 lwd = 1)
```

**Arguments**

yBottom            number specifying minimum flux (required)  
yLow                vector specifying the x data (required), such as ConcLow  
yHigh               vector specifying the x data (required), such as ConcHigh  
x                    vector x data (required)  
Uncen               vector that defines whether the values are censored (0) or not (1)  
col                  color of points on plot, see ?par 'Color Specification'  
lwd                  number line width

**See Also**

[segments](#)

**Examples**

```

x <- c(1,2,3,4,5,6)
y <- c(1,3,4,3.3,4.4,7)
xlim <- c(min(x)*.75,max(x)*1.25)
ylim <- c(0,1.25*max(y))
xlab <- "Date"
ylab <- "Concentration"
xTicks <- pretty(xlim)
yTicks <- pretty(ylim)
genericEGRETDotPlot(x=x, y=y,
                    xlim=xlim, ylim=ylim,
                    xlab=xlab, ylab=ylab,
                    xTicks=xTicks, yTicks=yTicks,
                    plotTitle="Test"
)
yBottom <- 0
yLow <- c(NA,3,4,3.3,4,7)
yHigh <- c(1,3,4,3.3,5,NA)
Uncen <- c(0,1,1,1,0,0)
censoredSegments(yBottom=yBottom,yLow=yLow,yHigh=yHigh,x=x,Uncen=Uncen)

```

---

checkStartEndDate	<i>checkStartEndDate</i>
-------------------	--------------------------

---

**Description**

Checks that the start date is before the end date. If not, it will give the user the opportunity to correct, otherwise will create a warning.

**Usage**

```
checkStartEndDate(startDate, endDate, interactive = TRUE)
```

**Arguments**

startDate	character
endDate	character
interactive	logical Option for interactive mode. If true, there is user interaction for error handling and data checks.

**Value**

vector where first value is startDate, second is endDate

**Examples**

```

startDate <- '1985-01-01'
endDate <- '1990-01-01'
checkStartEndDate(startDate, endDate)

```

---

checkSurfaceSpan	<i>checkSurfaceSpan</i>
------------------	-------------------------

---

**Description**

checkSurfaceSpan

**Usage**

```
checkSurfaceSpan(eList)
```

**Arguments**

eList            named list with at least the Daily, Sample, and INFO dataframes

**Examples**

```
eList <- Choptank_eList  
checkSurfaceSpan(eList)
```

---

Choptank_eList	<i>Example eList</i>
----------------	----------------------

---

**Description**

Example data representing data from the Choptank River at Greensboro, MD, USGS data Data is a named list of the Daily, Sample, INFO dataframes, and the surface matrix.

**Examples**

```
head(Choptank_eList$Daily)  
head(Arkansas_eList$Daily)
```

---

compressData	<i>Compress sample data frame</i>
--------------	-----------------------------------

---

### Description

Using raw data that has at least dateTime, value, code, populates the measured data portion of the Sample dataframe used in EGRET. ConcLow = Lower bound for an observed concentration  
 ConcHigh = Upper bound for an observed concentration Uncen = 1 if uncensored, 0 if censored

### Usage

```
compressData(data, verbose = TRUE, interactive = NULL)
```

### Arguments

data	dataframe contains at least dateTime, value, code columns
verbose	logical specifying whether or not to display progress message
interactive	logical deprecated. Use 'verbose' instead

### Value

data frame returnDataFrame data frame containing dateTime, ConcHigh, ConcLow, Uncen

### Examples

```
dateTime <- c('1985-01-01', '1985-01-02', '1985-01-03')
comment1 <- c("", "", "")
value1 <- c(1,2,3)
comment2 <- c("", "<", "")
value2 <- c(2,3,4)
comment3 <- c("", "", "<")
value3 <- c(3,4,5)
dataInput <- data.frame(dateTime, comment1, value1,
  comment2, value2,
  comment3, value3, stringsAsFactors=FALSE)
compressData(dataInput)
```

---

Constants	<i>Constants included with EGRET</i>
-----------	--------------------------------------

---

### Description

- fluxConstFlux conversion object
- qConstFlow conversion object
- monthInfoMonth object

**Examples**

```
fluxConst
fluxConst[['kgDay']]
fluxConst[['kgDay']]@unitName
qConst
qConst[['cfs']]
qConst[['cfs']]@qUnitName
```

---

dataOverview

*Data Overview for WRTDS*


---

**Description**

Gives a summary of data to be used for WRTDS analysis

**Usage**

```
dataOverview(Daily, Sample)
```

**Arguments**

Daily	dataframe
Sample	dataframe

**See Also**

[mergeReport](#)

**Examples**

```
eList <- Choptank_eList
exDaily <- getDaily(eList)
exSample <- getSample(eList)
dataOverview(Daily = exDaily, Sample = exSample)
```

---

dateFormatCheck

*Check date format*


---

**Description**

Checks to see if format is YYYY-MM-DD. Also performs a few other date checks.

**Usage**

```
dateFormatCheck(date)
```



**Arguments**

date            character

**Value**

condition logical TRUE or FALSE if checks passed or failed

**Examples**

```
date <- '1985-01-01'  
dateFormatCheck(date)  
dateWrong <- '1999/1/7'  
dateFormatCheck(dateWrong)
```

---

decimalHighLow            *decimalHighLow*

---

**Description**

decimalHighLow

**Usage**

```
decimalHighLow(df)
```

**Arguments**

df                    data.frame with Date, DecYear, and Month columns

**Value**

list with DecHigh and DecLow (water year high/low decimal values)

**Examples**

```
eList <- Choptank_eList  
highLow <- decimalHighLow(eList$Sample)  
  
DecHigh <- highLow[["DecHigh"]]  
DecLow <- highLow[["DecLow"]]
```

---

estCrossVal	<i>Jack-Knife cross validation of the WRTDS (Weighted Regressions on Time, Discharge, and Season)</i>
-------------	---

---

### Description

This function fits the WRTDS model  $n$  times (where  $n$  is the number of observations). For each fit, the data value being estimated is eliminated from the record. This gives predictions that do not depend on knowing the actual result for that day. Thus it provides for a more "honest" estimate of model performance than a traditional error analysis that uses all the data.

### Usage

```
estCrossVal(DecLow, DecHigh, Sample, windowY = 7, windowQ = 2,
            windowS = 0.5, minNumObs = 100, minNumUncen = 50,
            edgeAdjust = TRUE, verbose = TRUE)
```

### Arguments

DecLow	number specifying minimum decimal year
DecHigh	number specifying maximum decimal year
Sample	data frame containing the sample values, default is Sample
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 7
windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window width in the seasonal dimension, in units of years, default is 0.5
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The modified method tends to reduce curvature near the start and end of record. Default is TRUE.
verbose	logical specifying whether or not to display progress message

### Value

SampleCrossV data frame containing the sample data augmented by the results of the cross-validation exercise

**Examples**

```
eList <- Choptank_eList
Sample <- getSample(eList)
Daily <- getDaily(eList)
numDays <- length(Daily$DecYear)
DecLow <- Daily$DecYear[1]
DecHigh <- Daily$DecYear[numDays]
## Not run:
SampleCrossV <- estCrossVal(numDays,DecLow,DecHigh,Sample)

## End(Not run)
```

---

estDailyFromSurfaces *Estimates all daily values of Concentration, Flux, Flow-Normalized Concentration, and Flow Normalized Flux*

---

**Description**

Uses the surfaces estimated in estSurfaces to estimate these four time series in addition to the time series for standard error and yHat (estimated log concentration). The results are stored in an augmented version of the Daily data frame, which is returned as part of an EGRET object.

Bin the LogQ values by day-of-year.

**Usage**

```
estDailyFromSurfaces(eList, localsurfaces = NA, localDaily = NA)

getConcFluxFromSurface(eList, allLogQsByDayOfYear, localDaily,
  localsurfaces = NA)

getSurfaceEstimates(eList, localsurfaces = NA, localDaily = NA)

bin_Qs(localDaily)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes, and the surface matrix
localsurfaces	surface over-riding the one stored in eList. Default is NA.
localDaily	data frame to override eList\$Daily. Default is NA.
allLogQsByDayOfYear	list

**Value**

egret object with altered Daily dataframe  
 Daily dataframe with yHat, SE, ConcDay and FluxDay calculated

**Examples**

```
eList <- Choptank_eList
#####
# This is usually done in modelEstimation:
Daily <- getDaily(eList)
surfaceIndexParameters<-surfaceIndex(Daily)
INFO <- eList$INFO
INFO$bottomLogQ<-surfaceIndexParameters[['bottomLogQ']]
INFO$stepLogQ<-surfaceIndexParameters[['stepLogQ']]
INFO$nVectorLogQ<-surfaceIndexParameters[['nVectorLogQ']]
INFO$bottomYear<-surfaceIndexParameters[['bottomYear']]
INFO$stepYear<-surfaceIndexParameters[['stepYear']]
INFO$nVectorYear<-surfaceIndexParameters[['nVectorYear']]
eList$INFO <- INFO
#####
## Not run:
Daily <- estDailyFromSurfaces(eList)

## End(Not run)
```

---

 estSurfaces

*Estimate the three surfaces (for yHat, SE and ConcHat) as a function of DecYear and logQ and store in the three-dimensional object called surfaces*

---

**Description**

This function uses weighted survival regression to estimate three surfaces that cover the complete range of DecYear and log(Q) values in the Daily data set. These surfaces are: (1) is the estimated log concentration (yHat), (2) is the estimated standard error (SE), (3) is the estimated concentration (ConcHat). They are mapped as an array that covers the complete space of daily discharge and time. The first index is discharge, layed out in 14 equally spaced levels of log(Q). The second index is time, layed out as 16 increments of the calendar year, starting January 1. It returns the 3 dimensional array called surfaces. This array will be used to estimate these 3 quantities for any given day in the daily values record.

**Usage**

```
estSurfaces(eList, surfaceStart = NA, surfaceEnd = NA,
  localSample = NA, windowY = 7, windowQ = 2, windowS = 0.5,
  minNumObs = 100, minNumUncen = 50, edgeAdjust = TRUE,
  verbose = TRUE, interactive = NULL, run.parallel = FALSE)
```

**Arguments**

eList            named list with at least the Sample and Daily dataframes  
 surfaceStart    Date object for start of surface slice (or character starting date for data retrieval in the form YYYY-MM-DD). Default is NA .

surfaceEnd	Date object for end of surface slice (or character starting date for data retrieval in the form YYYY-MM-DD). Default is NA .
localSample	data frame to override eList\$Sample. Default is NA .
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 7
windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window width in the seasonal dimension, in units of years, default is 0.5
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. Default is TRUE.
verbose	logical specifying whether or not to display progress message
interactive	logical deprecated. Use 'verbose' instead
run.parallel	logical to run bootstrapping in parallel or not

### Value

surfaces array containing the three surfaces estimated, array is 3 dimensional

### Examples

```
eList <- Choptank_eList
## Not run:
surfaces <- estSurfaces(eList)

surfaceStart <- "1984-10-01"
surfaceEnd <- "1986-09-30"
surfaces_1 <- estSurfaces(eList, surfaceStart, surfaceEnd)

wall_sample <- head(eList$Sample, n=500)

surface_wall <- estSurfaces(eList, localSample = wall_sample)

## End(Not run)
```

---

fixSampleFrame	<i>Update Sample dataframe</i>
----------------	--------------------------------

---

**Description**

Used for updating the Sample dataframe if ConcLow or ConcHigh is manually adjusted. Adjusts ConcAve and Uncen columns.

**Usage**

```
fixSampleFrame(eList)
```

**Arguments**

eList                    named list with at least the Sample dataframes

**Value**

localSample data frame

**Examples**

```
eList <- Choptank_eList
Sample <- eList$Sample
Sample[1,c("ConcLow","ConcHigh")] <- c(NA, 0.01) # Adjusted to left-censored
Sample[2,c("ConcLow","ConcHigh")] <- c(1.1, 1.3) # Adjusted to interval-censored
Sample[3,c("ConcLow","ConcHigh")] <- c(1.3, 1.3) # Simple adjustment
eList$Sample <- Sample
eList <- fixSampleFrame(eList)
eList$Sample[1:3,]
```

---

flexFN	<i>Flexible Flow Normalization</i>
--------	------------------------------------

---

**Description**

This function implements generalized flow normalization. This means that for determining the flow normalized concentration and flow normalized flux for any given year, there is a specified list of years from which to create the discharge record used in the flow-normalization process. That set of years is defined by the dateInfo object.

**Usage**

```
flexFN(eList, dateInfo, localsurfaces = NA, oldSurface = FALSE,
       flowNormStartCol = "flowNormStart", flowNormEndCol = "flowNormEnd",
       flowStartCol = "flowStart", flowEndCol = "flowEnd")
```

**Arguments**

eList	named list with at least the Daily, Sample, and INFO dataframes
dateInfo	data frame with 4 columns. The column names and descriptions are described below. Default is NA.
localsurfaces	surface (3-dimensional matrix) over-riding the one stored in eList Default = NA.
oldSurface	logical, if TRUE, use the surface object in eList. Default is FALSE.
flowNormStartCol	character, name of the column in dateInfo that starts the segment for the flow normalization
flowNormEndCol	character, name of the column in dateInfo that ends the segment for the flow normalization
flowStartCol	character, name of the column in dateInfo that starts the segment for the portion of the flow to be populated with flow-normalized values.
flowEndCol	character, name of the column in dateInfo that ends the segment for the portion of the flow to be populated with flow-normalized values.

**Value**

named list, eList, containing INFO, Daily, Sample, and surfaces objects

**Examples**

```
eList <- Choptank_eList
eList <- setUpEstimation(eList)
flowNormStart <- c("1979-10-01", "1990-01-01", "1992-10-10")
flowNormEnd <- c("1995-06-06", "2004-03-03", "2011-09-29")
flowStart <- c("1979-10-01", "1995-06-07", "2004-03-04")
flowEnd <- c("1995-06-06", "2004-03-03", "2011-09-29")
dateInfo <- data.frame(flowNormStart,
                       flowNormEnd,
                       flowStart,
                       flowEnd,
                       stringsAsFactors = FALSE)

## Not run:
newEList <- flexFN(eList, dateInfo)
plotFluxHist(newEList)
flexPlotAddOn(newEList)

wallSurface <- estSurfaces(eList, localSample = eList$Sample[1:500,])
wallEList <- flexFN(eList, dateInfo, localsurface = wallSurface)
plotFluxHist(wallEList)

## End(Not run)
```

flexPlotAddOn

*Flexible Flow Normalization Plot Add On***Description**

Flexible Flow Normalization Plot Add On

**Usage**

```
flexPlotAddOn(eList, showArrows = TRUE, showRect = TRUE,
              customPalette = NULL)
```

**Arguments**

eList	named list with at least the Daily, Sample, and INFO dataframes
showArrows	logical whether or not to show arrows representing flow segments
showRect	logical whether or not to show rectangles representing sample segments
customPalette	character vector of colors as a hexadecimal string of the form "#rrggbb". Defaults to NULL, which indicates the use of a default palette (up to 21 segments).

**Examples**

```
eList <- Choptank_eList
eList <- setUpEstimation(eList)
flowNormStart <- c("1979-10-01", "1990-01-01", "1992-10-10")
flowNormEnd <- c("1995-06-06", "2004-03-03", "2011-09-29")
flowStart <- c("1979-10-01", "1995-06-07", "2004-03-04")
flowEnd <- c("1995-06-06", "2004-03-03", "2011-09-29")
dateInfo <- data.frame(flowNormStart,
                       flowNormEnd,
                       flowStart,
                       flowEnd,
                       stringsAsFactors = FALSE)

## Not run:
newEList <- flexFN(eList, dateInfo)
plotFluxHist(newEList)
flexPlotAddOn(newEList)

plotFluxHist(newEList)
flexPlotAddOn(newEList, customPalette=c("#d5ce48", "#fd300f", "#3e0289"))

## End(Not run)
```



---

flowDuration	<i>Computes several values of the flow duration curve for streamflow centered on a specific date of the year</i>
--------------	--

---

### Description

This function is useful for helping the analyst determine the empirical probability distribution of streamflow for a particular part of the year or for the whole year. This is particularly useful in setting up discharge scales for various other plots in this package.

### Usage

```
flowDuration(eList, centerDate = "09-30", qUnit = 2, span = 365)
```

### Arguments

eList	named list with at least Daily and INFO dataframes
centerDate	character specifying the center date of the part of the year for which the flow duration is to be calculated, it is in the form "mm-dd" (it must be in quotes). Default is "09-30"
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name. Default is qUnit = 2, which corresponds to cubic meters per second.
span	number this is the half-width of the window over which the discharge values are to be used in constructing the flow-duration curve. If the full year is desired any value greater than 182 will provide serve. Note that for a window of about 2-months width, a span value should be about 30. Default is 365.

### Value

qDuration A named vector with flow duration information.

### Examples

```
eList <- Choptank_eList
# for a window of 30 days either side of June 25 expressed in units of cfs:
flowDuration(eList,"06-25", qUnit=1,span=30)
# for a flow-duration curve covering the whole year, expressed in units of csf:
flowDuration(eList, "01-01", qUnit=2)
```

---

fluxBiasMulti	<i>Produces 8-panel plot that is useful for determining if there is a flux bias problem</i>
---------------	---

---

### Description

These plots use the jack-knife estimates from WRTDS to investigate the potential flux bias problem. It can also be used for estimates constructed by other methods (such as LOADEST) if the results are stored in a data frame organized like the Sample data frame. It allows additional label information to indicate what method is used. The use of this plot is described in Hirsch, Robert M., 2014. Large Biases in Regression-Based Constituent Flux Estimates: Causes and Diagnostic Tools. Journal of the American Water Resources Association (JAWRA) 1-24. DOI: 10.1111/jawr.12195

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

### Usage

```
fluxBiasMulti(eList, qUnit = 2, fluxUnit = 3, moreTitle = "WRTDS",
  cex = 0.7, cex.axis = 1.1, cex.main = 1.1,
  randomCensored = FALSE, col = "black", lwd = 1, ...)
```

### Arguments

eList	named list with at least Sample, Daily, and INFO dataframes
qUnit	object of qUnit class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
fluxUnit	object of fluxUnit class. <a href="#">printFluxUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
moreTitle	character specifying some additional information to go in figure title, typically some information about the specific estimation method used, default is no additional information
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
randomCensored	logical. Show censored residuals as randomized.
col	color of points on plot, see <code>?par</code> 'Color Specification'
lwd	number line width
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see <code>?par</code> for options)

## Examples

```
eList <- Choptank_eList
fluxBiasMulti(eList)
# Water year:
## Not run:
pdf("fluxBiasMulti.pdf", height=9, width=8)
fluxBiasMulti(eList)
dev.off()
# Graphs consisting of Jun-Aug
eList <- setPA(eList,paStart=6,paLong=3)
pdf("fluxBiasMultiSummer.pdf", height=9, width=8)
fluxBiasMulti(eList)
dev.off()

## End(Not run)
```

---

fluxBiasStat	<i>Compute the flux bias statistic: (mean of estimated flux - mean of observed flux) / mean of observed flux</i>
--------------	--

---

## Description

Computes three versions of the flux bias: The first where all censored values are set to their minimum. The second where all censored values are set to their maximum. The third which is the average of the other two. In practice there is rarely a noticeable difference among them.

## Usage

```
fluxBiasStat(localSample)
```

## Arguments

localSample      data frame that contains the concentration data, default name is Sample

## Value

fluxBias a vector of three numerical values, a lower bound, upper bound and an average estimate of the ratio of (mean estimated flux - mean observed flux) / mean estimated flux. Typically one should use fluxBias[3]

## Examples

```
eList <- Choptank_eList
Sample <- getSample(eList)
fluxBias <- fluxBiasStat(Sample)
```

---

fluxUnit-class	<i>fluxUnit class</i>
----------------	-----------------------

---

### Description

Some details about the fluxUnit class

### Details

**shortName** A character specifying the short name.

**unitFactor** A numeric representing the conversion factor

**unitName** A character specifying the full name.

**unitExpress** An expression specifying the full name starting with Observed.

**unitExpressTiny** An expression specifying the abbreviated name starting with Observed.

**unitEstimate** An expression specifying the full name starting with Estimated.

**unitEstimateTiny** An expression specifying the abbreviated name starting with Estimated.

**unitUSGS** A character specifying flux with full text.

**shortCode** A number for quick lookup

---

formatCheckDate	<i>formatCheckDate</i>
-----------------	------------------------

---

### Description

This function was never incorporated into the EGRET workflow and will be removed in future versions.

### Usage

```
formatCheckDate(Date, dateString, interactive = TRUE)
```

### Arguments

Date	character
dateString	character used in either error message or interactive message. An example would be "startDate"
interactive	logical Option for interactive mode. If true, there is user interaction for error handling and data checks.

### Details

Response to the date format checker. If the date is not formatted correctly, it will give the user the opportunity to correct, otherwise will create a warning.

**Value**

condition logical if TRUE,

---

```
formatCheckParameterCd
      formatCheckParameterCd
```

---

**Description**

This function was never incorporated into the EGRET workflow and will be removed in future versions. A similar check exists within the dataRetrieval functions. Checks that the parameter code is 5 digits. If it is less, it will pad the character with zeros. If more, ask the user to re-enter.

**Usage**

```
formatCheckParameterCd(parameterCd, interactive = TRUE)
```

**Arguments**

parameterCd	character to check
interactive	logical Option for interactive mode. If true, there is user interaction for error handling and data checks.

**Value**

parameterCd character

---

```
generalAxis      Axis generation for log discharge
```

---

**Description**

Discharge axis tick generation

**Usage**

```
generalAxis(x, maxVal, minVal, units = NA, logScale = FALSE,
  tinyPlot = FALSE, padPercent = 5, concentration = TRUE,
  usgsStyle = FALSE, prettyDate = TRUE)
```

**Arguments**

x	vector to create scale about
maxVal	number maximum value on returned scale
minVal	number minimum value on returned scale
units	character concentration units. Typically found in INFO\$param.units.
logScale	logical whether or not to return a log scale
tinyPlot	logical
padPercent	number used to pad the max and min if not specified
concentration	logical if concentration=TRUE, labels returned as concentration units, otherwise flux units.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels
prettyDate	logical use 'pretty' limits for date axis if TRUE, or force the yearStart/yearEnd as limits if FALSE

**Examples**

```
eList <- Choptank_eList
Daily <- getDaily(eList)
INFO <- getInfo(eList)
x <- Daily$Q
max <- max(x)
min <- 0
units <- INFO$param.units
generalAxis(x, max, min, units)
min <- min(x)
generalAxis(x, max, min, units, log=TRUE)
```

---

genericEGRETDotPlot    *Generic EGRET plotting function*

---

**Description**

Basic plotting framework for EGRET dot plots. Graphical parameters default to values that work well with most plots, but all can be re-assigned. See ?par for complete definitions of most optional input variables.

**Usage**

```
genericEGRETDotPlot(x, y, xlim, ylim, xTicks = pretty(xlim),
  yTicks = pretty(ylim), printTitle = TRUE, xaxs = "i", xlab = "",
  yaxs = "i", ylab = "", plotTitle = "", pch = 20, cex = 0.7,
  cex.main = 1.3, font.main = 2, cex.lab = 1.2, tcl = 0.5,
  cex.axis = 1, las = 1, xDate = FALSE, tinyPlot = FALSE,
```

```

hLine = FALSE, oneToOneLine = FALSE, rmSciX = FALSE,
rmSciY = FALSE, customPar = FALSE, col = "black", lwd = 1,
showXLabels = TRUE, showYLabels = TRUE, showXAxis = TRUE,
showYAxis = TRUE, removeFirstX = FALSE, removeLastX = FALSE,
removeFirstY = FALSE, removeLastY = FALSE, ...)

```

### Arguments

x	vector specifying the x data (required)
y	vector specifying the y data (required)
xlim	vector specifying the x plotting range (required)
ylim	vector specifying the y plotting range (required)
xTicks	vector specifying x axis tick placement (required)
yTicks	vector specifying y axis tick placement (required)
printTitle	logical defaults to TRUE, plotting parameter to control whether to have title
xaxs	character defaults to "i", defines the style of x-axis interval calculation. Possible values are i, r, e, s, d.
xlab	character defaults to "", defines the x label
yaxs	character defaults to "i", defines the style of y-axis interval calculation. Possible values are i, r, e, s, d.
ylab	character defaults to "", defines the y label
plotTitle	character defaults to "", defines the plot title
pch	number defaults to 20, specifies plot symbol
cex	number defaults to 0.7, specifies plotting text magnification
cex.main	number defaults to 1.3, specifies title text magnification
font.main	number defaults to 2, specifies which font to use for text
cex.lab	number defaults to 1.2 specifies label text magnification
tc1	number defaults to 0.5, specifies length of tick marks as fraction of height of a line of text.
cex.axis	number defaults to 1, specifies axis text magnification
las	number represents style of axis labels
xDate	logical defaults to FALSE, changes x label to "year-month" format if set to TRUE and total years less than 4.
tinyPlot	logical defaults to FALSE, if TRUE, changes defaults to be appropriate for multi-plot
hLine	logical defaults to FALSE, inserts horizontal line at zero
oneToOneLine	logical defaults to FALSE, inserts 1:1 line
rmSciX	logical defaults to FALSE, changes x label from scientific to fixed
rmSciY	logical defaults to FALSE, changes y label from scientific to fixed
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function

col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
showXLabels	logical defaults to TRUE. If FALSE, the x axis label is not plotted
showYLabels	logical defaults to TRUE. If FALSE, the y axis label is not plotted
showXAxis	logical defaults to TRUE. If FALSE, the x axis is not plotted
showYAxis	logical defaults to TRUE. If FALSE, the y axis is not plotted
removeFirstX	logical defaults to FALSE. If TRUE, removes the first x axis label. This can be handy for plotting multiple plots.
removeLastX	logical defaults to FALSE. If TRUE, removes the last x axis label. This can be handy for plotting multiple plots.
removeFirstY	logical defaults to FALSE. If TRUE, removes the first y axis label. This can be handy for plotting multiple plots.
removeLastY	logical defaults to FALSE. If TRUE, removes the last y axis label. This can be handy for plotting multiple plots.
...	additional graphical parameters can be adjusted

### Examples

```
eList <- Choptank_eList
Daily <- getDaily(eList)
x <- Daily$Date
y <- Daily$Q
xlim <- c(min(x),max(x))
ylim <- c(min(y),1.05*max(y))
xlab <- "Date"
ylab <- "Flow"
genericEGRETDotPlot(x=x, y=y,
                    xlim=xlim, ylim=ylim,
                    xlab=xlab, ylab=ylab,
                    plotTitle="Test"
)
```

---

getDaily

*Get Daily dataframe from EGRET object*

---

### Description

From a named list or EGRET object, extract the Daily dataframe

### Usage

```
getDaily(x, ...)

## S3 method for class 'egret'
getDaily(x, ...)

## Default S3 method:
getDaily(x, ...)
```



**Arguments**

x                   EGRET object or named list  
...                  additional parameters

**Value**

Daily dataframe

**See Also**

[readNWISDaily](#), [readNWISSample](#)

**Examples**

```
eList <- Choptank_eList  
Daily <- getDaily(eList)
```

---

getInfo

*Get INFO dataframe from EGRET object*

---

**Description**

From a named list or EGRET object, extract the INFO dataframe

**Usage**

```
getInfo(x, ...)  
  
## S3 method for class 'egret'  
getInfo(x, ...)  
  
## Default S3 method:  
getInfo(x, ...)
```

**Arguments**

x                   EGRET object or named list  
...                  additional parameters

**Value**

INFO dataframe

**See Also**

[readNWISDaily](#), [readNWISSample](#)

**Examples**

```
eList <- Choptank_eList  
INFO <- getInfo(eList)
```

---

**getSample***Get Sample dataframe from EGRET object*

---

**Description**

From a named list or EGRET object, extract the Sample dataframe

**Usage**

```
getSample(x, ...)
```

```
getSample(x, ...)
```

```
getSample.default(x, ...)
```

**Arguments**

x                   EGRET object or named list  
...                  additional parameters

**Value**

Sample dataframe

**See Also**

[readNWISDaily](#), [readNWISSample](#)

**Examples**

```
eList <- Choptank_eList  
Sample <- getSample(eList)
```

---

getSurfaces	<i>Get surfaces matrix from EGRET object</i>
-------------	--

---

**Description**

From a named list or EGRET object, extract the surfaces matrix

**Usage**

```
getSurfaces(x, ...)  
  
## S3 method for class 'egret'  
getSurfaces(x, ...)  
  
## Default S3 method:  
getSurfaces(x, ...)
```

**Arguments**

x	EGRET object or named list
...	additional parameters

**Value**

Sample dataframe

**See Also**

[readNWISDaily](#), [readNWISSample](#)

**Examples**

```
eList <- Choptank_eList  
surfaces <- getSurfaces(eList)
```

---

INFOdataframe	<i>Import metadata to create INFO data frame</i>
---------------	--

---

**Description**

Populates INFO data frame from either NWIS ([readNWISInfo](#)), Water Quality Portal ([readWQPInfo](#)), or user-supplied files ([readUserInfo](#)).

**Usage**

```
readNWISInfo(siteNumber, parameterCd, interactive = TRUE)
```

```
readWQPInfo(siteNumber, parameterCd, interactive = TRUE)
```

```
readUserInfo(filePath, fileName, hasHeader = TRUE, separator = ",",
  interactive = TRUE)
```

**Arguments**

siteNumber	character site number. For readNWISInfo, this is usually an 8 digit number, for readWQPInfo, it is usually a longer code. For instance, a USGS site number in the Water Quality Portal would be in the form 'USGS-XXXXXXXX'. If the siteNumber is left blank (an empty string), the interactive option allows users to enter required information by hand, otherwise those fields are left blank.
parameterCd	character USGS parameter code (a 5 digit number) or characteristic name (if using readWQPInfo). If the parameterCd is left blank (an empty string), the interactive option allows users to enter required information by hand, otherwise those fields are left blank.
interactive	logical Option for interactive mode. If true, there is user interaction for error handling and data checks.
filePath	character specifying the path to the file (used in readUserInfo)
fileName	character name of file to open (used in readUserInfo)
hasHeader	logical true if the first row of data is the column headers (used in readUserInfo)
separator	character that separates data cells (used in readUserInfo)

**Value**

INFO data frame. Any metadata can be stored in INFO. However, there are 8 columns that EGRET uses by name in some functions:

Required column	Used in function	Description
param.units***	All concentration plotting functions	The units as listed in this field are used to create the concentration
shortName	All plotting functions	Station short name, used to label plots
paramShortName	All plotting functions	Parameter short name, used to label plots
drainSqKm	plotFlowSingle, printSeries	Calculate runoff
constitAbbrev	saveResults	Parameter abbreviation, used to auto-name workspace
staAbbrev	saveResults	Station abbreviation, used to auto-name workspace
paStart	Most EGRET functions	Starting month of period of analysis. Defaults to 10
paLong	Most EGRET functions	Length in number of months of period of analysis. Defaults to 12

\*\*\* Additionally, EGRET assumes that all concentrations are saved in mg/l. If some variation of 'mg/l' is not found in INFO\$param.units, functions that calculate flux will issue a warning. This is because the conversion from mg/l to the user-specified flux unit (e.g., kg/day) uses hard-coded conversion factors.

**See Also**

[readNWISsite](#), [readNWISpCode](#)  
[whatWQPsites](#)

**Examples**

```
# These examples require an internet connection to run
# Automatically gets information about site 05114000 and temperature
## Not run:
INFO <- readNWISInfo('05114000','00010')

## End(Not run)
# These examples require an internet connection to run
# Automatically gets information about site 01594440 and temperature, no interaction with user
nameToUse <- 'Specific conductance'
pcodeToUse <- '00095'
## Not run:
INFO <- readWQPInfo('USGS-04024315',pcodeToUse)

INFO2 <- readWQPInfo('WIDNR_WQX-10032762',nameToUse)
# To adjust the label names:
INFO$shortName <- "Little"
INFO$paramShortName <- "SC"

## End(Not run)
filePath <- system.file("extdata", package="EGRET")
fileName <- 'infoTest.csv'
INFO <- readUserInfo(filePath,fileName, separator=",",interactive=FALSE)
```

---

is.egret

*Check for EGRET object*

---

**Description**

Checks object to see if it is an EGRET object

**Usage**

```
is.egret(x)
```

**Arguments**

x                    object to check

**Value**

logical

**Examples**

```
eList <- Choptank_eList
is.egret(eList)
```

---

logPretty1	<i>Sets up tick marks for an axis with a log scale, where the graph is small</i>
------------	--

---

**Description**

Axis tick marks for a log scale for cases where the data cover many orders of magnitude and the graph is small. These tick marks are designed to progress by factors of 10.

**Usage**

```
logPretty1(xMin, xMax)
```

**Arguments**

xMin	A numeric value for the minimum value to be plotted, it must be > 0
xMax	A numeric value for the maximum value to be plotted, it must be > xMax

**Value**

xTicks A vector representing the values for each of the tick marks

**Examples**

```
xMin <- 0.7
xMax <- 990000
logPretty1(xMin, xMax)
xMin <- 3
xMax <- 15
logPretty1(xMin, xMax)
```

---

logPretty3	<i>Sets up tick marks for an axis with a log scale</i>
------------	--

---

**Description**

Axis tick marks for a log scale. These tick marks are designed to progress with 3 tick marks for every factor of 10. For example: 2,5,10,20,50,100,200,500.

**Usage**

```
logPretty3(xMin, xMax)
```

**Arguments**

xMin            A numeric value for the minimum value to be plotted, it must be >0  
 xMax            A numeric value for the maximum value to be plotted, it must be >xMax

**Value**

xTicks A vector representing the values for each of the tick marks

**Examples**

```
logPretty3(0.7, 990000)
logPretty3(3, 15)
```

---

makeAnnualSeries	<i>Produces annual series of 8 streamflow statistics (and a lowess smooth of them) from daily streamflow data</i>
------------------	---

---

**Description**

Part of the flowHistory system. The data come from Daily and INFO data frames. Note that the function setPA must be run before this to establish the period of analysis (e.g. water year).

**Usage**

```
makeAnnualSeries(eList, edgeAdjust = TRUE)
```

**Arguments**

eList            named list with at least Daily and INFO dataframes  
 edgeAdjust      logical specifying whether to use the modified method for calculating the windows at the edge of the record. The modified method tends to reduce curvature near the start and end of record. Default is TRUE, but a logical in INFO\$edgeAdjust will override the default.

**Details**

istat	Name
1	minimum 1-day daily mean discharge
2	minimum 7-day mean of the daily mean discharges
3	minimum 30-day mean of the daily mean discharges
4	median of the daily mean discharges
5	mean of the daily mean discharges
6	maximum 30-day mean of the daily mean discharges
7	maximum 7-day mean of the daily mean discharges
8	maximum 1-day daily mean discharge

**Value**

annualSeries matrix that contains the annual series of streamflow statistics

**Examples**

```
eList <- Choptank_eList  
annualSeries <- makeAnnualSeries(eList)
```

---

makeAugmentedSample	<i>Create randomized residuals and observations for data sets that have some censored data</i>
---------------------	--

---

**Description**

This function is used to add two columns to the Sample data frame: rResid and rObserved. rResid is the randomized residual value computed in log concentration units, and rObserved is the randomized 'observed' value of concentration in concentration units. Both of these are computed for all censored samples ("less than values").

**Usage**

```
makeAugmentedSample(eList)
```

**Arguments**

eList            named list with at least the Sample dataframe

**Value**

eList named list with modified Sample data frame.

**Examples**

```
choptankAugmented <- makeAugmentedSample(Choptank_eList)
```



---

makeDateInfo	<i>makeDateInfo</i>
--------------	---------------------

---

### Description

Create a data frame that organizes date segmentations for runSeries.

### Usage

```
makeDateInfo(windowSide, surfaceStart, surfaceEnd, firstQDate0, lastQDate0)
```

### Arguments

windowSide	integer number of automatically generated span sections, default is 7. If NA, code will use
surfaceStart	character (or Date) in YYYY-MM-DD. Date on which we want the analysis to start, it must be at or after the
surfaceEnd	character (or Date) in YYYY-MM-DD. Date on which we want the analysis to end, it must be at or before the end of
firstQDate0	character (or Date) in YYYY-MM-DD. The first day used in flow normalizing distributions, default is the start of eList\$Daily
lastQDate0	character (or Date) in YYYY-MM-DD. The last day used in flow normalizing distributions, default is the end of eList\$Daily

### Examples

```
windowSide <- 7
surfaceStart <- "1984-01-01"
surfaceEnd <- "2012-12-31"
firstQDate0 <- "1970-01-01"
lastQDate0 <- "2014-06-01"
dateInfo <- makeDateInfo(windowSide,
                          surfaceStart, surfaceEnd,
                          firstQDate0, lastQDate0)
```

---

mergeReport	<i>mergeReport</i>
-------------	--------------------

---

### Description

This function does three things. 1) It transfers the daily discharge value from the Daily data frame to the Sample data frame for those days with samples. 2) It merges the INFO, Daily and Sample data frames to form an eList object, 3) and it prints out a "report" of basic information about the Daily and Sample data frames.

**Usage**

```
mergeReport(INFO, Daily, Sample = NA, surfaces = NA, verbose = TRUE,
            interactive = NULL)
```

**Arguments**

INFO	dataframe metadata about the Sample and Daily data frames.
Daily	dataframe containing the daily discharge data
Sample	dataframe containing the sample data
surfaces	matrix returned from <a href="#">modelEstimation</a> . Default is NA.
verbose	logical specifying whether or not to display summary information on the Daily and Sample dataframes.
interactive	logical deprecated. Use 'verbose' instead

**Details**

Note that the Sample dataframe in the global environment does not update with the flow information.

**Value**

eList named list with Daily, Sample, and INFO dataframes, along with the surfaces matrix. Any of these values can be NA, not all EGRET functions will work with missing parts of the named list eList.

**See Also**

[readNWISDaily](#), [readNWISSample](#)

**Examples**

```
siteNumber <- '01491000'
pCode <- '00631'
## Not run:
Daily <- readNWISDaily(siteNumber, '00060', '1984-10-01', '')
Sample <- readNWISSample(siteNumber, pCode, '1984-10-01', '')
INFO <- readNWISInfo(siteNumber, pCode, interactive=FALSE)
eList <- mergeReport(INFO, Daily, Sample)
Sample <- eList$Sample
plot(eList)

# Create eList with no water quality data:

eList <- mergeReport(INFO, Daily, Sample = NA)
plotFour(eList)

## End(Not run)
```

---

modelEstimation	<i>Estimation process for the WRTDS (Weighted Regressions on Time, Discharge, and Season)</i>
-----------------	---

---

### Description

This one function does three things. 1) a jack-knife cross-validation of a WRTDS model in which it augments the Sample data frame in the eList 2) fits the WRTDS model creating the, fits the surfaces matrix and places it in the eList (the surfaces matrix expresses the estimated concentration as a function of discharge and time), 3) estimates the daily values of concentration and flux, and flow normalized concentration and flux and places these in the Daily data frame in the eList values. It returns a named list with the following dataframes: Daily, INFO, Sample, and the matrix: surfaces.

### Usage

```
modelEstimation(eList, windowY = 7, windowQ = 2, windowS = 0.5,
  minNumObs = 100, minNumUncen = 50, edgeAdjust = TRUE,
  verbose = TRUE, run.parallel = FALSE)
```

### Arguments

eList	named list with at least the INFO, Daily, and Sample dataframes
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 7
windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window with in the seasonal dimension, in units of years, default is 0.5
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The edgeAdjust method tends to reduce curvature near the start and end of record. Default is TRUE.
verbose	logical specifying whether or not to display progress message
run.parallel	logical to run WRTDS in parallel or not

### Value

eList named list with INFO, Daily, and Sample dataframes, along with the surfaces matrix. Any of these values can be NA, not all EGRET functions will work with missing parts of the named list eList.

**Examples**

```
eList <- Choptank_eList
## Not run:

#Run an estimation adjusting windowQ from default:
eList <- modelEstimation(eList, windowQ=5)

library(doParallel)
nCores <- parallel::detectCores() - 1
cl <- makePSOCKcluster(nCores)
registerDoParallel(cl)
eList <- modelEstimation(eList, windowQ=5, run.parallel = TRUE)
stopCluster(cl)

## End(Not run)
```

---

monthLabel-class      *monthLabel class*

---

**Description**

Some details about the monthLabel class

**Details**

**monthAbbrev** A character specifying the abbreviated month name.

**monthFull** A character specifying the full month name

**monthSingle** A character specifying the single letter of the month.

---

multiPlotDataOverview    *Produces a 4 panel plot that gives an overview of the data set prior to any processing*

---

**Description**

This function produces the 4 plots based only on the data stored in the eList. The four plots are 1) log concentration versus log discharge, 2) log concentration versus time 3) a boxplot of log concentration by month, and 4) a side-by-side boxplot of the sampled discharges and all daily discharges. To save space, the graphic is labeled only at the top of the 4 graph display.

Although there are a lot of optional arguments to this function, most are set to a logical default.

**Usage**

```
multiPlotDataOverview(eList, qUnit = 2, cex.main = 1.2,
  randomCensored = FALSE, logScaleConc = TRUE, logScaleQ = TRUE)
```

**Arguments**

eList	named list with at least Daily, Sample, and INFO dataframes
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
cex.main	magnification to be used for main titles relative to the current setting of cex
randomCensored	logical. Show censored values as randomized. Default is FALSE. If TRUE, <a href="#">makeAugmentedSample</a> must be run first.
logScaleConc	logical if TRUE y in concentration graphs plotted in log axis. Default is TRUE.
logScaleQ	logical if TRUE y in streamflow graphs plotted in log axis. Default is TRUE.

**See Also**

[plotConcQ](#), [boxConcMonth](#), [plotConcTime](#), [boxQTwice](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
multiPlotDataOverview(eList, qUnit=1)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
multiPlotDataOverview(eList, qUnit=1)
```

---

plot15

*Makes 15 graphs of streamflow statistics on a single page*


---

**Description**

Part of flowHistory system.

**Usage**

```
plot15(eList, yearStart, yearEnd)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes
yearStart	A numeric value for year in which the graph should start, default is NA, which indicates that the graph should start with first annual value
yearEnd	A numeric value for year in which the graph should end, default is NA, which indicates that the graph should end with last annual value

**See Also**

[plot1of15](#)

**Examples**

```
eList <- Choptank_eList
## Not run:
pdf("plot15.pdf",height=10,width=8)
plot15(eList, yearStart=1990,yearEnd=2000)
dev.off()

## End(Not run)
```

---

plot1of15

*plots 1 of the 15 graphs of streamflow statistics on a single page*


---

**Description**

Part of the flowHistory system. The 15 graphs include annual and four seasonal graphs for each of 3 flow statistics: 1-day maximum, mean, and 7-day minimum

**Usage**

```
plot1of15(eList, yearStart, yearEnd, qf, istat, isBottom = FALSE)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes
yearStart	A numeric value for the year in which the graph should start
yearEnd	A numeric value for the year in which the graph should end
qf	a scale factor to convert discharge in cubic feet per second to mm/day
istat	A numeric value selecting the flow statistic to be plotted, must be an integer from 1 to 8
isBottom	logical, if TRUE the graph is from the bottom row and thus needs x axis labels, if FALSE it does not need labels

**Examples**

```
eList <- Choptank_eList
plot1of15(eList, 1990, 2000, 0.2938476,5)
```

---

plotConcHist	<i>Graph of annual concentration and flow normalized concentration versus year</i>
--------------	--

---

### Description

Data come from named list, which contains a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

The annual concentrations are "time-weighted" mean concentrations (as opposed to "flow-weighted"). The annual results reported are for a specified "period of analysis" which can be an entire water year, a calendar, a season or even an individual month. User specifies this period of analysis in the call to setupYears.

Although there are a lot of optional arguments to this function, most are set to a logical default.

### Usage

```
plotConcHist(eList, yearStart = NA, yearEnd = NA, concMax = NA,
  printTitle = TRUE, tinyPlot = FALSE, usgsStyle = FALSE,
  plotFlowNorm = TRUE, plotAnnual = TRUE, cex = 0.8,
  cex.axis = 1.1, cex.main = 1.1, lwd = 2, col = "black",
  col.pred = "green", customPar = FALSE, ...)
```

### Arguments

eList	named list with at least the Daily and INFO dataframes
yearStart	numeric is the calendar year containing the first estimated annual value to be plotted, default is NA (which allows it to be set automatically by the data)
yearEnd	numeric is the calendar year just after the last estimated annual value to be plotted, default is NA (which allows it to be set automatically by the data)
concMax	numeric. Maximum value of concentration to be plotted.
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure)
tinyPlot	logical variable, if TRUE plot is designed to be plotted small, as a part of a multipart figure, default is FALSE
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels
plotFlowNorm	logical variable if TRUE flow normalized line is plotted, if FALSE not plotted
plotAnnual	logical variable if TRUE annual concentration points are plotted, if FALSE not plotted
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex

cex.main	magnification to be used for main titles relative to the current setting of cex
lwd	number magnification of line width.
col	color of points on plot, see ?par 'Color Specification'
col.pred	color of flow normalized line on plot, see ?par 'Color Specification'
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[setupYears](#), [genericEGRETDotPlot](#)

**Examples**

```

yearStart <- 2001
yearEnd <- 2010
eList <- Choptank_eList

# Water year:
plotConcHist(eList, yearStart, yearEnd)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotConcHist(eList)

```

---

plotConcPred

*Plot of Observed Concentration versus Estimated Concentration*

---

**Description**

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

Although there are a lot of optional arguments to this function, most are set to a logical default.

**Usage**

```

plotConcPred(eList, concMax = NA, logScale = FALSE,
  printTitle = TRUE, tinyPlot = FALSE, cex = 0.8, cex.axis = 1.1,
  cex.main = 1.1, customPar = FALSE, col = "black", lwd = 1,
  randomCensored = FALSE, usgsStyle = FALSE, ...)

```



**Arguments**

eList	named list with at least the Sample and INFO dataframes
concMax	number specifying the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
logScale	logical, default TRUE, TRUE indicates y axis is in log scale, "xy" indicates both x and y in log scale, "x" is only x
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
tinyPlot	logical variable, if TRUE plot is designed to be plotted small, as a part of a multipart figure, default is FALSE
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
randomCensored	logical. Show censored values as randomized.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotConcPred(eList)
plotConcPred(eList, logScale=TRUE)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotConcPred(eList, usgsStyle=TRUE)
```

---

plotConcQ

*Plot of Observed Concentration versus Discharge*


---

### Description

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata. Discharge is plotted on a log scale.

Although there are a lot of optional arguments to this function, most are set to a logical default.

### Usage

```
plotConcQ(eList, qUnit = 2, tinyPlot = FALSE, logScale = FALSE,
  randomCensored = FALSE, concMax = NA, concMin = NA,
  printTitle = TRUE, cex = 0.8, cex.axis = 1.1, cex.main = 1.1,
  usgsStyle = FALSE, rmSciX = FALSE, rmSciY = FALSE,
  customPar = FALSE, col = "black", lwd = 1, ...)
```

### Arguments

eList	named list with at least the Sample and INFO dataframes
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-part figure, default is FALSE.
logScale	logical if TRUE x and y plotted in log axis
randomCensored	logical. Show censored values as randomized.
concMax	number specifying the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
concMin	numeric value for lower limit on concentration shown on the vertical log graph, default is NA (which causes the lower limit to be set automatically, based on the data). This value is ignored for linear scales, using 0 as the minimum value for the concentration axis.
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure)
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
rmSciX	logical defaults to FALSE, changes x label from scientific to fixed
rmSciY	logical defaults to FALSE, changes y label from scientific to fixed

customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotConcQ(eList)
plotConcQ(eList, logScale=TRUE)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotConcQ(eList, usgsStyle = TRUE)
```

---

plotConcQSmooth	<i>Plot up to three curves representing the concentration versus discharge relationship. Each curve is a different point in time.</i>
-----------------	---

---

**Description**

These plots are like a vertical slice of the estimated concentration surface that is seen in the plotContours function. These plots show how the concentration-discharge relationship is changing over time. Typically the time points selected would be in three years at the same time of year spaced out over the period of record. But that is not necessary. Another possibility is to use this to explore seasonal differences. In this case the three dates would be in the same year but different times during the year.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

**Usage**

```
plotConcQSmooth(eList, date1, date2, date3, qLow, qHigh, qUnit = 2,
  legendLeft = 0, legendTop = 0, concMax = NA, concMin = NA,
  bw = FALSE, printTitle = TRUE, printValues = FALSE,
  minNumObs = 100, minNumUncen = 50, colors = c("black", "red",
  "green"), printLegend = TRUE, windowY = 7, windowQ = 2,
  windowS = 0.5, tinyPlot = FALSE, customPar = FALSE, lwd = 2,
```

```
cex = 0.8, cex.axis = 1.1, cex.main = 1.1, cex.legend = 1.2,
lineVal = c(1, 1, 1), logScale = FALSE, edgeAdjust = TRUE,
usgsStyle = FALSE, ...)
```

### Arguments

eList	named list with at least the Sample and INFO dataframes
date1	character specifying the date for the first curve on the graph, it is in the form "yyyy-mm-dd" (must be in quotes)
date2	character specifying the date for the second curve on the graph, it is in the form "yyyy-mm-dd" (must be in quotes). If only one curve is wanted this should be NA
date3	character specifying the date for the third curve on the graph, it is in the form "yyyy-mm-dd" (must be in quotes). If a third curve is not wanted this should be NA
qLow	numeric value for the lowest discharge to be considered, expressed in the units of discharge that are being used (as specified in qUnit)
qHigh	numeric value for the highest discharge to be considered, expressed in the units of discharge that are being used (as specified in qUnit)
qUnit	object of qUnit class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
legendLeft	numeric which represents the left edge of the legend in the units of the plot.
legendTop	numeric which represents the top edge of the legend in the units of the plot.
concMax	numeric value for upper limit on concentration shown on the graph, default = NA (which causes the upper limit to be set automatically, based on the data)
concMin	numeric value for lower limit on concentration shown on the vertical log graph, default is NA (which causes the lower limit to be set automatically, based on the data). This value is ignored for linear scales, using 0 as the minimum value for the concentration axis.
bw	logical if TRUE graph is produced in black and white, default is FALSE (which means it will use color)
printTitle	logical variable if TRUE title is printed, if FALSE not printed
printValues	logical variable if TRUE the results shown on the graph are also printed to the console and returned in a dataframe (this can be useful for quantifying the changes seen visually in the graph), default is FALSE (not printed)
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
colors	color vector of lines on plot, see ?par 'Color Specification'. Defaults to c("black","red","green")
printLegend	logical if TRUE, legend is included
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 7

windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window width in the seasonal dimension, in units of years, default is 0.5
tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-part figure, default is FALSE.
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
lwd	number line width
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
cex.legend	magnification to be used for legend annotation relative to the current setting of cex
lineVal	vector of line types. Defaults to c(1,1,1) which is a solid line for each line. Options: 0=blank, 1=solid (default), 2=dashed, 3=dotted, 4=dotdash, 5=longdash, 6=twodash
logScale	logical whether or not to use a log scale in the y axis.
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The modified method tends to reduce curvature near the start and end of record. Default is TRUE.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[genericEGRETDotPlot](#), [runSurvReg](#)

**Examples**

```

date1<-"2001-06-01"
date2<-"2005-06-01"
date3<-"2010-06-01"
qLow<-1
qHigh<-100
eList <- Choptank_eList
plotConcQSmooth(eList, date1, date2, date3, qLow, qHigh)
plotConcQSmooth(eList, date1, date2, date3, qLow, qHigh, logScale=TRUE)

```

---

plotConcTime

*Plot of Observed Concentration versus Time*


---

### Description

This function allows the user to plot all of the data, but also to limit it in two ways. The data can be limited to only those observed concentrations collected in a specified discharge range. The data can also be limited to only those observed in certain months of the year. These two selection criteria can be combined. For example, we may only want to plot data for discharges between 100 and 500 cubic feet per second in the months of March, April and May.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

### Usage

```
plotConcTime(eList, qUnit = 2, yearStart = NA, yearEnd = NA,
             qLower = NA, qUpper = NA, randomCensored = FALSE,
             tinyPlot = FALSE, concMax = NA, concMin = NA, printTitle = TRUE,
             logScale = FALSE, cex = 0.8, cex.axis = 1.1, cex.main = 1.1,
             customPar = FALSE, col = "black", lwd = 1, usgsStyle = FALSE,
             ...)
```

### Arguments

eList	named list with at least the Sample and INFO dataframes
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
yearStart	numeric is the calendar year containing the first estimated annual value to be plotted, default is NA (which allows it to be set automatically by the data)
yearEnd	numeric is the calendar year just after the last estimated annual value to be plotted, default is NA (which allows it to be set automatically by the data)
qLower	numeric the lower bound on values of discharge used to select the data points to be plotted, units are those specified by qUnit, default = NA which is equivalent to a lower bound of zero but if the desired lower bound is zero use qLower = NA
qUpper	numeric the upper bound on values of discharge for selection of data points to be plotted, units are those specified by qUnit, default = NA which is equivalent to an upper bound of infinity
randomCensored	logical. Show censored values as randomized.
tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-part figure, default is FALSE.
concMax	numeric value for the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)

concMin	numeric value for lower limit on concentration shown on the vertical log graph, default is NA (which causes the lower limit to be set automatically, based on the data). This value is ignored for linear scales, using 0 as the minimum value for the concentration axis.
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure).
logScale	logical, default FALSE, FALSE creates a linear scale y-axis, TRUE creates a y-axis is in log scale.
cex	numerical value giving the amount by which plotting symbols should be magnified.
cex.axis	magnification to be used for axis annotation relative to the current setting of cex.
cex.main	magnification to be used for main titles relative to the current setting of cex.
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function. (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels
...	arbitrary functions sent to the generic plotting function. See ?par for details on possible parameters.

**See Also**

[selectDays](#), [genericEGRETdotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotConcTime(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotConcTime(eList, qUnit = 1, qLower = 100, qUpper = 10000)
plotConcTime(eList, logScale=TRUE)
plotConcTime(eList, qUnit = 1, qLower = 100, qUpper = 10000, randomCensored = TRUE)
```

---

plotConcTimeDaily	<i>Plot of the time series of daily concentration estimates and the sample values for the days that were sampled</i>
-------------------	--

---

## Description

This plot is useful for visual examination of the ability of the WRTDS, or other model, to fit the data, seen in a time-series perspective. The graph is most useful when it covers a period of just a few years and not the complete record but a complete record can be done by repeated use over a series of segments.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

## Usage

```
plotConcTimeDaily(eList, yearStart = NA, yearEnd = NA,
  tinyPlot = FALSE, concMax = NA, printTitle = TRUE, cex = 0.8,
  cex.axis = 1.1, randomCensored = FALSE, cex.main = 1.1,
  customPar = FALSE, col = "black", lwd = 1, prettyDate = TRUE,
  usgsStyle = FALSE, ...)
```

## Arguments

eList	named list with at least the Daily, Sample, and INFO dataframes
yearStart	numeric specifying the starting date (expressed as decimal years, for example 1989.0) for the plot
yearEnd	numeric specifying the ending date for the plot
tinyPlot	logical variable, if TRUE plot is designed to be short and wide, default is FALSE.
concMax	number specifying the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure)
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
randomCensored	logical. Show censored values as randomized.
cex.main	magnification to be used for main titles relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
prettyDate	logical use 'pretty' limits for date axis if TRUE, or force the yearStart/yearEnd as limits if FALSE
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels
...	arbitrary functions sent to the generic plotting function. See ?par for details on possible parameters



**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotConcTimeDaily(eList)
plotConcTimeDaily(eList, yearStart=1998, yearEnd=2001)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6, paLong=3)
plotConcTimeDaily(eList)
```

---

plotConcTimeSmooth	<i>Plot up to three curves representing the concentration versus time relationship, each curve representing a different flow.</i>
--------------------	---

---

**Description**

These plots show how the concentration-time relationship is changing over flow.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data and an INFO dataframe with metadata.

**Usage**

```
plotConcTimeSmooth(eList, q1, q2, q3, centerDate, yearStart, yearEnd,
  qUnit = 2, legendLeft = 0, legendTop = 0, concMax = NA,
  concMin = NA, bw = FALSE, printTitle = TRUE, colors = c("black",
  "red", "green"), printValues = FALSE, tinyPlot = FALSE,
  minNumObs = 100, minNumUncen = 50, windowY = 10, windowQ = 2,
  windowS = 0.5, cex.main = 1.1, lwd = 2, printLegend = TRUE,
  cex.legend = 1.2, cex = 0.8, cex.axis = 1.1, customPar = FALSE,
  lineVal = c(1, 1, 1), logScale = FALSE, edgeAdjust = TRUE,
  usgsStyle = FALSE, ...)
```

**Arguments**

eList	named list with at least the Sample and INFO dataframes
q1	numeric This is the discharge value for the first curve to be shown on the plot. It is expressed in units specified by qUnit.
q2	numeric This is the discharge value for the second curve to be shown on the plot. It is expressed in units specified by qUnit. If you don't want a second curve then the argument must be q2=NA

q3	numeric This is the discharge value for the third curve to be shown on the plot. It is expressed in units specified by qUnit. If you don't want a third curve then the argument must be q3=NA
centerDate	character This is the time of year to be used as the center date for the smoothing. It is expressed as a month and day and must be in the form "mm-dd"
yearStart	numeric This is the starting year for the graph. The first value plotted for each curve will be at the first instance of centerDate in the year designated by yearStart.
yearEnd	numeric This is the end of the sequence of values plotted on the graph. The last value will be the last instance of centerDate prior to the start of yearEnd. (Note, the number of values plotted on each curve will be yearEnd-yearStart.)
qUnit	object of qUnit class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
legendLeft	numeric which represents the left edge of the legend in the units of the plot.
legendTop	numeric which represents the top edge of the legend in the units of the plot.
concMax	numeric value for upper limit on concentration shown on the graph, default = NA (which causes the upper limit to be set automatically, based on the data)
concMin	numeric value for lower limit on concentration shown on the vertical log graph, default is NA (which causes the lower limit to be set automatically, based on the data). This value is ignored for linear scales, using 0 as the minimum value for the concentration axis.
bw	logical if TRUE graph is produced in black and white, default is FALSE (which means it will use color)
printTitle	logical variable if TRUE title is printed, if FALSE not printed
colors	color vector of lines on plot, see ?par 'Color Specification'. Defaults to c("black", "red", "green")
printValues	logical variable if TRUE the results shown on the graph are printed to the console and returned in a dataframe (this can be useful for quantifying the changes seen visually in the graph), default is FALSE (not printed)
tinyPlot	logical variable, if TRUE plot is designed to be plotted small, as a part of a multipart figure, default is FALSE
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 10
windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window width in the seasonal dimension, in units of years, default is 0.5
cex.main	magnification to be used for main titles relative to the current setting of cex
lwd	line width, a positive number, defaulting to 1

printLegend	logicalif TRUE, legend is included
cex.legend	number magnification of legend
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
lineVal	vector of line types. Defaults to c(1,1,1) which is a solid line for each line. Options: 0=blank, 1=solid (default), 2=dashed, 3=dotted, 4=dotdash, 5=longdash, 6=twodash
logScale	logical whether or not to use a log scale in the y axis.
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The modified method tends to reduce curvature near the start and end of record. Default is TRUE.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels
...	arbitrary functions sent to the generic plotting function. See ?par for details on possible parameters

### See Also

[genericEGRETDotPlot](#), [runSurvReg](#)

### Examples

```
q1 <- 10
q2 <- 25
q3 <- 75
centerDate <- "07-01"
yearStart <- 2000
yearEnd <- 2010
eList <- Choptank_eList
plotConcTimeSmooth(eList, q1, q2, q3, centerDate, yearStart, yearEnd)
plotConcTimeSmooth(eList, q1, q2, q3, centerDate, yearStart, yearEnd, logScale=TRUE)
```

---

plotContours

*Color contour plot of the estimated surfaces as a function of discharge and time (surfaces include log concentration, standard error, and concentration)*

---

## Description

These plots are normally used for plotting the estimated concentration surface (`whatSurface=3`) but can be used to explore the estimated surfaces for the log of concentration or for the standard error (in log space) which is what determines the bias correction. The plots are often more interpretable when the time limits are only about 4 years apart. To explore changes over a long time period it is best to do this multiple times, for various time slices of 4 years (for example) or to use the function `plotDiffContours`.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a `Sample` dataframe with the sample data, a `Daily` dataframe with the daily flow data, and an `INFO` dataframe with metadata.

## Usage

```
plotContours(eList, yearStart, yearEnd, qBottom = NA, qTop = NA,
  whatSurface = 3, qUnit = 2, contourLevels = NA, span = 60,
  pval = 0.05, printTitle = TRUE, vert1 = NA, vert2 = NA,
  horiz = NA, tcl = 0.03, flowDuration = TRUE, customPar = FALSE,
  yTicks = NA, tick.lwd = 1, usgsStyle = FALSE, lwd = 2,
  cex.main = 1, cex.axis = 1,
  color.palette = colorRampPalette(c("white", "gray", "blue", "red")),
  ...)
```

## Arguments

<code>eList</code>	named list with at least the <code>Daily</code> and <code>INFO</code> dataframes, and surfaces matrix
<code>yearStart</code>	numeric value for the starting date for the graph, expressed as decimal year (typically whole number such as 1989.0)
<code>yearEnd</code>	numeric value for the ending date for the graph, expressed as decimal year, (for example 1993.0)
<code>qBottom</code>	numeric value for the bottom edge of the graph, expressed in the units of discharge that are being used (as specified in <code>qUnit</code> ). <code>NA</code> will choose a "pretty" lower limit nearest to the 5% of discharge. If <code>yTicks</code> are specified, then the first value of <code>yTicks</code> becomes the lowest discharge shown on the figure.
<code>qTop</code>	numeric value for the top edge of the graph, expressed in the units of discharge that are being used (as specified in <code>qUnit</code> ). <code>NA</code> will choose a "pretty" upper limit nearest to the 95% of discharge. If <code>yTicks</code> are specified, then the last value of <code>yTicks</code> becomes the highest discharge shown on the figure.
<code>whatSurface</code>	numeric value, can only accept 1, 2, or 3; <code>whatSurface=1</code> is <code>yHat</code> (log concentration), <code>whatSurface=2</code> is <code>SE</code> (standard error of log concentration), and <code>whatSurface=3</code> is <code>ConcHat</code> (unbiased estimate of concentration), default = 3.
<code>qUnit</code>	object of <code>qUnit</code> class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
<code>contourLevels</code>	numeric vector containing the contour levels for the contour plot, arranged in ascending order, default is <code>NA</code> (which causes the contour levels to be set automatically, based on the data)

span	numeric, it is the half-width (in days) of the smoothing window for computing the flow duration information, default = 60
pval	numeric, the probability value for the lower flow frequency line on the graph
printTitle	logical variable if TRUE title is printed, if FALSE not printed
vert1	numeric, the location in time for a black vertical line on the figure, yearStart<vert1<yearEnd, default is NA (vertical line is not drawn)
vert2	numeric, the location in time for a black vertical line on the figure, yearStart<vert2<yearEnd, default is NA (vertical line is not drawn)
horiz	numeric, the location in discharge for a black horizontal line on the figure, qBottom<vert1<qTop, default is NA (no horizontal line is drawn)
tcl	numeric, length of tick marks in inches, default is 0.03
flowDuration	logical variable if TRUE plot the flow duration lines (5 and 95 flow percentiles), if FALSE do not plot them, default = TRUE
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins.
yTicks	vector of yTick labels and marks that will be plotted in log space. (for example yTicks = c(3, 5, 10, 20, 50, 100, 200, 400)). The first and last values determine the range of the y axis. If NA, the tick marks will be automatically generated.
tick.lwd	line width for axis ticks, default is 1
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
lwd	numeric, line width of flowDuration curve, default is 2
cex.main	magnification to be used for main titles relative to the current setting of cex
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
color.palette	a function that creates a color palette for the contour plot. Default goes from white to gray to blue to red using the function colorRampPalette(c("white", "gray", "blue", "red")) A few preset options are heat.colors, topo.colors, and terrain.colors.
...	arbitrary functions sent to the generic plotting function. See ?par for details on possible parameters

### Examples

```

yearStart <- 2001
yearEnd <- 2010
qBottom <- 0.5
qTop <- 22
clevel <- seq(0, 3.5, 0.5)
eList <- Choptank_eList
plotContours(eList, yearStart, yearEnd, qBottom, qTop, contourLevels = clevel)
plotContours(eList, yearStart, yearEnd, qBottom=0.1, qTop=NA, contourLevels = clevel)
yTicksModified <- c(.1, 1, 10, 25)
plotContours(eList, yearStart, yearEnd, qBottom, qTop,
             contourLevels = clevel, yTicks=yTicksModified, flowDuration=FALSE)

```

```

colors <- colorRampPalette(c("white", "red"))
plotContours(eList, yearStart, yearEnd, qBottom, qTop,
             contourLevels = clevel, yTicks=yTicksModified,
             color.palette=colors, flowDuration=FALSE)
colors2 <- heat.colors # Some other options: topo.colors, terrain.colors, cm.colors
plotContours(eList, yearStart, yearEnd, qBottom, qTop,
             contourLevels = clevel, color.palette=colors2, lwd=2, flowDuration=FALSE)
plotContours(eList, yearStart, yearEnd, qBottom, qTop,
             contourLevels = clevel, cex.axis=2, flowDuration=FALSE)
par(mar=c(5,8,5,8))
plotContours(eList, yearStart, yearEnd, qBottom, qTop,
             contourLevels = clevel, customPar=TRUE, printTitle=FALSE, flowDuration=FALSE)

```

---

plotDiffContours	<i>Plots the difference between two years from a contour plot created by plotContours</i>
------------------	---

---

### Description

These plots are normally used for plotting changes in the estimated concentration surface (whatSurface=3) but can be used to explore the changes in estimated surfaces for the log of concentration or for the standard error (in log space) which is what determines the bias correction.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

### Usage

```

plotDiffContours(eList, year0, year1, qBottom = NA, qTop = NA,
                 maxDiff = NA, whatSurface = 3, tcl = 0.03, qUnit = 2,
                 span = 60, pval = 0.05, printTitle = TRUE, plotPercent = FALSE,
                 vert1 = NA, vert2 = NA, horiz = NA, flowDuration = TRUE,
                 yTicks = NA, tick.lwd = 1, lwd = 2, cex.main = 0.95,
                 cex.axis = 1, customPar = FALSE, usgsStyle = FALSE,
                 color.palette = colorRampPalette(c("blue", "white", "red")), ...)

```

### Arguments

eList	named list with at least the Daily and INFO dataframes, and surfaces matrix
year0	numeric value for the calendar year that is the first year of the pair of years for the analysis, should be a whole number
year1	numeric value for the calendar year that is the second year of the pair of years for the analysis, should be a whole number
qBottom	numeric value for the bottom edge of the graph, expressed in the units of discharge that are being used (as specified in qUnit). NA will choose a "pretty" lower limit nearest to the 5% of discharge. If yTicks are specified, then the first value of yTicks becomes the lowest discharge shown on the figure.

qTop	numeric value for the top edge of the graph, expressed in the units of discharge that are being used (as specified in qUnit). NA will choose a "pretty" upper limit nearest to the 95% of discharge. If yTicks are specified, then the last value of yTicks becomes the highest discharge shown on the figure.
maxDiff	numeric value which is the absolute value of the largest change in concentration that will be shown on the figure. Alternatively, a vector with the minimum and maximum values in the change in concentration scale. If NA, the scale will be set from 5% to 95% of the concentration difference.
whatSurface	numeric value, can only accept 1, 2, or 3; whatSurface=1 is yHat (log concentration), whatSurface=2 is SE (standard error of log concentration), and whatSurface=3 is ConcHat (unbiased estimate of concentration), default = 3
tc1	numeric, length of tick marks in inches, default is 0.1
qUnit	object of qUnit class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
span	numeric, it is the half-width (in days) of the smoothing window for computing the flow duration information, default = 60
pval	numeric, the probability value for the lower flow frequency line on the graph
printTitle	logical variable if TRUE title is printed, if FALSE not printed
plotPercent	logical. If TRUE, plots percent difference, if FALSE, plots absolute differences. Defaults to FALSE.
vert1	numeric, the location in time for a black vertical line on the figure, yearStart < vert1 < yearEnd, default is NA (vertical line is not drawn)
vert2	numeric, the location in time for a black vertical line on the figure, yearStart < vert2 < yearEnd, default is NA (vertical line is not drawn)
horiz	numeric, the location in discharge for a black horizontal line on the figure, qBottom < horiz < qTop, default is NA (no horizontal line is drawn)
flowDuration	logical variable if TRUE plot the flow duration lines (5 and 95 flow percentiles), if FALSE do not plot them, default = TRUE
yTicks	vector of yTick labels and marks that will be plotted in log space. (for example yTicks = c(3, 5, 10, 20, 50, 100, 200, 400)). The first and last values determine the range of the y axis. If NA, the tick marks will be automatically generated.
tick.lwd	line width for axis ticks, default is 2
lwd	numeric, line width of flowDuration curve, default is 1
cex.main	magnification to be used for main titles relative to the current setting of cex
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.

`color.palette` a function that creates a color palette for the contour plot. Default goes from blue to white to red using the function `colorRampPalette(c("blue", "white", "red"))`. A few preset options are `heat.colors`, `topo.colors`, and `terrain.colors`.

... arbitrary functions sent to the generic plotting function. See `?par` for details on possible parameters

## Examples

```
year0<-2001
year1<-2009
qBottom<-0.33
qTop<-22
maxDiff<-0.5
eList <- Choptank_eList
plotDiffContours(eList, year0,year1)
plotDiffContours(eList, year0,year1,maxDiff=maxDiff)
plotDiffContours(eList, year0,year1,qBottom,qTop,maxDiff)

yTicksModified <- c(.1,1,10,25)
plotDiffContours(eList, year0, year1,qBottom,qTop,maxDiff,
  yTicks=yTicksModified,flowDuration=FALSE)
colors <-colorRampPalette(c("blue", "white", "red"))
plotDiffContours(eList, year0,year1,qBottom,qTop,maxDiff,
  color.palette=colors,flowDuration=FALSE)
colors2 <- heat.colors # Some other options: topo.colors, terrain.colors, cm.colors
plotDiffContours(eList, year0,year1,qBottom,qTop,maxDiff,
  lwd=2,color.palette=colors2,flowDuration=FALSE)
plotDiffContours(eList, year0,year1,qBottom,qTop,maxDiff,cex.lab=2,flowDuration=FALSE)
par(mar=c(5,8,5,8))
plotDiffContours(eList, year0,year1,qBottom,qTop,maxDiff,
  customPar=TRUE,flowDuration=FALSE)
```

---

<code>plotFlowSingle</code>	<i>Creates a plot of a time series of a particular flow statistic and a lowess smooth of that flow statistic</i>
-----------------------------	--

---

## Description

A part of the `flowHistory` system. The index of the flow statistics is `istat`. These statistics are: (1) 1-day minimum, (2) 7-day minimum, (3) 30-day minimum, (4) median (5) mean, (6) 30-day maximum, (7) 7-day maximum, and (8) 1-day maximum

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.



**Usage**

```
plotFlowSingle(eList, istat, yearStart = NA, yearEnd = NA, qMax = NA,
  printTitle = TRUE, tinyPlot = FALSE, customPar = FALSE,
  runoff = FALSE, qUnit = 1, printStaName = TRUE, printPA = TRUE,
  usgsStyle = FALSE, printIstat = TRUE, cex = 0.8, cex.axis = 1.1,
  cex.main = 1.1, lwd = 2, col = "black", ...)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes
istat	A numeric value for the flow statistic to be graphed (possible values are 1 through 8)
yearStart	A numeric value for year in which the graph should start, default is NA, which indicates that the graph should start with first annual value
yearEnd	A numeric value for year in which the graph should end, default is NA, which indicates that the graph should end with last annual value
qMax	A numeric value for the maximum value to be used for y-axis of graph, default is NA means that graph is self-scaling
printTitle	logical variable, if TRUE title is printed, if FALSE title is not printed, default is TRUE
tinyPlot	logical variable, if TRUE plot is designed to be plotted small, as a part of a multipart figure, default is FALSE
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
runoff	logical variable, if TRUE the streamflow data are converted to runoff values in mm/day
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
printStaName	logical variable, if TRUE station name is printed in title, if FALSE not printed, default is TRUE
printPA	logical variable, if TRUE Period of Analysis information is printed in title, if FALSE not printed, default is TRUE
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
printIstat	logical variable, if TRUE print the statistic name is printed in title, if FALSE not printed, default is TRUE
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
lwd	number line width

col                    color of points on plot, see ?par 'Color Specification'  
 ...                    arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

### See Also

[makeAnnualSeries](#), [genericEGRETDotPlot](#)

### Examples

```
eList <- Choptank_eList
# Water year:
plotFlowSingle(eList, 1)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotFlowSingle(eList, 1)
## Not run:
siteNumber <- '01010000'
StartDate <- ''
EndDate <- '2014-10-01'
Daily <- readNWISDaily(siteNumber, '00060', StartDate, EndDate)
INFO <- readNWISInfo(siteNumber, '00060', interactive = FALSE)
eList <- as.egret(INFO, Daily)
plotFlowSingle(eList, 5)

## End(Not run)
```

---

plotFluxHist

*Graph of annual flux and flow normalized flux versus year*

---

### Description

The annual results reported are for a specified "period of analysis" which can be an entire water year, a calendar, a season or even an individual month. The user specifies this period of analysis in the call to `setupYears`.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

### Usage

```
plotFluxHist(eList, yearStart = NA, yearEnd = NA, fluxUnit = 9,
  fluxMax = NA, printTitle = TRUE, usgsStyle = FALSE,
  plotFlowNorm = TRUE, plotAnnual = TRUE, tinyPlot = FALSE,
  col = "black", col.pred = "green", cex = 0.8, cex.axis = 1.1,
  cex.main = 1.1, lwd = 2, customPar = FALSE, ...)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes
yearStart	numeric is the calendar year containing the first estimated annual value to be plotted, default is NA (which allows it to be set automatically by the data)
yearEnd	numeric is the calendar year just after the last estimated annual value to be plotted, default is NA (which allows it to be set automatically by the data)
fluxUnit	number representing entry in pre-defined fluxUnit class array. <a href="#">printFluxUnitCheatSheet</a>
fluxMax	number specifying the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure)
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
plotFlowNorm	logical variable if TRUE the flow normalized line is plotted, if FALSE not plotted
plotAnnual	logical variable if TRUE annual flux points are plotted, if FALSE not plotted
tinyPlot	logical variable, if TRUE plot is designed to be plotted small, as a part of a multipart figure, default is FALSE
col	color of points on plot, see ?par 'Color Specification'
col.pred	color of flow normalized line on plot, see ?par 'Color Specification'
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
lwd	number line width
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[setupYears](#)

**Examples**

```
yearStart <- 2001
yearEnd <- 2010
eList <- Choptank_eList
# Water year:
## Not run:
plotFluxHist(eList)
```

```

plotFluxHist(eList, yearStart, yearEnd, fluxUnit = 1)
plotFluxHist(eList, yearStart, yearEnd, fluxUnit = 'kgDay')
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotFluxHist(eList)

```

```
## End(Not run)
```

---

plotFluxPred                      *Graph of observed versus estimated flux*

---

### Description

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

Although there are a lot of optional arguments to this function, most are set to a logical default.

### Usage

```

plotFluxPred(eList, fluxUnit = 3, fluxMax = NA, printTitle = TRUE,
  oneToOneLine = TRUE, customPar = FALSE, col = "black", lwd = 1,
  cex = 0.8, cex.axis = 1.1, cex.main = 1.1, tinyPlot = FALSE,
  usgsStyle = FALSE, logScale = FALSE, randomCensored = FALSE, ...)

```

### Arguments

eList	named list with at least the Sample and INFO dataframes
fluxUnit	number representing entry in pre-defined fluxUnit class array. <a href="#">printFluxUnitCheatSheet</a>
fluxMax	number specifying the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
oneToOneLine	inserts 1:1 line
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex

tinyPlot	logical variable if TRUE plot is designed to be small, if FALSE it is designed for page size, default is FALSE (not fully implemented yet)
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
logScale	logical if TRUE x and y plotted in log axis
randomCensored	logical. Show censored values as randomized.
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotFluxPred(eList)
plotFluxPred(eList, fluxUnit = 'poundsDay')
plotFluxPred(eList, logScale=TRUE)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotFluxPred(eList)
```

---

plotFluxQ

*Sample data plot: observed log flux vs log discharge*

---

**Description**

Concentration and discharge data used to compute flux come from a data frame named Sample which contains the sample data. The metadata come from a data frame named INFO.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

**Usage**

```
plotFluxQ(eList, qUnit = 2, logScale = TRUE, fluxUnit = 3,
  tinyPlot = FALSE, fluxMax = NA, fluxMin = NA, col = "black",
  lwd = 1, printTitle = TRUE, usgsStyle = FALSE, cex = 0.8,
  cex.axis = 1.1, cex.main = 1.1, customPar = FALSE, ...)
```

**Arguments**

eList	named list with at least the Sample and INFO dataframes
qUnit	object of qUnit class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
logScale	logical, default TRUE, TRUE creates a log-log scale, FALSE creates an arithmetic scale.
fluxUnit	object of fluxUnit class. <a href="#">printFluxUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
tinyPlot	logical variable if TRUE plot is designed to fit into a multi-plot array, default is FALSE
fluxMax	numeric specifying the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
fluxMin	numeric specifying the minimum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
col	color of points on plot, see <code>?par 'Color Specification'</code>
lwd	number line width
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, <code>par()</code> should be set by user before calling this function (for example, adjusting margins with <code>par(mar=c(5,5,5,5))</code> ). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
...	arbitrary graphical parameters that will be passed to <code>genericEGRETDotPlot</code> function (see <code>?par</code> for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotFluxQ(eList, qUnit = 1, fluxUnit = 1)
plotFluxQ(eList, fluxUnit = 'kgDay')
plotFluxQ(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotFluxQ(eList)
```

---

plotFluxTimeDaily      *Plot of the time series of daily flux estimates and the sample values for the days that were sampled*

---

### Description

This plot is useful for visual examination of the ability of the WRTDS, or other model, to fit the data, as seen in a time-series perspective.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

### Usage

```
plotFluxTimeDaily(eList, yearStart = NA, yearEnd = NA,
  tinyPlot = FALSE, fluxUnit = 3, fluxMax = NA, printTitle = TRUE,
  usgsStyle = FALSE, cex = 0.8, cex.axis = 1.1, cex.main = 1.1,
  customPar = FALSE, col = "black", lwd = 1, prettyDate = TRUE,
  ...)
```

### Arguments

eList	named list with at least the Daily, Sample, and INFO dataframes
yearStart	numeric specifying the starting date (expressed as decimal years, for example 1989.0) for the plot
yearEnd	numeric specifying the ending date for the plot
tinyPlot	logical variable, if TRUE plot is designed to be short and wide, default is FALSE.
fluxUnit	number representing in pre-defined fluxUnit class array. <a href="#">printFluxUnitCheatSheet</a>
fluxMax	number specifying the maximum value to be used on the vertical axis, default is NA (which allows it to be set automatically by the data)
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure)
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
col	color of points on plot, see ?par 'Color Specification'

lwd	number line width
prettyDate	logical use 'pretty' limits for date axis if TRUE, or force the yearStart/yearEnd as limits if FALSE
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotFluxTimeDaily(eList)
plotFluxTimeDaily(eList, 2001,2009)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotFluxTimeDaily(eList)
```

---

plotFour

*Makes four graphs of streamflow statistics on a single page*

---

**Description**

Part of the flowHistory system. The four statistics are 1-day maximum, annual mean, annual 7-day minimum, and the running standard deviation of the log daily discharge values.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

**Usage**

```
plotFour(eList, yearStart = NA, yearEnd = NA, printTitle = TRUE,
runoff = FALSE, qUnit = 1, window = 15, cex = 0.8,
cex.axis = 1.2, cex.main = 1.2, col = "black", lwd = 1, ...)
```

**Arguments**

eList	named list with at least Daily and INFO dataframes
yearStart	A numeric value for year in which the graph should start, default is NA, which indicates that the graph should start with first annual value
yearEnd	A numeric value for year in which the graph should end, default is NA, which indicates that the graph should end with last annual value
printTitle	logical variable, if TRUE title is printed, if FALSE title is not printed, default is TRUE



runoff	logical variable, if TRUE the streamflow data are converted to runoff values in mm/day
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
window	numeric which is the full width, in years, of the time window over which the standard deviation is computed, default = 15
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[plotFlowSingle](#)

**Examples**

```
eList <- Choptank_eList
## Not run:
#Water year:
plotFour(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList,paStart=6,paLong=3)
plotFour(eList)

## End(Not run)
```

---

plotFourStats

*Makes four graphs of annual streamflow statistics on a single page*

---

**Description**

Part of the flowHistory system. The four statistics are 1-day maximum, annual mean, annual median, and annual 7-day minimum. Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

**Usage**

```
plotFourStats(eList, yearStart = NA, yearEnd = NA, printTitle = TRUE,
  runoff = FALSE, cex.main = 1.2, qUnit = 1, cex.axis = 1.2,
  cex = 0.8, col = "black", lwd = 1, ...)
```

**Arguments**

eList	named list with at least Daily and INFO dataframes
yearStart	A numeric value for year in which the graph should start, default is NA, which indicates that the graph should start with first annual value
yearEnd	A numeric value for year in which the graph should end, default is NA, which indicates that the graph should end with last annual value
printTitle	logical variable, if TRUE title is printed, if FALSE title is not printed, default is TRUE
runoff	logical variable, if TRUE the streamflow data are converted to runoff values in mm/day
cex.main	magnification to be used for main titles relative to the current setting of cex
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex	numerical value giving the amount by which plotting symbols should be magnified
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[plotFlowSingle](#)

**Examples**

```
eList <- Choptank_eList
## Not run:
# Water year:
plotFourStats(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList,paStart=6,paLong=3)
plotFourStats(eList)

## End(Not run)
```

---

plotQTimeDaily      *Plot of the discharge time series*

---

### Description

Part of flowHistory component. Allows discharge record to only show those discharges above a given threshold

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

### Usage

```
plotQTimeDaily(eList, yearStart = NA, yearEnd = NA, qLower = NA,
  qUnit = 1, logScale = FALSE, tinyPlot = FALSE, printTitle = TRUE,
  usgsStyle = FALSE, lwd = 3, col = "red", cex.main = 1.2,
  cex.lab = 1.2, customPar = FALSE, prettyDate = TRUE, ...)
```

### Arguments

eList	named list with at least the Daily and INFO dataframes
yearStart	numeric indicating the starting year for the graph
yearEnd	numeric indicating the ending year for the graph (should be a time in decimal years that is after the last observations to be plotted)
qLower	numeric specifying the lower bound on discharges that are to be plotted, must be in the units specified by qUnit, default is NA (lower bound is zero)
qUnit	object of qUnit class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name. Default is qUnit=1 (cubic feet per second)
logScale	logical whether or not to use a log scale in the y axis. Default is FALSE.
tinyPlot	logical variable, if TRUE plot is designed to be short and wide, default is FALSE.
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure)
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
lwd	line width, a positive number, defaulting to 1
col	specification for the default plotting color
cex.main	magnification to be used for main titles relative to the current setting of cex
cex.lab	magnification to be used for x and y labels relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.

prettyDate      logical use 'pretty' limits for date axis if TRUE, or force the yearStart/yearEnd as limits if FALSE

...              arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

### See Also

[selectDays](#), [genericEGRETDotPlot](#)

### Examples

```
eList <- Choptank_eList
# Water year:
plotQTimeDaily(eList)
plotQTimeDaily(eList, yearStart=1990, yearEnd=2000, qLower=1500)
plotQTimeDaily(eList, prettyDate=FALSE)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6, paLong=3)
plotQTimeDaily(eList)
```

---

plotResidPred	<i>Plot of the residuals from WRTDS versus the estimated values (all in log concentration units)</i>
---------------	--

---

### Description

This function produces a plot of the residuals from WRTDS, expressed in natural log concentration units versus the estimated values, also in natural log concentration units. These estimates are the log-space estimates prior to bias-correction. The function provides an alternative for viewing the standardized residuals, where the each residual is divided by its estimated standard error.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

### Usage

```
plotResidPred(eList, stdResid = FALSE, tinyPlot = FALSE,
  printTitle = TRUE, col = "black", lwd = 1, cex = 0.8,
  cex.axis = 1.1, cex.main = 1.1, customPar = FALSE,
  randomCensored = FALSE, ...)
```

### Arguments

eList            named list with at least the Sample and INFO dataframes

stdResid        logical variable, if TRUE it uses the standardized residual, if FALSE it uses the actual, default is FALSE

tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-part figure, default is FALSE.
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for x and y labels relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
randomCensored	logical. Show censored residuals as randomized.
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotResidPred(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotResidPred(eList)
```

---

plotResidQ	<i>Plot of the residuals from WRTDS (in log concentration units) versus the discharge</i>
------------	---

---

**Description**

This function produces a plot of the residuals from WRTDS, expressed in natural log concentration units versus the discharge shown on a log scale. The function also provides an alternative for viewing the standardized residuals, where the each residual is divided by its estimated standard error

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

**Usage**

```
plotResidQ(eList, qUnit = 2, tinyPlot = FALSE, stdResid = FALSE,
  printTitle = TRUE, col = "black", lwd = 1, cex = 0.8,
  cex.axis = 1.1, cex.main = 1.1, rmSciX = FALSE,
  customPar = FALSE, randomCensored = FALSE, usgsStyle = FALSE, ...)
```

**Arguments**

eList	named list with at least the Sample and INFO dataframes
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
tinyPlot	logical variable, if TRUE plot is designed to be plotted small as part of a multi-part figure, default is FALSE.
stdResid	logical variable, if TRUE it uses the standardized residual, if FALSE it uses the actual, default is FALSE
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
col	color of points on plot, see <code>?par 'Color Specification'</code>
lwd	number line width
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
rmSciX	logical defaults to FALSE, changes x label from scientific to fixed
customPar	logical defaults to FALSE. If TRUE, <code>par()</code> should be set by user before calling this function (for example, adjusting margins with <code>par(mar=c(5,5,5,5))</code> ). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
randomCensored	logical. Show censored residuals as randomized.
usgsStyle	logical option to use USGS style guidelines. Setting this option to TRUE does NOT guarantee USGS compliance. It will only change automatically generated labels.
...	arbitrary graphical parameters that will be passed to <code>genericEGRETDotPlot</code> function (see <code>?par</code> for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotResidQ(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotResidQ(eList)
```

---

plotResidTime	<i>Plot of the residuals from WRTDS (in log concentration units) versus time</i>
---------------	--

---

### Description

This function produces a plot of the residuals from WRTDS, expressed in natural log concentration units versus time. It also provides an alternative for viewing the standardized residuals, where the each residual is divided by its estimated standard error.

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Sample dataframe with the sample data, and an INFO dataframe with metadata.

### Usage

```
plotResidTime(eList, stdResid = FALSE, printTitle = TRUE,
             hLine = TRUE, tinyPlot = FALSE, col = "black", lwd = 1,
             cex = 0.8, cex.axis = 1.1, cex.main = 1.1, customPar = FALSE,
             randomCensored = FALSE, ...)
```

### Arguments

eList	named list with at least the Sample and INFO dataframes
stdResid	logical variable, if TRUE it uses the standardized residual, if FALSE it uses the actual, default is FALSE
printTitle	logical variable if TRUE title is printed, if FALSE not printed (this is best for a multi-plot figure)
hLine	inserts horizontal line at zero
tinyPlot	logical variable, if TRUE plot is designed to be plotted small, as a part of a multipart figure, default is FALSE
col	color of points on plot, see ?par 'Color Specification'
lwd	number line width
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
cex.main	magnification to be used for main titles relative to the current setting of cex
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
randomCensored	logical. Show censored residuals as randomized.
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
# Water year:
plotResidTime(eList)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotResidTime(eList)
```

---

plotSDLogQ	<i>Graph of the standard deviation of the log of daily discharge versus year</i>
------------	--

---

**Description**

Graph of the standard deviation of the log of daily discharge versus year

Although there are a lot of optional arguments to this function, most are set to a logical default.

Data come from named list, which contains a Daily dataframe with the daily flow data, and an INFO dataframe with metadata.

**Usage**

```
plotSDLogQ(eList, yearStart = NA, yearEnd = NA, window = 15,
  sdMax = NA, printTitle = TRUE, tinyPlot = FALSE,
  printStaName = TRUE, printPA = TRUE, cex = 0.8, cex.main = 1.1,
  cex.axis = 1.1, lwd = 2, customPar = FALSE, ...)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes
yearStart	numeric is the calendar year of the first value to be included in graph, default is NA, which plots from the start of the period of record
yearEnd	numeric is the calendar year of the last value to be included in graph, default is NA, which plots to the end of the period of record
window	numeric which is the full width, in years, of the time window over which the standard deviation is computed, default = 15
sdMax	numeric is the maximum value to be used on the vertical axis of the graph, default is NA (which allows it to be set automatically by the data)
printTitle	logical variable if TRUE title is printed, if FALSE title is not printed (this is best for a multi-plot figure), default is TRUE
tinyPlot	logical variable if TRUE plot is designed to be small, if FALSE it is designed for page size, default is FALSE (not fully implemented yet)



printStaName	logical variable, if TRUE print the station name, if FALSE do not, default is TRUE
printPA	logical variable, if TRUE print the period of analysis information in the plot title, if FALSE leave it out, default is TRUE
cex	numerical value giving the amount by which plotting symbols should be magnified
cex.main	magnification to be used for main titles relative to the current setting of cex
cex.axis	magnification to be used for axis annotation relative to the current setting of cex
lwd	line width, a positive number, defaulting to 1
customPar	logical defaults to FALSE. If TRUE, par() should be set by user before calling this function (for example, adjusting margins with par(mar=c(5,5,5,5))). If customPar FALSE, EGRET chooses the best margins depending on tinyPlot.
...	arbitrary graphical parameters that will be passed to genericEGRETDotPlot function (see ?par for options)

**See Also**

[selectDays](#), [genericEGRETDotPlot](#)

**Examples**

```
eList <- Choptank_eList
## Not run:
# Water year:
plotSDLogQ(eList)
plotSDLogQ(eList, 1998,2000)
# Graphs consisting of Jun-Aug
eList <- setPA(eList, paStart=6,paLong=3)
plotSDLogQ(eList)

## End(Not run)
```

---

populateConcentrations

*Populate Concentration Columns*

---

**Description**

Creates ConcLow, ConcHigh, Uncen (0 if censored, 1 if uncensored) columns for Sample data frame for WRTDS analysis.

**Usage**

```
populateConcentrations(rawData)
```

**Arguments**

rawData            vector with value and code columns

**Value**

concentrationColumns dataframe

**Examples**

```
code <- c("", "<", "")
value <- c(1,2,3)
dataInput <- data.frame(value, code, stringsAsFactors=FALSE)
concentrationDF <- populateConcentrations(dataInput)
```

---

populateDaily	<i>Populate Daily data frame</i>
---------------	----------------------------------

---

**Description**

Using raw data that has at least dateTime, value, code, populates the rest of the basic Daily data frame used in EGRET analysis.

**Usage**

```
populateDaily(rawData, qConvert, verbose = TRUE, interactive = NULL)
```

**Arguments**

rawData            dataframe contains at least dateTime, value, code columns

qConvert           character conversion to cubic meters per second

verbose            logical specifying whether or not to display progress message

interactive        logical deprecated. Use 'verbose' instead If true, there is user interaction for error handling and data checks.

**Value**

A data frame 'Daily' with the following columns:

Name	Type	Description
Q	numeric	Discharge in m <sup>3</sup> /s
Julian	integer	Number of days since Jan. 1, 1850
Month	integer	Month of the year [1-12]
Day	integer	Day of the year [1-366]
DecYear	numeric	Decimal year
MonthSeq	integer	Number of months since January 1, 1850
Qualifier	character	Qualifying code
i	integer	Index of days, starting with 1

LogQ	numeric	Natural logarithm of Q
Q7	numeric	7 day running average of Q
Q30	numeric	30 day running average of Q

**Author(s)**

Robert M. Hirsch <rhirsch@usgs.gov>

**See Also**

[readNWISDaily](#), [readUserDaily](#)

**Examples**

```

dateTime <- as.character(seq(as.Date("2001/1/1"),
                             as.Date("2001/12/31"), by = "day"))
value <- 1:365
code <- rep("", 365)
dataInput <- data.frame(dateTime, value, code, stringsAsFactors=FALSE)
Daily <- populateDaily(dataInput, 2)

```

populateDateColumns     *Populate Date Columns*

**Description**

Creates various date columns for WRTDS study.

**Usage**

```

populateDateColumns(rawData)

decimalDate(rawData)

```

**Arguments**

rawData                vector with dateTime

**Value**

DateFrame dataframe

**Examples**

```

dateTime <- c('1984-02-28 13:56', '1984-03-01 00:00', '1986-03-01 00:00', "1986-10-15 00:00")
expandedDateDF <- populateDateColumns(dateTime)
dateTime <- c('1984-02-28', '1984-03-01', '1986-03-01', "1986-10-15")
expandedDateDF <- populateDateColumns(dateTime)
dateTime <- c('1984-02-28 13:56', '1984-03-01 00:00', '1986-03-01 00:00', "1986-10-15 00:00")
decimalDate(dateTime)

```

---

**populateParameterINFO** *Populate Parameter Information Columns*

---

**Description**

Populates INFO data frame with additional user-supplied information concerning the measured parameter.

**Usage**

```
populateParameterINFO(parameterCd, INFO, interactive = TRUE)
```

**Arguments**

parameterCd	character USGS parameter code
INFO	dataframe with value and code columns. Default is INFO
interactive	logical Option for interactive mode. If TRUE, there is user interaction for error handling and data checks. Default is TRUE. If running in batch, should be set to FALSE.

**Value**

INFO dataframe

**Examples**

```
## Not run:
library(dataRetrieval)
INFO <- readNWISsite('01594440')
parameterCd <- "01075"
parameterData <- readNWISpCode(parameterCd)
INFO$param.nm <- parameterData$parameter_nm
INFO$param.units <- parameterData$parameter_units
INFO$paramShortName <- parameterData$srsname
INFO$paramNumber <- parameterData$parameter_cd

INFO <- populateParameterINFO(parameterCd, INFO)

## End(Not run)
```

---

populateSampleColumns *Populate Sample Columns*

---

**Description**

Creates ConcAve and ConcLow based on Uncen. Removes any samples with NA values in ConcHigh.

**Usage**

```
populateSampleColumns(rawData)
```

**Arguments**

rawData            dataframe with dateTime, ConcLow, ConcHigh, Uncen

**Value**

Sample2 dataframe with columns: Date, ConcLow, ConcHigh, Uncen, ConcAve, Julian, Month, Day, DecYear, MonthSeq, waterYear, SinDY, and CosDY (DY = decimal year)

**Examples**

```
dateTime <- c('1985-01-01', '1985-01-02', '1985-01-03')
ConcLow <- c(1,2,0)
ConcHigh <- c(1,2,3)
Uncen <- c(1,1,0)
dataInput <- data.frame(dateTime, ConcLow, ConcHigh, Uncen, stringsAsFactors=FALSE)
Sample <- populateSampleColumns(dataInput)
```

---

populateSiteINFO            *Populate Site Information Columns*

---

**Description**

Populates INFO data frame with additional user-supplied information. Also removes fields not related to WRTDS study.

**Usage**

```
populateSiteINFO(INFO, siteNumber, interactive = TRUE)
```

**Arguments**

INFO            dataframe with value and code columns  
siteNumber      character USGS site number  
interactive      logical Option for interactive mode. If TRUE, there is user interaction for error handling and data checks. Default is TRUE. If running in batch, should be set to FALSE.

**Value**

INFO dataframe

**Examples**

```
## Not run:  
library(dataRetrieval)  
INFO <- readNWISsite('01594440')  
siteNumber <- "01594440"  
siteINFO <- populateSiteINFO(INFO, siteNumber)  
  
## End(Not run)
```

---

print.egret

*EGRET helper functions*

---

**Description**

A small collection of helper functions

**Usage**

```
## S3 method for class 'egret'  
print(x, ...)  
  
## S3 method for class 'egret'  
plot(x, ...)  
  
nDischarge(x)  
  
nObservations(x)  
  
nCensoredVals(x)
```

**Arguments**

x	EGRET object
...	additional parameters

**See Also**

[multiPlotDataOverview](#)

**Examples**

```

Choptank_eList
print(Arkansas_eList)
plot(Choptank_eList)
plot(Choptank_eList, cex.main=0.7)
nDischarge(Arkansas_eList)
nObservations(Arkansas_eList)
nCensoredVals(Arkansas_eList)

```

---

```
printFluxUnitCheatSheet
```

*Reminder to user of flux unit properties (such as kg/day, tons/year, etc).*

---

**Description**

Cheat sheet to print out pre-defined flux unit properties from fluxUnit class Flux units included:

Number	ObjectName	shortName	unitFactor	unitName
1	POUNDS_DAY	lbs/day	2.204623	pounds/day
2	TONS_DAY	tons/day	0.001102	tons/day
3	KG_DAY	kg/day	1	kg/day
4	THOUSAND_KG_DAY	10 <sup>3</sup> kg/day	0.001	thousands of kg/day
5	TONS_YEAR	tons/yr	0.402619	tons/year
6	THOUSAND_TONS_YEAR	10 <sup>3</sup> tons/yr	0.000402619	thousands of tons/year
7	MILLION_TONS_YEAR	10 <sup>6</sup> tons/yr	4.02619e-07	millions of tons/year
8	THOUSAND_KG_YEAR	10 <sup>3</sup> kg/yr	0.36525	thousands of kg/year
9	MILLION_KG_YEAR	10 <sup>6</sup> kg/yr	0.00036525	millions of kg/year
10	BILLION_KG_YEAR	10 <sup>9</sup> kg/yr	3.6525e-07	billions of kg/year
11	thousandTonsDay	10 <sup>3</sup> tons/day	1.102e-06	thousands of tons/day
12	millionKgDay	10 <sup>6</sup> kg/day	1e-06	millions of kg/day
13	kgYear	kg/year	365.25	kg/year

**Usage**

```
printFluxUnitCheatSheet()
```

**Examples**

```
printFluxUnitCheatSheet()
```

---

```
printqUnitCheatSheet
```

*Reminder to user of flow Unit properties such as cubic meters per second or thousands of cubic feet per second.*

---

**Description**

Cheat sheet to print out pre-defined qUnit properties from qUnit class. Flow units included:

Number	ObjectName	shortName	unitFactor
1	cfs	Cubic Feet per Second	35.31467
2	cms	Cubic Meters per Second	1
3	thousandCfs	Thousand Cubic Feet per Second	0.03531467
4	thousandCms	Thousand Cubic Meters per Second	0.001
5	mmDay	mm per day	
6	mmYear	mm per year	

**Usage**

```
printqUnitCheatSheet()
```

**Examples**

```
printqUnitCheatSheet()
```

---

```
printSeries          Print annual results for a given streamflow statistic
```

---

**Description**

Part of the flowHistory system. The index of the flow statistics is istat. These statistics are: (1) 1-day minimum, (2) 7-day minimum, (3) 30-day minimum, (4) median (5) mean, (6) 30-day maximum, (7) 7-day maximum, and (8) 1-day maximum.

**Usage**

```
printSeries(eList, istat, qUnit = 1, runoff = FALSE)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes
istat	A numeric value for the flow statistic to be graphed (possible values are 1 through 8)
qUnit	object of qUnit class <code>printqUnitCheatSheet</code> , or numeric represented the short code, or character representing the descriptive name. Default is 1, which is cubic feet per second.
runoff	logical variable, if TRUE the streamflow data are converted to runoff values in mm/day

**Value**

data frame with:



years	integer	year
qActual	numeric	Actual flow statistic (based on istat)
qSmooth	numeric	Smoothed flow statistic

## Examples

```
eList <- Choptank_eList
printReturn <- printSeries(eList, 5)
```

---

processQWData                      *Processing of Water Quality Data*

---

## Description

Processes water quality data. This function looks at detection limit and detection conditions to determine if a value is left censored or not. Censored values are given the qualifier "<". The dataframe is also converted from a long to wide format.

## Usage

```
processQWData(data, pCode = TRUE)
```

## Arguments

data	dataframe from Water Quality Portal
pCode	logical if TRUE, assume data came from a pCode search, if FALSE, characteristic name.

## Value

data dataframe with first column dateTime, and at least one qualifier and value columns (subsequent qualifier/value columns could follow depending on the number of parameter codes)

## See Also

[readWQPqw](#)

## Examples

```
## Not run:
library(dataRetrieval)

rawWQP <- readWQPqw('21FLEECO_WQX-IMPRGR80', 'Phosphorus', '', '')
Sample2 <- processQWData(rawWQP, pCode=FALSE)

## End(Not run)
```

---

qUnit-class	<i>qUnit class</i>
-------------	--------------------

---

### Description

Some details about the qUnit class

### Details

**qshortName** A character specifying the short name.  
**qUnitFactor** A numeric representing the conversion factor  
**qUnitName** A character specifying the full name.  
**qUnitExpress** An expression specifying the full name.  
**unitUSGS** A character specifying flux with full text.  
**qUnitTiny** An expression specifying the abbreviated name.  
**shortCode** A number for quick lookup

---

readDataFromFile	<i>Basic Data Import for Water Flow Data</i>
------------------	--

---

### Description

Imports data from user-supplied data file. Specifically used to import water flow data for use in the EGRET package. For EGRET usage, the first column is expected to be dates. If the data is daily data, then next column is expected to be the measured values. If the data is sampled data, the next column is remark codes, and the third column is values.

### Usage

```
readDataFromFile(filePath, fileName, hasHeader = TRUE, separator = ",")
```

### Arguments

filePath	character specifying the path to the file
fileName	character name of file to open
hasHeader	logical true if the first row of data is the column headers
separator	character character that separates data cells

### Value

retval dataframe with dateTime, value, and code columns

**Examples**

```
filePath <- system.file("extdata", package="EGRET")
fileName <- 'ChoptankRiverFlow.txt'
ChopData <- readDataFromFile(filePath,fileName, separator="\t")
```

---

readNWISDaily

*Import NWIS Daily Data for EGRET analysis*


---

**Description**

Imports daily data from NWIS web service. This function gets the data from here: <https://waterservices.usgs.gov/>

**Usage**

```
readNWISDaily(siteNumber, parameterCd = "00060", startDate = "",
  endDate = "", verbose = TRUE, interactive = NULL, convert = TRUE)
```

**Arguments**

siteNumber	character	USGS site number. This is usually an 8 digit number
parameterCd	character	USGS parameter code. This is usually an 5 digit number.
startDate	character	starting date for data retrieval in the form YYYY-MM-DD.
endDate	character	ending date for data retrieval in the form YYYY-MM-DD.
verbose	logical	specifying whether or not to display progress message
interactive	logical	deprecated. Use 'verbose' instead
convert	logical	Option to include a conversion from cfs to cms (35.314667). The default is TRUE, which is appropriate for using NWIS data in the EGRET package. Set this to FALSE to not include the conversion. If the parameter code is not 00060 (NWIS discharge), there is no conversion applied.

**Value**

A data frame 'Daily' with the following columns:

Name	Type	Description
Date	Date	Date
Q	numeric	Discharge in m <sup>3</sup> /s
Julian	integer	Number of days since Jan. 1, 1850
Month	integer	Month of the year [1-12]
Day	integer	Day of the year [1-366]
DecYear	numeric	Decimal year
MonthSeq	integer	Number of months since January 1, 1850
Qualifier	character	Qualifying code
i	integer	Index of days, starting with 1

LogQ	numeric	Natural logarithm of Q
Q7	numeric	7 day running average of Q
Q30	numeric	30 day running average of Q

**See Also**

[readNWISdv](#), [populateDaily](#)

**Examples**

```
## Not run:

Daily <- readNWISDaily('01594440','00060', '1985-01-01', '1985-03-31')
DailySuspSediment <- readNWISDaily('01594440','80154', '1985-01-01', '1985-03-31',convert=FALSE)

## End(Not run)
```

---

readNWISSample	<i>Import NWIS Sample Data for EGRET analysis</i>
----------------	---

---

**Description**

Imports data from NWIS web service. A list of parameter and statistic codes can be found here: <https://help.waterdata.usgs.gov/codes-and-parameters> For raw data, use [readNWISqw](#) from the [dataRetrieval](#) package. This function will retrieve the raw data, and compress it (summing constituents). See section 3.2.4 of the vignette for more details.

**Usage**

```
readNWISSample(siteNumber, parameterCd, startDate = "", endDate = "",
  verbose = TRUE, interactive = NULL)
```

**Arguments**

siteNumber	character USGS site number. This is usually an 8 digit number
parameterCd	character USGS parameter code. This is usually an 5 digit number.
startDate	character starting date for data retrieval in the form YYYY-MM-DD.
endDate	character ending date for data retrieval in the form YYYY-MM-DD.
verbose	logical specifying whether or not to display progress message
interactive	logical deprecated. Use 'verbose' instead

**Value**

A data frame 'Sample' with the following columns:

Name	Type	Description
Date	Date	Date
ConcLow	numeric	Lower limit of concentration
ConcHigh	numeric	Upper limit of concentration
Uncen	integer	Uncensored data (1=TRUE, 0=FALSE)
ConcAve	numeric	Average concentration
Julian	integer	Number of days since Jan. 1, 1850
Month	integer	Month of the year [1-12]
Day	integer	Day of the year [1-366]
DecYear	numeric	Decimal year
MonthSeq	integer	Number of months since January 1, 1850
SinDY	numeric	Sine of the DecYear
CosDY	numeric	Cosine of the DecYear

**See Also**

[compressData](#), [populateSampleColumns](#), [readNWISqw](#)

**Examples**

```
## Not run:
# These examples require an internet connection to run

Sample_01075 <- readNWISSample('01594440', '01075', '1985-01-01', '1985-03-31')

## End(Not run)
```

---

readUserDaily

*Import user daily data for EGRET analysis*

---

**Description**

Imports data from a user-supplied file, and converts it to a Daily data frame, appropriate for WRTDS calculations.

**Usage**

```
readUserDaily(filePath, fileName, hasHeader = TRUE, separator = ",",
  qUnit = 1, verbose = TRUE, interactive = NULL)
```

**Arguments**

filePath	character specifying the path to the file
fileName	character name of file to open
hasHeader	logical true if the first row of data is the column headers
separator	character character that separates data cells
qUnit	number 1 is cubic feet per second, 2 is cubic meters per second, 3 is 10 <sup>3</sup> cubic feet per second, and 4 is 10 <sup>3</sup> cubic meters per second
verbose	logical specifying whether or not to display progress message
interactive	logical deprecated. Use 'verbose' instead

**Value**

A data frame 'Daily' with the following columns:

Name	Type	Description
Date	Date	Date
Q	numeric	Discharge in m <sup>3</sup> /s
Julian	integer	Number of days since Jan. 1, 1850
Month	integer	Month of the year [1-12]
Day	integer	Day of the year [1-366]
DecYear	numeric	Decimal year
MonthSeq	integer	Number of months since January 1, 1850
Qualifier	character	Qualifying code
i	integer	Index of days, starting with 1
LogQ	numeric	Natural logarithm of Q
Q7	numeric	7 day running average of Q
Q30	numeric	30 day running average of Q

**Examples**

```
filePath <- system.file("extdata", package="EGRET")
fileName <- "ChoptankRiverFlow.txt"
Daily <- readUserDaily(filePath, fileName, separator="\t")
```

---

readUserSample

*Import user-supplied sample data for EGRET analysis*

---

**Description**

Imports data from a user-supplied file, and converts it to a Sample data frame (including summing multiple constituents), appropriate for EGRET analysis. First column is date, second is remark code, and third is value. If multiple constituents are to be combined with interval censoring, additional columns can be inserted, each starting with remark code (specifically looking for <), and values.

**Usage**

```
readUserSample(filePath, fileName, hasHeader = TRUE, separator = ";",
  verbose = TRUE, interactive = NULL)
```

**Arguments**

filePath	character specifying the path to the file
fileName	character name of file to open
hasHeader	logical true if the first row of data is the column headers
separator	character character that separates data cells. , default is ";" which is separator used in a .csv file.
verbose	logical specifying whether or not to display progress message
interactive	logical deprecated. Use 'verbose' instead

**Value**

A data frame 'Sample' with the following columns:

Name	Type	Description
Date	Date	Date
ConcLow	numeric	Lower limit of concentration
ConcHigh	numeric	Upper limit of concentration
Uncen	integer	Uncensored data (1=TRUE, 0=FALSE)
ConcAve	numeric	Average concentration
Julian	integer	Number of days since Jan. 1, 1850
Month	integer	Month of the year [1-12]
Day	integer	Day of the year [1-366]
DecYear	numeric	Decimal year
MonthSeq	integer	Number of months since January 1, 1850
SinDY	numeric	Sine of the DecYear
CosDY	numeric	Cosine of the DecYear

**See Also**

[compressData](#), [populateSampleColumns](#)

**Examples**

```
filePath <- system.file("extdata", package="EGRET")
fileName <- 'ChoptankRiverNitrate.csv'
Sample <- readUserSample(filePath, fileName, separator=";", verbose=FALSE)
```

**Description**

Imports data from the Water Quality Portal, so it could be STORET, USGS, or USDA data. This function gets the data from: <https://www.waterqualitydata.us> For raw data, use readWQPdata. This function will retrieve the raw data, and compress it (summing constituents). See chapter 7 of the EGRET user guide for more details, then converts it to the Sample dataframe structure.

**Usage**

```
readWQPSample(siteNumber, characteristicName, startDate, endDate,
  verbose = TRUE, interactive = NULL)
```

**Arguments**

siteNumber      character site number. If USGS, it should be in the form `:'USGS-XXXXXXXXX...'`  
 characteristicName  
                   character  
 startDate        character starting date for data retrieval in the form YYYY-MM-DD.  
 endDate          character ending date for data retrieval in the form YYYY-MM-DD.  
 verbose          logical specifying whether or not to display progress message  
 interactive      logical deprecated. Use 'verbose' instead

**Value**

A data frame 'Sample' with the following columns:

Name	Type	Description
Date	Date	Date
ConcLow	numeric	Lower limit of concentration
ConcHigh	numeric	Upper limit of concentration
Uncen	integer	Uncensored data (1=TRUE, 0=FALSE)
ConcAve	numeric	Average concentration
Julian	integer	Number of days since Jan. 1, 1850
Month	integer	Month of the year [1-12]
Day	integer	Day of the year [1-366]
DecYear	numeric	Decimal year
MonthSeq	integer	Number of months since January 1, 1850
SinDY	numeric	Sine of the DecYear
CosDY	numeric	Cosine of the DecYear

**See Also**

[readWQPdata](#), [whatWQPsites](#), [readWQPqw](#), [compressData](#), [populateSampleColumns](#)

**Examples**

```
# These examples require an internet connection to run
## Not run:
Sample_All <- readWQPSample('WIDNR_WQX-10032762','Specific conductance', '', '')
```



```
## End(Not run)
```

---

```
removeDuplicates      Remove duplicates values from Sample data frame.
```

---

### Description

Removes observations from the data frame Sample when the observation has the identical date and value as another observation

### Usage

```
removeDuplicates(Sample)
```

### Arguments

Sample                dataframe with at least DecYear and ConcHigh, default name is Sample

### Value

A data frame 'Sample' with the following columns:

Name	Type	Description
Date	Date	Date
ConcLow	numeric	Lower limit of concentration
ConcHigh	numeric	Upper limit of concentration
Uncen	integer	Uncensored data (1=TRUE, 0=FALSE)
ConcAve	numeric	Average concentration
Julian	integer	Number of days since Jan. 1, 1850
Month	integer	Month of the year [1-12]
Day	integer	Day of the year [1-366]
DecYear	numeric	Decimal year
MonthSeq	integer	Number of months since January 1, 1850
SinDY	numeric	Sine of the DecYear
CosDY	numeric	Cosine of the DecYear

### Examples

```
DecYear <- c('1985.01', '1985.01', '1985.02', '1985.02', '1985.03')
ConcHigh <- c(1,2,3,3,5)
dataInput <- data.frame(DecYear, ConcHigh, stringsAsFactors=FALSE)
Sample <- removeDuplicates(dataInput)
```

---

```
runGroups      Runs a comparison of any group of years in the record.
```

---

## Description

runGroups provides comparisons of results, in terms of flow-normalized concentration and flow-normalized flux for any groups of years of years in the water quality record. Comparison could involve the use of the "wall" and/or use of "generalized flow normalization". These two concepts are described in detail in the vignette.

## Usage

```
runGroups(eList, windowSide, group1firstYear, group1lastYear,
  group2firstYear, group2lastYear, surfaceStart = NA, surfaceEnd = NA,
  flowBreak = FALSE, Q1EndDate = NA, QStartDate = NA,
  QEndDate = NA, wall = FALSE, oldSurface = FALSE, fractMin = 0.75,
  sample1EndDate = NA, sampleStartDate = NA, sampleEndDate = NA,
  paStart = 10, paLong = 12, minNumObs = 100, minNumUncen = 50,
  windowY = 7, windowQ = 2, windowS = 0.5, edgeAdjust = TRUE,
  verbose = TRUE)
```

## Arguments

eList	named list with at least the Daily, Sample, and INFO dataframes
windowSide	integer. The width of the flow normalization window on each side of the year being estimated. A common value is 7, but no default is specified. If stationary flow normalization is to be used, then windowSide = 0 (this means that flow-normalization period for all years is the same).
group1firstYear	integer year. Starting year of first group.
group1lastYear	integer year. Ending year of first group.
group2firstYear	integer year. Starting year of second group.
group2lastYear	integer year. Ending year of second group.
surfaceStart	The Date (or character in YYYY-MM-DD) that is the start of the WRTDS model to be estimated and the first of the daily outputs to be generated. Default is NA, which means that the surfaceStart is based on the date of the first sample.
surfaceEnd	The Date (or character in YYYY-MM-DD) that is the end of the WRTDS model to be estimated and the last of the daily outputs to be generated. Default is NA, which means that the surfaceEnd is based on the date of the last sample.
flowBreak	logical. Is there an abrupt break in the discharge record, default is FALSE.
Q1EndDate	The Date (as character in YYYY-MM-DD) which is the last day, just before the flowBreak.
QStartDate	The first Date (as character in YYYY-MM-DD) used in the flow normalization method. Default is NA, which makes the QStartDate become the first Date in eList\$Daily.
QEndDate	The last Date (as character in YYYY-MM-DD) used in the flow normalization method. Default is NA, which makes the QEndDate become the last Date in eList\$Daily.

wall	logical. Whether there is an abrupt break in the concentration versus discharge relationship. Default is FALSE
oldSurface	logical specifying whether to use the original surface, or create a new one. Default is FALSE.
fractMin	numeric specifying the minimum fraction of the observations required to run the weighted regression, default is 0.75. The minimum number will be the maximum of minNumObs and fractMin multiplied by total number of observations.
sample1EndDate	The Date (as character in YYYY-MM-DD) of the last date just before the wall. Default = NA. A date must be specified if wall = TRUE.
sampleStartDate	The Date (as character in YYYY-MM-DD) of the first sample to be used. Default is NA which sets it to the first Date in eList\$Sample.
sampleEndDate	The Date (as character in YYYY-MM-DD) of the last sample to be used. Default is NA which sets it to the last Date in eList\$Sample.
paStart	numeric integer specifying the starting month for the period of analysis, $1 \leq \text{paStart} \leq 12$ , default is 10 (used when period is water year).
paLong	numeric integer specifying the length of the period of analysis, in months, $1 \leq \text{paLong} \leq 12$ , default is 12.
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 7
windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window width in the seasonal dimension, in units of years, default is 0.5
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The edgeAdjust method tends to reduce curvature near the start and end of record. Default is TRUE.
verbose	logical specifying whether or not to display progress message

## Value

data frame with the following columns:

Name	Description
Total Change	The difference between the results for year2 - year1
CQTC	this number is the difference between between the two years, but only the part that is due to the change in the CQR
QTC	The difference between the two years, but only the part that is due to the change in the QD. It is the Total Change minus CQTC
x10	The results using the concentration versus discharge relationship (CQR) for year 1, but using the discharge discharge specified by the user for year 1.
x11	The results using the CQR for year 1, but using the QD specified by the user for year 1.
x20	The results using the CQR for year 2, but using the QD for the entire period.
x22	The results for the CQR for year 2, but using the QD specified by the user for year 2.

## Examples

```
eList <- Choptank_eList
## Not run:

#Option 1: Use all years for group flow normalization.
groupOut_1 <- runGroups(eList, windowSide = 0,
                        group1firstYear = 1980, group1lastYear = 1990,
                        group2firstYear = 1995, group2lastYear = 2005)

# Option 2: Use sliding window.
#           In each case it is a 15 year window (15 = 1 + 2*7)

groupOut_2 <- runGroups(eList, windowSide = 7,
                        group1firstYear = 1980, group1lastYear = 1990,
                        group2firstYear = 1995, group2lastYear = 2005)

# Option 3: Flow normalization is based on splitting the flow record at 1990-09-30
#           But in years before the break it uses all flow data from before the break,
#           and years after the break uses all flow data after the break

groupOut_3 <- runGroups(eList, windowSide = 0,
                        group1firstYear = 1980, group1lastYear = 1990,
                        group2firstYear = 1995, group2lastYear = 2005,
                        flowBreak = TRUE,
                        Q1EndDate = "1990-09-30")

# Option 4: Flow normalization is based on splitting the flow record at 1990-09-30
#           but before the break uses a 15 year window of years before the break
#           after the break uses a 15 year window of years after the break

groupOut_4 <- runGroups(eList, windowSide = 7,
                        group1firstYear = 1980, group1lastYear = 1990,
                        group2firstYear = 1995, group2lastYear = 2005,
                        flowBreak = TRUE,
                        Q1EndDate = "1990-09-30")

## End(Not run)
```

---

runPairs

*Runs a comparison of any two years in the record.*

---

## Description

runPairs provides comparisons of results, in terms of flow-normalized concentration and flow-normalized flux for any pair of years in the water quality record. Comparison could involve the use of the "wall" and/or use of "generalized flow normalization". These two concepts are described in detail in the vignette.

**Usage**

```
runPairs(eList, year1, year2, windowSide, flowBreak = FALSE,
  Q1EndDate = NA, QStartDate = NA, QEndDate = NA, wall = FALSE,
  oldSurface = FALSE, sample1EndDate = NA, sampleStartDate = NA,
  sampleEndDate = NA, paStart = 10, paLong = 12, minNumObs = 100,
  minNumUncen = 50, fractMin = 0.75, windowY = 7, windowQ = 2,
  windowS = 0.5, edgeAdjust = TRUE)
```

**Arguments**

eList	named list with at least the Daily, Sample, and INFO dataframes
year1	integer the ending year of the first year in the pair
year2	integer the ending year of the second year in the pair
windowSide	integer. The width of the flow normalization window on each side of the year being estimated. A common value is 7, but no default is specified. If stationary flow normalization is to be used, then windowSide = 0 (this means that flow-normalization period for all years is the same).
flowBreak	logical. Is there an abrupt break in the discharge record, default is FALSE.
Q1EndDate	The Date (as character in YYYY-MM-DD) which is the last day, just before the flowBreak.
QStartDate	The first Date (as character in YYYY-MM-DD) used in the flow normalization method. Default is NA, which makes the QStartDate become the first Date in eList\$Daily.
QEndDate	The last Date (as character in YYYY-MM-DD) used in the flow normalization method. Default is NA, which makes the QEndDate become the last Date in eList\$Daily.
wall	logical. Whether there is an abrupt break in the concentration versus discharge relationship. Default is FALSE
oldSurface	logical specifying whether to use the original surface, or create a new one. Default is FALSE.
sample1EndDate	The Date (as character in YYYY-MM-DD) of the last date just before the wall. Default = NA. A date must be specified if wall = TRUE.
sampleStartDate	The Date (as character in YYYY-MM-DD) of the first sample to be used. Default is NA which sets it to the first Date in eList\$Sample.
sampleEndDate	The Date (as character in YYYY-MM-DD) of the last sample to be used. Default is NA which sets it to the last Date in eList\$Sample.
paStart	numeric integer specifying the starting month for the period of analysis, 1<=paStart<=12, default is 10 (used when period is water year).
paLong	numeric integer specifying the length of the period of analysis, in months, 1<=paLong<=12, default is 12.
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100

minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
fractMin	numeric specifying the minimum fraction of the observations required to run the weighted regression, default is 0.75. The minimum number will be the maximum of minNumObs and fractMin multiplied by total number of observations.
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 7
windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window width in the seasonal dimension, in units of years, default is 0.5
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The edgeAdjust method tends to reduce curvature near the start and end of record. Default is TRUE.

### Value

data frame with the following columns:

Name	Description
Total Change	The difference between the results for year2 - year1
CQTC	this number is the difference between between the two years, but only the part that is due to the change in the
QTC	The difference between the two years, but only the part that is due to the change in the QD. It is the Total Char
x10	The results using the concentration versus discharge relationship (CQR) for year 1, but using the discharge dis
x11	The results using the CQR for year 1, but using the QD specified by the user for year 1.
x20	The results using the CQR for year 2, but using the QD for the entire period.
x22	The results for the CQR for year 2, but using the QD specified by the user for year 2.

Additionally, there is an attribute on the data frame "Other", containing a list that includes minNumObs=minNumObs, minNumUncen, windowY, windowQ, windowS, wall, edgeAdjust, QStartDate, QEndDate, PercentChangeConc, and PercentChangeFlux.

PercentChangeConc, and PercentChangeFlux are vectors with: Total Percent Change is the Total Change divided by x11 CQTC Percent is the CQTC divided by x11 QTC Percent is the QTC divided by x11

### Examples

```
eList <- Choptank_eList
year1 <- 1985
year2 <- 2010

## Not run:
# Automatic calculations based on windowSide=7
# four possible ways to do generalized flow normalization:

#Option 1: Use all years for flow normalization.
```

```

pairOut_1 <- runPairs(eList, year1, year2, windowSide = 0)

# Option 2: Use different windows for flow normalization for year1 versus year2
#           In each case it is a 15 year window (15 = 1 + 2*7)

pairOut_2 <- runPairs(eList, year1, year2, windowSide = 7)

# Option 3: Flow normalization is based on splitting the flow record at 1990-09-30
#           But year1 uses all flow data from before the break,
#           year2 uses all flow data after the break

pairOut_3 <- runPairs(eList, year1, year2,
                     windowSide = 0, flowBreak = TRUE,
                     Q1EndDate = "1990-09-30")

# Option 4: Flow normalization is based on splitting the flow record at 1990-09-30
#           but year1 uses a 15 year window before the break
#           year2 uses a 15 year window after the break

pairOut_4 <- runPairs(eList, year1, year2,
                     windowSide = 7, flowBreak = TRUE,
                     Q1EndDate = "1990-09-30")

## End(Not run)

```

---

runSeries	<i>Annual series of flow-normalized concentration and flow-normalized flux</i>
-----------	--

---

## Description

runSeries provides annual series of flow-normalized concentration and flow-normalized flux for the water quality record. Computations could involve the use of the "wall" and/or use of "generalized flow normalization". These two concepts are described in detail in the vignette [need a simple name for it here].

## Usage

```

runSeries(eList, windowSide, surfaceStart = NA, surfaceEnd = NA,
          flowBreak = FALSE, Q1EndDate = NA, QStartDate = NA,
          QEndDate = NA, wall = FALSE, oldSurface = FALSE,
          sample1EndDate = NA, sampleStartDate = NA, sampleEndDate = NA,
          paStart = 10, paLong = 12, fractMin = 0.75, minNumObs = 100,
          minNumUncen = 50, windowY = 7, windowQ = 2, windowS = 0.5,
          edgeAdjust = TRUE, verbose = TRUE)

```

**Arguments**

eList	named list with at least the Daily, Sample, and INFO dataframes
windowSide	integer The width of the flow normalization window on each side of the year being estimated. A common value is 7, but no default is specified. If stationary flow normalization is to be used, then windowSide = 0 (this means that flow-normalization period for all years is the same).
surfaceStart	The Date (or character in YYYY-MM-DD) that is the start of the WRTDS model to be estimated and the first of the daily outputs to be generated. Default is NA, which means that the surfaceStart is based on the date of the first sample.
surfaceEnd	The Date (or character in YYYY-MM-DD) that is the end of the WRTDS model to be estimated and the last of the daily outputs to be generated. Default is NA, which means that the surfaceEnd is based on the date of the last sample.
flowBreak	logical, is there an abrupt break in the discharge record, default is FALSE.
Q1EndDate	The Date (as character in YYYY-MM-DD format) which is the last day, just before the flowBreak. Required if flowBreak = TRUE.
QStartDate	The first Date (as character in YYYY-MM-DD format) used in the flow normalization. Default is NA, which makes the QStartDate become the first Date in eList\$Daily.
QEndDate	The last Date (as character in YYYY-MM-DD format) used in the flow normalization. Default is NA, which makes the QEndDate become the last Date in eList\$Daily.
wall	logical, there is an abrupt break in concentration versus discharge relationship. Default is FALSE.
oldSurface	logical, if TRUE, use surface previously estimated using modelEstimation. Default is FALSE.
sample1EndDate	The Date (as character in YYYY-MM-DD format) of the last day just before the wall. Default = NA. A date must be specified if wall = TRUE.
sampleStartDate	The Date (as character in YYYY-MM-DD format) of the first sample to be used. Default is NA which sets it to the first Date in eList\$Sample.
sampleEndDate	The Date (as character in YYYY-MM-DD format) of the last sample to be used. Default is NA which sets it to the last Date in eList\$Sample.
paStart	numeric integer specifying the starting month for the period of analysis, $1 \leq \text{paStart} \leq 12$ , default is 10 (used when period is water year).
paLong	numeric integer specifying the length of the period of analysis, in months, $1 \leq \text{paLong} \leq 12$ , default is 12.
fractMin	numeric specifying the minimum fraction of the observations required to run the weighted regression, default is 0.75. The minimum number will be the maximum of minNumObs and fractMin multiplied by total number of observations.
minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50





```

Q1EndDate = "1990-09-30")

plotConcHist(seriesOut_4)
plotFluxHist(seriesOut_4)

## End(Not run)

```

---

runSurvReg	<i>Run the weighted survival regression for a set of estimation points (defined by DecYear and Log(Q))</i>
------------	--

---

### Description

This function runs the survival regression which is the concentration estimation method of WRTDS. It uses sample data from the data frame `Sample`. It does the estimation for a set of data points defined by two vectors: `estPtYear` and `estPtLQ`. It returns an array of results for the estimation points. The array returned contains `yHat`, `SE` and `ConcHat` (in that order). `yHat` is the expected value of  $\log(\text{concentration})$ , `SE` is the standard error of  $\log(\text{concentration})$  and `ConcHat` is the expected value of concentration.

### Usage

```

runSurvReg(estPtYear, estPtLQ, DecLow, DecHigh, Sample, windowY = 7,
  windowQ = 2, windowS = 0.5, minNumObs = 100, minNumUncen = 50,
  verbose = TRUE, interactive = NULL, edgeAdjust = TRUE,
  run.parallel = FALSE)

```

```

run_WRTDS(estY, estLQ, localSample, DecLow, DecHigh, minNumObs,
  minNumUncen, windowY, windowQ, windowS, edgeAdjust)

```

### Arguments

<code>estPtYear</code>	numeric vector of Decimal Year values at the estimation points
<code>estPtLQ</code>	numeric vector of $\ln(Q)$ values at the estimation points, must be the same length as <code>estPtYear</code>
<code>DecLow</code>	number specifying minimum decimal year (left edge of the estimated surfaces).
<code>DecHigh</code>	number specifying maximum decimal year (right edge of the estimated surfaces).
<code>Sample</code>	dataframe created for EGRET analysis
<code>windowY</code>	numeric specifying the half-window width in the time dimension, in units of years, default is 7
<code>windowQ</code>	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
<code>windowS</code>	numeric specifying the half-window with in the seasonal dimension, in units of years, default is 0.5

minNumObs	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
minNumUncen	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50
verbose	logical specifying whether or not to display progress message
interactive	logical deprecated. Use 'verbose' instead
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The modified method tends to reduce curvature near the start and end of record. Default is TRUE.
run.parallel	logical to run bootstrapping in parallel or not
estY	numeric decimal year values at the estimation point
estLQ	numeric ln(Q) values at the estimation point
localSample	"Sample" data frame from the eList.

### Value

resultSurvReg numeric array containing the yHat, SE, and ConcHat values array dimensions are (numEstPts,3)

### Examples

```
eList <- Choptank_eList
estPtYear<-c(2001.0,2005.0,2009.0)
estPtLQ<-c(1,1,1)
Sample <- getSample(eList)
DecLow <- Sample$DecYear[1]
DecHigh <- Sample$DecYear[nrow(Sample)]
resultSurvReg <- runSurvReg(estPtYear,estPtLQ,
                           DecLow,DecHigh,Sample,
                           run.parallel = FALSE)
```

---

saveResults	<i>A utility program for saving the contents of the workspace This function saves the workspace. It assigns the file a name using the abbreviations for station and constituent.</i>
-------------	--

---

### Description

A utility program for saving the contents of the workspace

This function saves the workspace. It assigns the file a name using the abbreviations for station and constituent.

### Usage

```
saveResults(savePath, eList)
```

**Arguments**

savePath	character specifying the full pathname of the folder where the file is to be saved ending with the final slash
eList	named list with at least the INFO dataframe

**Examples**

```
eList <- Choptank_eList
savePath <- "~/\"
## Not run: saveResults(savePath, eList)

#To load:
load(paste(savePath, "Chop.nitrogen.RData", sep=""))
## End(Not run)
```

---

selectDays	<i>Creates a subset Daily data frame that only contains daily estimates for the specified period of analysis</i>
------------	--

---

**Description**

This function uses the user-defined 'period of analysis', and subsets the Daily data frame, it doesn't have any effect on the Sample data frame. If you want to examine your data set as a time series of water years, then the period of analysis is October through September. If you want to examine the data set as calendar years then the period of analysis is January through December. You might want to examine the winter season, which you could define as December through February, then those 3 months become the period of analysis. The only constraints on the definition of a period of analysis are these: it must be defined in terms of whole months; it must be a set of contiguous months (like March-April-May), and have a length that is no less than 1 month and no more than 12 months. Define the PA by using two arguments: paLong and paStart. paLong is the length of the period of analysis, and paStart is the starting month.

**Usage**

```
selectDays(df, paLong, paStart)
```

**Arguments**

df	dataframe which must contain a column named Month (for month of the calendar year, typically this is a Daily data frame).
paLong	a numeric value for the length of the period of analysis, must be an integer from 1 to 12
paStart	a numeric value for the starting month of the period of analysis, must be an integer from 1 to 12

**Value**

localDaily a data frame containing the daily data but only for the period of analysis (not all months)

**Examples**

```
eList <- Choptank_eList
Daily <- getDaily(eList)
DailySubset <- selectDays(Daily, 4, 11)
```

---

 setPA

*Sets up the period of analysis (the portion of the year being evaluated).*

---

**Description**

Period of analysis is defined by the starting month (paStart) and length in months (paLong). paStart and paLong are constrained to be integers from 1 to 12. for example, a water year would be paStart = 10 and paLong = 12. for example, the winter season, defined by Dec,Jan,Feb would be paStart = 12 and paLong =3.

**Usage**

```
setPA(eList, paStart = 10, paLong = 12, window = 20)
```

**Arguments**

eList	named list with at least the INFO dataframe
paStart	A numeric value for the starting month of the Period of Analysis, default is 10
paLong	A numeric value for the length of the Period of Analysis in months, default is 12
window	A numeric value for the half-width of a smoothing window for annual stream-flow values, default is 20

**Value**

eList named list with at least the INFO dataframe, along any other part of the list that was input. Any of these values can be NA, not all EGRET functions will work with missing parts of the named list eList.

**Examples**

```
eList <- Choptank_eList
eList <- setPA(eList, paStart=12, paLong=3)
```

---

setSeasonLabel	<i>Create a character variable that describes the period of analysis, when period of analysis has already been set in AnnualResults</i>
----------------	---

---

### Description

The period of analysis can be of any length from 1 month to 12 months. The period of analysis can have any starting month from 1 (January) through 12 (December). This function produces a character character that describes this period of analysis. For example "water year", "calendar year", "year starting with April", or "Season consisting of April, May, June". There is an alternative version of this function for the case where AnnualResults does not exist. This might arise in a call from plotConcTime or plotLogConcTime. That function is called setSeasonLabelByUser.

### Usage

```
setSeasonLabel(localAnnualResults)
```

### Arguments

localAnnualResults  
 data frame that contains the annual results, default is AnnualResults

### Value

periodName character which describes the period of analysis

### Examples

```
eList <- Choptank_eList
Daily <- getDaily(eList)
AnnualResults <- setupYears(Daily)
setSeasonLabel(AnnualResults)
```

---

setSeasonLabelByUser	<i>Creates a character variable that describes the period of analysis, when the period of analysis is being set by the user and not from AnnualResults</i>
----------------------	--

---

### Description

The period of analysis can be of any length from 1 month to 12 months. The period of analysis can have any starting month from 1 (January) through 12 (December). This function produces a character that describes this period of analysis. For example "water year", "calendar year", "year starting with April", or "Season consisting of April, May, June". There is an alternative version of this function for the case where AnnualResults exists. And we want to use the period of analysis defined there. That function is called setSeasonLabel.

**Usage**

```
setSeasonLabelByUser(paStartInput = 10, paLongInput = 12)
```

**Arguments**

paStartInput    numeric the month which is the start of the period of analysis, default is 10 which would be the case if the period of analysis is the water year

paLongInput    numeric the length of the the period of analysis, in months, default is 12 which would be the case if the period of analysis is the water year

**Value**

periodName character which describes the period of analysis

**Examples**

```
setSeasonLabelByUser(paStartInput=1,paLongInput=12)
setSeasonLabelByUser(paStartInput=4,paLongInput=3)
```

---

setUpEstimation      *setUpEstimation*

---

**Description**

Set up the INFO data frame for a modelEstimation

**Usage**

```
setUpEstimation(eList, windowY = 7, windowQ = 2, windowS = 0.5,
  minNumObs = 100, minNumUncen = 50, edgeAdjust = TRUE,
  verbose = TRUE, interactive = NULL)
```

**Arguments**

eList            named list with at least the Daily, Sample, and INFO dataframes

windowY        numeric specifying the half-window width in the time dimension, in units of years, default is 7

windowQ        numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2

windowS        numeric specifying the half-window with in the seasonal dimension, in units of years, default is 0.5

minNumObs      numeric specifying the minimum number of observations required to run the weighted regression, default is 100

minNumUncen    numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50

edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The modified method tends to reduce curvature near the start and end of record. Default is TRUE.
verbose	logical specifying whether or not to display progress message
interactive	logical deprecated. Use 'verbose' instead

**Value**

eList named list with Daily, Sample, and INFO dataframes.

**Examples**

```
eList <- Choptank_eList
eList <- setUpEstimation(eList)
```

---

setupYears	<i>Creates the AnnualResults data frame from the Daily data frame</i>
------------	---

---

**Description**

This function aggregates the results stored on a daily basis in the Daily data frame and stores the average values of these in the new data frame called AnnualResults. The "annual values" can be a full 12 months, or they can be shorter. See manual to understand paLong and paStart arguments. The simplest case, a Water Year (October through September), would have paLong=12, and paStart=10. A calendar year would be paLong=12 and paStart=1. A winter season of Dec, Jan, Feb would be paLong=3 and paStart=12

**Usage**

```
setupYears(localDaily, paLong = 12, paStart = 10)
```

**Arguments**

localDaily	data frame containing the daily values, default is Daily
paLong	numeric integer specifying the length of the period of analysis, in months, 1<=paLong<=12, default is 12
paStart	numeric integer specifying the starting month for the period of analysis, 1<=paStart<=12, default is 10

**Value**

AnnualResults data frame with one row per year



**Examples**

```
eList <- Choptank_eList
Daily <- getDaily(eList)
AnnualResults <- setupYears(Daily, 4, 10)
```

---

startEnd	<i>startEnd</i>
----------	-----------------

---

**Description**

Returns two date variables representing the starting date and ending date for a combination of paStart, paLong, and year

**Usage**

```
startEnd(paStart, paLong, year)
```

**Arguments**

paStart	numeric integer specifying the starting month for the period of analysis, 1<=paStart<=12, default is 10
paLong	numeric integer specifying the length of the period of analysis, in months, 1<=paLong<=12, default is 12
year	integer year, which is the calendar year in which the period ends

**Value**

Date list

**Examples**

```
paStart <- 10
paLong <- 12
year <- 1999
startEnd(paStart, paLong, year)
```

---

<code>stitch</code>	<i>stitch surfaces</i>
---------------------	------------------------

---

### Description

This function creates a continuous surfaces object that starts just before `surfaceStart` and ends just after `surfaceEnd`. It is made up from two surfaces objects created when there is a wall specified for the analysis. The first surfaces object is based on data prior to the wall and the second surfaces object is based on data after the wall. The wall is located just after `sample1EndDate`. The Daily data frame is used only to set the minimum and maximum discharges used to construct the indices for discharges in the surfaces.

### Usage

```
stitch(eList, sample1StartDate, sample1EndDate, sample2StartDate,
       sample2EndDate, surfaceStart = NA, surfaceEnd = NA,
       minNumObs = 100, minNumUncen = 50, fractMin = 0.75, windowY = 7,
       windowQ = 2, windowS = 0.5, edgeAdjust = TRUE, verbose = FALSE,
       run.parallel = FALSE)
```

### Arguments

<code>eList</code>	named list with at least the Daily, Sample, and INFO dataframes
<code>sample1StartDate</code>	The Date (or character in YYYY-MM-DD) of the first sample to be used in estimating the first segment of the surfaces object.
<code>sample1EndDate</code>	The Date (or character in YYYY-MM-DD) of the last sample to be used in the first segment of the surfaces object.
<code>sample2StartDate</code>	The Date (or character in YYYY-MM-DD) of the first sample to be used in the second segment of the surfaces object.
<code>sample2EndDate</code>	The Date (or character in YYYY-MM-DD) of the last sample to be used in the second segment of the surfaces object.
<code>surfaceStart</code>	The Date (or character in YYYY-MM-DD) that is the start of the WRTDS model to be estimated and the first of the daily outputs to be generated. Default is NA, which means that the <code>surfaceStart</code> is based on the date of the first sample.
<code>surfaceEnd</code>	The Date (or character in YYYY-MM-DD) that is the end of the WRTDS model to be estimated and the last of the daily outputs to be generated. Default is NA, which means that the <code>surfaceEnd</code> is based on the date of the last sample.
<code>minNumObs</code>	numeric specifying the minimum number of observations required to run the weighted regression, default is 100
<code>minNumUncen</code>	numeric specifying the minimum number of uncensored observations to run the weighted regression, default is 50

fractMin	numeric specifying the minimum fraction of the observations required to run the weighted regression, default is 0.75. The minimum number will be the maximum of minNumObs and fractMin multiplied by total number of observations.
windowY	numeric specifying the half-window width in the time dimension, in units of years, default is 7
windowQ	numeric specifying the half-window width in the discharge dimension, units are natural log units, default is 2
windowS	numeric specifying the half-window width in the seasonal dimension, in units of years, default is 0.5
edgeAdjust	logical specifying whether to use the modified method for calculating the windows at the edge of the record. The edgeAdjust method tends to reduce curvature near the start and end of record. Default is TRUE.
verbose	logical specifying whether or not to display progress message
run.parallel	logical to run bootstrapping in parallel or not

## Examples

```
eList <- Choptank_eList

surfaceStart <- "1986-10-01"
surfaceEnd <- "2010-09-30"

# Surface skips a few years:
sample1StartDate <- "1986-10-01"
sample1EndDate <- "1992-09-30"
sample2StartDate <- "1996-10-01"
sample2EndDate <- "2011-09-30"

## Not run:
surface_skip <- stitch(eList,
                      sample1StartDate, sample1EndDate,
                      sample2StartDate, sample2EndDate,
                      surfaceStart, surfaceEnd)

# Surface overlaps a few years:
sample1StartDate <- "1986-10-01"
sample1EndDate <- "1996-09-30"
sample2StartDate <- "1992-10-01"
sample2EndDate <- "2011-09-30"

surface_overlap <- stitch(eList,
                        sample1StartDate, sample1EndDate,
                        sample2StartDate, sample2EndDate)

## End(Not run)
```

---

surfaceIndex	<i>Compute the 6 parameters needed to lay out the grid for the surfaces computed in estSurfaces</i>
--------------	---

---

**Description**

The code here is a repetition of the first part of the code for estSurfaces

**Usage**

```
surfaceIndex(Daily)
```

**Arguments**

Daily            data frame containing the daily values, default is Daily

**Value**

surfaceIndexParameters a numeric vector of length 6, defining the grid for the surfaces

**Examples**

```
eList <- Choptank_eList
Daily <- getDaily(eList)
surfaceIndex(Daily)
```

---

surfaceStartEnd	<i>Surface date limits</i>
-----------------	----------------------------

---

**Description**

Sets the Date limits to the surfaces being estimated from the Sample data set. The start is less than a year prior to the first date (typically the date of the first sample) and the end is less than a year after the last date (typically the date of the last sample). The start is constrained to be on the first day of the period of analysis and the end is constrained to be on the last day of the the period of analysis

**Usage**

```
surfaceStartEnd(paStart, paLong, Date1, Date2)
```

**Arguments**

paStart            numeric integer specifying the starting month for the period of analysis, 1<=paStart<=12, default is 10

paLong            numeric integer specifying the length of the period of analysis, in months, 1<=paLong<=12, default is 12

Date1            Date set to Date of earliest data in Sample.

Date2            Date set to Date of latest data in Sample.

**Examples**

```
eList <- Choptank_eList
Date1 <- eList$Sample$Date[1]
Date2 <- range(eList$Sample$Date)[2]
surfaceStartEnd(10, 12, Date1, Date2)
```

---

tableChange	<i>Create a table of the changes in flow-normalized values between various points in time in the record</i>
-------------	---

---

**Description**

These tables describe trends in flow-normalized concentration and in flow-normalized flux. They are described as changes in real units or in percent and as slopes in real units per year or in percent per year. They are computed over pairs of time points. These time points can be user-defined or they can be set by the program to be the final year of the record and a set of years that are multiples of 5 years prior to that.

**Usage**

```
tableChange(eList, fluxUnit = 9, yearPoints = NA)

tableChangeSingle(eList, fluxUnit = 9, yearPoints = NA, flux = FALSE)
```

**Arguments**

eList	named list with at least the Daily and INFO dataframes
fluxUnit	object of fluxUnit class. <a href="#">printFluxUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
yearPoints	numeric vector listing the years for which the change or slope computations are made, they need to be in chronological order. For example yearPoints=c(1975,1985,1995,2005), default is NA (which allows the program to set yearPoints automatically)
flux	logical if TRUE results are returned in flux, if FALSE concentration. Default is set to FALSE.

**Value**

dataframe with Year1, Year2, change[mg/L], slope[mg/L], change[percent], slope[percent] columns. The data in each row is the change or slope calculated from Year1 to Year2

**Examples**

```
eList <- Choptank_eList
# Water Year:
## Not run:
tableChange(eList, fluxUnit=6, yearPoints=c(2001,2005,2008,2009))
tableChange(eList, fluxUnit=9)
```

```

tableChange(eList, fluxUnit=9, flowNormYear=c(2001:2006, 2008:2009))
# Winter:
eList <- setPA(eList, paStart=12,paLong=3)
tableChange(eList, fluxUnit=6,yearPoints=c(2001,2005,2008,2009))

# Water Year:
#This returns concentration ASCII table in the console:
tableChangeSingle(eList, fluxUnit=6,yearPoints=c(2001,2005,2008,2009), flux=FALSE)
#Returns a data frame:
change <- tableChangeSingle(eList, fluxUnit=6,yearPoints=c(2001,2005,2008,2009),
                             flowNormYears=c(2003:2004, 2006:2009), flux=FALSE)
#This returns flux values ASCII table in the console
df <- tableChangeSingle(eList, fluxUnit=6,yearPoints=c(2001,2005,2008,2009), flux=TRUE)
# Winter:
eList <- setPA(eList, paStart=12,paLong=3)
tableChangeSingle(eList, fluxUnit=6,yearPoints=c(2001,2005,2008,2009), flux=FALSE)

## End(Not run)

```

---

tableFlowChange	<i>Prints table of change metrics for a given streamflow statistic</i>
-----------------	--

---

### Description

Part of the flowHistory system. The index of the flow statistics is istat. These statistics are: (1) 1-day minimum, (2) 7-day minimum, (3) 30-day minimum, (4) median (5) mean, (6) 30-day maximum, (7) 7-day maximum, and (8) 1-day maximum. A dataframe is returned, as well as a printout in the R console.

### Usage

```
tableFlowChange(eList, istat, qUnit = 1, runoff = FALSE,
                yearPoints = NA)
```

### Arguments

eList	named list with at least Daily and INFO dataframes
istat	A numeric value for the flow statistic to be graphed (possible values are 1 through 8)
qUnit	object of qUnit class <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
runoff	logical variable, if TRUE the streamflow data are converted to runoff values in mm/day
yearPoints	A vector of numeric values, specifying the years at which change metrics are to be calculated, default is NA (which allows the function to set these automatically), yearPoints must be in ascending order

**Examples**

```
eList <- Choptank_eList
tableFlowChange(eList, istat=5,yearPoints=c(2001,2005,2009))
df <- tableFlowChange(eList, istat=5,yearPoints=c(2001,2005,2009))
```

---

tableResults	<i>Table of annual results for discharge, concentration and flux</i>
--------------	--

---

**Description**

Produce an ASCII table showing: year, mean discharge, mean concentration, flow-normalized concentration, mean flux, and flow-normalized flux. Note that the flux and flow-normalized flux are rates and not a mass. As such a value for some period shorter than a full year could be larger than the value for a full year.

**Usage**

```
tableResults(eList, qUnit = 2, fluxUnit = 9, localDaily = NA)
```

**Arguments**

eList	named list with at least Daily and INFO dataframes
qUnit	object of qUnit class. <a href="#">printqUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
fluxUnit	object of fluxUnit class. <a href="#">printFluxUnitCheatSheet</a> , or numeric represented the short code, or character representing the descriptive name.
localDaily	data frame to override eList\$Daily

**Value**

results dataframe, if returnDataFrame=TRUE  
dataframe with year, discharge, concentration, flow-normalized concentration, flux, and flow-normalized concentration columns.

**Examples**

```
eList <- Choptank_eList
# Water Year:
## Not run:
tableResults(eList, fluxUnit = 1)
tableResults(eList, fluxUnit = 1, flowNormYears = c(1980:1995, 1997:2002, 2004:2011))
tableResults(eList, fluxUnit = 'kgDay', qUnit = 'cms')
returnedTable <- tableResults(eList, fluxUnit = 1)
# Winter:
eList <- setPA(eList, paLong=3,paStart=12)
tableResults(eList, fluxUnit = 1)

## End(Not run)
```

---

triCube	<i>Tricube weight function</i>
---------	--------------------------------

---

**Description**

Computes the tricube weight function on a vector of distance values ( $d$ ), based on a half-window width of  $h$ , and returns a vector of weights that range from zero to 1.

**Usage**

```
triCube(d, h)
```

**Arguments**

$d$	numeric vector of distances from the point of estimation to the given sample value
$h$	numeric value, the half-window width, measured in the same units as $d$

**Details**

See Cleveland, W. S. (1979). Robust locally weighted regression and smoothing scatterplots, *JASA*, 74, 829-836

**Value**

$w$  numeric vector of weights, all  $0 \leq w \leq 1$

**Examples**

```
h<-10
d<-c(-11,-10,-5,-1,-0.01,0,5,9.9,10,20)
triCube(d,h)
```

---

yPretty	<i>Sets up tick marks for an axis for a graph with an arithmetic scale which starts at zero</i>
---------	---

---

**Description**

Axis tick marks that run from zero to some specified maximum, creates about 4 to 8 ticks marks.

**Usage**

```
yPretty(yMax)
```



**Arguments**

`yMax` A numeric value for the maximum value to be plotted, it must be >0

**Value**

`yTicks` A numeric vector representing the values for each of the tick marks

**Examples**

```
yTicks <- yPretty(7.8)
yTicks <- yPretty(125)
```

# Index

## \*Topic **USGS**

- as.egret, 5
- dataOverview, 16
- getDaily, 32
- getInfo, 33
- getSample, 34
- getSurfaces, 35
- INFOdataframe, 35
- is.egret, 37
- mergeReport, 41
- print.egret, 86
- processQWData, 89
- readNWISDaily, 91
- readNWISSample, 92
- readUserDaily, 93
- readWQPSample, 95

## \*Topic **WRTDS**

- as.egret, 5
- checkStartDate, 13
- compressData, 15
- dataOverview, 16
- dateFormatCheck, 16
- fixSampleFrame, 22
- formatCheckDate, 28
- formatCheckParameterCd, 29
- getDaily, 32
- getInfo, 33
- getSample, 34
- getSurfaces, 35
- is.egret, 37
- mergeReport, 41
- populateDaily, 82
- print.egret, 86
- readNWISDaily, 91
- readNWISSample, 92
- readUserDaily, 93
- readWQPSample, 95

## \*Topic **bias**

- fluxBiasStat, 27

## \*Topic **datasets**

- Constants, 15

## \*Topic **data**

- as.egret, 5
- Choptank\_eList, 14
- dataOverview, 16
- getDaily, 32
- getInfo, 33
- getSample, 34
- getSurfaces, 35
- INFOdataframe, 35
- is.egret, 37
- mergeReport, 41
- print.egret, 86
- processQWData, 89
- readDataFromFile, 90
- readNWISDaily, 91
- readNWISSample, 92
- readUserDaily, 93
- readUserSample, 94
- readWQPSample, 95

## \*Topic **file**

- readDataFromFile, 90
- readUserDaily, 93
- readUserSample, 94

## \*Topic **flow**

- checkStartDate, 13
- compressData, 15
- dateFormatCheck, 16
- fixSampleFrame, 22
- formatCheckDate, 28
- formatCheckParameterCd, 29
- populateDaily, 82

## \*Topic **graphics**

- boxConcMonth, 6
- boxConcThree, 8
- boxQTwice, 9
- boxResidMonth, 10
- EGRET-package, 4

- fluxBiasMulti, 26
- generalAxis, 29
- genericEGRETDotPlot, 30
- logPretty1, 38
- logPretty3, 38
- multiPlotDataOverview, 44
- plot15, 45
- plot1of15, 46
- plotConcHist, 47
- plotConcPred, 48
- plotConcQ, 50
- plotConcQSmooth, 51
- plotConcTime, 54
- plotConcTimeDaily, 55
- plotConcTimeSmooth, 57
- plotContours, 59
- plotDiffContours, 62
- plotFlowSingle, 64
- plotFluxHist, 66
- plotFluxPred, 68
- plotFluxQ, 69
- plotFluxTimeDaily, 71
- plotFour, 72
- plotFourStats, 73
- plotQTimeDaily, 75
- plotResidPred, 76
- plotResidQ, 77
- plotResidTime, 79
- plotSDLogQ, 80
- printFluxUnitCheatSheet, 87
- printqUnitCheatSheet, 87
- setSeasonLabel, 110
- setSeasonLabelByUser, 110
- yPretty, 120
- \*Topic **import**
  - as.egret, 5
  - dataOverview, 16
  - getDaily, 32
  - getInfo, 33
  - getSample, 34
  - getSurfaces, 35
  - INFOdataframe, 35
  - is.egret, 37
  - mergeReport, 41
  - print.egret, 86
  - processQWData, 89
  - readDataFromFile, 90
  - readNWISDaily, 91
  - readNWISSample, 92
  - readUserDaily, 93
  - readUserSample, 94
  - readWQPSample, 95
- \*Topic **quality**
  - Choptank\_eList, 14
  - setSeasonLabel, 110
  - setSeasonLabelByUser, 110
- \*Topic **service**
  - INFOdataframe, 35
  - processQWData, 89
- \*Topic **statistics**,
  - fluxBiasStat, 27
- \*Topic **statistics**
  - blankTime, 6
  - boxConcMonth, 6
  - boxConcThree, 8
  - boxQTwice, 9
  - boxResidMonth, 10
  - calculateMonthlyResults, 11
  - EGRET-package, 4
  - estCrossVal, 18
  - estDailyFromSurfaces, 19
  - estSurfaces, 20
  - flowDuration, 25
  - fluxBiasMulti, 26
  - generalAxis, 29
  - genericEGRETDotPlot, 30
  - logPretty1, 38
  - logPretty3, 38
  - makeAnnualSeries, 39
  - makeAugmentedSample, 40
  - modelEstimation, 43
  - multiPlotDataOverview, 44
  - plot15, 45
  - plotConcHist, 47
  - plotConcPred, 48
  - plotConcQ, 50
  - plotConcQSmooth, 51
  - plotConcTime, 54
  - plotConcTimeDaily, 55
  - plotConcTimeSmooth, 57
  - plotContours, 59
  - plotDiffContours, 62
  - plotFlowSingle, 64
  - plotFluxHist, 66
  - plotFluxPred, 68
  - plotFluxQ, 69

- plotFluxTimeDaily, 71
- plotFour, 72
- plotFourStats, 73
- plotResidPred, 76
- plotResidQ, 77
- plotResidTime, 79
- plotSDLogQ, 80
- printFluxUnitCheatSheet, 87
- printqUnitCheatSheet, 87
- printSeries, 88
- runSurvReg, 106
- saveResults, 107
- selectDays, 108
- setPA, 109
- setUpEstimation, 111
- setupYears, 112
- surfaceIndex, 116
- tableChange, 117
- tableFlowChange, 118
- tableResults, 119
- triCube, 120
- yPretty, 120
- \*Topic **streamflow**,
  - flowDuration, 25
- \*Topic **streamflow**
  - EGRET-package, 4
  - makeAnnualSeries, 39
  - plot15, 45
  - plot1of15, 46
  - plotFlowSingle, 64
  - plotFour, 72
  - plotFourStats, 73
  - plotQTimeDaily, 75
  - plotSDLogQ, 80
  - printSeries, 88
  - selectDays, 108
  - setPA, 109
  - tableFlowChange, 118
- \*Topic **trends**
  - makeAnnualSeries, 39
- \*Topic **water-quality**
  - blankTime, 6
  - boxConcMonth, 6
  - boxConcThree, 8
  - boxQTwice, 9
  - boxResidMonth, 10
  - calculateMonthlyResults, 11
  - EGRET-package, 4
  - estCrossVal, 18
  - estDailyFromSurfaces, 19
  - estSurfaces, 20
  - fluxBiasMulti, 26
  - fluxBiasStat, 27
  - generalAxis, 29
  - genericEGRETDotPlot, 30
  - makeAugmentedSample, 40
  - modelEstimation, 43
  - multiPlotDataOverview, 44
  - plotConcHist, 47
  - plotConcPred, 48
  - plotConcQ, 50
  - plotConcQSmooth, 51
  - plotConcTime, 54
  - plotConcTimeDaily, 55
  - plotConcTimeSmooth, 57
  - plotContours, 59
  - plotDiffContours, 62
  - plotFluxHist, 66
  - plotFluxPred, 68
  - plotFluxQ, 69
  - plotFluxTimeDaily, 71
  - plotResidPred, 76
  - plotResidQ, 77
  - plotResidTime, 79
  - printFluxUnitCheatSheet, 87
  - printqUnitCheatSheet, 87
  - runSurvReg, 106
  - saveResults, 107
  - setUpEstimation, 111
  - setupYears, 112
  - surfaceIndex, 116
  - tableChange, 117
  - tableResults, 119
- \*Topic **water**
  - Choptank\_eList, 14
  - setSeasonLabel, 110
  - setSeasonLabelByUser, 110
- \*Topic **web**
  - INFOdataframe, 35
  - processQWData, 89
- \*Topic **weighting**
  - triCube, 120
- Arkansas\_eList (Choptank\_eList), 14
- as.egret, 5
- bin\_Qs (estDailyFromSurfaces), 19

- blankTime, 6
- boxConcMonth, 6, 45
- boxConcThree, 8
- boxplot, 7, 8, 10, 11
- boxQTwice, 9, 45
- boxResidMonth, 10
- calculateMonthlyResults, 11
- censoredSegments, 12
- checkStartEndDate, 13
- checkSurfaceSpan, 14
- Choptank\_eList, 14
- compressData, 15, 93, 95, 96
- Constants, 15
- dataOverview, 16
- dateFormatCheck, 16
- decimalDate (populateDateColumns), 83
- decimalHighLow, 17
- EGRET-package, 4
- estCrossVal, 18
- estDailyFromSurfaces, 19
- estSurfaces, 20
- fixSampleFrame, 22
- flexFN, 22
- flexPlotAddOn, 24
- flowDuration, 25
- fluxBiasMulti, 26
- fluxBiasStat, 27
- fluxConst (Constants), 15
- fluxUnit-class, 28
- formatCheckDate, 28
- formatCheckParameterCd, 29
- generalAxis, 29
- genericEGRETDotPlot, 30, 48, 49, 51, 53, 55, 57, 59, 66, 69, 70, 72, 76–78, 80, 81
- getConcFluxFromSurface (estDailyFromSurfaces), 19
- getDaily, 32
- getInfo, 33
- getSample, 34
- getSurfaceEstimates (estDailyFromSurfaces), 19
- getSurfaces, 35
- INFOdataframe, 35
- is.egret, 37
- logPretty1, 38
- logPretty3, 38
- makeAnnualSeries, 39, 66
- makeAugmentedSample, 40
- makeDateInfo, 41
- mergeReport, 16, 41
- modelEstimation, 42, 43
- monthInfo (Constants), 15
- monthLabel-class, 44
- multiPlotDataOverview, 44, 86
- nCensoredVals (print.egret), 86
- nDischarge (print.egret), 86
- nObservations (print.egret), 86
- plot.egret (print.egret), 86
- plot15, 45
- plot1of15, 45, 46
- plotConcHist, 47
- plotConcPred, 48
- plotConcQ, 45, 50
- plotConcQSmooth, 51
- plotConcTime, 45, 54
- plotConcTimeDaily, 55
- plotConcTimeSmooth, 57
- plotContours, 59
- plotDiffContours, 62
- plotFlowSingle, 64, 73, 74
- plotFluxHist, 66
- plotFluxPred, 68
- plotFluxQ, 69
- plotFluxTimeDaily, 71
- plotFour, 72
- plotFourStats, 73
- plotQTimeDaily, 75
- plotResidPred, 76
- plotResidQ, 77
- plotResidTime, 79
- plotSDLogQ, 80
- populateConcentrations, 81
- populateDaily, 82, 92
- populateDateColumns, 83
- populateParameterINFO, 84
- populateSampleColumns, 85, 93, 95, 96
- populateSiteINFO, 85
- print.egret, 86
- printFluxUnitCheatSheet, 26, 67, 68, 70, 71, 87, 117, 119

printqUnitCheatSheet, [9](#), [25](#), [26](#), [45](#), [50](#), [52](#),  
[54](#), [58](#), [60](#), [63](#), [65](#), [70](#), [73–75](#), [78](#), [87](#),  
[88](#), [118](#), [119](#)  
printSeries, [88](#)  
processQWData, [89](#)

qConst (Constants), [15](#)  
qUnit-class, [90](#)

readDataFromFile, [90](#)  
readNWISDaily, [5](#), [33–35](#), [42](#), [83](#), [91](#)  
readNWISdv, [92](#)  
readNWISInfo (INFOdataframe), [35](#)  
readNWISpCode, [37](#)  
readNWISqw, [92](#), [93](#)  
readNWISSample, [5](#), [33–35](#), [42](#), [92](#)  
readNWISsite, [37](#)  
readUserDaily, [83](#), [93](#)  
readUserInfo (INFOdataframe), [35](#)  
readUserSample, [94](#)  
readWQPdata, [96](#)  
readWQPInfo (INFOdataframe), [35](#)  
readWQPqw, [89](#), [96](#)  
readWQPSample, [95](#)  
removeDuplicates, [97](#)  
run\_WRTDS (runSurvReg), [106](#)  
runGroups, [97](#)  
runPairs, [100](#)  
runSeries, [103](#)  
runSurvReg, [53](#), [59](#), [106](#)

saveResults, [107](#)  
segments, [12](#)  
selectDays, [49](#), [51](#), [55](#), [57](#), [69](#), [70](#), [72](#), [76–78](#),  
[80](#), [81](#), [108](#)  
setPA, [109](#)  
setSeasonLabel, [110](#)  
setSeasonLabelByUser, [110](#)  
setUpEstimation, [111](#)  
setupYears, [48](#), [67](#), [112](#)  
startEnd, [113](#)  
stitch, [114](#)  
surfaceIndex, [116](#)  
surfaceStartEnd, [116](#)

tableChange, [117](#)  
tableChangeSingle (tableChange), [117](#)  
tableFlowChange, [118](#)  
tableResults, [119](#)

triCube, [120](#)  
whatWQPsites, [37](#), [96](#)  
yPretty, [120](#)