

Package ‘GGMridge’

February 2, 2016

Type Package

Title Gaussian Graphical Models Using Ridge Penalty Followed by
Thresholding and Reestimation

Version 1.1

Date 2016-02-01

Author Min Jin Ha [aut, cre], Shannon Holloway [ctb]

Maintainer Shannon Holloway <sthollow@ncsu.edu>

Depends mvtnorm, MASS, stats, graphics, methods

Description Estimation of partial correlation matrix using ridge penalty followed by thresholding and reestimation. Under multivariate Gaussian assumption, the matrix constitutes an Gaussian graphical model (GGM).

License GPL-2

LazyLoad yes

NeedsCompilation no

Repository CRAN

Date/Publication 2016-02-02 11:48:43

R topics documented:

GGMridge-package	2
EM.mixture	2
getEfronp	3
ksStat	5
lambda.cv	5
lambda.pcut.cv	7
lambda.pcut.cv1	8
lambda.TargetD	9
ne.lambda.cv	10
R.separate.ridge	12
scaledMat	13
simulateData	14
structuredEstimate	15
transFisher	16

Index	18
--------------	-----------

GGMridge-package	<i>Gaussian Graphical Models Using Ridge Penalty Followed by Thresholding and Reestimation</i>
------------------	--

Description

Estimation of partial correlation matrix using ridge penalty followed by thresholding and reestimation. Under multivariate Gaussian assumption, the matrix constitutes an Gaussian graphical model (GGM).

Details

Package:	GGMridge
Type:	Package
Version:	1.1
Date:	2016-02-01
License:	GPL-2

Author(s)

Min Jin Ha

References

Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

EM.mixture	<i>Estimation of the mixture distribution using EM algorithm</i>
------------	--

Description

Estimation of the parameters, null proportion, and degrees of freedom of the exact null density in the mixture distribution.

Usage

```
EM.mixture(p, eta0, df, tol)
```

Arguments

p	A numeric vector representing partial correlation coefficients.
eta0	An initial value for the null proportion; 1-eta0 is the non-null proportion.
df	An initial value for the degrees of freedom of the exact null density.
tol	The tolerance level for convergence.

Value

df	Estimated degrees of freedom of the null density.
eta0	Estimated null proportion.
iter	The number of iterations required to reach convergence.

Author(s)

Min Jin Ha

References

Schafer, J. and Strimmer, K. (2005). An empirical Bayes approach to inferring large-scale gene association networks. *Bioinformatics*, 21, 754–764.

getEfronp

Estimation of empirical null distribution.

Description

Estimation of empirical null distribution using Efron's central matching.

Usage

```
getEfronp(z, bins = 120L, maxQ = 9, pct = 0.0, pct0 = 0.25,
          cc = 1.2, plotIt = FALSE)
```

Arguments

z	A numeric vector of z values following the theoretical normal null distribution.
bins	The number of intervals for density estimation of the marginal density of z.
maxQ	The maximum degree of the polynomial to be considered for density estimation of the marginal density of z.
pct	Low and top (pct*100) to estimate f(z).
pct0	Low and top (pct0*100) excluded to estimate f0(z).
cc	The central parts ($\mu - \sigma \cdot cc$, $\mu + \sigma \cdot cc$) of the empirical distribution z are used for an estimate of the null proportion (eta).
plotIt	TRUE if density plot is to be produced.

Value

correctz	The corrected z values to follow empirically standard normal distribution.
correctp	The corrected p values using the correct z values.
q	The chosen degree of polynomial for the estimated marginal density.
mu0hat	The location parameter for the normal null distribution.
sigma0hat	The scale parameter for the normal null distribution.
eta	The estimated null proportion.

Author(s)

Min Jin Ha

References

- Efron, B. (2004). Large-scale simultaneous hypothesis testing. *Journal of the American Statistical Association*, 99, 96–104.
- Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```
p <- 100 # number of variables
n <- 50 # sample size

#####
# Simulate data
#####
simulation <- simulateData(G = p, etaA = 0.02, n = n, r = 1)
data <- simulation$data[[1]]
stddata <- scale(x = data, center = TRUE, scale = TRUE)

#####
# estimate ridge parameter
#####
lambda.array <- seq(from = 0.1, to = 20, by = 0.1) * (n - 1.0)
fit <- lambda.cv(x = stddata, lambda = lambda.array, fold = 10L)
lambda <- fit$lambda[which.min(fit$spe)] / (n - 1.0)

#####
# calculate partial correlation
# using ridge inverse
#####
w.upper <- which(upper.tri(diag(p)))
partial <- solve(lambda * diag(p) + cor(data))
partial <- (-scaledMat(x = partial))[w.upper]

#####
# get p-values from empirical
```

```
# null distribution
#####
efron.fit <- getEfronp(z = transFisher(x = partial))
```

ksStat

The Kolmogorov-Smirnov Statistic for p-Values

Description

Calculates the Kolmogorov-Smirnov statistic for p-values

Usage

```
ksStat(p)
```

Arguments

p A numeric vector with p-values.

Value

Kolmogorov-Smirnov statistic

Author(s)

Min Jin Ha

Examples

```
p <- runif(100)
ksStat(p = p)
ks.test(p, y = "punif") # compare with ks.test
```

lambda.cv

Choose the Tuning Parameter of the Ridge Inverse

Description

Choose the tuning parameter of the ridge inverse by minimizing cross validation estimates of the total prediction errors of the p separate ridge regressions.

Usage

```
lambda.cv(x, lambda, fold)
```

Arguments

x	An n by p data matrix.
lambda	A numeric vector of candidate tuning parameters.
fold	fold-cross validation is performed.

Value

lambda	The selected tuning parameter, which minimizes the total prediction errors.
spe	The total prediction error for all the candidate lambda values.

Author(s)

Min Jin Ha

References

Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```
p <- 100 # number of variables
n <- 50 # sample size

#####
# Simulate data
#####
simulation <- simulateData(G = p, etaA = 0.02, n = n, r = 1)
data <- simulation$data[[1L]]
stddata <- scale(x = data, center = TRUE, scale = TRUE)

#####
# estimate ridge parameter
#####
lambda.array <- seq(from = 0.1, to = 20, by = 0.1) * (n - 1.0)
fit <- lambda.cv(x = stddata, lambda = lambda.array, fold = 10L)
lambda <- fit$lambda[which.min(fit$spe)] / (n - 1.0)

#####
# calculate partial correlation
# using ridge inverse
#####
partial <- solve(lambda*diag(p) + cor(data))
partial <- -scaledMat(x = partial)
```

lambda.pcut.cv	<i>Choose the Tuning Parameter of the Ridge Inverse and Thresholding Level of the Empirical p-Values</i>
----------------	--

Description

Choose the tuning parameter of the ridge inverse and p-value cutoff by minimizing cross validation estimates of the total prediction errors of the p separate ridge regressions.

Usage

```
lambda.pcut.cv(x, lambda, pcut, fold = 10L)
```

Arguments

x	n by p data matrix.
lambda	A vector of candidate tuning parameters.
pcut	A vector of candidate cutoffs of pvalues.
fold	fold-cross validation is performed.

Value

The total prediction errors for all lambda (row-wise) and pcut (column-wise)

Author(s)

Min Jin Ha

References

Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```
p <- 100 # number of variables
n <- 50 # sample size

#####
# Simulate data
#####
simulation <- simulateData(G = p, etaA = 0.02, n = n, r = 1)
data <- simulation$data[[1L]]
stddata <- scale(x = data, center = TRUE, scale = TRUE)

#####
# Selection of a lambda and a
# p-value cutoff
```

```
#####
lambda.array <- seq(from = 0.1, to = 5, length = 10) * (n-1.0)
pcut.array <- seq(from = 0.01, to = 0.05, by = 0.01)
tpe <- lambda.pcut.cv(x = stddata,
                       lambda = lambda.array,
                       pcut = pcut.array,
                       fold = 3L)
w.mintpe <- which(tpe == min(tpe), arr.ind = TRUE)
lambda <- lambda.array[w.mintpe[1L]]
alpha <- pcut.array[w.mintpe[2L]]
```

lambda.pcut.cv1

Choose the Tuning Parameter of the Ridge Inverse and Thresholding Level of the Empirical p-Values.

Description

Calculate total prediction error for test data after fitting partial correlations from train data for all values of lambda and pcut.

Usage

```
lambda.pcut.cv1(train, test, lambda, pcut)
```

Arguments

- | | |
|--------|---|
| train | An n x p data matrix from which the model is fitted. |
| test | An m x p data matrix from which the model is evaluated. |
| lambda | A vector of candidate tuning parameters. |
| pcut | A vector of candidate cutoffs of pvalues. |

Value

Total prediction error for all the candidate lambda and pvalue cutoff values.

Author(s)

Min Jin Ha

References

- Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```

p <- 100 # number of variables
n <- 50 # sample size

#####
# Simulate data
#####
simulation <- simulateData(G = p, etaA = 0.02, n = n, r = 1)
data <- simulation$data[[1L]]

#####
# Split into train/test sets
#####
testindex <- sample(1L:n, 10L)

train <- data[-testindex,,drop = FALSE]
stdTrain <- scale(x = train, center = TRUE, scale = TRUE)

test <- data[testindex,,drop = FALSE]
stdTest <- scale(x = test, center = TRUE, scale = TRUE)

#####
# Calculate total prediction
# errors for all candidate
# lambda and p-value cutoffs
#####
lambda.array <- seq(from = 0.1, to = 5, length = 10) * (n - 1.0)
pcut.array <- seq(from = 0.01, to = 0.05, by = 0.01)
tpe <- lambda.pcut.cv1(train = stdTrain,
                        test = stdTest,
                        lambda = lambda.array,
                        pcut = pcut.array)

```

lambda.TargetD

Shrinkage Estimation of a Covariance Matrix Toward an Identity Matrix

Description

Estimation of a weighted average of a sample covariance (correlation) matrix and an identity matrix.

Usage

```
lambda.TargetD(x)
```

Arguments

- | | |
|---|---|
| x | Centered data for covariance shrinkage and standardized data for correlation shrinkage. |
|---|---|

Details

An analytical approach to the estimate ridge parameter.

Value

The estimates of shrinkage intensity.

Author(s)

Min Jin Ha

References

- Schafer, J. and Strimmer, K. (2005). A shrinkage approach to large-scale covariance matrix estimation and implications for functional genomics. *Statistical Applications in Genetics and Molecular Biology*, 4, 32.
- Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```
#####
# Simulate data
#####
simulation <- simulateData(G = 100, etaA = 0.02, n = 50, r = 10)
dat <- simulation$data[[1L]]
stddat <- scale(x = dat, center = TRUE, scale = TRUE)

shrinkage.lambda <- lambda.TargetD(x = stddat)

#####
# the ridge parameter
#####
ridge.lambda <- shrinkage.lambda / (1.0 - shrinkage.lambda)

#####
# partial correlation matrix
#####
partial <- solve(cor(dat) + ridge.lambda * diag(ncol(dat)))
partial <- -scaledMat(x = partial)
```

Description

Choose the tuning parameter of a ridge regression using cross-validation.

Usage

```
ne.lambda.cv(y, x, lambda, fold)
```

Arguments

y	Length n response vector.
x	n x p matrix for covariates with p variables and n sample size.
lambda	A numeric vector for candidate tuning parameters for a ridge regression.
fold	fold-cross validation used to choose the tuning parameter.

Value

lambda	The selected tuning parameter, which minimizes the prediction error.
spe	The prediction error for all of the candidate lambda values.

Author(s)

Min Jin Ha

References

Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```
p <- 100 # number of variables
n <- 50 # sample size

#####
# Simulate data
#####
simulation <- simulateData(G = p, etaA = 0.02, n = n, r = 1)
data <- simulation$data[[1L]]
stddat <- scale(x = data, center = TRUE, scale = TRUE)

X <- stddat[,-1L,drop = FALSE]
y <- stddat[,1L]

fit.lambda <- ne.lambda.cv(y = y,
                           x = X,
                           lambda = seq(from = 0.01, to = 1, by = 0.1),
                           fold = 10L)

lambda <- fit.lambda$lambda[which.min(fit.lambda$spe)]
```

R.separate.ridge	<i>Estimation of Partial Correlation Matrix Using p Separate Ridge Regressions.</i>
------------------	---

Description

The partial correlation matrix is estimated by p separate ridge regressions with the parameters selected by cross validation.

Usage

```
R.separate.ridge(x, fold, lambda, verbose = FALSE)
```

Arguments

x	n x p data matrix; n is the # of samples and p is the # of variables.
fold	Ridge parameters are selected by fold-cross validations separately for each regression.
lambda	The candidate ridge parameters for all p ridge regressions.
verbose	TRUE/FALSE; if TRUE, print the procedure.

Value

R	The partial correlation matrix.
lambda.sel	The selected tuning parameters for p ridge regressions.

Author(s)

Min Jin Ha

References

Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```
p <- 100 # number of variables
n <- 50 # sample size

#####
# Simulate data
#####
simulation <- simulateData(G = p, etaA = 0.02, n = n, r = 1)
data <- simulation$data[[1L]]
stddata <- scale(x = data, center = TRUE, scale = FALSE)
```

```
#####
# estimate ridge parameter
#####
w.upper <- which(upper.tri(diag(p)))

lambda.array <- seq(from = 0.1, to = 20, by=0.1) * (n-1.0)
partial.sep <- R.separate.ridge(x = stddata,
                                 lambda = lambda.array,
                                 fold = 5L,
                                 verbose = TRUE)$R[w.upper]
```

scaledMat*Scale a square matrix***Description**

Scale a square matrix to have unit diagonal elements.

Usage

```
scaledMat(x)
```

Arguments

x	A square matrix with positive diagonal elements
---	---

Value

Scaled matrix of x

Author(s)

Min Jin Ha

Examples

```
#####
# Simulate data
#####
simulation <- simulateData(G = 100, etaA = 0.02, n = 50, r = 10)
dat <- simulation$data[[1L]]
correlation <- scaledMat(x = cov(dat))
```

simulateData*Generate Simulation Data from a Random Network.***Description**

Generate a random network where both the network structure and the partial correlation coefficients are random. The data matrices are generated from multivariate normal distribution with the covariance matrix corresponding to the network.

Usage

```
simulateData(G, etaA, n, r, dist = "mvnorm")
```

Arguments

G	The number of variables (vertices)
etaA	The proportion of non-null edges among all the G(G-1)/2 edges.
n	The sample size.
r	The number of replicated G by N data matrices.
dist	A function which indicates the distribution of sample. "mvnorm" is multivariate normal distribution and "mvt" is multivariate t distribution with df=2. The default is set by "mvnorm".

Value

data	a list, each element containing an n X G matrix of simulated data.
true.partialcor	The partial correlation matrix which the datasets are generated from.
truecor.scaled	The covariance matrix calculted from the partial correlation matrix.
sig.node	The indices of nonzero upper triangle elements of partial correlation matrix.

Author(s)

Min Jin Ha

References

Schafer, J. and Strimmer, K. (2005). An empirical Bayes approach to inferring large-scale gene association networks. *Bioinformatics*, 21, 754–764.

Examples

```
simulation <- simulateData(G = 100, etaA = 0.02, n = 50, r = 10)
```

<code>structuredEstimate</code>	<i>Estimation of Partial Correlation Matrix Given Zero Structure.</i>
---------------------------------	---

Description

Estimation of nonzero entries of the partial correlation matrix given zero structure.

Usage

```
structuredEstimate(x, E)
```

Arguments

- x n by p data matrix with the number of variables p and sample size n.
- E The row and column indices of zero entries of the partial correlation matrix.

Value

- R The partial correlation matrix.
- K The inverse covariance matrix.
- RSS The residual sum of squares.

Author(s)

Min Jin Ha

References

- Ha, M. J. and Sun, W. (2014). Partial correlation matrix estimation using ridge penalty followed by thresholding and re-estimation. *Biometrics*, 70, 762–770.

Examples

```
p <- 100 # number of variables
n <- 50 # sample size

#####
# Simulate data
#####
simulation <- simulateData(G = p, etaA = 0.02, n = n, r = 1)
data <- simulation$data[[1L]]
stddata <- scale(x = data, center = TRUE, scale = TRUE)

#####
# estimate ridge parameter
#####
lambda.array <- seq(from = 0.1, to = 20, by = 0.1) * (n-1.0)
fit <- lambda.cv(x = stddata, lambda = lambda.array, fold = 10L)
```

```

lambda <- fit$lambda[which.min(fit$spe)]/(n-1)

#####
# calculate partial correlation
# using ridge inverse
#####
w.upper <- which(upper.tri(diag(p)))

partial <- solve(lambda * diag(p) + cor(data))
partial <- (-scaledMat(x = partial))[w.upper]

#####
# get p-values from empirical
# null distribution
#####
efron.fit <- getEfronp(z = transFisher(x = partial),
                        bins = 50L,
                        maxQ = 13)

#####
# estimate the edge set of
# partial correlation graph with
# FDR control at level 0.01
#####
w.array <- which(upper.tri(diag(p)), arr.ind=TRUE)
th <- 0.01
wsig <- which(p.adjust(efron.fit$correctp, method="BH") < th )
E <- w.array[wsig,]
dim(E)

#####
# structured estimation
#####
fit <- structuredEstimate(x = stddata, E = E)
th.partial <- fit$R

```

transFisher*Fisher's Z-Transformation***Description**

Fisher's Z-transformation of (partial) correlation.

Usage

```
transFisher(x)
```

Arguments

x	A vector having entries between -1 and 1.
---	---

Value

Fisher's Z-transformed values

Author(s)

Min Jin Ha

Examples

```
#####
# Simulate data
#####
simulation <- simulateData(G = 100, etaA = 0.02, n = 50, r = 1)
dat <- simulation$data[[1L]]
stddat <- scale(x = dat, center = TRUE, scale = TRUE)

shrinkage.lambda <- lambda.TargetD(x = stddat)

#####
# the ridge parameter
#####
ridge.lambda <- shrinkage.lambda / (1.0 - shrinkage.lambda)

#####
# partial correlation matrix
#####
partial <- solve(cor(dat) + ridge.lambda * diag(ncol(dat)))
partial <- -scaledMat(x = partial)

#####
# Fisher's Z transformation of
# upper diagonal of the partial
# correlation matrix
#####
w.upper <- which(upper.tri(diag(nrow(dat))))
psi <- transFisher(x = partial[w.upper])
```

Index

*Topic **package**

 GGMridge-package, [2](#)

EM.mixture, [2](#)

getEfronp, [3](#)

 GGMridge (GGMridge-package), [2](#)

 GGMridge-package, [2](#)

ksStat, [5](#)

lambda.cv, [5](#)

 lambda.pcut.cv, [7](#)

 lambda.pcut.cv1, [8](#)

 lambda.TargetD, [9](#)

ne.lambda.cv, [10](#)

R.separate.ridge, [12](#)

scaledMat, [13](#)

simulateData, [14](#)

structuredEstimate, [15](#)

transFisher, [16](#)