

Package ‘KarsTS’

June 7, 2020

Type Package

Title An Interface for Microclimate Time Series Analysis

Version 2.3

Date 2020-06-07

Author Marina Saez [aut, cre],
David Benavente [ths],
Soledad Cuezva [ths],
Concepcion Pla [ctb]

Maintainer Marina Saez <marinasaez_andreu@hotmail.com>

Description An R code with a GUI for microclimate time series, with an emphasis on underground environments. 'KarsTS' provides linear and nonlinear methods, including recurrence analysis (Marwan et al. (2007) <10.1016/j.physrep.2006.11.001>) and filling methods (Moffat et al. (2007) <doi:10.1016/j.agrformet.2007.08.011>), as well as tools to manipulate easily time series and gap sets.

License GPL (>= 2)

Note Please, cite this package as: Marina Saez (2020). KarsTS: An Interface For Microclimate Time Series Analysis. R package version 2.3.

Imports circular, MVN, tcltk, tcltk2, tkrplot, tseriesChaos, stlplus, tseries, forecast, stinepack, missForest, nonlinearTseries, stats, graphics, utils, zoo, grDevices, rgl, mgcv, infotheo, plot3D

Depends R(>= 3.5.0)

NeedsCompilation no

Repository CRAN

Date/Publication 2020-06-07 20:40:02 UTC

R topics documented:

KarsTS-package	5
aboutKTS	6

aggregateKTS	6
anaSamPer	7
applyGap2Tser	7
applyTheiler	8
are2TsTimeCompatible	9
areTsGapTimeCompatible	10
areTsRmTimeCompatible	11
arimaKalman	11
arimaXKalman	12
assignMultiple	12
buttons1	13
buttons2	13
buttons3	13
buttons4	14
buttons5	14
checkIfAny	14
checkIfAnyGapOrTs	15
checkIfAnyGapTs	15
checkIfAnyRm	16
checkIfAnyRmTs	16
checkIfAnyTs	17
cleanEnvir	17
compareVecVec	18
composeKTS	18
createChb	19
createChbChb	20
createChbEntry	20
createCrossRM	21
createCrossRMPlot	22
createDistMatrix	22
createEachRb	22
createEntry	23
createFAN	24
createFANplot	24
createGapChb	25
createGapRb	25
createJointRM	26
createJointRMPlot	26
createNote	27
createOK	27
createRandGaps	28
createRandName	28
createRb	29
createRmChb	29
createRmRb	30
createSimpleRM	30
createSimpleRMPlot	31
createSpecGaps	31

createSubPanR4C1	32
createTITLE	32
createTitle	33
createTsChb	33
createTsRb	34
cumuKTS	34
destroyMainScreen	35
destroyWelcome	35
determinismKTS	35
diffKTS	36
E1dAndE2d	36
embedData	37
endingLines	37
exportall	38
fillWithTwins	38
findDateFormat	39
findTwins	39
fnnKTS	40
functToExport	41
gamKTS	41
gapCheckedTF	42
gapDetect	42
gapForSelMethod	43
genGapExample	44
genRmExample	45
genTSExample	46
getClassEnvir	47
getCoordsKTS	48
getCRP	48
getDelayCharTimes	49
getFANRM2	49
getGapsAfterFill	50
getMaxNegSlope	51
getMaxPosSlope	52
getNAsGaps	52
getNewGapsInd	53
getOtherErrEstim	54
getProTaos	54
getRecurrencePoints	55
getRollStatistics	56
getSamPerTable	57
getSamPerTable.1Freq	57
getScreenSize	58
getStatistics	58
getUniqueSampPer	59
goodnessFilling	59
groupDates	60
groupIndices	60

histKTS	61
invariantsKTS	61
isTimeAlright	62
KarsTS	62
laminarityKTS	63
linCorrKTS	63
linearityKTS	64
loadAllTypes	64
loadKarsTSFonts	64
loessKTS	65
mainScreen	65
meanValue	65
mergeTsOrGap	66
missForestKTS	66
modeKTS	67
mutInf	67
mutualKTS	67
myApplyVector	68
myLinModel	68
myScale	69
naApproxKTS	69
NAs4Resamp	70
naSplinesKTS	70
normalityKTS	70
packagesToImport	71
pcaKTS	71
plotTimeSeries	71
readMultEntryvalues	72
refreshDataSetsList	72
removeAllTypes	73
removeIfExists	73
removePoints	74
renameAllTypes	74
rmCheckedTF	75
rmDetect	75
rmSlopeOutliers	76
rollStatisticsKTS	76
roundKTS	77
RPKTS	77
saveAllTypes	78
saveReport	78
scaleKTS	78
scattTimeSeries	79
selectionGaps	79
selectionTS	80
separateEntry	80
setCorrectDate	81
setwdKTS	81

showHelp	82
slopeOutliersBut	82
stationarityKTS	83
statisticsKTS	83
stinemannKTS	83
stlplusKTS	84
theilerKTS	84
tsCheckedTF	85
tsDetect	85
verifyCharEntry	86
verifyDateEntry	87
verifyIntEntry	87
verifyRealEntry	88
welcomeScreen	89
windRoseKTS	89
writeMethodSummary	89
writeMethodTitle	90

Index	91
--------------	-----------

Description

An R code with a GUI for microclimate time series, with an emphasis on underground environments. 'KarsTS' provides linear and nonlinear methods, including recurrence analysis (Marwan et al. (2007) <10.1016/j.physrep.2006.11.001>) and filling methods (Moffat et al. (2007) <doi:10.1016/j.agrformet.2007.08.011>), as well as tools to manipulate easily time series and gap sets.

Details

KarsTS is a package for microclimate time series, with an emphasis on underground environments, such as caves. Microclimate research typically includes CO₂ and R_n concentrations, temperature and humidity time series, amongst others. Many of these time series have a strong nonlinear behavior and they often contain significant gaps. **KarsTS** provides linear and non-linear analysis and filling methods, as well as tools to manipulate easily time series and gap sets.

The interface **KarsTS** is opened by running the function `KarsTS` on the R or RStudio console. It has five menus: Time Series, Gap Sets, Analysis, Plots and Filling.

Time Series menu: time series basic manipulation (loading, saving, resampling, scaling, rounding, etc.).

Gap Sets menu: gap sets basic manipulation (loading, saving, selection, MCAR Little's test etc.). Gap sets manipulation allows to apply a filling method to a subset of gaps in a time series (for example, gaps smaller than a certain length).

Analysis menu: linear and non-linear analytic procedures (statistics, rolling statistics, loess decomposition, invariants, recurrence matrices, stationarity and linearity tests etc.).

Plots menu: tools for plotting recurrence matrices, time series, phase portraits, manual removal of points etc. It contains also analytic procedures with mainly graphical results (linear correlation, mutual information, false nearest neighbors etc.).

Filling menu: univariate and multivariate methods to fill missing values in time series (interpolation, ARIMA, random forest algorithm etc.).

See the **User's Guide** for more information.

Note

Please, cite this package as:

Marina Saez (2018). KarsTS: An interface for microclimate time series analysis. R package version 2.2.

Author(s)

Marina Saez [aut, cre], David Benavente [ths], Soledad Cuezva [ths], Concepcion Pla [ctb]

Maintainer: Marina Saez <marinasaez_andreu@hotmail.com>

aboutKTS

aboutKTS: opens information file about KarsTS version

Description

This function opens a file containing information about KarsTS version

Author(s)

Marina Saez Andreu

aggregateKTS

aggregateKTS: creation of time series of aggregated values

Description

This function creates time series of aggregated values. The user chooses the inputs via interface: time series to aggregate, aggregation period, statistic, name for the output and NA treatment (see details).

Details

The statistics available are: median, mean, minimum, maximum, standard deviation and sum. The NA treatment can be: ignore or propagate. In the first case, the statistic is computed using the observations available in the window, as long as the window is not completely missing. In the second case, incomplete windows are assigned NA.

Value

A time series of aggregated values appears in the environment `KTSEnv`

Author(s)

Marina Saez Andreu

`anaSamPer`*anaSamper: analyzing sampling periods and gaps*

Description

Time series need to have a homogeneous sampling period for most calculations. This function divides a time series in homogeneous-sampling-period pieces that contain either observations or NAs. This information allows to decide how to resample the time series. Note that it also provides a list of gaps.

Details

Once chosen the time serie to analyze, `KarsTS` offers a list of possible sampling periods (time jumps in the time series), but a human decision is necessary to separate safely true sampling periods from gaps. Typically, time jumps corresponding to sampling periods appear many times.

Value

A table containing the aforementioned information appears on `KarsTS` output window.

Author(s)

Marina Saez Andreu

`applyGap2TSer`*applyGap2TSer: apply a gap set to a time series*

Description

This function applies a set of gaps to a time series.

Details

The new time series name is a combination of the original time series and the gap set names.

Value

A new time series with NAs at the locations indicated by the gap set

Author(s)

Marina Saez Andreu

applyTheiler

applyTheiler: apply Theiler's window

Description

It is used to apply a Theiler's window to a matrix.

Usage

```
applyTheiler(RM, thW)
```

Arguments

RM The recurrence matrix, in KarsTS format

thW The window, in lags from the diagonal

Value

A recurrence matrix, in KarsTS format, where the diagonals from the main diagonal up to the distance given by the window have been removed.

Author(s)

Marina Saez Andreu

Examples

```
RM <- genRmExample(InKTSEnv = FALSE, plotRM = FALSE)
```

```
RM1 <- applyTheiler(RM, 10)
```

are2TsTimeCompatible *are2TsTimeCompatible: test time compatibility between two time series*

Description

It checks for three types of compatibility: the initial dates are the same, the sampling period is the same and the final date is the same. It is used internally to check whether the inputs chosen by the user are appropriated.

Usage

```
are2TsTimeCompatible (TS1, TS2)
```

Arguments

TS1	A time series
TS2	Another time series

Value

A logical vector, which is `c(TRUE, TRUE, TRUE)` when all the time compatibility conditions are met.

Author(s)

Marina Saez Andreu

Examples

```
## Generate two time series
TS1 <- genTSExample(InKTSEnv = FALSE)
TS2 <- genTSExample(InKTSEnv = FALSE)

## Their times are identical
timeComp <- are2TsTimeCompatible (TS1, TS2)
timeComp

## We modify the time of TS2. Now their starts are different,
## although they still have same sampling period and length
TS2$time <- TS2$time + 1
timeComp <- are2TsTimeCompatible (TS1, TS2)
timeComp
```

`areTsGapTimeCompatible`*areTsGapTimeCompatible: tests time compatibility between a time series and a gap set*

Description

It checks for three types of compatibility: the initial dates are the same, the sampling period is the same and the length is the same. It is used internally to check whether the inputs chosen by the user are appropriated.

Usage

```
areTsGapTimeCompatible(TS1, GAP1)
```

Arguments

TS1	A time series
GAP1	A gap set

Value

A logical vector, which is `c(TRUE, TRUE, TRUE)` when all the time compatibility conditions are met.

Author(s)

Marina Saez Andreu

Examples

```
## Generate a time series
TS <- genTSExample(InKTSEnv = FALSE)
## Generate a gap set consisting of four gaps of 3 NAs each
GS <- genGapExample(TS, 3, 4, InKTSEnv = FALSE)

## They are obviously compatible since we use TS to create GS
timeComp <- areTsGapTimeCompatible (TS, GS)
timeComp

## We modify the time of TS. The initial dates are not compatible anymore,
## although the sampling period and the length remain untouched.
TS$time <- TS$time + 1
timeComp <- areTsGapTimeCompatible (TS, GS)
timeComp
```

areTsRmTimeCompatible *areTsRmTimeCompatible: test time compatibility between a time series and a recurrence matrix*

Description

It checks for three types of compatibility: the initial dates are the same, the sampling period is the same and the length is the same. It is used internally to check whether the inputs chosen by the user are appropriated.

Usage

```
areTsRmTimeCompatible(TS1, RM1)
```

Arguments

TS1	A time series
RM1	A recurrence matrix

Value

A logical vector, which is c(TRUE, TRUE, TRUE) when all the time compatibility conditions are met.

Author(s)

Marina Saez Andreu

arimaKalman *arimaKalman: ARIMA + Kalman smoother*

Description

This function fits an ARIMA model to a univariate time series and uses the model to feed a Kalman smoother, which is used to fill missing values in the time series. It is used through the ARIMA button in the Filling Menu.

Details

This function input panel contains a button called "Estimate ARIMA parameters"; this button calls the function `forecast::auto.arima` to provide an automatic estimation of the ARIMA parameters. These parameters can also be directly introduced by the user. Optionally, the filling can be applied only to a set of gaps in the time series. If the time series does not contain any NAs, `KarsTS` will fit the ARIMA model anyway and return the parameters.

Value

The filled time series appears in the environment susEnv

Author(s)

Marina Saez Andreu

arimaXKalman

arimaXKalman: ARIMAX + Kalman smoother

Description

This function fits an ARIMAX model to a time series and uses the model to feed a Kalman smoother, which is used to fill missing values in the time series. It is used through the ARIMAX button in the Filling Menu.

Details

The only difference between this function and arimaKalman is that arimaXKalman allows the introduction of regressor variables in the model. See arimaKalman for more details.

Value

The filled time series appears in the environment susEnv

Author(s)

Marina Saez Andreu

assignMultiple

assignMultiple: assign multiple

Description

This function applies the function assign multiple times

Usage

```
assignMultiple(namesVector, valuesList, envir = KTSEnv)
```

Arguments

namesVector	A vector containing the names to be assigned
valuesList	The values to which the names will be assigned
envir	The environment

Author(s)

Marina Saez Andreu

Examples

```
assignMultiple(c("One", "Two", "Three"), list(1:10,2,3), envir = KTSEnv)
KTSEnv$One
KTSEnv$Two
KTSEnv$Three
```

buttons1	<i>buttons1: create the buttons corresponding to the Time Series Menu</i>
----------	---

Description

This function creates the buttons corresponding to the Time Series Menu

Author(s)

Marina Saez Andreu

buttons2	<i>buttons2: create the buttons corresponding to the Gap Sets Menu</i>
----------	--

Description

This function creates the buttons corresponding to the Gap Set Menu

Author(s)

Marina Saez Andreu

buttons3	<i>buttons3: create the buttons corresponding to the Analysis Menu</i>
----------	--

Description

This function creates the buttons corresponding to the Analysis Menu

Author(s)

Marina Saez Andreu

buttons4	<i>buttons4: create the buttons corresponding to the Plots Menu</i>
----------	---

Description

This function creates the buttons corresponding to the Plots Menu

Author(s)

Marina Saez Andreu

buttons5	<i>buttons5: create the buttons corresponding to the Filling Menu</i>
----------	---

Description

This function creates the buttons corresponding to the Filling Menu

Author(s)

Marina Saez Andreu

checkIfAny	<i>checkIfAny: check if there are any data sets in the environment</i>
------------	--

Description

This functions checks whether there are any data sets (time series, gap sets or recurrence matrices) in the environment (KTSEnv). If it is the case, it launches a function.

Usage

```
checkIfAny(action = NULL, envirName = KTSEnv)
```

Arguments

action	The function to be launched
envirName	The environment where the data sets are to be found

Author(s)

Marina Saez Andreu

checkIfAnyGapOrTs	<i>checkIfAny: check if there are any time series or gap sets in the environment</i>
-------------------	--

Description

This functions checks whether there are any time series or gap sets in the environment (KTSEnv). If it is the case, it launches a function.

Usage

```
checkIfAnyGapOrTs(action = NULL, envirName = KTSEnv)
```

Arguments

action	The function to be launched
envirName	The environment where the data sets are to be found

Author(s)

Marina Saez Andreu

checkIfAnyGapTs	<i>checkIfAny: check if there are any time series and gap sets in the environment</i>
-----------------	---

Description

This functions checks whether there are any time series and gap sets in the environment (KTSEnv). If it is the case, it launches a function.

Usage

```
checkIfAnyGapTs(action = NULL, envirName = KTSEnv)
```

Arguments

action	The function to be launched
envirName	The environment where the data sets are to be found

Author(s)

Marina Saez Andreu

checkIfAnyRm	<i>checkIfAny: check if there is some recurrence matrix in the environment</i>
--------------	--

Description

This functions checks whether there are any recurrence matrices in the environment (KTSEnv). If it is the case, it launches a function.

Usage

```
checkIfAnyRm(action = NULL, envirName = KTSEnv)
```

Arguments

action	The function to be launched
envirName	The environment where the data sets are to be found

Author(s)

Marina Saez Andreu

checkIfAnyRmTs	<i>checkIfAnyRmTs: check if there is some recurrence matrix and some time series in the environment</i>
----------------	---

Description

This functions checks whether there are any recurrence matrices and time series in the environment (KTSEnv). If it is the case, it launches a function.

Usage

```
checkIfAnyRmTs(action = NULL, envirName = KTSEnv)
```

Arguments

action	The function to be launched
envirName	The environment where the data sets are to be found

Author(s)

Marina Saez Andreu

checkIfAnyTs	<i>checkIfAnyTs: check if there is some time series in the environment</i>
--------------	--

Description

This functions checks whether there are any time series in the environment (KTSEnv). If it is the case, it launches a function.

Usage

```
checkIfAnyTs(action = NULL, envirName = KTSEnv)
```

Arguments

action	The function to be launched
envirName	The environment where the data sets are to be found

Author(s)

Marina Saez Andreu

cleanEnvir	<i>cleanEnvir: removes a list of variables from KTSEnv</i>
------------	--

Description

In order to communicate the functions in an interface, it is often unavoidable to create global variables. This function cleans the global variables that are mere intermediate results of the procedures. It is used internally

Usage

```
cleanEnvir(envir = KTSEnv)
```

Arguments

envir	The environment where the intermediate objects are to be removed. It defaults to KTSEnv.
-------	--

Author(s)

Marina Saez Andreu

compareVecVec	<i>compareVecVec: compare the elements of two vectors</i>
---------------	---

Description

Checks whether there are any shared elements between two vectors. It is used internally

Usage

```
compareVecVec(VA, VB)
```

Arguments

VA	One vector
VB	Another vector

Value

A logical matrix showing the coincidences

Author(s)

Marina Saez Andreu

Examples

```
compareVecVec(1:10, 7:12)

V1 <- c("Apples", "Strawberries", "Watermelon")
V2 <- c("Ananas", "Apples", "Strawberries", "Coconut")
compareVecVec(V1, V2)
```

composeKTS	<i>composeKTS: perform operations on time series</i>
------------	--

Description

This function allows to perform a number of operations on the values of the time series. The operations currently available are: sum, multiplication, opposite, reciprocal and natural logarithm. It is used through the Operations button in the Analysis Menu

Details

Opposite, inverse and logarithm can be applied simultaneously to N time series. The output consists of N output time series the names of which are assigned by default (original names plus Opp, Recip or Ln). On the contrary, the output of sum and multiplication is a single time series and the user must choose its name.

Value

The output time series in the environment KTSEnv

Author(s)

Marina Saez Andreu

createChb	<i>createChb: creates a check box on the main screen</i>
-----------	--

Description

This function creates a check box on the main screen

Usage

```
createChb(labTitle = NULL, variableName = NULL, defaultVal = "0")
```

Arguments

labTitle	A title for the check box
variableName	A name for the variable associated to the check box
defaultVal	Default value (defaults to not selected)

Value

A variable that will be passed to the corresponding OnOk function

Author(s)

Marina Saez Andreu

createChbChb *createChbChb: two column check box*

Description

createChbChb: creates a two column check box on the main screen

Usage

```
createChbChb(ind, elements, prefix1 = NULL, prefix2 = NULL, envir = KTSEnv)
```

Arguments

ind	Number of rows of the check box
elements	Row labels
prefix1	A prefix to assign a name to the output variables (column 1)
prefix2	A prefix to assign a name to the output variables (column 2)
envir	Environment to which the output variables will be assigned

Value

An output variable for each box. They are be passed to the corresponding onOk function

Author(s)

Marina Saez Andreu

createChbEntry *createChbEntry: creates a check box with associated text entries*

Description

This function creates an element in the input panel consisting of two columns: a check box and the corresponding text entries. It is used internally

Usage

```
createChbEntry(ind, elements, prefix = "scbValue", envir = KTSEnv, dCh = "0", dEn = "")
```

Arguments

ind	Number of rows
elements	Row labels
prefix	A prefix to assign names to the output variables
envir	Environment (defaults to the environment KTSEnv)
dCh	Default value for the checkbox
dEn	Default value for the text entry

Value

Variables that will be passed to the corresponding OnOk function

Author(s)

Marina Saez Andreu

createCrossRM

createCrossRM: creates a cross recurrence matrix

Description

This function creates a cross recurrence matrix. It is used through the Cross Recurrence Matrix button in the Analysis Menu

Details

The inputs are two time series representing similar variables (for example, two air temperature time series). They must have the same sampling period, although they can have different lengths. The matrix can be visualized by means of the Plot Cross Recurrence Matrix button in the Plots Menu

Value

A cross recurrence matrix in the environment `susEnv`. Cross recurrence matrices are not symmetrical, therefore the entire matrix is stored (not only a triangle).

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

createCrossRMPlot *createCrossRMPlot: creates a cross recurrence plot*

Description

This function creates a cross recurrence plot from a previously created cross recurrence matrix. It is used through the Plot Cross Recurrence Plot in the Plots Menu

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

createDistMatrix *createDistMatrix: creates distance matrix*

Description

This function calculates and plots a distance matrix via interface.

Details

A distance matrix is an unthresholded recurrence matrix.The norm can be Euclidean or Infinity.

Author(s)

Marina Saez Andreu

createEachRb *createEachRb: creates a radiobutton on the main screen*

Description

This function creates a radiobutton. It is used internally

Usage

```
createEachRb(labTitle = NULL, variable = NULL, panel = KTSEnv$subPanR4C1)
```

Arguments

labTitle	A title for the check box
variable	The variable associated to the radiobutton
panel	The panel where the radiobutton is to be placed (defaults to the input panel in the main screen)

Value

A variable that will be passed to the corresponding OnOk function

Author(s)

Marina Saez Andreu

createEntry	<i>createChb: creates a text entry on the main screen</i>
-------------	---

Description

This function creates a text entry on the input panel (on the main screen)

Usage

```
createEntry(labTitle, textVariableName, defaultVal = "", font = KTSEnv$KTSFonts$T1)
```

Arguments

labTitle	The text entry title
textVariableName	The name of the variable associated to the text entry
defaultVal	Default value (empty entry)
font	Title font

Value

A variable that will be passed to the corresponding OnOk function

Author(s)

Marina Saez Andreu

 createFAN

createFAN: creates a fixed amount of neighbors (FAN) matrix.

Description

This function creates a fixed amount of neighbours (FAN) recurrence matrix. It is used through the FAN Recurrence Matrix button in the Analysis Menu.

Details

The FAN recurrence matrix can be created from an existing matrix; in this case, only the closest neighbors are kept. The FAN recurrence matrix can be created directly from a time series. In this case, the embedding dimension, delay, tolerance, Theiler's window and fixed amount of neighbours must be provided via interface. The matrix can be visualized by means of the FAN Recurrence Plot button in the Plots Menu. Note that FAN recurrence matrices are not symmetric.

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

 createFANplot

createFANplot: creates a plot from a fixed amount of neighbors (FAN) recurrence matrix

Description

This function creates a recurrence plot from a previously created fixed amount of neighbors (FAN) recurrence matrix.

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

createGapChb *createGapChb: creates a check box of gap sets*

Description

This function creates a check box showing all the gap sets available. It is used internally

Usage

```
createGapChb(labTitle = "Gap sets", envir = KTSEnv)
```

Arguments

labTitle	Title for the check box
envir	Environment

Value

Variables to be passed to the corresponding OnOk function

Author(s)

Marina Saez Andreu

createGapRb *createGapRb: creates a radio button of gap sets*

Description

This function creates a radiobutton showing all the gap sets available

Usage

```
createGapRb(labTitle = "Gap sets", envir = KTSEnv)
```

Arguments

labTitle	Title for the check box
envir	Environment

Value

A variable to be passed to the corresponding OnOk function

Author(s)

Marina Saez Andreu

createJointRM *createJointRM: creates a joint recurrence matrix*

Description

This function creates a joint recurrence matrix. It is used through the Joint Recurrence Matrix button in the Analysis Menu

Details

The inputs are two time series. They must have the same sampling period. The shorter one will determine the size of the recurrence matrix. The matrix can be visualized by means of the Plot Joint Recurrence Matrix button in the Plots Menu

Value

A joint recurrence matrix in the environment susEnv

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

createJointRMPlot *createJointRMPlot: creates a cross recurrence plot*

Description

This function creates a joint recurrence plot from a previously created joint recurrence matrix. It is used through the Plot Joint Recurrence Plot in the Plots Menu

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

createNote	<i>createNote: creates a note on the input panel</i>
------------	--

Description

This function creates a note on the input panel

Usage

```
createNote(labTitle = NULL, pady = c(10, 10))
```

Arguments

labTitle	Text
pady	Upper and lower margins

Author(s)

Marina Saez andreu

createOK	<i>createOK: creates the OK or NEXT button on the input panel</i>
----------	---

Description

This function creates the OK or NEXT button on the input panel. When the button is pressed the corresponding function is launched.

Usage

```
createOK(labTitle = "NEXT", action = NULL, width = 7, panel = KTSEnv$subPanR4C1)
```

Arguments

labTitle	Usually, its values are "OK" or "NEXT"
action	Function that will be launched when the button is pressed.
width	Button width
panel	Panel where the button will be placed

Author(s)

Marina Saez Andreu

createRandGaps	<i>createRandGaps: create random gaps in a time series</i>
----------------	--

Description

This function creates N gaps of length M, randomly distributed through a time series. The inputs are the time series, the number of gaps and their length. It is used through the Random Gaps button in the Gap Sets menu.

Details

The new gaps will not overlay previously existing gaps.

Value

The function creates a gap set and applies it to a copy of the input time series. Both the gap set and the new time series appear in the environment susEnv.

Author(s)

Marina Saez Andreu

createRandName	<i>createRandName: creates a random name</i>
----------------	--

Description

This function creates a random name consisting of a prefix and a random number from 10000 to 99999. It is used internally

Usage

```
createRandName(prefix = "panel")
```

Arguments

prefix	The prefix to which the random number will be added
--------	---

Author(s)

Marina Saez Andreu

Examples

```
createRandName("Rodrigo")
createRandName("Rodrigo")
createRandName("Diaz")
```

createRb	<i>createRb: creates a radio button</i>
----------	---

Description

This function creates a radio button

Usage

```
createRb(variable = NULL, dataVector = NULL, panel = KTSEnv$subPanR4C1)
```

Arguments

variable	The variable to which the radiobutton is linked
dataVector	The names of the buttons
panel	The panel where to place the radiobutton (defaults to the main screen input panel)

Author(s)

Marina Saez Andreu

createRmChb	<i>createRmChb: creates a check box of recurrence matrices</i>
-------------	--

Description

This function creates a check box listing the recurrence matrices that exist in the environment KTSEnv.

Usage

```
createRmChb(labTitle = "Recurrence matrices", envir = KTSEnv)
```

Arguments

labTitle	Check box title
envir	Environment (defaults to KTSEnv)

Value

Variables that will be read in the corresponding onOk function

Author(s)

Marina Saez Andreu

createRmRb	<i>createRmRb: creates a radiobutton of recurrence matrices</i>
------------	---

Description

This function creates a radiobutton listing the recurrence matrices that exist in the environment `KTSEnv`.

Usage

```
createRmRb(labTitle = "Recurrence matrices", envir = KTSEnv)
```

Arguments

<code>labTitle</code>	Radiobutton title
<code>envir</code>	Environment (defaults to <code>KTSEnv</code>)

Value

A variable that will be read in the corresponding `onOk` function

Author(s)

Marina Saez Andreu

createSimpleRM	<i>createSimpleRM: creates a recurrence matrix</i>
----------------	--

Description

This function creates a recurrence matrix. It is used through the Recurrence Matrix button in the Analysis Menu.

Details

The inputs are a time series, the delay, the embedding dimension and a name for the output matrix. The matrix can be visualized by means of the Recurrence Plot button in the Plots Menu Note that there are specific buttons to create and plot cross and joint recurrence matrices.

Value

The recurrence points are represented in a two-column data frame by their positions in the recurrence matrix. Only the upper triangle is stored.

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

createSimpleRMPlot *createSimpleRMPlot: creates a recurrence plot*

Description

This function creates a recurrence plot from a previously created recurrence matrix.Note that there are specific buttons to create and plot cross and joint recurrence matrices. It is used through the Plot Recurrence Plot in the Plots Menu

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

createSpecGaps *createSpecGaps: creates a specific gap in a time series*

Description

This function creates a gap between two dates chosen by the user.It is used through the Specific Gaps button in the Gap Sets menu.

Value

The function creates a gap set and applies it to a copy of the input time series.Both the gap set and the new time series appear in the environment susEnv.

Author(s)

Marina Saez Andreu

createSubPanR4C1 *createSubPanR4C1: creates the input panel on the main screen*

Description

This function creates a blank input panel on the main screen. It is used whenever is necessary to erase the elements of the input panel (title, check boxes, radiobutton etc.) and write new ones. It is used internally

Author(s)

Marina Saez Andreu

createTITLE *createTITLE: create a title on the input panel*

Description

This function creates (on the input panel) a label that works as a first level title.

Usage

```
createTITLE(labTitle = "TITLE", panel = KTSEnv$subPanR4C1)
```

Arguments

labTitle	Text of the title
panel	Panel where the title is to be written (defaults to the input panel on the main screen)

Author(s)

Marina Saez Andreu

createTitle	<i>createTitle: creates a title in the input panel</i>
-------------	--

Description

This function creates (on the input panel) a label that works as a second level title. It is used internally

Usage

```
createTitle(labTitle = "Title")
```

Arguments

labTitle	The text of the title
----------	-----------------------

Author(s)

Marina Saez Andreu

createTsChb	<i>createTsChb: creates a check box of time series</i>
-------------	--

Description

This function creates a check box listing the time series that exist in the environment KTSEnv.

Usage

```
createTsChb(labTitle = "Time series", envir = KTSEnv)
```

Arguments

labTitle	Check box title
envir	Environment (defaults to KTSEnv)

Value

Variables that will be read in the corresponding onOk function

Author(s)

Marina Saez Andreu

createTsRb	<i>createTsRb: creates a radiobutton of time series</i>
------------	---

Description

This function creates a radiobutton listing the time series that exist in the environment KTSEnv.

Usage

```
createTsRb(labTitle = "Time series", variableName = "selTsP", envir = KTSEnv)
```

Arguments

labTitle	Radiobutton title
variableName	Name of the variable to be assigned to the radiobutton
envir	Environment (defaults to KTSEnv)

Value

A variable that will be read in the corresponding onOk function

Author(s)

Marina Saez Andreu

cumuKTS	<i>cumuKTS: creates a cumulated time series</i>
---------	---

Description

This function creates a cumulated time series, that is, each point is the sum of all the previous values in the time series. It is particularly useful when the input time series has zero mean. It is used through the button Cumulative sum in the Time Series Menu

Value

The cumulated time series

Author(s)

Marina Saez Andreu

destroyMainScreen *A function to destroy KarsTS main screen*

Description

A function to destroy KarsTS main screen. It is normally destroyed via interface.

Usage

destroyMainScreen()

Author(s)

Marina Saez Andreu

destroyWelcome *destroyWelcome: destroys KarsTS welcome screen*

Description

This function destroys KarsTS welcome screen. It is used through the button Start in the welcome screen.

Author(s)

Marina Saez Andreu

determinismKTS *determinismKTS: estimate determinism*

Description

This function is used to study the determinism of a system, based on the number and length of the diagonal lines that contains the recurrence matrix that represents the system. It is used through the button Determinism in the Anaylisis menu.

Value

The following outputs are written on KarsTS output window: recurrence rate, determinism, ratio and summary of the lengths of the diagonal lines. Besides, a new window containing a histogram of diagonal lines pops up.

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

diffKTS

diffKTS: calculate differences of a time series

Description

This function creates a new time series by differencing the input time series.It is used through the button differences in the Time Series Menu

Details

The inputs are: time series, lag and center yes/not. In this context, center the time series means that the differenced time series will be interpolated, so that the output time series has same length and dates as the original time series.

Value

The differenced time series

Author(s)

Marina Saez Andreu

E1dAndE2d

E1dAndE2d: invariants E1(d) and E2(d)

Description

This function uses the function nonlinearTseries::estimateEmbeddingDim to plot the invariants E1(d) and E2(d) (Cao,1997). E1(d) helps finding the embedding dimension of a scalar time series and E2(d) can distinguish stochastic from deterministic signals.It is used through the button E1d & E2d in the Plots Menu.

Author(s)

Marina Saez Andreu

References

Cao, L (1997): Practical method for determining the minimum embedding dimension of a scalar time series. Physica D: Nonlinear Phenomena, 110,1, pp. 43-50.

embedData	<i>embedData: embeds a time series</i>
-----------	--

Description

This function embeds a time series and adds NAs so that the embedded data have the same length as the original time series. It is used internally.

Usage

```
embedData(TSData, embDim, embDelay)
```

Arguments

TSData	Values of the time series
embDim	Embedding dimension
embDelay	Delay

Value

A matrix of embedded data, with as many NAs as necessary so that it has the same length as the original time series.

Author(s)

Marina Saez Andreu

endingLines	<i>endingLines: add three lines of asterisks on the output panel</i>
-------------	--

Description

This function adds three lines of asterisks on the output panel. It is used to separate outputs of different functions. It is used internally.

Usage

```
endingLines()
```

Author(s)

Marina Saez Andreu

 exportall

exportall: exports all types of data sets

Description

This function is used to export time series, gap sets or recurrence matrices to csv or txt files. It is used through the button Export in the Time Series or Gap Sets menus.

Details

All types of data sets can be exported both from the Time Series menu or from the Gap Sets menu. It is possible to export more than one time series to the same file; however, each gap set and recurrence matrix must be stored separately. The files are created in the working directory.

Author(s)

Marina Saez Andreu

 fillWithTwins

fillWithTwins: fills missing values using twin points

Description

This function finds twin points in a recurrence matrix and uses them to fill adjacent missing values. Many points do not have twins, therefore it is unlikely that all the missing values are filled. It is used through the button twins in the Filling Menu

Details

The inputs to this function are: the time series to fill (TSF), a recurrence matrix that represents the system (RM), the maximum distance (MD) and, optionally, the gap set to fill. A missing value is replaced by the median of its twin points. Case A: TSF was used to build RM. In this case, RM lacks information at the points to fill; therefore, it is necessary to find the twins of the adjacent points, that is, MD must be greater than 0. Case B: the system was reconstructed using other time series, that is, RM was calculated without TSF. In this case, it is possible to set MD to 0, although it can be greater than 0, as well.

Value

The filled time series in susEnv and a summary of the procedure on the output window.

Author(s)

Marina Saez Andreu

findDateFormat	<i>findDateFormat: finds the format of a set of dates</i>
----------------	---

Description

This function identifies the format of a set of dates from a list of allowed formats.

Usage

```
findDateFormat(X, tz = NULL)
```

Arguments

X	The date (given as a character string)
tz	The time zone

Details

The allowed formats are: "%m/%d/%Y %H:%M", "%Y/%m/%d %H:%M", "%Y-%m-%d %H:%M" and "%m-%d-%Y %H:%M"

Value

It returns the date format, ready to use in the function `strptime`. If the dates have different formats, the function returns "variousFormats". If the format is not one of the allowed ones, it returns "notAllowedformat".

Author(s)

Marina Saez Andreu

findTwins	<i>findTwins: finds twin points in a recurrence matrix</i>
-----------	--

Description

This function finds twin points (that is, identical columns) in a recurrence matrix. It is used internally

Usage

```
findTwins(recMat, pointsToFind = NULL)
```

Arguments

recMat	The recurrence matrix
pointsToFind	The points (columns) whose twins are to be found (defaults to all)

Details

The function classifies the columns in families of twins and assigns an integer number to each family. The numbers are mere codes to identify the families and they do not have any meaning themselves.

Value

A vector of integers. Each number represents a family of twins. Positions corresponding to columns with no twins are assigned NA. When the search of twins is limited to a subset of points, the uninteresting points are assigned NA also.

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

Examples

```
# Generate time series and recurrence matrix
res <- genRmExample(name = "SRM", InKTSEnv = FALSE, plotRM = FALSE)
TS <- res$TS
SRM <- res$newSimpRM

# Find twins
SRMTwins <- findTwins(SRM)

# Interpretation example
aFamily <- SRMTwins[which(is.finite(SRMTwins))][1]
twinsInFamily <- which(SRMTwins == aFamily)
TS[twinsInFamily,]
# The values in TS are very similar
# The columns in the recurrence matrix are identical,
# although this cannot be observed directly
# because of the way KarsTS stores recurrence matrices
```

fnnKTS

fnn: plots embedding dimension vs false nearest neighbors

Description

This function plots embedding dimension vs false nearest neighbors using `tseriesChaos::false.nearest` and `tseriesChaos::plot.false.nearest`. It is used to find the minimum embedding dimension. It is used through the button FNN in the Plots Menu.

Author(s)

Marina Saez andreu

functToExport

functToExport: functions to export

Description

This function exports the function KarsTS::KarsTS. It is used internally.

Usage

functToExport()

Details

Other objects documente here:

makeGlobal is a vector containing the variables to declare global.It is used internally.

KTSEnv is the environment where the loaded data sets are and it can be accessed directly from the R console. We reccomend to use KarsTS to manipulate the data sets; however, the user can handle them directly from R in order to apply functionalities not included in KarsTS. If that is the case, be careful to produce data sets with the right format; otherwise, KarsTS will not recognize them. See the User’s Guide for more information.

Author(s)

Marina Saez Andreu

gamKTS

A function to fill values by means of a generalized additive model

Description

This function is used to fill gaps using a generalized additive model (gam) with tensor smoothing. It is used through the Multivariate Splines in the Filling Menu. Although the gam model is not necessarily a multivariate spline, the button has this name because we think is more familiar to the users.

Details

The user selects the time series to fill and a set of predictor time series. The function fits a generalized linear model a gap and uses the model to fill the gap. This is done for every gap in the gap set. It is used through the Multivariate Splines in the Filling Menu. The user can choose a fixed d.f. regression spline or a penalized regression spline. It is also possible to choose any of the smoothing bases allowed by the function mgcv::te.

Value

The filled time series in the environment `KTSEnv` and a summary of the results on the output window.

Author(s)

Marina Saez Andreu

<code>gapCheckedTF</code>	<i>gapCheckedTF: identifies checked gap sets</i>
---------------------------	--

Description

This function identifies which gap sets have been checked from a check box

Usage

```
gapCheckedTF(prefix = "gcbValue", envir = KTSEnv)
```

Arguments

<code>prefix</code>	A prefix to reconstruct the names that were assigned to the variables in the check box.
<code>envir</code>	The environment

Value

A logical vector

Author(s)

Marina Saez Andreu

<code>gapDetect</code>	<i>gapDetect: identifies the gap sets currently loaded</i>
------------------------	--

Description

This function identifies the gap sets currently loaded in the environment `KTSEnv`

Usage

```
gapDetect()
```

Value

A vector containing the names of the gap sets

Author(s)

Marina Saez Andreu

<code>gapForSelMethod</code>	<i>gapForSelMethod: gap set to fill</i>
------------------------------	---

Description

This function finds which gap the user selected to apply a filling method on it. If none was selected, it creates a gap set containing all the gap sets in the time series.

Usage

```
gapForSelMethod(selTsName, selTs, envir = KTSEnv)
```

Arguments

<code>selTsName</code>	The time series name
<code>selTs</code>	The time series
<code>envir</code>	The environment

Value

A list containing the selected gap set name and the gap set. If the user did not select any gap set or there is no gap set in the environment, the function creates a gap set containing all the gaps in the time series. Its name is All plus the time series name.

Author(s)

Marina Saez Andreu

genGapExample *A function to generate a gap set example*

Description

A function to generate a gap set example. It can be assigned to the KTSEnv environment.

Usage

```
genGapExample(timSer, lGaps, nGaps, name = "GS", InKTSEnv = TRUE)
```

Arguments

timSer	The time series where the gaps are generated
lGaps	The length of the gaps
nGaps	The number of gaps
name	A name for the gap set. It defaults to GS. When InKTSEnv is FALSE, the name is not necessary.
InKTSEnv	Assign to the environment KTSEnv (TRUE) or not (FALSE)

Value

The gap set

Author(s)

Marina Saez Andreu

Examples

```
# Generate a time series

RW <- genTSEExample(stationary = FALSE, InKTSEnv = FALSE)

# Generate 2 gaps of 50 NAs each
G.2.50 <- genGapExample(RW, 50, 2, InKTSEnv = FALSE)

RW1 <- RW
RW1$value[G.2.50$gaps] <- NA
graphics::plot(RW, type = "l", col = "red")
graphics::points(RW1, type = "l", col = "blue")

# The same in the environment KTSEnv
removeIfExists(c("G.2.50", "RW1"), envir = environment())
genGapExample(RW, 50, 2, name = "G.2.50")

RW1 <- RW
```

```
RW1$value[KTSEnv$G.2.50$gaps] <- NA
graphics::plot(RW, type = "l", col = "red")
graphics::points(RW1, type = "l", col = "blue")
```

genRmExample

A function to generate a recurrence matrix example

Description

A function to generate a recurrence matrix example. It can be assigned to the KTSEnv environment.

Usage

```
genRmExample(name = "SRM", InKTSEnv = TRUE, plotRM = FALSE)
```

Arguments

name	A name for the recurrence matrix. When the local environment is used instead of KTSEnv, the name is still necessary for the recurrence plot title.
InKTSEnv	Assign the output to the KTSEnv (TRUE) or to the local environment (FALSE)
plotRM	Plot the recurrence matrix (TRUE) or not (FALSE)

Details

The recurrence matrix is calculated on a sinusoidal time series composed with a random walk. The embedding dimension is 2, the delay is 290 and the threshold is 20.

Value

The recurrence matrix and the time series

Author(s)

Marina Saez Andreu

Examples

```
res <- genRmExample(name = "RmExample", InKTSEnv = FALSE, plotRM = FALSE)
res$newSimpRM
res$TS
```

genTSEexample *A function to generate an example time series*

Description

This function generates an example time series. The dates range from 2015 to 2016 and the sampling period is half an hour. The time series can be white noise or a random walk. It can be assigned to the KTSEnv environment.

Usage

```
genTSEexample(stationary = TRUE, name = "TS", InKTSEnv = TRUE)
```

Arguments

stationary	Generate white noise (TRUE) or a random walk (FALSE)
name	A name for the time series. It defaults to TS. When InKTSEnv is FALSE, the name is not necessary.
InKTSEnv	Assign to the environment KTSEnv (TRUE) or not (FALSE)

Value

The time series

Author(s)

Marina Saez Andreu

Examples

```
# Generate white noise and assign to the KTSEnv environment
genTSEexample(stationary = TRUE, name = "WN")
graphics::plot(KTSEnv$WN, type = "l")

# Generate random walk and not assign to the KTSEnv environment
RW <- genTSEexample(stationary = FALSE, InKTSEnv = FALSE)
graphics::plot(RW, type = "l")
```

getClassEnvir	<i>getClassEnvir: get objects of a class from an environment</i>
---------------	--

Description

This function identifies objects of a class in an environment

Usage

```
getClassEnvir(classGet = "list", envir = KTSEnv)
```

Arguments

classGet	The class
envir	The environment

Value

A vector with the names of the objects

Author(s)

Marina Saez Andreu

Examples

```
## Generate a time series
genTSExample(name = "TS", InKTSEnv = TRUE)
## Generate some gap sets consisting of four gaps of 3 NAs each
genGapExample(KTSEnv$TS, 3, 4, name = "NewGapSet1", InKTSEnv = TRUE)
genGapExample(KTSEnv$TS, 3, 4, name = "NewGapSet2", InKTSEnv = TRUE)
genGapExample(KTSEnv$TS, 3, 4, name = "NewGapSet3", InKTSEnv = TRUE)

KTSEnv$NoGapSet <- list(1:6, 3:4, "Lemon")

# Get the lists in KTSEnv (gap sets and other)
listsInKTSEnvget <- getClassEnvir(classGet = "list", envir = KTSEnv)
# Detect gap sets in the environment KTSEnv
detectedGapSets <- gapDetect()

listsInKTSEnvget
detectedGapSets
```

getCoordsKTS	<i>getCoordsKTS: get coordinates from a plot</i>
--------------	--

Description

This function allows to manually select points from a plot and get their coordinates. It is used through the button Get coordinates in the Plots menu.

Details

This function has two steps. In the first place, it is necessary to select a time series and plot it. The plot appears on a pop-up window. Then, the user clicks on one or more points and they turn green. When the user presses the Write results button, a list of coordinates (time and value) appears on the output window.

Author(s)

Marina Saez Andreu

getCRP	<i>getCRP: gets the correlation probability of recurrence</i>
--------	---

Description

This function calculates the correlation probability of recurrence of two systems, given by their recurrence matrices.

Usage

```
getCRP(prob1, prob2, xLims, doPlot = FALSE, main = "plotTitle")
```

Arguments

prob1	Probability of recurrence of the first matrix
prob2	Probability of recurrence of the second matrix
xLims	X range where the correlation probability will be calculated. The diagonals very close or very far from the main diagonal are usually discarded for estimating the CPR.
doPlot	Get a plot (TRUE) or not (FALSE)
main	Title for the plot

Value

Correlation probability of recurrence (CPR)

Author(s)

Marina Saez Andreu

References

Romano, M. C. (2004). Synchronization Analysis by Means of Recurrences in Phase Space, Universitat Postdam. Doctoral dissertation.

getDelayCharTimes *getDelayCharTimes: transforms dates from character to numeric.*

Description

This function transforms a set of dates (given as character) to numeric after testing that their format is allowed by KarsTS.

Usage

```
getDelayCharTimes(initialTimes, tz = NULL)
```

Arguments

initialTimes The dates
tz The time zone

Value

A vector with the times in numeric form

Author(s)

Marina Saez Andreu

getFANRM2 *getFANRM2: creates a fixed amount of neighbours (FAN) matrix via console.*

Description

This function creates a fixed amount of neighbours (FAN) matrix via console from a time series. To create a FAN matrix via interface, see the function createFAN.

Usage

```
getFANRM2(selTs, embedDim, lagDelay, threshold, theilerWin, fan)
```

Arguments

selTs	A univariate time series in KarTS format.
embedDim	The embedding dimension.
lagDelay	The delay (in lags).
threshold	The threshold.
theilerWin	The Theiler's window (in lags).
fan	The fixed amount of neighbours.

Details

In case you do not want to embed your time series, set embedDim to 1 and lagDelay to 0. If you do not want to apply a Theiler's window, set theilerWin to 0. The threshold will determine in the first place the number of neighbors of each point; then, the fixed amount of neighbours will determine how many of those are kept. For example, if a point A has 10 neighbors (according to the threshold) and the fan is 5, the point A will have 5 neighbors in the output matrix. However, if a point B has only 4 neighbors (according to the threshold), the number of neighbors of B in the output matrix will be 4. If you want a matrix with a truly fixed amount of neighbors, give the threshold a value high enough to render it useless.

Value

A list containing the X and Y positions of the recurrent points in the FAN recurrence matrix.

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

getGapsAfterFill	<i>getGapsAfterFill: get the remaining gaps</i>
------------------	---

Description

This function identifies which gaps remain in a time series after applying a filling method. It is used internally.

Usage

```
getGapsAfterFill(filledTS, selGap, envir = KTSEnv)
```

Arguments

filledTS	The filled time series
selGap	The gap set that was meant to be filled
envir	The environment

Value

It returns a list containing two data frames: one of them lists the remaining gaps and the other, the filled gaps.

Author(s)

Marina Saez Andreu

getMaxNegSlope *getMaxNegSlope: get the maximum negative slope*

Description

This function returns the greater negative difference in a time series (greater in absolute value). It is used internally.

Usage

```
getMaxNegSlope(timSerVals)
```

Arguments

timSerVals	The time series (only the values, not the times)
------------	--

Author(s)

Marina Saez Andreu

getMaxPosSlope	<i>getMaxPosSlope: get the maximum negative slope</i>
----------------	---

Description

This function returns the greater positive difference in a time series. It is used internally.

Usage

```
getMaxPosSlope(timSerVals)
```

Arguments

timSerVals The time series (only the values, not the times)

Author(s)

Marina Saez Andreu

getNAsGaps	<i>getNAsGaps: get the gaps in a time series</i>
------------	--

Description

This function identifies the gaps existing in a time series and returns a table. It is used internally.

Usage

```
getNAsGaps(y)
```

Arguments

y The time series (only values, not times)

Value

A matrix listing the initial and final indices of each gap

Author(s)

Marina Saez Andreu

getNewGapsInd	<i>A function to create random gaps</i>
---------------	---

Description

This function creates nGaps gaps of length lGaps in the time series timSer. It is used internally. The gaps do not overlay amongst them; they do not overlay pre-existing gaps either.

Usage

```
getNewGapsInd(timSer, lGaps, nGaps)
```

Arguments

timSer	The time series where the gaps will be created.
lGaps	The length of the gaps
nGaps	The number of gaps.

Value

A vector containing the indices of the gaps

Author(s)

Marina Saez Andreu

Examples

```
# Create time series
TS <- genTSExample(InKTSEnv = FALSE)[1:50,]

# Create 3 gaps of 7 NAs each
gInd <- getNewGapsInd(TS, 7, 3)

# Create time series duplicate and apply the gaps
TS1 <- TS
TS1$value[gInd] <- NA

#Compare
cbind(TS, TS1$value)
```

getOtherErrEstim	<i>getOtherErrEstim: get some error estimates from a linear fit</i>
------------------	---

Description

This function gets the relative root mean square error, the mean absolute error and bias error.

Usage

```
getOtherErrEstim(observed, predicted)
```

Arguments

observed	Observed values
predicted	Predicted values

Author(s)

Marina Saez Andreu

getProTaos	<i>getProTaos: calculate the probability of recurrence</i>
------------	--

Description

This function calculates the probability of recurrence of a system, given by a recurrence matrix in KarsTS format. The RP is calculated for each diagonal (upper triangle).

Usage

```
getProTaos(RecMat, xlim = NULL, main = NULL, doPlot = TRUE)
```

Arguments

RecMat	A recurrence matrix in KarsTS format
xlim	X range of the plot.
main	Plot title
doPlot	Get the plot or not

Value

A list containing

Tao	The diagonals where the RP was calculated
Prob	The RP for each diagonal

Author(s)

Marina Saez Andreu

References

Romano, M. C. (2004). Synchronization Analysis by Means of Recurrences in Phase Space, Universitat Postdam. Doctoral dissertation.

getRecurrencePoints *A function to get recurrent points in a time series*

Description

This function is the core of the function createSimpleRm. It finds the recurrence points in a time series, possibly embedded.

Usage

```
getRecurrencePoints(timSer, embedDim, lagDelay, threshold)
```

Arguments

timSer	The time series
embedDim	The embedding dimension
lagDelay	The delay for the embedding (in lags)
threshold	The threshold

Details

Two points in the phase space are recurrent when the distance between them (infinite norm) is less than the threshold.

In a recurrence matrix the X positions read rightwards and the Y positions read upwards. Recurrence matrices are symmetric and their diagonal (line X = Y) cannot contain not-recurrent points. For this reason, only the upper triangle is stored.

Value

A list containing the X and Y positions of the recurrent points in the recurrence matrix (upper triangle)

Author(s)

Marina Saez Andreu

Examples

```
# # Generate time series
timSer <- genTSExample(stationary = FALSE, InKTSEnv = FALSE)
graphics::plot(timSer)

# # Calculate recurrence matrix
RP <- getRecurrencePoints(timSer, 1, 0, threshold = 0.1)
X <- RP$recPointsX
Y <- RP$recPointsY

# # Recurrence plot
LT <- nrow(timSer)
graphics::par(pty = "s")
# Upper triangle
graphics::plot(timSer$time[X], timSer$time[Y], cex = 0.3, col = 4, xlab = "", ylab = "")
# Lower triangle
graphics::points(timSer$time[Y], timSer$time[X], cex = 0.3, col = 4)
# Diagonal
graphics::points(1:LT, 1:LT, cex = 0.3, col = 4)

graphics::par(pty = "m")
```

getRollStatistics

getRollStatistics: get rolling statistics It is used internally

Description

This function calculates a certain statistic in centered sliding windows along a time series. The available statistics are: minimum, first quartile, median, mean, third quartile, maximum and standard deviation. Incomplete windows can be assigned NA (option tailsTS = FALSE); alternatively, the statistic can be calculated with the available values.

Usage

```
getRollStatistics(selTs, selTsName, slidingWin, tailsTS = FALSE, selStatistic)
```

Arguments

selTs	The input time series
selTsName	The input time series name
slidingWin	The sliding window size
tailsTS	The action regarding the tails (TRUE or FALSE)
selStatistic	A data frame containing seven columns. Each column corresponds to a statistic. When the user selects a statistic, its value is TRUE; otherwise, it is FALSE.

Value

For each selected statistic, the function creates a time series in the environment `susEnv` (for example, a time series of mean values).

Author(s)

Marina Saez Andreu

<code>getSamPerTable</code>	<i>getSamPerTable: get sampling periods table</i>
-----------------------------	---

Description

This function divides a time series in pieces with a single sampling period and either values or missing values. Internally, this function separates true missing values from missing values that are the result of the existence of different sampling periods in the time series. Note that `KarsTS` time series are regular; when a time series with different time steps is loaded, NAs are added to achieve regularity. It is used internally.

Usage

```
getSamPerTable(timSer, sampPer)
```

Arguments

<code>timSer</code>	The input time series
<code>sampPer</code>	A vector that contains the existing sampling periods.

Value

It returns a data frame listing all the pieces.

Author(s)

Marina Saez Andreu

<code>getSamPerTable.1Freq</code>	<i>getSamPerTable.1Freq: get sampling periods table (time series with one frequency)</i>
-----------------------------------	--

Description

This function is a simplified version of `getSamPerTable` for time series that have a single sampling period. It is used internally.

Author(s)

Marina Saez Andreu

getScreenSize	<i>getScreenSize: gets the computer screen size</i>
---------------	---

Description

This function gets the computer screen size. It is used internally.

Usage

```
getScreenSize()
```

Value

The width and height of the screen are assigned to the environment `susEnv`.

Author(s)

Marina Saez Andreu

getStatistics	<i>getStatistics: calculates the statistics of a time series</i>
---------------	--

Description

This function calculates the minimum, first quartile, median, mean, third quartile, maximum and standard deviation of a time series. It is used internally.

Usage

```
getStatistics(selTs)
```

Arguments

<code>selTs</code>	The time series
--------------------	-----------------

Value

A vector containing the statistics values

Author(s)

Marina Saez Andreu

getUniqueSampPer	<i>getUniqueSampPer: get unique sampling periods</i>
------------------	--

Description

This function get the time steps existing in a time series and sorts them according to the number of times they appear (starting by the most repeated). It returns a table with this information. It is used internally.

Usage

```
getUniqueSampPer(timeSer)
```

Arguments

timeSer	The time series
---------	-----------------

Author(s)

Marina Saez Andreu

goodnessFilling	<i>goodnessFilling: estimate the goodness of the filling</i>
-----------------	--

Description

This function performs a linear fit between observed and predicted values. The predicted values come from an artificial gap set that has been filled. When true missing values are imputed, it is impossible to estimate the goodness of the filling. It is used through the Check filling button in the Filling menu.

Value

A summary of the fit in the output window and different plots in pop-up windows.

Author(s)

Marina Saez Andreu

groupDates *groupDates: groups dates*

Description

This function transforms the output of the function groupIndices from indices to dates. It is used internally.

Usage

```
groupDates(rawIndices, TimSer)
```

Arguments

rawIndices The indices
TimSer The time series to which the indices belong.

Author(s)

Marina Saez Andreu

Examples

```
X <- sort(sample(1:50,25))  
TS <- genTSExample(InKTSEnv = FALSE)  
groupIndices(X)  
groupDates(X, TS)
```

groupIndices *groupIndices: group indices*

Description

This function groups a set of sorted indices. For example: 1,2,3,50,100,101,102,103 would be grouped as follows: 1-3, 50, 100-103. It is used internally.

Usage

```
groupIndices(rawIndices)
```

Arguments

rawIndices The indices

Value

It returns a data frame. Each row corresponds to a group. The columns are: initial index, final index and group length.

Author(s)

Marina Saez Andreu

Examples

```
X <- sort(sample(1:50,25))
X
groupIndices(X)
```

histKTS

histKTS: plots histogram

Description

This function plots the histogram of a time series values. Its inputs are the time series and, optionally, the approximate number of bars. It is used internally through the button Histogram in the Plots menu

Author(s)

Marina Saez Andreu

invariantsKTS

invariantsKTS: invariant plots

Description

This function estimates the correlation sum and dimension and the KS Entropy through the functions `nonlinearTseries::corrDim` and `nonlinearTseries::sampleEntropy`. It returns three plots: correlation sum, correlation dimension and sample entropy. The first two appear on the same pop-up window. It is used internally through the button Invariants in the Analysis menu.

Author(s)

Marina Saez Andreu

isTimeAlright *isTimeAlright: checks whether a set of dates fits KarsTS format*

Description

This function checks whether a set of dates format is correct according to KarsTS specifications. It is used internally.

Usage

```
isTimeAlright(timeCharacter, tz = KTSEnv$timeZone)
```

Arguments

timeCharacter A vector containing the dates as character.
tz The time zone.

Author(s)

Marina Saez Andreu

KarsTS *KarsTS: launches KarsTS*

Description

This function is used to launch KarsTS interface. This is the only function in the package that is called through the R command window. The rest are used internally or manipulated via interface. If the user closes the interface accidentally, this function can be simply run again.

Usage

```
KarsTS(skipWelcome = FALSE)
```

Arguments

skipWelcome When TRUE, the interface main screen appears directly

Author(s)

Marina Saez Andreu

laminarityKTS

laminarityKTS: estimate laminarity

Description

This function is used to study the laminarity of a system, based on the number and length of the vertical lines that contains the recurrence matrix that represents the system. It is used internally through the button Laminarity in the Anaylisis menu.

Value

The following outputs are written on KarsTS output window: recurrence rate, laminarity, ratio and summary of the lengths of the vertical lines. Besides, a new window containing a histogram of vertical lines pops up.

Author(s)

Marina Saez Andreu

References

Marwan,R., Romano, M.C., Thiel,M., Kurths,J.(2007): Recurrence plots for the analysis of complex systems. Physics Reports 438, 237-329.

linCorrKTS

linCorrKTS: linear correlation plot

Description

This function plots the autocorrelation and partial autocorrelation functions or the cross correlation function, depending on the number of input time series. It is used internally through the Linear correlation button in the Plots menu.

Author(s)

Marina Saez Andreu

linearityKTS	<i>linearityKTS: linearity tests</i>
--------------	--------------------------------------

Description

This function runs a number of linearity tests using the functions surrogateTest and nonlinearityTest from package nonlinearTseries. It is used internally through the Linearity button in the Analysis menu.

Author(s)

Marina Saez Andreu

loadAllTypes	<i>loadAllTypes: load all types of data sets</i>
--------------	--

Description

This function loads all types of data sets (time series, data sets and recurrence matrices). It generates two buttons: one is used to load R files and the other is used to import csv and txt files. The function automatically recognizes the type of data set, checks whether the format is right and places the data sets in the environment susEnv. It is used through the Load button in the Time Series or the Gap Sets menus.

Author(s)

Marina Saez Andreu

loadKarsTSFonts	<i>loadKarsTSFonts: load KarsTS fonts</i>
-----------------	---

Description

This function creates fonts for KarsTS and assign them to the environment susEnv. It is used internally.

Usage

```
loadKarsTSFonts()
```

Author(s)

Marina Saez Andreu

loessKTS	<i>loess: loess smoothing</i>
----------	-------------------------------

Description

This function performs a loess smoothing using the function `stats::loess`. The user has to enter the time series and the alpha parameter. Optionally, the user can enter the control parameter and some predictor time series. It is used through the Loess smooth. button in the Analysis menu.

Author(s)

Marina Saez Andreu

mainScreen	<i>mainScreen: launches the main screen</i>
------------	---

Description

This function launches KarsTS main screen when the welcome screen is destroyed. It is used internally.

Usage

```
mainScreen()
```

Author(s)

Marina Saez Andreu

meanValue	<i>meanValue: mean value filling</i>
-----------	--------------------------------------

Description

This function replaces each missing value by the mean (or median) of the values located in equivalent positions in the periods around. It is used through the button Mean Value in the Filling menu.

Details

The user needs to enter the following inputs: time series, period, number of surrounding periods to consider, maximum number of iterations, minimum number of observations at one side and statistic (median or mean). Note that the surrounding periods can have missing values also; they can even be completely missing. The method can be applied iteratively, although it is not advisable to use many iterations because filling missing values does not increase the real amount of information available. In case the missing values concentrate at one side, the filling might be biased. The minimum number of observations at one side is useful to discard these biased fillings.

Value

The filled time series in the environment susEnv and a summary of the results on the output window.

Author(s)

Marina Saez Andreu

mergeTsOrGap

mergeTsOrGap: merges time series or gap sets

Description

This function merges two or more time series and two or more gap sets. The time series cannot overlap and must have the same unique sampling period. The gap sets must come from time series with the same initial date and sampling period. It is used through the button Merge of the Time Series or the Gap Sets menus.

Value

The merged time series, the merged gap set or both.

Author(s)

Marina Saez Andreu

missForestKTS

missForestKTS: filling missing values with random forest algorithm

Description

This function is used to fill missing values using the function missForest::missForest. The user must choose the input and output time series, the number of trees and the maximum number of iterations. It is used through the button MissForest in the Filling menu.

Value

The filled time series in the environment KTSEnv and a summary of the results on the output window.

Author(s)

Marina Saez Andreu

modeKTS	<i>modeKTS: computes the mode</i>
---------	-----------------------------------

Description

This function computes the mode after removing missing values.

Usage

```
modeKTS(x)
```

Arguments

x	The data
---	----------

Author(s)

Marina Saez Andreu

mutInf	<i>mutInf: mutual information</i>
--------	-----------------------------------

Description

This function calculates the mutual information between two time series via interface. The core functions belong to the package infotheo.

Author(s)

Marina Saez Andreu

mutualKTS	<i>mutualKTS: plots the mutual information</i>
-----------	--

Description

This function computes the average mutual information using the function `tseriesChaos::mutual` and plots the result. As in the linear correlation button, the input can be one or two time series. It is used through the Mutual button in the Plots menu.

Author(s)

Marina Saez Andreu

myApplyVector	<i>myApplyVector: apply type function</i>
---------------	---

Description

This function applies a function to the elements of a vector so that the result for each element is located in a row in a matrix. It is used internally.

Usage

```
myApplyVector(FUN = NULL, dataVector = NULL, out.ncols = 1, ...)
```

Arguments

FUN	the function to apply
dataVector	The vector to which elements apply the function
out.ncols	Number of columns for the output matrix
...	Further arguments to passed

Author(s)

Marina Saez Andreu

Examples

```
exampleF <- function(X){c(X + 5, X*5)}
myApplyVector(FUN = exampleF, dataVector = 1:10, out.ncols = 2)
```

myLinModel	<i>myLinModel: performs a linear fit</i>
------------	--

Description

This function is used to perform a linear model between observed and predicted values. It also prepares the outputs to be written on the output window and plots different graphics. It is the core of the goodnessFilling function.

Usage

```
myLinModel(observed, predicted)
```

Arguments

observed	Observed values
predicted	Predicted values

Author(s)

Marina Saez Andreu

myScale	<i>myScale: scaling function</i>
---------	----------------------------------

Description

This function is used to scale one or more variables with the possibility of removing the attributes from the `base::scale` output. It is also possible to perform a robust scaling using the median and the median absolute deviation instead of the mean and the standard deviation. It is used internally.

Usage

```
myScale(inputMatrix, scaleType = "Robust", outputType = c("outDef", "outList", "outNo"))
```

Arguments

inputMatrix	Matrix containing the variables to scale.
scaleType	Robust scaling or not
outputType	Three types of outputs: output as in <code>base::scale</code> , attributes removed but stored in a list and no attributes at all.

Author(s)

Marina Saez Andreu

naApproxKTS	<i>naApproxKTS: filling by linear interpolation</i>
-------------	---

Description

This function fills missing values in a time series by means of linear interpolation. It is used through the Linear button in the Filling menu.

Value

The filled time series in the environment `KTSEnv` and a summary of the results on the output window.

Author(s)

Marina Saez Andreu

NAs4Resamp

NAs4Resamp: upsamples a time series.

Description

NAs4Resamp introduces NAs in a time series for upsampling, via interface. The user needs to provide the new sampling period in seconds. This function only introduces NAs, then they need to be filled (menu Filling methods).

Value

The upsampled time series in KarsTS format.

Author(s)

Marina Saez Andreu

naSplinesKTS

naSplinesKTS: filling by spline interpolation

Description

This function fills missing values in a time series by means of splines interpolation. It is used through the Splines button in the Filling menu.

Value

The filled time series in the environment KTSEnv and a summary of the results on the output window.

Author(s)

Marina Saez Andreu

normalityKTS

normalityKTS: normality tests

Description

This function runs a number of normality tests using the functions uniNorm, mardiaTest and hzTest from package MVN. It is used through the Normality button in the Analysis menu.

Author(s)

Marina Saez Andreu

packagesToImport	<i>packagesToImport: packages to import to KarsTS</i>
------------------	---

Description

This function imports from other packages the functions that KarsTS needs. It is used internally.

Usage

```
packagesToImport()
```

Author(s)

Marina Saez Andreu

pcaKTS	<i>pcaKTS: principal component analysis</i>
--------	---

Description

This function performs a principal component analysis using the function prcomp. It is used through the button PCA in the Analysis menu.

Value

The punctuations as new time series in the environment KTSEnv. A summary on the output window, including the loadings and the variance explained.

Author(s)

Marina Saez Andreu

plotTimeSeries	<i>plotTimeSeries: plot time series</i>
----------------	---

Description

This function is used to plot one or more time series. They can be plotted using lines, points or both. The plot can appear on the plot window (main screen) or in a new window. In the second case, it is possible to select a part of the time series and plot it in another window. It is used through the Plots button in the Plots menu.

Author(s)

Marina Saez Andreu

readMultEntryvalues *readMultEntryvalues: verifies multiple entry values*

Description

This function verifies that the values of multiple text entries are valid.

Usage

```
readMultEntryvalues(nElements, prefix = "entValue", type = "character")
```

Arguments

nElements	Number of entries
prefix	A prefix that has been previously used to name the variables associated to the entries.
type	The required type of element: character, integer or real.

Value

The text entry values transformed in integer or real if necessary. If the value is not valid the function returns NA.

Author(s)

Marina Saez Andreu

refreshDataSetsList *refreshDataSetsList: refreshes KarsTS data set list*

Description

This function identifies the time series, gap sets and recurrence matrices present in the environment susEnv. It returns a list of data sets, which is assigned to susEnv so that it is accesible from all the package functions.

Usage

```
refreshDataSetsList(outp = TRUE)
```

Arguments

outp	when outp = TRUE, it shows a summary of the data sets on the output window.
------	---

Details

The function is used internally every time a new data set is created in order to refresh the data set list. From this list, KarsTS extracts information every time it creates a check box or radiobutton of gap sets. Optionally, information about the data sets appears on the output window (when `outp = TRUE`). This happens when the user runs the function by means of the button List in the Time Series or Gap Sets menus. In this case, the user gets to see the information.

Value

It returns a list containing: the time series names, the number of time series, the gap sets names, the number of gap sets, the recurrence matrices names and the number of recurrence matrices.

Author(s)

Marina Saez Andreu

removeAllTypes	<i>removeAllTypes: removes data sets</i>
----------------	--

Description

This function removes all types of data sets (time series, gap sets, recurrence matrices) from the environment `susEnv`. It is used through the button Remove in the Time Series or Gap Sets menus.

Author(s)

Marina Saez Andreu

removeIfExists	<i>removeIfExists: remove if exists</i>
----------------	---

Description

This function checks whether a variable exists and removes it in case it does. It is used to clean `KTSEnv` from global variables created as by-products of the procedures. It is used internally.

Usage

```
removeIfExists(candidates, envir = KTSEnv)
```

Arguments

<code>candidates</code>	The names of the variables to remove.
<code>envir</code>	The environment

Author(s)

Marina Saez Andreu

Examples

```
# Create a vector in the KTSEnv environment
KTSEnv$ThisExists <- 1:30

# It does not throw an error when the element to remove does not exist
removeIfExists(c("ThisExists", "ThisDoesNot"), envir = KTSEnv)
```

removePoints	<i>removePoints: graphically remove points from a time series</i>
--------------	---

Description

This function is used to remove from a time series a set of graphically selected points. It is useful to remove outliers. It is used through the Remove Points button in the Plots menu.

Details

The points are actually removed from a copy of the time series, which is called by default timeSeriesName_pr. The points to remove are selected by dragging the mouse over them. All points within a radius are selected; the user can control this radius (or threshold) via interface.

Value

A new time series where the selected points values have been replaced by NAs.

Author(s)

Marina Saez Andreu

renameAllTypes	<i>renameAllTypes: rename all types of data sets</i>
----------------	--

Description

This function is used to rename time series, gap sets or recurrence matrices. The data set with the original name is kept. It is used through the Rename button in the Time Series or the Gap Sets menus.

Author(s)

Marina Saez Andreu

rmCheckedTF	<i>rmCheckedTF: identifies checked recurrence matrices</i>
-------------	--

Description

This function identifies which time series have been checked from a check box.

Usage

```
rmCheckedTF(prefix = "rcbValue", envir = KTSEnv)
```

Arguments

prefix	A prefix to reconstruct the names that were assigned to the variables in the check box.
envir	The environment

Value

A logical vector

Author(s)

Marina Saez Andreu

rmDetect	<i>rmDetect: identifies the recurrence matrices currently loaded</i>
----------	--

Description

This function identifies the recurrence matrices currently loaded in the environment susEnv. It is used internally.

Usage

```
rmDetect()
```

Value

A vector containing the names of the recurrence matrices

Author(s)

Marina Saez Andreu

rmSlopeOutliers	<i>rmSlopeOutliers: slope filter</i>
-----------------	--------------------------------------

Description

This function filters the slope (difference) outliers in a time series. It finds the greater outlier, it removes the value causing it and it tries to re-fill value by linear interpolation. Then the greater outlier in the modified time series is found and so on. It is used internally.

Usage

```
rmSlopeOutliers(tS = NULL, origMxPosSlope = NULL, origMxNegSlope = NULL, filling = NULL)
```

Arguments

tS	The time series
origMxPosSlope	The maximum allowed positive slope. Greater slopes are considered as outliers.
origMxNegSlope	The maximum allowed negative slope. Greater slopes (in absolute value) are considered as outliers.
filling	The positions in the time series corresponding to filled values(that is, not actual observations).When this argument is not null, the actual observations remain untouched whether if they cause outliers or not.

Value

The smoothed time series. The function stops when there are no more outliers or when it reaches 100000 iterations. This is a safety measure to avoid infinite loops.If the time series still contains outliers, run the function again.

Author(s)

Marina Saez andreu

rollStatisticsKTS	<i>rollStatisticsKTS: rolling statistics</i>
-------------------	--

Description

This function gathers, via interface, the outputs that are necessary to run the function getRollStatistics. It is used through the button Rolling statistics in the Analysis menu.

Author(s)

Marina Saez Andreu

roundKTS

roundKTS: rounding

Description

This function rounds the values of one or more time series to a number of decimal places or significant digits. When the user enters both, the significant digits option takes priority. It is used through the button Round in the Time Series menu.

Value

The rounded time series in the environment KTSEnv.

Author(s)

Marina Saez Andreu

RPKTS

Recurrence of probability

Description

RPKTS: This function is used to calculate the recurrence probability via interface

Details

When two time series are selected, KarsTS calculates their correlation probability of recurrence too.

Author(s)

Marina Saez Andreu

References

Romano, M. C. (2004). Synchronization Analysis by Means of Recurrences in Phase Space, Universitat Postdam. Doctoral dissertation.

saveAllTypes	<i>saveAllTypes: saves all types of data sets.</i>
--------------	--

Description

This function saves all types of data sets (time series, gap sets or recurrence matrices) to one or more R files in the working directory. When various data sets are to be saved to the same file, the user must provide name; otherwise, the file bear the name of the data set. Through the button save in the Time Series or the Gap Sets menu.

Author(s)

Marina Saez Andreu

saveReport	<i>saveReport: saves report</i>
------------	---------------------------------

Description

This function saves the contents of the output window to a txt file in the working directory. The file name is report plus the date of creation. Through the button Save report to txt file (lower part of the main screen).

Author(s)

Marina Saez Andreu

scaleKTS	<i>scaleKTS: scale time series</i>
----------	------------------------------------

Description

This function is used to scale or more time series. It handles the inputs and outputs of the myScale function. Through the button Scale in the Time Series menu.

Author(s)

Marina Saez Andreu

scattTimeSeries *A function for plotting time series in the phase space*

Description

This function plots time series in a two dimensional or three dimensional phase space. The time series can be embedded so that the sum of the dimension of all time series is 2 or 3. Is is used through the Phase Portraits button in the Plots Menu.

Author(s)

Marina Saez Andreu

selectionGaps *selectionGaps: select gaps in a time series*

Description

This function is used create a gap set from a time series. The new gap set contains the gaps that meet some criteria. The available criteria are: all gaps, minimum length, maximum length and specific gaps (selected from a list). The user can choose one or more criteria. Through the button Gap selection in the Gap Sets menu.

Details

The criteria can be combined in two ways: a. (minimum length and maximum length) and specific gaps; b. (minimum length or maximum length) and specific gaps. When the user chooses only one length criterion, the combination must be the second (the first one would produce and empty gap).

Value

A gap set gathering the required gaps.

Author(s)

Marina Saez Andreu

selectionTS	<i>selectionTS</i>
-------------	--------------------

Description

This function is used to cut a piece of time series, resample a time series or both. The user chooses the initial and final dates of the new time series and the resampling factor. The dates default to the original time series extremes and the resampling factor defaults to 1 (no resampling). Through the Cut and resampling button in the Time Series menu.

Author(s)

Marina Saez Andreu

separateEntry	<i>separateEntry: separates and checks comma-separated entry values</i>
---------------	---

Description

Some text entries in KarsTS consist of a list of values separated by commas. This function separates the values and checks whether they have the appropriate format. It is used internally.

Usage

```
separateEntry(y, class1 = verifyIntEntry, class2 = verifyCharEntry, noValid = NA)
```

Arguments

y	The value to check
class1	The class the first element should be
class2	The class the second element should be
noValid	The output to return when the input is not valid

setCorrectDate	<i>setCorrectDate: verifies date entry and returns proper output</i>
----------------	--

Description

This function is used inside the verifyDateEntry function, which is used to verify if a date is correct. The function setCorrectDate verifies if the year, month, day, hour, minutes or seconds are correct. For example, the day has to be an integer between 1 and 31, the minutes and seconds must be integers between 0 and 59 etc.

Usage

```
setCorrectDate(x, type)
```

Arguments

x	The element to test
type	The type of element: year, month, day, hour, minute or second

Value

The element if it is valid; NA otherwise.

Author(s)

Marina Saez Andreu

setwdKTS	<i>setwdKTS: set working directory</i>
----------	--

Description

This function is used to change the working directory by means of the Set WD button on the main screen.

Author(s)

Marina Saez Andreu

showHelp	<i>showHelp: shows KarsTS help</i>
----------	------------------------------------

Description

This function is used to open a short help file through the Help button on KarsTS main screen. For further help, a User's Guide in pdf format is available.

Author(s)

Marina Saez Andreu

slopeOutliersBut	<i>slopeOutliersBut: remove slope outliers</i>
------------------	--

Description

This function handles the inputs and outputs from function rmSlopeOutliers. It removes, one by one, points that produce abnormally steep slopes and replaces them by linear interpolation. The peaks are progressively filed down and the result is a smoothed time series. Usually, these outliers are caused by wrong measurements; filling missing values can produce them also. It is used through the button Rm slope Outliers in the Filling menu.

Details

In the first step, the user must choose the time series to smooth and whether if the outliers must be removed from a filling or from the whole time series. In the second step, the user must provide the maximum positive and negative slopes or, alternatively, a reference time series from which calculate them. When the outliers are removed from a filling, the reference time series is the non-filled time series.

Value

The smoothed time series. In order to avoid infinite loops, there is a maximum of 100000 iterations. If, by then, the time series has not been completely smoothed, it will necessary to apply the function again.

Author(s)

Marina Saez Andreu

stationarityKTS	<i>stationarityKTS: stationarity tests</i>
-----------------	--

Description

This function runs a number of stationarity tests using the functions PP.test and Box.test from package stats and adf.test and kpss.test from package tseries. Through the Stationarity button in the Analysis menu.

Author(s)

Marina Saez Andreu

statisticsKTS	<i>statisticsKTS: calculates the statistics of one or more time series</i>
---------------	--

Description

This function handles the inputs and outputs from the function getStatistics, which is used to calculate the statistics of a time series. Through the button Statistics in the Analysis menu.

Value

A table on the output window.

Author(s)

Marina Saez Andreu

stinemannKTS	<i>stinemannKTS: filling by Stinemann's interpolation</i>
--------------	---

Description

This function fills missing values in a time series by means of Stinemann's interpolation. Through the Stinemann's button in the Filling menu.

Value

The filled time series in the environment KTSEnv and a summary of the results on the output window.

Author(s)

Marina Saez Andreu

`stlplusKTS`*stlplusKTS: loess seasonal decomposition*

Description

This function performs a loess seasonal decomposition using the function `stlplus::stlplus`. Through the button `Loess.decomp.` in the Analysis menu.

Details

The user enters via interface the time series, the period, the seasonal window, the trend window and the type of decomposition (additive or multiplicative). Optionally, the trend can be decomposed using more windows.

Value

The trend, the seasonal and the irregular components. These bear the name of the original time series plus `Tr`, `Sea` and `Rem`, respectively. If the trend is further decomposed, the user must enter names for the output components.

Author(s)

Marina Saez Andreu

`theilerKTS`*theilerKTS: apply Theiler's window via interface*

Description

It applies a Theiler's window to a recurrence matrix via interface.

Author(s)

Marina Saez Andreu

tsCheckedTF	<i>tsCheckedTF: identifies checked time series</i>
-------------	--

Description

This function identifies which time series have been checked from a check box. It is used internally.

Usage

```
tsCheckedTF(prefix = "scbValue", envir = KTSEnv)
```

Arguments

prefix	A prefix to reconstruct the names that were assigned to the variables in the check box.
envir	The environment

Value

A logical vector

Author(s)

Marina Saez Andreu

tsDetect	<i>tsDetect: identifies the time series currently loaded</i>
----------	--

Description

This function identifies the time series currently loaded in the environment susEnv It is used internally

Usage

```
tsDetect()
```

Value

A vector containing the names of the time series

Author(s)

Marina Saez Andreu

Examples

```
## Generate a time series
genTSExample(name = "TS", InKTSEnv = TRUE)
## Generate some gap sets consisting of four gaps of 3 NAs each
genGapExample(KTSEnv$TS, 3, 4, name = "NewGapSet1", InKTSEnv = TRUE)
genGapExample(KTSEnv$TS, 3, 4, name = "NewGapSet2", InKTSEnv = TRUE)
genGapExample(KTSEnv$TS, 3, 4, name = "NewGapSet3", InKTSEnv = TRUE)

# Detect time series in the environment KTSEnv
detectedTS <- tsDetect()
detectedTS

# Detect gap sets in the environment KTSEnv
detectedGapSets <- gapDetect()
detectedGapSets
```

verifyCharEntry	<i>verifyCharEntry: verify character entries</i>
-----------------	--

Description

This function reads a variable coming from a text entry and checks whether it is character or not. It is used internally.

Usage

```
verifyCharEntry(x, noValid = "isNoValid")
```

Arguments

x	The element to check
noValid	The output the function will return when the input is not character.

Details

One-character strings are not allowed.

Author(s)

Marina Saez Andreu

Examples

```
verifyCharEntry("Strawberry", noValid = "isNoValid")
verifyCharEntry(235, noValid = "isNoValid")
verifyCharEntry(235, noValid = NA)
```

verifyDateEntry *verifyDateEntry: verify date entries*

Description

This function checks whether a date is valid or not. It has six inputs (seconds, minutes, hours, day, month and year); these come from a set of text entries. It is used internally.

Usage

```
verifyDateEntry(valSecs, valMins, valHour, valDay, valMonth, valYear)
```

Arguments

valSecs	Seconds
valMins	Minutes
valHour	Hour
valDay	Day
valMonth	Month
valYear	Year

Author(s)

Marina Saez Andreu

verifyIntEntry *verifyIntEntry: verify integer entries*

Description

This function reads a variable coming from a text entry and checks whether it is integer or not. It is used internally.

Usage

```
verifyIntEntry(x, noValid = "isNoValid")
```

Arguments

x	The element to check
noValid	The output the function will return when the input is not character.

Author(s)

Marina Saez Andreu

Examples

```
verifyIntEntry("Strawberry", noValid = "isNoValid")
verifyIntEntry(235.6, noValid = NA)
verifyIntEntry(235, noValid = NA)
verifyIntEntry(0235, noValid = NA)
verifyIntEntry(235.0, noValid = NA)
```

verifyRealEntry	<i>verifyRealEntry: verify character entries</i>
-----------------	--

Description

This function reads a variable coming from a text entry and checks whether it is real or not. It is used internally.

Usage

```
verifyRealEntry(x, noValid = "isNoValid")
```

Arguments

x	The element to check
noValid	The output the function will return when the input is not character.

Author(s)

Marina Saez Andreu

Examples

```
verifyRealEntry("Strawberry", noValid = "isNoValid")
verifyRealEntry(235, noValid = NA)
verifyRealEntry(0235, noValid = NA)
verifyRealEntry(235.6, noValid = NA)
```

welcomeScreen	<i>welcomeScreen: launches the welcome screen</i>
---------------	---

Description

This function launches KarsTS welcome screen. It is used internally.

Usage

```
welcomeScreen()
```

Author(s)

Marina Saez Andreu

windRoseKTS	<i>windRoseKTS: wind rose</i>
-------------	-------------------------------

Description

This function plots a wind rose from directional data. The data must be in sexagesimal degrees. It is used through the button Wind Rose in the Analysis menu.

Author(s)

Marina Saez Andreu

writeMethodSummary	<i>writeMethodSummary: writes a summary of the filling method</i>
--------------------	---

Description

This function is internally used when any of the filling methods that KarsTS offers is used. It writes on KarsTS output window information that is shared by all filling methods: which time series and gap set were to fill, which gaps were effectively filled and which remained empty. Filling-method-specific information is written through other functions. It is used internally.

Usage

```
writeMethodSummary(filledNasTable, remainingNAsInGap, selTsName, selGapName, selGap)
```

Arguments

filledNasTable	Table of filled gaps
remainingNAsInGap	Table of gaps that could not be filled. It does not include gaps whose filling was not attempted.
selTsName	Name of the time series that was filled.
selGapName	Name of the gap set that was meant to be filled
selGap	Gap set that was meant to be filled

Author(s)

Marina Saez Andreu

writeMethodTitle	<i>writeMethodTitle: writes a title on KarsTS output window</i>
------------------	---

Description

This function writes a title on KarsTS output window. It is used internally.

Usage

```
writeMethodTitle(titleMethod)
```

Arguments

titleMethod	The text of the title
-------------	-----------------------

Author(s)

Marina Saez Andreu

Index

*Topic **package**

KarsTS-package, 5

aboutKTS, 6

aggregateKTS, 6

anaSamPer, 7

applyGap2TSer, 7

applyTheiler, 8

are2TsTimeCompatible, 9

areTsGapTimeCompatible, 10

areTsRmTimeCompatible, 11

armaKalman, 11

armaXKalman, 12

assignMultiple, 12

buttons1, 13

buttons2, 13

buttons3, 13

buttons4, 14

buttons5, 14

checkIfAny, 14

checkIfAnyGapOrTs, 15

checkIfAnyGapTs, 15

checkIfAnyRm, 16

checkIfAnyRmTs, 16

checkIfAnyTs, 17

cleanEnvir, 17

compareVecVec, 18

composeKTS, 18

createChb, 19

createChbChb, 20

createChbEntry, 20

createCrossRM, 21

createCrossRMPlot, 22

createDistMatrix, 22

createEachRb, 22

createEntry, 23

createFAN, 24

createFANplot, 24

createGapChb, 25

createGapRb, 25

createJointRM, 26

createJointRMPlot, 26

createNote, 27

createOK, 27

createRandGaps, 28

createRandName, 28

createRb, 29

createRmChb, 29

createRmRb, 30

createSimpleRM, 30

createSimpleRMPlot, 31

createSpecGaps, 31

createSubPanR4C1, 32

createTITLE, 32

createTitle, 33

createTsChb, 33

createTsRb, 34

cumuKTS, 34

destroyMainScreen, 35

destroyWelcome, 35

determinismKTS, 35

diffKTS, 36

E1dAndE2d, 36

embedData, 37

endingLines, 37

exportall, 38

fillWithTwins, 38

findDateFormat, 39

findTwins, 39

fnnKTS, 40

functToExport, 41

gamKTS, 41

gapCheckedTF, 42

gapDetect, 42

- gapForSelMethod, 43
- genGapExample, 44
- genRmExample, 45
- genTSEExample, 46
- getClassEnvir, 47
- getCoordsKTS, 48
- getCRP, 48
- getDelayCharTimes, 49
- getFANRM2, 49
- getGapsAfterFill, 50
- getMaxNegSlope, 51
- getMaxPosSlope, 52
- getNAsGaps, 52
- getNewGapsInd, 53
- getOtherErrEstim, 54
- getProTaos, 54
- getRecurrencePoints, 55
- getRollStatistics, 56
- getSamPerTable, 57
- getSamPerTable.1Freq, 57
- getScreenSize, 58
- getStatistics, 58
- getUniqueSampPer, 59
- goodnessFilling, 59
- groupDates, 60
- groupIndices, 60

- histKTS, 61

- invariantsKTS, 61
- isTimeAlright, 62

- KarsTS, 62
- KarsTS-package, 5
- KTSEnv (functToExport), 41

- laminarityKTS, 63
- linCorrKTS, 63
- linearityKTS, 64
- loadAllTypes, 64
- loadKarsTSFonts, 64
- loessKTS, 65

- mainScreen, 65
- makeGlobal (functToExport), 41
- meanValue, 65
- mergeTsOrGap, 66
- missForestKTS, 66
- modeKTS, 67

- mutInf, 67
- mutualKTS, 67
- myApplyVector, 68
- myLinModel, 68
- myScale, 69

- naApproxKTS, 69
- NAs4Resamp, 70
- naSplinesKTS, 70
- normalityKTS, 70

- packagesToImport, 71
- pcaKTS, 71
- plotTimeSeries, 71

- readMultEntryvalues, 72
- refreshDataSetsList, 72
- removeAllTypes, 73
- removeIfExists, 73
- removePoints, 74
- renameAllTypes, 74
- rmCheckedTF, 75
- rmDetect, 75
- rmSlopeOutliers, 76
- rollStatisticsKTS, 76
- roundKTS, 77
- RPKTS, 77

- saveAllTypes, 78
- saveReport, 78
- scaleKTS, 78
- scattTimeSeries, 79
- selectionGaps, 79
- selectionTS, 80
- separateEntry, 80
- setCorrectDate, 81
- setwdKTS, 81
- showHelp, 82
- slopeOutliersBut, 82
- stationarityKTS, 83
- statisticsKTS, 83
- stinemannKTS, 83
- stlplusKTS, 84

- theilerKTS, 84
- tsCheckedTF, 85
- tsDetect, 85

- verifyCharEntry, 86
- verifyDateEntry, 87

verifyIntEntry, [87](#)
verifyRealEntry, [88](#)

welcomeScreen, [89](#)
windRoseKTS, [89](#)
writeMethodSummary, [89](#)
writeMethodTitle, [90](#)