

Package ‘L1mstate’

February 20, 2020

Type Package

Title L1-Regularized Multi-State Models

Version 1.0

Date 2020-01-16

Author Xuan Dang

Maintainer Xuan Dang <xuandang11289@gmail.com>

Description Fitting the regularization path of the L1-regularized multi-state models since they can exploit sparsity structure of input. Different tuning regularization parameter methods are provided. The cumulative hazard rate estimation and the transition probability predictions can be made from the fitted models.

License GPL (>= 2)

Encoding UTF-8

LazyData true

Imports Rcpp (>= 1.0.1)

LinkingTo Rcpp, RcppEigen

Depends Matrix (>= 1.2-10), MASS, mstate, colorspace

RoxygenNote 6.0.1

NeedsCompilation yes

Repository CRAN

Date/Publication 2020-02-20 10:00:06 UTC

R topics documented:

L1mstate-package	2
coefl1mstate	3
cumhaz.l1mstate	4
cv.l1mstateR	6
l1mstateR	8
plot.cumhaz.l1mstate	10
plot.l1mstateCoef	11

plot.l1mstateCV	13
plot.probs.l1mstate	15
probs.l1mstate	17
Index	19

L1mstate-package*L1-Regularized Multi-State Models***Description**

Fitting the regularization path of the L1-regularized multi-state models since they can exploit sparsity structure of input. Different tuning regularization parameter methods are provided. The cumulative hazard rate estimation and the transition probability predictions can be made from the fitted models.

Package Content

Index of help topics:

L1mstate-package	L1-Regularized Multi-State Models
coefl1mstate	Obtain the coefficients
cumhaz.l1mstate	Compute subject-specific transition hazard rates
cv.l1mstateR	Cross-validation for l1mstateR
l1mstateR	Fit multi-state models with lasso regularization
plot.cumhaz.l1mstate	Plot the estimated cumulative hazard rates of the multi-state model.
plot.l1mstateCV	plot the cross-validation curve produced by cv.l1mstateR
plot.l1mstateCoef	Plots the coefficient paths of transitions produced by l1mstateR or cv.l1mstateR
plot.probs.l1mstate	Plot the transition probabilities
probs.l1mstate	Compute subject-specific or overall transition probabilities

Maintainer

Xuan Dang <xuandang11289@gmail.com>

Author(s)

Xuan Dang

coefl1mstate	<i>Obtain the coefficients</i>
--------------	--------------------------------

Description

Obtain the optimal coefficients using the first cross-validation method or the penalized cross-validation method by setting s = "lambda.min" or "lambda.pcvl". Can also obtain the coefficient at any lambda value within the range of sequence.

Usage

```
coefl1mstate(object, s=c("lambda.pcvl", "lambda.min"))
```

Arguments

object	fitted cv.l1mstateR object
s	lambda value (numeric type) or cross-validation methods (character type)

Details

Return the coefficient values

Value

Return the coefficient values.

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```
set.seed(1001)
p <- 9
times <- 1:p
rho <- 0.5
H <- abs(outer(times, times, "-"))
C <- 1 * rho^H
C[cbind(1:p, 1:p)] <- C[cbind(1:p, 1:p)]
sigma <- matrix(C,p,p)
mu <- rep(0,p)

beta12 <- c(-.65,-.65,-.65,0,0,-.65,-.65,0,0)
beta13 <- c(-.65,-.65,0,0,0,0,-.65,0,0)
beta23 <- c(0,-.65,-.65,0,0,-.65,-.65,0,-.65)

N <- 200
x <- mvrnorm(n=N, mu, sigma)
col_names <- c(sprintf("X%d", seq(1,dim(x)[2])))
```

```

colnames(x) <- col_names
N12 <- N-2*N%/%5
N13 <- N-N12
hx12 <- exp(x[1:N12,] %*% beta12)
ty12 <- rexp(N12,hx12)
hx13 <- exp(x[(N12+1):N,] %*% beta13)
ty13 <- rexp(N13,hx13)
hx23 <- exp(x[1:N12,] %*% beta23)
ty23 <- rexp(N12,hx23)
t2 <- rep(0,N)
t2[1:N12] <- ty12
t2[(N12+1):N] <- ty13
s2 <- rep(0,N)
s2[1:N12] <- rep(1,N12)
t3 <- rep(0,N)
t3[1:N12] <- ty12+ty23
t3[(N12+1):N] <- ty13
#censor case for state 3
tcens3 <- rbinom(n=N, prob = 0.3, size = 1)
s3 <- 1-tcens3

# pre-process data into long-format using msprep
dt <- data.frame(illt=t2, ills=s2, dt=t3, ds=s3, x)
tmat <- matrix(c(NA,NA,NA,1,NA,NA,2,3,NA), nrow = 3)
longdt <- msprep(time=c(NA,"illt","dt"),status=c(NA,"ills","ds"),
keep = col_names, data=dt,trans=tmat)

cv.l1fit <- cv.l1mstateR(longdt, nlambd = 100, nfolds = 10)
coefl1mstate(cv.l1fit, s="lambda.min")

```

cumhaz.l1mstate*Compute subject-specific transition hazard rates***Description**

This function computes subject-specific cumulative transition hazard rates for each of the possible transitions in the multi-state model.

Usage

```
cumhaz.l1mstate(object, longdt, newdata, cv.method = c("pcvl", "min"))
```

Arguments

- | | |
|------------------|---|
| object | fitted cv.l1mstateR object. |
| longdt | long-format data input |
| newdata | a new data with the same long-format with the same covariate names as longdt. |
| cv.method | the cross-validation method used to select the optimal result. |

Value

time	A list of all time points for each of the transitions in the multi-state model.
baseHaz	A list of the estimated subject-specific baseline hazards for each of the transitions in the multi-state model.
var	A list of the variance of the estimated subject-specific hazards for each of the transitions in the multi-state model.
cumbaseHaz	A list of the estimated subject-specific cumulative hazards for each of the transitions in the multi-state model.
Haz	A list of the estimated subject-specific hazards for each of the transitions in the multi-state model.

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```
#### EBMT data
data(ebmt4)

x1 <- ifelse(ebmt4$match=="gender mismatch", 1, 0)
x2 <- ifelse(ebmt4$proph=="yes", 1, 0)
x3 <- ifelse(ebmt4$year=="1990-1994", 1, 0)
x4 <- ifelse(ebmt4$year=="1995-1998", 1, 0)
x5 <- ifelse(ebmt4$agecl=="20-40", 1, 0)
x6 <- ifelse(ebmt4$agecl==">40", 1, 0)
dt <- data.frame(ebmt4[,1:11],x1,x2,x3,x4,x5,x6)
col_names <- c("x1", "x2", "x3", "x4", "x5", "x6")
tmat <- transMat(x = list(c(2,3,5,6),c(4,5,6),c(4,5,6),c(5,6),c(),c()),
                  names = c("Tx", "Rec", "AE", "Rec+AE", "Rel", "Death"))
dat <- msprep(data = dt, trans = tmat, time = c(NA, "rec", "ae",
                                                "recae","rel", "srv"),status = c(NA, "rec.s", "ae.s",
                                                "recae.s","rel.s", "srv.s"), keep = col_names)
# select the first 450 lines for a sake of illustration
dat <- dat[1:450,]
out <- cv.l1mstateR(dat, nlambda = 100, nfolds = 10)

### Compute the cumulative hazard and the transition probabilities
## patient A: include the highest number of patients (287)
ptsA <- dat[which(dat$x1==0 & dat$x2==0 & dat$x3==1 & dat$x4==0 & dat$x5==1 & dat$x6==0),]
## observed transitions (ground truth)
# predicted time = 0
events(ptsA)
# use models to predict the transition probabilities
# L1MSTATE
pta <- ptsA[which(ptsA$id == unique(ptsA$id)[1]),]
pta <- pta[which(pta$trans %in% c(1:4)),c(4,9:14)]

cumhazA <- cumhaz.l1mstate(object=out, longdt=dat, newdata=pta, cv.method="pcv1")
```

cv.l1mstateR*Cross-validation for l1mstateR*

Description

Does k-fold cross-validation for l1mstateR

Usage

```
cv.l1mstateR(longdt, lambda=NULL, nlambda=100, rlambda=NULL,
             nfolds=1, foldid=NULL, thresh=1e-7, maxit=1e+5)
```

Arguments

longdt	input in long-format structure
lambda	A user supplied lambda sequence. Typical usage is to have the program compute its own lambda sequence based on nlambda and rlambda. Supplying a value of lambda overrides this. WARNING: use with care. Avoid supplying a single value for lambda. Supply instead a decreasing sequence of lambda values. l1mstateR relies on its warms starts for speed, and its often faster to fit a whole path than compute a single fit.
nlambda	The number of lambda values- default is 100.
rlambda	Smallest value for lambda, as a fraction of the maximum lambda, the (data derived) entry value (i.e. the smallest value for which all coefficients are zero). The default depends on the sample size relative to the number of covariates. If sample size>#covariates, the default is 0.001, close to zero. If sample size>#covariates, the default is 0.01.
nfolds	Number of folds - default is 10. Smallest value allowable is nfolds=3.
foldid	an optional vector of values between 1 and nfolds identifying what fold each observation is in.
thresh	Convergence threshold for one-step coordinate descent. Defaults value is 1E-7.
maxit	Maximum number of passes over the data for all lambda values; default is 1E+5.

Value

aBetaSTD	A list of coefficients in standardized form, each one corresponds to each lambda value.
aBeta0	A list of coefficients in original form, each one corresponds to each lambda value.
pBetaSTD	The coefficient in standardized form gives maximum log-likelihood value using the penalized cross-validation method.
pBeta0	The coefficient in original form gives maximum log-likelihood value using the penalized cross-validation method.

mBetaSTD	The coefficient in standardized form gives maximum log-likelihood value using the first cross-validation method.
mBeta0	The coefficient in original form gives maximum log-likelihood value using the first cross-validation method.
fit	A matrix includes lambda value, the mean cross-validation error.
fit	A matrix of lambda values and log-likelihood values
numcovs	Number of covariates
numtrans	Number of transitions

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```

set.seed(1001)
p <- 9
times <- 1:p
rho <- 0.5
H <- abs(outer(times, times, "-"))
C <- 1 * rho^H
C[cbind(1:p, 1:p)] <- C[cbind(1:p, 1:p)]
sigma <- matrix(C,p,p)
mu <- rep(0,p)

beta12 <- c(-.65,-.65,-.65,0,0,-.65,-.65,0,0)
beta13 <- c(-.65,-.65,0,0,0,0,-.65,0,0)
beta23 <- c(0,-.65,-.65,0,0,-.65,-.65,0,-.65)

N <- 200
x <- mvtnorm(n=N, mu, sigma)
col_names <- c(sprintf("X%d", seq(1,dim(x)[2])))
colnames(x) <- col_names
N12 <- N-2*N%/5
N13 <- N-N12
hx12 <- exp(x[1:N12,] %*% beta12)
ty12 <- rexp(N12,hx12)
hx13 <- exp(x[(N12+1):N,] %*% beta13)
ty13 <- rexp(N13,hx13)
hx23 <- exp(x[1:N12,] %*% beta23)
ty23 <- rexp(N12,hx23)
t2 <- rep(0,N)
t2[1:N12] <- ty12
t2[(N12+1):N] <- ty13
s2 <- rep(0,N)
s2[1:N12] <- rep(1,N12)
t3 <- rep(0,N)
t3[1:N12] <- ty12+ty23
t3[(N12+1):N] <- ty13
#censor case for state 3

```

```

tcens3 <- rbinom(n=N, prob = 0.3, size = 1)
s3 <- 1-tcens3

# pre-process data into long-format using msprep
dt <- data.frame(illt=t2, ills=s2, dt=t3, ds=s3, x)
tmat <- matrix(c(NA,NA,NA,1,NA,NA,2,3,NA), nrow = 3)
longdt <- msprep(time=c(NA,"illt","dt"),status=c(NA,"ills","ds"),
                  keep = col_names, data=dt,trans=tmat)

cv.l1fit <- cv.l1mstateR(longdt, nlambda = 100, nfolds = 10)

```

l1mstateR*Fit multi-state models with lasso regularization***Description**

Fit a multi-state models via penalized partial likelihood. The regularization path is computed for the lasso at a path of values for the regularization parameter lambda. Can deal with right-censoring and left-truncated data.

Usage

```
l1mstateR(longdt, lambda=NULL, nlambda=100, rlambda=NULL, thresh=1e-7, maxit=1e+5)
```

Arguments

longdt	input in long-format structure
lambda	A user supplied lambda sequence. Typical usage is to have the program compute its own lambda sequence based on nlambda and rlambda. Supplying a value of lambda overrides this. WARNING: use with care. Avoid supplying a single value for lambda. Supply instead a decreasing sequence of lambda values. l1mstateR relies on its warms starts for speed, and its often faster to fit a whole path than compute a single fit.
nlambda	The number of lambda values- default is 100.
rlambda	Smallest value for lambda, as a fraction of the maximum lambda, the (data derived) entry value (i.e. the smallest value for which all coefficients are zero). The default depends on the sample size relative to the number of covariates. If sample size>#covariates, the default is 0.001, close to zero. If sample size>#covariates, the default is 0.01.
thresh	Convergence threshold for one-step coordinate descent. Defaults value is 1E-7.
maxit	Maximum number of passes over the data for all lambda values; default is 1E+5.

Details

Please note that input has to be long-format structure.

Value

aBetaSTD	A list of coefficients in standardized form, each one corresponds to each lambda value.
aBeta0	A list of coefficients in original form, each one corresponds to each lambda value.
fit	A matrix of lambda values and log-likelihood values
numcovs	Number of covariates
numtrans	Number of transitions

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```

set.seed(1001)
p <- 9
times <- 1:p
rho <- 0.5
H <- abs(outer(times, times, "-"))
C <- 1 * rho^H
C[cbind(1:p, 1:p)] <- C[cbind(1:p, 1:p)]
sigma <- matrix(C,p,p)
mu <- rep(0,p)

beta12 <- c(-.65,-.65,-.65,0,0,-.65,-.65,0,0)
beta13 <- c(-.65,-.65,0,0,0,0,-.65,0,0)
beta23 <- c(0,-.65,-.65,0,0,-.65,-.65,0,-.65)

N <- 200
x <- mvrnorm(n=N, mu, sigma)
col_names <- c(sprintf("X%d", seq(1,dim(x)[2])))
colnames(x) <- col_names
N12 <- N-2*N%/%5
N13 <- N-N12
hx12 <- exp(x[1:N12,] %*% beta12)
ty12 <- rexp(N12,hx12)
hx13 <- exp(x[(N12+1):N,] %*% beta13)
ty13 <- rexp(N13,hx13)
hx23 <- exp(x[1:N12,] %*% beta23)
ty23 <- rexp(N12,hx23)
t2 <- rep(0,N)
t2[1:N12] <- ty12
t2[(N12+1):N] <- ty13
s2 <- rep(0,N)
s2[1:N12] <- rep(1,N12)
t3 <- rep(0,N)
t3[1:N12] <- ty12+ty23
t3[(N12+1):N] <- ty13
#censor case for state 3

```

```

tcens3 <- rbinom(n=N, prob = 0.3, size = 1)
s3 <- 1-tcens3

# pre-process data into long-format using msprep
dt <- data.frame(illt=t2, ills=s2, dt=t3, ds=s3, x)
tmat <- matrix(c(NA,NA,NA,1,NA,NA,2,3,NA), nrow = 3)
longdt <- msprep(time=c(NA,"illt","dt"),status=c(NA,"ills","ds"),
                  keep = col_names, data=dt,trans=tmat)

l1fit <- l1mstateR(longdt, nlambda = 100)

```

plot.cumhaz.l1mstate *Plot the estimated cumulative hazard rates of the multi-state model.*

Description

Plot the estimated cumulative hazard rates of the multi-state model.

Usage

```

## S3 method for class 'cumhaz.l1mstate'
plot(x,type=c("single","separate"),cols,
      xlab="Years since transplant",ylab="Cumulative hazard",
      ylim,lwd=3,lty,legend,legend.pos,bty="o",...)

```

Arguments

x	fitted cumhaz.l1mstate object
type	One of "single" or "separate"; in case of "single", all estimated cumulative hazards are drawn in a single plot, in case of "separate", separate plots are shown for the estimated cumulative hazards.
cols	A vector specifying colors for the different transitions
xlab	A title for the x-axis; default is "Years since transplant"
ylab	A title for the y-axis; default is "Cumulative hazard"
ylim	The y limits of the plot
lwd	The line width; default is 3
lty	The line type
legend	The transition numbers; if missing, these will be taken from the transition matrix contained in cumhaz.l1mstate object.
legend.pos	The position of the legend; default is "topleft"
bty	The box type of the legend
...	Further arguments to plot

Details

A plot is produced, and nothing is returned.

Value

No return value

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```
#### EBMT data
data(ebmt4)

x1 <- ifelse(ebmt4$match=="gender mismatch", 1, 0)
x2 <- ifelse(ebmt4$proph=="yes", 1, 0)
x3 <- ifelse(ebmt4$year=="1990-1994", 1, 0)
x4 <- ifelse(ebmt4$year=="1995-1998", 1, 0)
x5 <- ifelse(ebmt4$agecl=="20-40", 1, 0)
x6 <- ifelse(ebmt4$agecl==">40", 1, 0)
dt <- data.frame(ebmt4[,1:11],x1,x2,x3,x4,x5,x6)
col_names <- c("x1", "x2", "x3", "x4", "x5", "x6")
tmat <- transMat(x = list(c(2,3,5,6),c(4,5,6),c(4,5,6),c(5,6),c(),c()),
                  names = c("Tx", "Rec", "AE", "Rec+AE", "Rel", "Death"))
dat <- msprep(data = dt, trans = tmat, time = c(NA, "rec", "ae",
                                                "recae","rel", "srv"),status = c(NA, "rec.s", "ae.s",
                                                "recae.s","rel.s", "srv.s"), keep = col_names)
# select the first 450 lines for a sake of illustration
dat <- dat[1:450,]
out <- cv.l1mstateR(dat, nlambda = 100, nfolds = 10)

### Compute the cumulative hazard and the transition probabilities
## patient A: include the highest number of patients (287)
ptsA <- dat[which(dat$x1==0 & dat$x2==0 & dat$x3==1 & dat$x4==0 & dat$x5==1 & dat$x6==0),]
## observed transitions (ground truth)
# predicted time = 0
events(ptsA)
# use models to predict the transition probabilities
# L1MSTATE
pta <- ptsA[which(ptsA$id == unique(ptsA$id)[1]),]
pta <- pta[which(pta$trans %in% c(1:4)),c(4,9:14)]

cumhazA <- cumhaz.l1mstate(object = out, longdt = dat, newdata = pta, cv.method = "pcv1")
plot.cumhaz.l1mstate(cumhazA, main = "L1MSTATE", type = "single", lwd=2, las=1,
                      ylim = c(0,1))
legend("topleft",inset=.01,legend=c("1","2","3","4"),col=c("black","red","green",
                           "blue"),lty=1,cex=0.8,title="Transitions",text.font=2,bg='white')
```

Description

Plots the coefficient values as a function of the lambda values used.

Usage

```
## S3 method for class 'l1mstateCoef'
plot(x, trans = NULL,...)
```

Arguments

- x fitted l1mstateR or cv.l1mstateR object.
- trans choose the transition you want to plot the coefficient. It can be a single transition or a set of several transitions.
- ... further arguments to plot

Details

A plot is produced, and nothing is returned.

Value

No return value.

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```
set.seed(1001)
p <- 9
times <- 1:p
rho <- 0.5
H <- abs(outer(times, times, "-"))
C <- 1 * rho^H
C[cbind(1:p, 1:p)] <- C[cbind(1:p, 1:p)]
sigma <- matrix(C,p,p)
mu <- rep(0,p)

beta12 <- c(-.65,-.65,-.65,0,0,-.65,-.65,0,0)
beta13 <- c(-.65,-.65,0,0,0,0,-.65,0,0)
beta23 <- c(0,-.65,-.65,0,0,-.65,-.65,0,-.65)

N <- 200
x <- mvrnorm(n=N, mu, sigma)
col_names <- c(sprintf("X%d", seq(1,dim(x)[2])))
colnames(x) <- col_names
N12 <- N-2*N%/%5
N13 <- N-N12
hx12 <- exp(x[1:N12,] %*% beta12)
```

```

ty12 <- rexp(N12,hx12)
hx13 <- exp(x[(N12+1):N,] %*% beta13)
ty13 <- rexp(N13,hx13)
hx23 <- exp(x[1:N12,] %*% beta23)
ty23 <- rexp(N12,hx23)
t2 <- rep(0,N)
t2[1:N12] <- ty12
t2[(N12+1):N] <- ty13
s2 <- rep(0,N)
s2[1:N12] <- rep(1,N12)
t3 <- rep(0,N)
t3[1:N12] <- ty12+ty23
t3[(N12+1):N] <- ty13
#censor case for state 3
tcens3 <- rbinom(n=N, prob = 0.3, size = 1)
s3 <- 1-tcens3

# pre-process data into long-format using msprep
dt <- data.frame(illt=t2, ills=s2, dt=t3, ds=s3, x)
tmat <- matrix(c(NA,NA,NA,1,NA,NA,2,3,NA), nrow = 3)
longdt <- msprep(time=c(NA,"illt","dt"),status=c(NA,"ills","ds"),
keep = col.names, data=dt,trans=tmat)

l1fit <- l1mstateR(longdt, nlambda = 100)
plot.l1mstateCoef(l1fit, trans=1)

```

plot.l1mstateCV*plot the cross-validation curve produced by cv.l1mstateR*

Description

Plots the cross-validation curve, and upper and lower standard deviation curves, as a function of the lambda values used.

Usage

```
## S3 method for class 'l1mstateCV'
plot(x,...)
```

Arguments

- x fitted cv.l1mstateR object
- ... Further arguments to plot

Details

A plot is produced, and nothing is returned.

Value

No return value.

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```

set.seed(1001)
p <- 9
times <- 1:p
rho <- 0.5
H <- abs(outer(times, times, "-"))
C <- 1 * rho^H
C[cbind(1:p, 1:p)] <- C[cbind(1:p, 1:p)]
sigma <- matrix(C,p,p)
mu <- rep(0,p)

beta12 <- c(-.65,-.65,-.65,0,0,-.65,-.65,0,0)
beta13 <- c(-.65,-.65,0,0,0,0,-.65,0,0)
beta23 <- c(0,-.65,-.65,0,0,-.65,-.65,0,-.65)

N <- 200
x <- mvtnorm(n=N, mu, sigma)
col_names <- c(sprintf("X%d", seq(1,dim(x)[2])))
colnames(x) <- col_names
N12 <- N-2*N%/%5
N13 <- N-N12
hx12 <- exp(x[1:N12,] %*% beta12)
ty12 <- rexp(N12,hx12)
hx13 <- exp(x[(N12+1):N,] %*% beta13)
ty13 <- rexp(N13,hx13)
hx23 <- exp(x[1:N12,] %*% beta23)
ty23 <- rexp(N12,hx23)
t2 <- rep(0,N)
t2[1:N12] <- ty12
t2[(N12+1):N] <- ty13
s2 <- rep(0,N)
s2[1:N12] <- rep(1,N12)
t3 <- rep(0,N)
t3[1:N12] <- ty12+ty23
t3[(N12+1):N] <- ty13
#censor case for state 3
tcens3 <- rbinom(n=N, prob = 0.3, size = 1)
s3 <- 1-tcens3

# pre-process data into long-format using msprep
dt <- data.frame(illt=t2, ills=s2, dt=t3, ds=s3, x)
tmat <- matrix(c(NA,NA,NA,1,NA,NA,2,3,NA), nrow = 3)
longdt <- msprep(time=c(NA,"illt","dt"),status=c(NA,"ills","ds"),
                  keep = col_names, data=dt,trans=tmat)

```

```
cv.l1fit <- cv.l1mstateR(longdt, nlambda = 100, nfolds = 10)
plot.l1mstateCV(cv.l1fit)
```

plot.probs.l1mstate *Plot the transition probabilities*

Description

Plot the transition probabilities produced by probs.l1mstate

Usage

```
## S3 method for class 'probs.l1mstate'
plot(x, from, type=c("stacked", "filled", "single", "separate"),
      ord, cols, xlab="Years since transplant", ylab="Probability",
      xlim, ylim, lwd, lty, cex, legend, legend.pos, bty="o", ...)
```

Arguments

x	object produced from probs.l1mstate
from	the starting state from which the probabilities are used to plot
type	with "stacked" type, the transition probabilities are stacked and the distance between two adjacent curves indicates the probability; with "filled" type, it is the same but the space between adjacent curves are filled; with "single" type, the probabilities are shown as different curves in a single plot; with "separate" type, separate plots are shown for the estimated transition probabilities
ord	A vector indicates the order of plotting in case "stacked" or "filled"
cols	A vector specifying colors for the different transitions
xlab	A title for the x-axis; default is "Years since transplant"
ylab	A title for the y-axis; default is "Probability"
xlim	The x limits of the plot; default is range of time
ylim	The y limits of the plot
lwd	The line width; default is 3
lty	The line type
cex	Character size
legend	The transition numbers; if missing, these will be taken from the transition matrix contained in cumhaz.l1mstate object.
legend.pos	The position of the legend; default is "topleft"
bty	The box type of the legend
...	Further arguments to plot

Details

A plot is produced, and nothing is returned.

Value

No return value.

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```
#### EBMT data
data(ebmt4)

x1 <- ifelse(ebmt4$match=="gender mismatch", 1, 0)
x2 <- ifelse(ebmt4$proph=="yes", 1, 0)
x3 <- ifelse(ebmt4$year=="1990-1994", 1, 0)
x4 <- ifelse(ebmt4$year=="1995-1998", 1, 0)
x5 <- ifelse(ebmt4$agecl=="20-40", 1, 0)
x6 <- ifelse(ebmt4$agecl==">40", 1, 0)
dt <- data.frame(ebmt4[,1:11],x1,x2,x3,x4,x5,x6)
col_names <- c("x1", "x2", "x3", "x4", "x5", "x6")
tmat <- transMat(x = list(c(2,3,5,6),c(4,5,6),c(4,5,6),c(5,6),c(),c())),
      names = c("Tx", "Rec", "AE", "Rec+AE", "Rel", "Death"))
dat <- msprep(data = dt, trans = tmat, time = c(NA, "rec", "ae",
      "recae","rel", "srv"),status = c(NA, "rec.s", "ae.s",
      "recae.s","rel.s", "srv.s"), keep = col_names)
# select the first 450 lines for a sake of illustration
dat <- dat[1:450,]
out <- cv.l1mstateR(dat, nlambda = 100, nfolds = 10)

### Compute the cumulative hazard and the transition probabilities
## patient A: include the highest number of patients (287)
ptsA <- dat[which(dat$x1==0 & dat$x2==0 & dat$x3==1 & dat$x4==0 & dat$x5==1 & dat$x6==0),]
## observed transitions (ground truth)
# predicted time = 0
events(ptsA)
# use models to predict the transition probabilities
# L1MSTATE
pta <- ptsA[which(ptsA$id == unique(ptsA$id)[1]),]
pta <- pta[which(ptA$trans %in% c(1:4)),c(4,9:14)]

cumhazA <- cumhaz.l1mstate(object = out, longdt = dat, newdata = pta, cv.method = "pcv1")
probA_0 <- probs.l1mstate(cumhazA, longdt = longdt, tmat, predt = 0, direction = "forward")
statecols <- heat_hcl(6, c = c(90, 10), l = c(20, 80), power = c(1/5, 2))[c(6, 5, 3, 4, 2, 1)]
ord <- c(1, 2, 3, 4, 5, 6)
plot.probs.l1mstate(probA_0, main = "L1MSTATE", from = 1, ord = ord,
                     las=1, cex=0, type = "filled", col = statecols[ord])
```

probs.l1mstate	<i>Compute subject-specific or overall transition probabilities</i>
----------------	---

Description

Compute subject-specific or overall transition probabilities.

Usage

```
probs.l1mstate(object, longdt, tmat, predt, direction=c("forward", "fixedhorizon"))
```

Arguments

object	fitted cumhaz.l1mstate object
longdt	long-format data input
tmat	a transition matrix for multi-state model
predt	a prediction time
direction	indicates whether prediction is forward or for a fixed horizon

Value

A list with each element [[s]] containing a data frame with the estimated transition probabilities from state s. It also includes transition and tmat information for plotting purpose

Author(s)

Xuan Dang <xuandang11289@gmail.com>

Examples

```
#### EBMT data
data(ebmt4)

x1 <- ifelse(ebmt4$match=="gender mismatch", 1, 0)
x2 <- ifelse(ebmt4$proph=="yes", 1, 0)
x3 <- ifelse(ebmt4$year=="1990-1994", 1, 0)
x4 <- ifelse(ebmt4$year=="1995-1998", 1, 0)
x5 <- ifelse(ebmt4$agecl=="20-40", 1, 0)
x6 <- ifelse(ebmt4$agecl==">40", 1, 0)
dt <- data.frame(ebmt4[,1:11],x1,x2,x3,x4,x5,x6)
col_names <- c("x1", "x2", "x3", "x4", "x5", "x6")
tmat <- transMat(x = list(c(2,3,5,6),c(4,5,6),c(4,5,6),c(5,6),c(),c())),
           names = c("Tx", "Rec", "AE", "Rec+AE", "Rel", "Death"))
dat <- msprep(data = dt, trans = tmat, time = c(NA, "rec", "ae",
                                               "recae","rel", "srv"),status = c(NA, "rec.s", "ae.s",
                                               "recae.s","rel.s", "srv.s"), keep = col_names)
# select the first 450 lines for a sake of illustration
dat <- dat[1:450,]
```

```
out <- cv.l1mstateR(dat, nlambda = 100, nfolds = 10)

#### Compute the cumulative hazard and the transition probabilities
## patient A: include the highest number of patients (287)
ptsA <- dat[which(dat$x1==0 & dat$x2==0 & dat$x3==1 & dat$x4==0 & dat$x5==1 & dat$x6==0),]
## observed transitions (ground truth)
# predicted time = 0
events(ptsA)
# use models to predict the transition probabilities
# L1MSTATE
pta <- ptsA[which(ptsA$id == unique(ptsA$id)[1]),]
pta <- pta[which(pta$trans %in% c(1:4)),c(4,9:14)]

cumhazA <- cumhaz.l1mstate(object = out, longdt = dat, newdata = pta, cv.method = "pcv1")
probA_0 <- probs.l1mstate(cumhazA, longdt = longdt, tmat, predt = 0, direction = "forward")
```

Index

*Topic **multi-state models**

coefl1mstate, 3
cumhaz.l1mstate, 4
cv.l1mstateR, 6
l1mstateR, 8
plot.cumhaz.l1mstate, 10
plot.l1mstateCoef, 11
plot.l1mstateCV, 13
plot.probs.l1mstate, 15
probs.l1mstate, 17

*Topic **package**

L1mstate-package, 2

*Topic **regularization**

coefl1mstate, 3
cumhaz.l1mstate, 4
cv.l1mstateR, 6
l1mstateR, 8
plot.cumhaz.l1mstate, 10
plot.l1mstateCoef, 11
plot.l1mstateCV, 13
plot.probs.l1mstate, 15
probs.l1mstate, 17

coefl1mstate, 3

cumhaz.l1mstate, 4

cv.l1mstateR, 6

L1mstate (L1mstate-package), 2

L1mstate-package, 2

l1mstateR, 8

plot.cumhaz.l1mstate, 10

plot.l1mstateCoef, 11

plot.l1mstateCV, 13

plot.probs.l1mstate, 15

probs.l1mstate, 17