

# Package ‘MEtest’

August 19, 2019

**Type** Package

**Title** A Homogeneity Test under the Presence of Measurement Errors

**Version** 1.1

**Date** 2019-08-15

**Author** DongHyuk Lee, Samiran Sinha

**Maintainer** DongHyuk Lee <leedhyuk@gmail.com>

**Depends** R (>= 3.2)

**Imports** statmod

**Description** Provides a function `me.test()` to test equality of distributions when observations are subject to measurement errors.

**License** GPL-3

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2019-08-19 17:40:12 UTC

## R topics documented:

`me.test` . . . . . 1

**Index** . . . . . 4

---

`me.test` *A homogeneity Test under the Presence of Measurement Error*

---

## Description

This function provides the test statistic and p-value of a homogeneity test of distributions when the observations are measured with error.

**Usage**

```
me.test(W, V, B = 1000, wt = c("Uniform", "Normal"), wt.bd = NULL,
wt.prob = 0.99, nGL = 32)
```

**Arguments**

W	an $m_x$ ( $\geq 2$ ) by $n_x$ matrix of observations.
V	an $m_y$ ( $\geq 2$ ) by $n_y$ matrix of observations.
B	the number of bootstrap samples. Default is 1000.
wt	type of the weight function. Uniform and standard normal distributions are available.
wt.bd	lower and upper bound of the weight function. If wt.bd is not specified, bounds are computed based on the deconvoluted distribution function.
wt.prob	probability used to compute lower and upper bound. Will be ignored if wt.bd is provided.
nGL	the number of nodes for Gaussian quadrature

**Details**

Based on our extensive simulations, we recommend to use uniform weight function with 0.99 probability.

**Value**

The output is an object of the class `htest` like in `t.test`.

statistic	the value of the test statistic.
p.value	the p-value for the test.
method	the character string indicating the weight function.
alternative	a character string describing the alternative hypothesis.
boundary	lower and upper bound for the weight function.

**Author(s)**

DongHyuk Lee, Samiran Sinha

**References**

Lee, D., Lahiri, S. N. and Sinha, S. A Test of Homogeneity of Distributions when Observations are Subject to Measurement Errors. *Submitted*.

**Examples**

```
library(statmod)
set.seed(1234)
n <- 200
mx <- my <- 2
X <- rnorm(n, mean = 0, sd = 1)
Y <- rnorm(n, mean = 0.2, sd = 1)
Ux <- matrix(rnorm(n*mx, mean = 0, sd = 0.5), ncol = mx)
Uy <- matrix(rnorm(n*my, mean = 0, sd = 0.5), ncol = my)

W <- X + Ux
V <- Y + Uy
me.test(W, V, wt = "Uniform")
```

# Index

- \*Topic **homogeneity test**  
me. test, 1
- \*Topic **measurement error**  
me. test, 1
- me. test, 1