

Package ‘PakPMICS2014Wm’

September 7, 2017

Type Package

Title Multiple Indicator Cluster Survey (MICS) 2014 Women
Questionnaire Data for Punjab, Pakistan

Version 0.1.0

Maintainer Muhammad Yaseen <myaseen208@gmail.com>

Description Provides data set and function for exploration of Multiple Indicator Cluster Survey (MICS) 2014 Women (age 15-49 years) questionnaire data for Punjab, Pakistan (<<http://www.mics.unicef.org/surveys>>).

Depends R (>= 3.1)

Imports data.table, stats

License GPL-2

URL <https://github.com/MYaseen208/PakPMICS2014Wm>

LazyData TRUE

RoxygenNote 6.0.1

NeedsCompilation no

Author Muhammad Yaseen [aut, cre],
Muhammad Usman [ctb]

Repository CRAN

Date/Publication 2017-09-07 12:08:03 UTC

R topics documented:

MICS2014Wm 2

Index 11

MICS2014Wm

*Multiple Indicator Cluster Survey (MICS) 2014 Women Questionnaire
Data for Punjab, Pakistan*

Description

MICS2014Wm data of Women (age 15-49 years), MICS Punjab, 2014.

Usage

data(MICS2014Wm)

Format

A data frame with 61286 rows and 308 variables:

HH1 Cluster number
 HH2 Household number
 LN Line number
 WM1 Cluster number
 WM2 Household number
 WM4 Woman's line number
 WM5 Interviewer number
 WM6D Day of interview
 WM6M Month of interview
 WM6Y Year of interview
 WM7 Result of woman's interview
 WM8 Field editor
 WM9 Data entry clerk
 WM10H Start of interview - Hour
 WM10M Start of interview - Minutes
 WM11H End of interview - Hour
 WM11M End of interview - Minutes
 WB1M Month of birth of woman
 WB1Y Year of birth of woman
 WB2 Age of woman
 WB3 Ever attended school
 WB4 Highest level of school attended
 WB5 Highest grade/class completed at that level
 WB7 Can read part of the sentence

WD0I Date of interview women (CMC)
WB1C Date of birth of woman (CMC)
WB1F Date flag for WB1
WB2C Age of respondent (calculated)
WAGE Age
MT2 Frequency of reading newspaper or magazine
MT3 Frequency of listening to the radio
MT4 Frequency of watching TV
MT6 Ever used a computer
MT7 Computer usage in the last 12 months
MT8 Frequency of computer usage in the last month
MT9 Ever used internet
MT10 Internet usage in the last 12 months
MT11 Frequency of Internet usage in the past month
MA1 Currently married
MA2 Age of husband
MA3 Husband has other wives
MA4 Number of other wives
MA5 Ever married
MA6 Marital status
MA8M Month of first marriage
MA8Y Year of first marriage
MA9 Age at first marriage
MA8C Date of first union (CMC)
MA8F Date flag for MA8C
MA9C Age at first union (calculated)
CM1 Ever given birth
CM2M Month of first birth
CM2Y Year of first birth
CM3 Years since first birth
CM4 Any sons or daughters living with you
CM5A Sons living with you
CM5B Daughters living with you
CM6 Any sons or daughters not living with you
CM7A Sons living elsewhere
CM7B Daughters living elsewhere
CM8 Ever had child who later died

CM9A Boys dead
CM9B Girls dead
CM10 Children ever born
CT0T Check total number of children ever born
CM12M Month of last birth
CM12Y Year of last birth
CM13 Last birth in last two years
DB1 Wanted last child then
DB2 Wanted child later or did not want more children
DB3U Desired waiting time (units)
DB3N Desired waiting time (number)
MN1 Received antenatal care
MN2A Antenatal care: Doctor
MN2B Antenatal care: Nurse / Midwife
MN2D Antenatal care: Lady Health Visitor (LHV)
MN2E Antenatal care: Lady Health Worker (LHW)
MN2F Antenatal care: Traditional birth attendant (TBA)
MN2H Antenatal care: Relatives/friends
MN2X Antenatal care: Other
MN2AU Weeks or months pregnant at first ANC - unit
MN2AN Weeks or months pregnant at first ANC - number
MN3 Times received antenatal care
MN4A Blood pressure
MN4B Urine sample
MN4C Blood sample
MN4D Weighted
MN5 Has own immunization card
MN6 Any tetanus toxoid injection during last pregnancy
MN7 Doses of tetanus toxoid during last pregnancy
MN9 Any tetanus toxoid injection before last pregnancy
MN10 Doses of tetanus toxoid before last pregnancy
MN11 Years ago last tetanus toxoid received
MN13 Took medicine in order to prevent malaria
MN14A Medicines taken to prevent malaria: SP / Fansidar
MN14B Medicines taken to prevent malaria: Chloroquine
MN14X Medicines taken to prevent malaria: Other
MN14Z Medicines taken to prevent malaria: DK

MN16 Times took SP / Fansidar
MN17A Assistance at delivery: Doctor
MN17B Assistance at delivery: Nurse / Midwife
MN17D Assistance at delivery: Lady Health Visitor (LHV)
MN17F Assistance at delivery: Traditional birth attendant
MN17H Assistance at delivery: Relative / Friend
MN17X Assistance at delivery: Other
MN17Y Assistance at delivery: No one
MN18 Place of delivery
MN19 Delivery by caesarean section
MN19A Decision for caesarean made before the onset of labour or after
MN20 Size of child at birth
MN21 Child weighed at birth
MN22A Weight from card or recall
MN22 Weight at birth (Kilograms)
MN23 Menstrual period returned since the birth of child
MN24 Ever breastfeed
MN25U Time baby put to breast (unit)
MN25N Time baby put to breast (number)
MN26 Within first 3 days after delivery, child given anything to drink other than breast milk
MN27A Child given to drink - Milk (other than breast milk)
MN27B Child given to drink - Plain water
MN27C Child given to drink - Sugar or glucose water
MN27D Child given to drink - Gripe water/Rose water etc
MN27E Child given to drink - Sugar - salt - water solution
MN27F Child given to drink - Fruit juice
MN27G Child given to drink - Infant formula
MN27H Child given to drink - Tea / Infusions
MN27I Child given to drink - Honey
MN27J Child given to drink - Rose water
MN27X Child given to drink - Other
MN28 HH visited by lady health worker (LHW) during past month
MN29A LHW provided - ORT, vitamins, medicines
MN29B LHW provided - weighed child
MN29C LHW provided - education / advice
MN29X LHW provided - Other (specify)
MN29Z LHW provided - DK

PN2U Duration of staying in the health facility (unit)
PN2N Duration of staying in the health facility (number)
PN3 Baby's health checked before leaving health facility
PN4 Mother's health checked before leaving health facility
PN5 Baby's health checked after leaving health facility
PN7 Baby checked after the delivery was over
PN8 Mother checked after the delivery was over
PN9 Additional baby check after the delivery
PN10 Baby checked after the delivery
PN11 Number of times baby was checked
PN12U How long after delivery did the first check of baby happen (unit)
PN12N How long after delivery did the first check of baby happen (number)
PN13A Person checking on baby's health: Doctor
PN13B Person checking on baby's health: Nurse / Midwife
PN13D Person checking on baby's health: Lady Health Visitor (LHV)
PN13E Person checking on baby's health: Lady Health Worker (LHW)
PN13F Person checking on baby's health: Traditional birth attendant
PN13H Person checking on baby's health: Relative / Friend
PN13X Person checking on baby's health: Other
PN14 Place where baby's health was checked
PN16 Mother's health checked after leaving health facility
PN18 Mother's health checked after the delivery was over
PN19 Mother's health checked after the birth of the baby
PN20 Number of times mother's health was checked after the birth
PN21U How long after delivery did the first check of mother happen (unit)
PN21N How long after delivery did the first check of mother happen (number)
PN22A Person checking on mother's health: Doctor
PN22B Person checking on mother's health: Nurse / Midwife
PN22D Person checking on mother's health: LHV
PN22E Person checking on mother's health: Lady Health Worker (LHW)
PN22F Person checking on mother's health: Traditional birth attendant
PN22H Person checking on mother's health: Relative / Friend
PN22X Person checking on mother's health: Other
PN23 Place where mother's health was checked
IS2A Symptoms: Child not able to drink or breastfeed
IS2B Symptoms: Child becomes sicker
IS2C Symptoms: Child develops a fever

IS2D Symptoms: Child has fast breathing
IS2E Symptoms: Child has difficulty breathing
IS2F Symptoms: Child has blood in stools
IS2G Symptoms: Child is drinking poorly
IS2H Symptoms: Child suffered from loose motion
IS2X Symptoms: Other
IS2Y Symptoms: Other
IS2Z Symptoms: Other
CP1 Currently pregnant
CP2 Currently using a method to avoid pregnancy
CP2A Ever used a method to avoid pregnancy
CP3A Current method: Female sterilization
CP3B Current method: Male sterilization
CP3C Current method: IUD
CP3D Current method: Injectables
CP3E Current method: Implants
CP3F Current method: Pill
CP3G Current method: Male condom
CP3H Current method: Female condom
CP3I Current method: Diaphragm
CP3L Current method: Periodic abstinence / Rhythm
CP3M Current method: Withdrawal
CP3X Current method: Other
UN2 Wanted to get pregnant at the time
UN3 Wanted baby later or did not want more children
UN4 Would like to have another child (currently pregnant)
UN6 Would like to have another child (not currently pregnant)
UN7U Desired waiting time (unit)
UN7N Desired waiting time (number)
UN10 Able to get pregnant
UN11A Reason: Infrequent sex / No sex
UN11B Reason: Menopausal
UN11C Reason: Never menstruated
UN11D Reason: Hysterectomy
UN11E Reason: Trying to get pregnant for 2 years without result
UN11F Reason: Postpartum amenorrheic
UN11G Reason: Breastfeeding

UN11H Reason: Too old
UN11I Reason: Fatalistic
UN11X Reason: Other
UN11Z Reason: Don't know
UN13U Start of last menstrual period (unit)
UN13N Start of last menstrual period (number)
DV1A If she goes out with out telling husband: wife beating justified
DV1B If she neglects the children: wife beating justified
DV1C If she argues with husband: wife beating justified
DV1D If she refuses sex with husband: wife beating justified
DV1E If she burns the food: wife beating justified
HA1 Ever heard of AIDS
HA2 Can avoid AIDS virus by having one uninfected partner
HA3 Can get AIDS virus through supernatural means
HA4 Can avoid AIDS virus by using a condom correctly every time
HA5 Can get AIDS virus from mosquito bites
HA6 Can get AIDS virus by sharing food with a person who has AIDS
HA7 Healthy-looking person may have AIDS virus
HA8A AIDS virus from mother to child during pregnancy
HA8B AIDS virus from mother to child during delivery
HA8C AIDS virus from mother to child through breastfeeding
HA9 Should female teacher with AIDS virus be allowed to teach in school
HA10 Would buy fresh vegetables from shopkeeper with AIDS virus
HA11 If HH member became infected with AIDS virus, would want it to remain a secret
HA12 Willing to care for person with AIDS in household
HA15A Given information about AIDS virus during antenatal care visit: AIDS from mother
HA15B Given information about AIDS virus during antenatal care visit: Things to do
HA15C Given information about AIDS virus during antenatal care visit: Tested for AIDS
HA15D Given information about AIDS virus during antenatal care visit: Offered a test
HA16 Tested for AIDS virus as part of antenatal care
HA17 Received results from test during antenatal care
HA18 Received consultation after testing during antenatal care
HA20 Tested for AIDS virus during delivery
HA21 Received results from test during delivery
HA22 Tested for AIDS virus since test during pregnancy
HA23 Most recent time of testing for AIDS virus
HA24 Ever been tested for AIDS virus

- HA25 Most recent time of testing for AIDS virus
- HA26 Received results of AIDS virus test
- HA27 Know a place to get AIDS virus test
- TA1 Ever tried cigarette smoking
- TA2 Age when cigarette was smoked for the first time
- TA3 Currently smoking cigarettes
- TA4 Number of cigarettes smoked in the last 24 hours
- TA5 Number of days when cigarettes were smoked in past month
- TA6 Ever tried any smoked tobacco products other than cigarettes
- TA7 Used any smoked tobacco products during the last month
- TA8A Type of smoked tobacco product: Cigars
- TA8B Type of smoked tobacco product: Water pipe
- TA8C Type of smoked tobacco product: Cigarillos
- TA8D Type of smoked tobacco product: Pipe
- TA8X Type of smoked tobacco product: Other
- TA9 Number of days when tobacco products were smoked in past month
- TA10 Ever tried any form of smokeless tobacco products
- TA11 Used any smokeless tobacco products during the last month
- TA12A Type of smokeless tobacco product used: Chewing tobacco
- TA12D Type of smokeless tobacco product used: Paan with tobacco
- TA12E Type of smokeless tobacco product used: Gutka
- TA12F Type of smokeless tobacco product used: Naswar
- TA12X Type of smokeless tobacco product used: Other
- TA13 Number of days when smokeless tobacco products were used in past month
- LS2 Estimation of overall happiness
- LS3 Satisfaction with family life
- LS4 Satisfaction with friendships
- LS5 School attendance during the current school year
- LS6 Satisfaction with school
- LS7 Satisfaction with current job
- LS8 Satisfaction with health
- LS9 Satisfaction with current residence
- LS10 Satisfaction with treatment by other people
- LS11 Satisfaction with appearance
- LS12 Satisfaction with life overall
- LS13 Satisfaction with current income
- LS14 Life satisfaction in comparison with last year

LS15 Life satisfaction expectation one year from now
HH6 Area (Original)
HH7 District (Original)
WDOB Date of birth of woman (CMC)
WDOM Date of marriage (CMC)
WAGEM Age at first marriage
WDOBFC Date of birth of first child (CMC)
WDOBLC Date of birth of last child (CMC)
MSTATUS Marital status
CEB Children ever born
CSURV Children surviving
CDEAD Children dead
welevel Education
division Division
hh7r District
hh6r Area
suburban
stratum Straum (Original)
wmweight Women's sample weight
wscore Combined wealth score
windex5 Wealth index quintile
wscoreu Urban wealth score
windex5u Urban wealth index quintile
wscorer Rural wealth score
windex5r Rural wealth index quintile

Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)
2. Muhammad Usman (<usmann75@hotmail.com>)

References

1. UNICEF MICS (<http://www.mics.unicef.org/surveys>).

Examples

```
data(MICS2014Wm)
```

Index

*Topic **datasets**

MICS2014Wm, [2](#)

MICS2014Wm, [2](#)