

Package ‘ROI.plugin.optimx’

April 25, 2020

Version 0.3-3

Title 'optimx' Plug-in for the 'R' Optimization Infrastructure

Author Florian Schwendinger [aut, cre]

Maintainer Florian Schwendinger <FlorianSchwendinger@gmx.at>

Description Enhances the R Optimization Infrastructure ('ROI') package with the 'optimx' package.

Imports methods, stats, utils, ROI ($\geq 0.3-2$), optimx

Suggests BB, ucminf, minqa, dfoptim, lbfgsb3c, lbfgs, subplex

License GPL-3

URL <http://R-Forge.R-project.org/projects/roi>

NeedsCompilation no

Repository CRAN

Date/Publication 2020-04-25 20:10:02 UTC

R topics documented:

Example-1	1
---------------------	---

Example-1

Description

The following example is also known as Rosenbrock's banana function (https://en.wikipedia.org/wiki/Rosenbrock_function).

$$\text{minimize } f(x) = 100(x_2 - x_1^2)^2 + (1 - x_1)^2$$

Solution: c(1, 1)

Examples

```

library(ROI)

f <- function(x) {
  return( 100 * (x[2] - x[1]^2)^2 + (1 - x[1])^2 )
}

f.gradient <- function(x) {
  return( c( -400 * x[1] * (x[2] - x[1] * x[1]) - 2 * (1 - x[1]),
            200 * (x[2] - x[1] * x[1])) )
}

x <- OP( objective = F_objective(f, n = 2L, G = f.gradient),
         bounds = V_bound(lb = -3, ub = 3, nobj = 2L) )

nlp <- ROI_solve(x, solver="optimx", start=c(-1.2, 1), method = "Rvmmin")
nlp
## Optimal solution found.
## The objective value is: 4.979684e-30
solution(nlp)
## [1] 1 1

```

Index

Example-1, [1](#)