

# Package ‘SRTtools’

July 18, 2019

**Type** Package

**Title** Adjust Srt File to Get Better Experience when Watching Movie

**Version** 1.2.0

**Date** 2019-07-02

**Description**

Srt file is a common subtitle format for videos, it contains subtitle and when the subtitle showed. This package is for align time of srt file, and also change color, style and position of subtitle in videos, the srt file will be read as a vector into R, and can be write into srt file after modified using this package.

**License** GPL (>= 2)

**Imports** magrittr (>= 1.5)

**RoxygenNote** 6.1.1

**Encoding** UTF-8

**Depends** R (>= 2.10)

**URL** <https://github.com/ChiHangChen/SRTtools>

**BugReports** <https://github.com/ChiHangChen/SRTtools/issues>

**NeedsCompilation** no

**Author** Jim Chen [aut, cre]

**Maintainer** Jim Chen <[jim71183@gmail.com](mailto:jim71183@gmail.com)>

**Repository** CRAN

**Date/Publication** 2019-07-18 06:38:24 UTC

## R topics documented:

srt.content	2
srt.insert	2
srt.read	3
srt.remove	4
srt.search	4

srt.shift	5
srt.style	6
srt.write	6
SRTtools	7

---

srt.content	<i>Retrieve Subtitle Text</i>
-------------	-------------------------------

---

### Description

Retrieve all the subtitle text content from a srt file

### Usage

```
srt.content(srt)
```

### Arguments

srt                   vector. The srt file read by srt.read.

### See Also

srt.read

### Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')

srt.content(srt)
```

---

srt.insert	<i>Insert new dialog</i>
------------	--------------------------

---

### Description

Insert new dialog to subtitles by specific index

### Usage

```
srt.insert(srt, index, time, text)
```

**Arguments**

srt	vector. The srt file read by <code>srt.read</code> .
index	integer. The index of new dialog.
time	character. The time of new dialog, a proper format is "hr:min:sec,msec -> hr:min:sec,msec"
text	character. The content of new dialog.

**See Also**

`srt.read`

**Examples**

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
srt.insert(srt, index = 1, time = "00:00:00,000 --> 00:00:30,000", text = "Added by SRTtools")
```

---

`srt.read`

*Read srt file*

---

**Description**

Read a srt file as a vector, if there is any encoding issue, try to save your srt file as ANSI encoding using Windows Notepad.

**Usage**

```
srt.read(file, encoding = "utf-8")
```

**Arguments**

file	character. The name of the file which the subtitles are to be read from.
encoding	character. Encoding to be assumed for input strings, default is 'utf-8'.

**See Also**

`readLines`

**Examples**

```
# read a ANSI srt file
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
```

srt.remove                      *Remove dialog*

---

### **Description**

Remove unwanted dialog from subtitles by specific index

### **Usage**

```
srt.remove(srt, index)
```

### **Arguments**

srt                      vector. The srt file read by srt.read.  
index                    integer. The index of unwanted dialog .

### **See Also**

srt.read

### **Examples**

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")  
srt <- srt.read(srt_path, encoding = 'utf-8')  
srt.remove(srt, index = 10)
```

---

srt.search                      *Search Index By KeyWord*

---

### **Description**

Return the subtitle index by specific keyword

### **Usage**

```
srt.search(srt, key_word)
```

### **Arguments**

srt                      vector. The srt file read by srt.read.  
key\_word                character. The key word want to be searched in subtitles.

### **See Also**

srt.read

## Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
srt.search(srt, key_word = "captain")
```

---

srt.shift

*Re-synchronize Srt File*

---

## Description

Shift a srt file with specific time.

## Usage

```
srt.shift(srt, time_shifted)
```

## Arguments

srt                   vector. The srt file read by srt.read.

time\_shifted       numeric. The time that srt file want to be shifted (in seconds).

## See Also

srt.read

## Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')

# Postpone subtitles 3 seconds later
srt <- srt.shift(srt, time_shifted = 3)

# Expedite subtitles 5 seconds earlier
srt <- srt.shift(srt, time_shifted = -5)
```

---

srt.style	<i>Change Style of Subtitle</i>
-----------	---------------------------------

---

### Description

Change subtitle style or position by specific subtitle index.

### Usage

```
srt.style(srt, line = "all", pos = "None", style = "None",
          col = "None")
```

### Arguments

srt	vector. The srt file read by <code>srt.read</code> .
line	numerical vector. Style will only change the subtitles of the selected subtitle index, default is 'all', means the whole subtitles will apply the style.
pos	character. The subtitles position, the valid options are 'bottom-left', 'bottom-center', 'bottom-right', 'middle-left', 'middle-center', 'middle-right', 'top-left', 'top-center', 'top-right' and 'center'.
style	character vector. The styles that subtitle applied, 'u' for bottom line, 'i' for italic, 'b' for bold, 's' for strikethrough.
col	character. The color that subtitle applied.

### See Also

`srt.read`

### Examples

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')
srt.style(srt, line = c(1,3,5), pos = 'top-left', style = c('b','i'), col = 'red')
```

---

srt.write	<i>Srt Output</i>
-----------	-------------------

---

### Description

Write the srt file to the system.

### Usage

```
srt.write(srt, filename)
```

**Arguments**

`srt` vector. The srt file read by `srt.read`.  
`filename` Either a character string naming a file or a connection open for writing.

**See Also**

`srt.read`

**Examples**

```
srt_path <- system.file("extdata", "movie.srt", package="SRTtools")
srt <- srt.read(srt_path, encoding = 'utf-8')

# Postpone subtitles 3 seconds later
srt <- srt.shift(srt, time_shifted = 3)

# Save and cover original "movie.srt" file
srt.write(srt, filename = file.path(tempdir(), "movie.srt"))
```

---

SRTtools

*Adjust srt file to get better experience in watching movie.*

---

**Description**

Srt file is a common subtitle format for videos, it contains subtitle and when the subtitle showed. This package is for ealign time of srt file, and also change color, style and position of subtitle in videos, the srt file will be read as a vector into R, and can be write into srt file after modified using this package.

**Author(s)**

Jim Chen