

# Package ‘ThreeWiseMonkeys’

April 22, 2020

**Title** The Japanese Pictorial Maxim ``See No Evil, Hear No Evil, Speak No Evil"

**Version** 0.1.0

**Description**

Does nothing useful, but perhaps does that nothing in an entertaining or informative fashion.

**Imports** tuneR, stringr

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.0

**Suggests** testthat (>= 2.1.0)

**NeedsCompilation** no

**Author** Greg Pilgrim [aut, cre] (<<https://orcid.org/0000-0001-7831-442X>>),  
Caitlin Baldwin [ctb]

**Maintainer** Greg Pilgrim <[gpilgrim2670@gmail.com](mailto:gpilgrim2670@gmail.com)>

**Repository** CRAN

**Date/Publication** 2020-04-22 16:24:10 UTC

## R topics documented:

Hear . . . . .	2
See . . . . .	2
Speak . . . . .	3

<b>Index</b>	<b>4</b>
--------------	----------

---

Hear	<i>hear no evil</i>
------	---------------------

---

### Description

A function that will only "hear" an input containing variants on the string "no evil". 'Hear' is not case sensitive and will remove punctuation so "no\_Evil" and "nO- \_eVil" will also be heard. 'Hear' is also sensitive to value names so passing an object 'no\_evil <- "asdf"' containing any arbitrary strings will also be heard. Anything that is not specifically "no evil" or some acceptable variant is assumed to be evil and will not be heard.

### Usage

```
Hear(x)
```

### Arguments

x                    an input

### Value

The string "No Evil."

### Author(s)

Greg Pilgrim <gpilgrim2670@gmail.com>

### Examples

```
Hear(1)
Hear("No Evil")
no_evil <- "good stuff"
Hear(no_evil)
evil <- "good_stuff"
Hear(evil)
Hear(NA)
```

---

See	<i>See No Evil</i>
-----	--------------------

---

### Description

Allows the user to see no evil - specifically a plot containing the text "No evil.". Fun for the whole family.

### Usage

```
See(...)
```

**Arguments**

... an input, doesn't matter, isn't used

**Value**

A plot depicting "No evil."

**Author(s)**

Greg Pilgrim <gpilgrim2670@gmail.com>

**Examples**

See()

---

Speak *speak no evil*

---

**Description**

Plays an audioclip of the words "No evil". On Windows and Linux machines the function should directly call the system default player of .wav files. On Mac machines it might be necessary to set the default with something like `tuneR::setWavPlayer("/Applications/QuickTime Player.app/Contents/MacOS/QuickTime Player")`.

**Usage**

```
Speak(...)
```

**Arguments**

... an input, doesn't matter, isn't used

**Value**

Plays an audio clip of the words "No Evil".

**Author(s)**

Greg Pilgrim <gpilgrim2670@gmail.com>

**Examples**

```
## Not run:  
Speak()  
  
## End(Not run)
```

# Index

Hear, [2](#)

See, [2](#)

Speak, [3](#)