

Package ‘condir’

March 6, 2020

Title Computation of P Values and Bayes Factors for Conditioning Data

Version 0.1.2

Author Angelos-Miltiadis Krypotos <amkrypotos@gmail.com>

Maintainer Angelos-Miltiadis Krypotos <amkrypotos@gmail.com>

Date 2020-03-07

Description Set of functions for the easy analyses of conditioning data.

Depends R (>= 3.6.0),

License GPL-3

LazyData true

RoxygenNote 7.0.2

Encoding UTF-8

Imports BayesFactor (>= 0.9.12), stats (>= 3.3.2), knitr (>= 1.28),
xtable (>= 1.8.2), psych (>= 1.9.12), graphics (>= 3.3.2),
effsize (>= 0.7.8), shiny (>= 1.4.0)

URL <https://github.com/AngelosPsy/condir>

BugReports <https://github.com/AngelosPsy/condir/issues>

Suggests rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2020-03-06 13:10:03 UTC

R topics documented:

csCompare	2
csPlot	4
csReport	5
csRobustnessPlot	6
csSensitivity	8

csShine	9
csTable	10
roundBF	10

Index 11

csCompare	<i>Statistically compare CRs towards two CSs</i>
-----------	--

Description

Compare CRs towards two CSs within a frequentist and a Bayesian framework.

Usage

```
csCompare(
  cs1,
  cs2,
  group = NULL,
  data = NULL,
  alternative = "two.sided",
  conf.level = 0.95,
  mu = 0,
  rscale = 0.707,
  descriptives = TRUE,
  out.thres = 3,
  boxplot = TRUE
)
```

Arguments

cs1	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See Details for more information.
cs2	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See Details for more information.
group	column index or name that contain the group data. See Details for more information.
data	numeric matrix or data frame that contains the relevant data.
alternative	a character string for the specification of the alternative hypothesis. Possible values: "two.sided" (default), "greater" or "less".
conf.level	Interval's confidence level.
mu	a numeric value for the mean value or mean difference.
rscale	the scale factor for the prior used in the Bayesian t.test.
descriptives	Returns basic descriptive statistics for cs1 and cs2.

<code>out.thres</code>	The threshold for detecting outliers (default is 3). If set to 0, no outliers analysis will be performed. See <code>Details</code> below for more information.
<code>boxplot</code>	Should a boxplot of the variables be produced (default is TRUE)?

Details

`csCompare` performs both a student t-test (using the `stats::t.test` function) and a Bayesian t-test (using the `BayesFactor::ttest.tstat`). If `cs1` and/or `cs2` are or refer to multiple columns of a matrix or a `data.frame`, then the row means are computed before the t-tests are performed. In case group is `NULL`, paired-samples t-tests will be run. In case the group is different than `NULL`, then the `csCompare` first computes difference scores between the `cs1` and the `cs2` (i.e., `cs1 - cs2`). In case the group argument is defined but, after removal of NA's (`stats::na.omit`), only one group is present, a paired samples t-test is run. In case of independent samples t-test, the function runs a Welch's t-test.

Regarding outliers, those are detected based on the deviations from the standardized residuals of each test. For example, in case of a paired-samples t-test, the `csCompare` function will run an additional regression for detecting deviations (defined in the `out.thres` argument) from the standardized residuals. The detected outliers are removed from both the frequentists and Bayesian analyses.

Value

The function returns (at least) 3 list objects. These are: `descriptives`, `freq.results`, and `bayes.results`. In case outliers are detected, then the outlier analyses are returned as well with the name `res.out` as prefix to all list objects. For example, the descriptive statistics of the outlier analyses, can be indexed by using `obj$res.out$descriptives`, with `obj` being the object of the `csCompare` results.

The values of the `descriptives` are described in `psych::describe`.

The values of the `freq.results` are: `method`: which test was run.

`alternative`: the alternative hypothesis.

`WG1`, `WG2`: the Shapiro test values, separately for group 1 and group 2. In case of a paired-samples t-test, the `WG2` is 0.

`WpG1`, `WpG2`: the p-values of Shapiro test, separately for group 1 and group 2. In case of a paired-samples t-test, the `WpG2` is 0.

`null.value`: The value defined by `mu` (see above).

`LCI`, `HCI`: The low (LCI) and high (HCI) bounds of the confidence intervals.

`t.statistic`: Logical.

`df`: The degrees of freedom of the t-test performed.

`p.value`: The p-value of the performed t-test.

`cohenD`: The Cohen's d for the performed t-test.

`cohenDM`: The magnitude of the resulting Cohen's d.

`hedgesG`: The Hedge's g for the performed t-test.

`hedgesGM`: The magnitude of the resulting Hedge's g.

The values of the `bayes.results` are:

LNI, HNI: The low (LNI) and high (HNI) intervals of the hypothesis to test.

rscale: The used scale (see rscale argument above).

bf10: The BF10.

bf01: The BF01.

propError: The proportional error of the computed Bayes factor.

References

Kryptos, A. M., Klugkist, I., & Engelhard, I. M. (2017). Bayesian hypothesis testing for human threat conditioning research: An introduction and the condir R package. *European Journal of Psychotraumatology*, 8.

Rouder, J. N., Speckman, P. L., Sun, D., Morey, R. D., & Iverson, G. (2009). Bayesian t-tests for accepting and rejecting the null hypothesis. *Psychonomic Bulletin & Review*, 16, 225-237

See Also

[t.test](#), [ttest.tstat](#)

Examples

```
set.seed(1000)
csCompare(cs1 = rnorm(n = 100, mean = 10), cs2 = rnorm(n = 100, mean = 9))
```

csPlot

Plot CRs for each CS

Description

Plot the mean of median of each CRs, for each CS

Usage

```
csPlot(
  cs1,
  cs2,
  group = NULL,
  data = NULL,
  ylab = "CRs",
  col = c("black", "grey"),
  legend = c("cs1", "cs2")
)
```

Arguments

cs1	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See Details for more information.
cs2	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See Details for more information.
group	column index or name that contain the group data. See Details for more information.
data	numeric matrix or data frame that contains the relevant data.
ylab	Label for the x-axis
col	The color of the error bars to be used (either given as a numeric vector or a character string). The length of the chosen colors should be equal to the length of the legend names otherwise a warning is returned.
legend	The legend names to be used. The length of the legend labels should be the same as the length of the color string, otherwise a warning is returned.

Details

csCompare performs both a student t-test (using the `stats::t.test` function) and a Bayesian t-test (using the `BayesFactor::ttest.tstat`). In case group is not defined, paired-samples t-tests are run. In case the group is defined, then the csCompare first computes difference scores between the cs1 and the cs2 (i.e., $cs1 - cs2$). In case the group argument is defined but, after removal of NA's (`stats::na.omit`), only one group is defined, a paired samples t-test is run.

See Also

[t.test](#), [ttest.tstat](#)

Examples

```
set.seed(1000)
csPlot(cs1 = rnorm(n = 100, mean = 10), cs2 = rnorm(n = 100, mean = 9))
```

csReport

Report results of conditioning data

Description

Report results of data analyses run with the csCompare.

Usage

```
csReport(
  csCompareObj = NULL,
  csSensitivityObj = NULL,
  save = FALSE,
  fileName = "report",
  alphaLevel = 0.05,
  interpretation = FALSE
)
```

Arguments

csCompareObj	a list or data frame returned from the csCompare function. The object should be of class csCompare.
csSensitivityObj	Sensitivity analysis results returned from the csSensitivity function. The object should be of class csSensitivity.
save	If code argument is set to FALSE (default), the results are printed on the screen. Otherwise, a '.txt' file with the report is generated.
fileName	The file name of the produced report. The argument is ignored if save is set to FALSE.
alphaLevel	The alpha level to be used for determining significant or non-significant results.
interpretation	Should an interpretation of the results be included? (FALSE). In case of the Bayesian results, the results are interpreted according to Lee and Wagenmakers (2013).

Examples

```
set.seed(1000)
tmp <- csCompare(cs1 = rnorm(n = 100, mean = 10),
  cs2 = rnorm(n = 100, mean = 9))
csReport(tmp)
```

csRobustnessPlot *Plot robustness results*

Description

Plots the results of robustness test

Usage

```
csRobustnessPlot(
  cs1,
  cs2,
  group = NULL,
```

```

data = NULL,
alternative = "two.sided",
conf.level = 0.95,
mu = 0,
rscaleSens = c("medium", "wide", "ultrawide"),
BF01 = TRUE,
ylimz = c(0, 10),
sensitivity = FALSE
)

```

Arguments

cs1	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See Details for more information.
cs2	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See Details for more information.
group	column index or name that contain the group data. See Details for more information.
data	numeric matrix or data frame that contains the relevant data.
alternative	a character string for the specification of the alternative hypothesis. Possible values: "two.sided" (default), "greater" or "less".
conf.level	Interval's confidence level.
mu	a numeric value for the mean value or mean difference.
rscaleSens	the scale factor for the prior used in the Bayesian t.test
BF01	Should the BF01 be plotted (default is set to TRUE). If FALSE, the BF10 is plotted.
ylimz	the limits of the y-axis.
sensitivity	Should the sensitivity results be returned (default is set to FALSE).

Details

This plot template is influenced by the JASP way (<https://jasp-stats.org/>) for plotting sensitivity analysis results. On the x-axis or the width of the Cauchy's Scale is plotted. On the y-axis either BF01 is plotted (if BF01 is set to TRUE) or BF10 (if BF01 is set to FALSE).

References

- JASP Team (2019). JASP (Version 0.11.1)[Computer software].
- Kryptos, A. M., Klugkist, I., & Engelhard, I. M. (2017). Bayesian hypothesis testing for human threat conditioning research: An introduction and the condit R package. *European Journal of Psychotraumatology*, 8.

See Also

[csCompare](#), [csSensitivity](#)

Examples

```
set.seed(1000)
csRobustnessPlot(cs1 = rnorm(n = 100, mean = 10),
cs2 = rnorm(n = 100, mean = 9))
```

csSensitivity

Sensitivity analysis for the Bayes Factors of csCompare results

Description

Perform a sensitivity analysis for the Bayes factors computed with the csCompare results

Usage

```
csSensitivity(
  cs1,
  cs2,
  group = NULL,
  data = NULL,
  alternative = "two.sided",
  conf.level = 0.95,
  mu = 0,
  rscaleSens = c(0.707, 1, 1.41),
  out.thres = 3
)
```

Arguments

cs1	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See <code>Details</code> for more information.
cs2	a numeric vector of values. If the data argument is defined, it can refer to either the column index or the column name of the data object. See <code>Details</code> for more information.
group	column index or name that contain the group data. See <code>Details</code> for more information.
data	numeric matrix or data frame that contains the relevant data.
alternative	a character string for the specification of the alternative hypothesis. Possible values: "two.sided" (default), "greater" or "less".
conf.level	Interval's confidence level.
mu	a numeric value for the mean value or mean difference.
rscaleSens	the scale factor for the prior used in the Bayesian t.test
out.thres	The threshold for detecting outliers (default is 3). If set to 0, no outliers analysis will be performed. See <code>Details</code> below for more information.

Details

csCompare performs both a student t-test (using the `stats::t.test` function) and a Bayesian t-test (using the `BayesFactor::ttest.tstat`). In case `group` is not defined, paired-samples t-tests are run. In case the `group` is defined, then the `csCompare` first computes difference scores between the `cs1` and the `cs2` (i.e., `cs1 - cs2`). In case the `group` argument is defined but, after removal of NA's (`stats::na.omit`), only one group is defined, a paired samples t-test is run.

Value

The function returns a data frame with the results of the student t-test and the Bayesian t-test.

References

Kryptos, A. M., Klugkist, I., & Engelhard, I. M. (2017). Bayesian hypothesis testing for human threat conditioning research: An introduction and the `condir` R package. *European Journal of Psychotraumatology*, 8.

See Also

[csCompare](#), [t.test](#), [ttest.tstat](#)

Examples

```
set.seed(1000)
csSensitivity(cs1 = rnorm(n = 100, mean = 10),
             cs2 = rnorm(n = 100, mean = 9))
```

csShine

Shiny app for the condir package

Description

Launches a Shiny app for performing the core analyses included in `condir`

Usage

```
csShine()
```

Details

The function can be called without any arguments (i.e., `csShine()`). For the interface, we used a `css` template available at <http://getbootstrap.com>.

References

Kryptos, A. M., Klugkist, I., & Engelhard, I. M. (2017). Bayesian hypothesis testing for human threat conditioning research: An introduction and the `condir` R package. *European Journal of Psychotraumatology*, 8.

csTable	<i>Produce tables of csCompare results</i>
---------	--

Description

It provides wrapper functions for generating tables of different types of computer languages.

Usage

```
csTable(csCompareObj, typeOfTable = "latex")
```

Arguments

csCompareObj a list or data frame returned from the csCompare function
 typeOfTable The type of table to be generated. See details

Details

csCompare generates tables of different languages. The options are latex, and markdown.

Examples

```
tmp <- csCompare(cs1 = c(1, 2, 3, 1, 4), cs2 = c(10, 12, 12, 31, 13))
csTable(tmp)
```

roundBF	<i>Local function for determining how BF is reported</i>
---------	--

Description

Function used for determining the symbol, and the form, of the BF reported.

Usage

```
roundBF(bf, rscale, BF01 = TRUE)
```

Arguments

bf Logical. The BF.
 rscale The rscale that was used.
 BF01 Whether the BF01 (default) should be reported or not

Index

csCompare, [2](#), [7](#), [9](#)
csPlot, [4](#)
csReport, [5](#)
csRobustnessPlot, [6](#)
csSensitivity, [7](#), [8](#)
csShine, [9](#)
csTable, [10](#)

roundBF, [10](#)

t.test, [4](#), [5](#), [9](#)
ttest.tstat, [4](#), [5](#), [9](#)