

Package ‘crayon’

September 16, 2017

Title Colored Terminal Output

Version 1.3.4

Description Colored terminal output on terminals that support 'ANSI' color and highlight codes. It also works in 'Emacs' 'ESS'. 'ANSI' color support is automatically detected. Colors and highlighting can be combined and nested. New styles can also be created easily. This package was inspired by the 'chalk' 'JavaScript' project.

License MIT + file LICENSE

LazyData true

URL <https://github.com/r-lib/crayon#readme>

BugReports <https://github.com/r-lib/crayon/issues>

Collate 'ansi-256.r' 'combine.r' 'string.r' 'utils.r'
'crayon-package.r' 'disposable.r' 'has_ansi.r' 'has_color.r'
'styles.r' 'machinery.r' 'parts.r' 'print.r' 'style-var.r'
'show.r' 'string_operations.r'

Imports grDevices, methods, utils

Suggests mockery, rstudioapi, testthat, withr

RoxygenNote 6.0.1.9000

Encoding UTF-8

NeedsCompilation no

Author Gábor Csárdi [aut, cre],
Brodie Gaslam [ctb]

Maintainer Gábor Csárdi <csardi.gabor@gmail.com>

Repository CRAN

Date/Publication 2017-09-16 19:49:46 UTC

R topics documented:

chr	2
col_align	3

col_nchar	3
col_strsplit	4
col_substr	5
col_substring	6
combine_styles	7
concat	8
crayon	9
drop_style	12
has_color	12
has_style	13
make_style	14
num_colors	15
show_ansi_colors	16
start.crayon	17
strip_style	18
style	18
styles	19
Index	20

 chr

Convert to character

Description

This function just calls `as.character()`, but it is easier to type and read.

Usage

```
chr(x, ...)
```

Arguments

x Object to be coerced.
 ... Further arguments to pass to `as.character()`.

Value

Character value.

col_align	<i>Align an ANSI colored string</i>
-----------	-------------------------------------

Description

Align an ANSI colored string

Usage

```
col_align(text, width = getOption("width"), align = c("left", "center",  
"right"), type = "width")
```

Arguments

text	The character vector to align.
width	Width of the field to align in.
align	Whether to align "left", "center" or "right".
type	Passed on to col_nchar() and there to nchar()

Value

The aligned character vector.

See Also

Other ANSI string operations: [col_nchar](#), [col_strsplit](#), [col_substring](#), [col_substr](#)

Examples

```
col_align(red("foobar"), 20, "left")  
col_align(red("foobar"), 20, "center")  
col_align(red("foobar"), 20, "right")
```

col_nchar	<i>Count number of characters in an ANSI colored string</i>
-----------	---

Description

This is a color-aware counterpart of [base::nchar\(\)](#), which does not do well, since it also counts the ANSI control characters.

Usage

```
col_nchar(x, ...)
```

Arguments

`x` Character vector, potentially ANSO styled, or a vector to be coerced to character.
`...` Additional arguments, passed on to `base::nchar()` after removing ANSI escape sequences.

Value

Numeric vector, the length of the strings in the character vector.

See Also

Other ANSI string operations: [col_align](#), [col_strsplit](#), [col_substring](#), [col_substr](#)

Examples

```
str <- paste(
  red("red"),
  "default",
  green("green")
)

cat(str, "\n")
nchar(str)
col_nchar(str)
nchar(strip_style(str))
```

col_strsplit

Split an ANSI colored string

Description

This is the color-aware counterpart of `base::strsplit()`. It works almost exactly like the original, but keeps the colors in the substrings.

Usage

```
col_strsplit(x, split, ...)
```

Arguments

`x` Character vector, potentially ANSI styled, or a vector to be coerced to character.
`split` Character vector of length 1 (or object which can be coerced to such) containing regular expression(s) (unless `fixed = TRUE`) to use for splitting. If empty matches occur, in particular if `split` has zero characters, `x` is split into single characters.
`...` Extra arguments are passed to `base::strsplit()`.

Value

A list of the same length as `x`, the i -th element of which contains the vector of splits of `x[i]`. ANSI styles are retained.

See Also

Other ANSI string operations: [col_align](#), [col_nchar](#), [col_substring](#), [col_substr](#)

Examples

```
str <- red("I am red---") %>%
  green("and I am green-") %>%
  underline("I underlined")

cat(str, "\n")

# split at dashes, keep color
cat(col_strsplit(str, "[~]+")[[1]], sep = "\n")
strsplit(strip_style(str), "[~]+")

# split to characters, keep color
cat(col_strsplit(str, "")[[1]], "\n", sep = " ")
strsplit(strip_style(str), "")
```

col_substr

Substring(s) of an ANSI colored string

Description

This is a color-aware counterpart of `base::substr()`. It works exactly like the original, but keeps the colors in the substrings. The ANSI escape sequences are ignored when calculating the positions within the string.

Usage

```
col_substr(x, start, stop)
```

Arguments

<code>x</code>	Character vector, potentially ANSI styled, or a vector to coerced to character.
<code>start</code>	Starting index or indices, recycled to match the length of <code>x</code> .
<code>stop</code>	Ending index or indices, recycled to match the length of <code>x</code> .

Value

Character vector of the same length as `x`, containing the requested substrings. ANSI styles are retained.

See Also

Other ANSI string operations: [col_align](#), [col_nchar](#), [col_strsplit](#), [col_substring](#)

Examples

```
str <- paste(
  red("red"),
  "default",
  green("green")
)

cat(str, "\n")
cat(col_substr(str, 1, 5), "\n")
cat(col_substr(str, 1, 15), "\n")
cat(col_substr(str, 3, 7), "\n")

substr(strip_style(str), 1, 5)
substr(strip_style(str), 1, 15)
substr(strip_style(str), 3, 7)

str2 <- "another " %%%
  red("multi-", sep = "", underline("style")) %%%
  " text"

cat(str2, "\n")
cat(col_substr(c(str, str2), c(3,5), c(7, 18)), sep = "\n")
substr(strip_style(c(str, str2)), c(3,5), c(7, 18))
```

col_substring

Substring(s) of an ANSI colored string

Description

This is the color-aware counterpart of `base::substring()`. It works exactly like the original, but keeps the colors in the substrings. The ANSI escape sequences are ignored when calculating the positions within the string.

Usage

```
col_substring(text, first, last = 1000000L)
```

Arguments

<code>text</code>	Character vector, potentially ANSI styled, or a vector to coerced to character. It is recycled to the longest of <code>first</code> and <code>last</code> .
<code>first</code>	Starting index or indices, recycled to match the length of <code>x</code> .
<code>last</code>	Ending index or indices, recycled to match the length of <code>x</code> .

Value

Character vector of the same length as `x`, containing the requested substrings. ANSI styles are retained.

See Also

Other ANSI string operations: [col_align](#), [col_nchar](#), [col_strsplit](#), [col_substr](#)

Examples

```
str <- paste(
  red("red"),
  "default",
  green("green")
)

cat(str, "\n")
cat(col_substring(str, 1, 5), "\n")
cat(col_substring(str, 1, 15), "\n")
cat(col_substring(str, 3, 7), "\n")

substring(strip_style(str), 1, 5)
substring(strip_style(str), 1, 15)
substring(strip_style(str), 3, 7)

str2 <- "another " %%%
  red("multi-", sep = "", underline("style")) %%%
  " text"

cat(str2, "\n")
cat(col_substring(str2, c(3,5), c(7, 18)), sep = "\n")
substring(strip_style(str2), c(3,5), c(7, 18))
```

combine_styles

Combine two or more ANSI styles

Description

Combine two or more styles or style functions into a new style function that can be called on strings to style them.

Usage

```
combine_styles(...)  
  
## S3 method for class 'crayon'  
crayon$style
```

Arguments

... The styles to combine. They will be applied from right to left.
 crayon A style function.
 style A style name that is included in `names(styles())`.

Details

It does not usually make sense to combine two foreground colors (or two background colors), because only the first one applied will be used.

It does make sense to combine different kind of styles, e.g. background color, foreground color, bold font.

The `$` operator can also be used to combine styles. Not that the left hand side of `$` is a style function, and the right hand side is the name of a style in `styles()`.

Value

The combined style function.

Examples

```
## Use style names
alert <- combine_styles("bold", "red4", "bgCyan")
cat(alert("Warning!"), "\n")

## Or style functions
alert <- combine_styles(bold, red, bgCyan)
cat(alert("Warning!"), "\n")

## Combine a composite style
alert <- combine_styles(bold, combine_styles(red, bgCyan))
cat(alert("Warning!"), "\n")

## Shorter notation
alert <- bold $ red $ bgCyan
cat(alert("Warning!"), "\n")
```

 concat

Concatenate character vectors

Description

The length of the two arguments must match, or one of them must be of length one. If the length of one argument is one, then the output's length will match the length of the other argument. See examples below.

Usage

```
lhs %+% rhs
```

Arguments

lhs Left hand side, character vector.
rhs Right hand side, character vector.

Value

Concatenated vectors.

Examples

```
"foo" %>% "bar"  
  
letters[1:10] %>% chr(1:10)  
  
letters[1:10] %>% "-" %>% chr(1:10)  
  
## This is empty (unlike for parse)  
character() %>% "*"
```

crayon

Colored terminal output

Description

With crayon it is easy to add color to terminal output, create styles for notes, warnings, errors; and combine styles.

Usage

```
## Simple styles  
red(...)  
bold(...)  
...  
  
## See more styling below
```

Arguments

... Strings to style.

Details

ANSI color support is automatically detected and used. Crayon was largely inspired by chalk <https://github.com/sindresorhus/chalk>.

Crayon defines several styles, that can be combined. Each style in the list has a corresponding function with the same name.

General styles

- reset
- bold
- blurred (usually called 'dim', renamed to avoid name clash)
- italic (not widely supported)
- underline
- inverse
- hidden
- strikethrough (not widely supported)

Text colors

- black
- red
- green
- yellow
- blue
- magenta
- cyan
- white
- silver (usually called 'gray', renamed to avoid name clash)

Background colors

- bgBlack
- bgRed
- bgGreen
- bgYellow
- bgBlue
- bgMagenta
- bgCyan
- bgWhite

Styling

The styling functions take any number of character vectors as arguments, and they concatenate and style them:

```
library(crayon)
cat(blue("Hello", "world!\n"))
```

Crayon defines the `%%` string concatenation operator, to make it easy to assemble strings with different styles.

```
cat("... to highlight the " %% red("search term") %%
    " in a block of text\n")
```

Styles can be combined using the `$` operator:

```
cat(yellow$bgMagenta$bold('Hello world!\n'))
```

See also [combine_styles\(\)](#).

Styles can also be nested, and then inner style takes precedence:

```
cat(green(
  'I am a green line ' %%
  blue$underline$bold('with a blue substring') %%
  ' that becomes green again!\n'
))
```

It is easy to define your own themes:

```
error <- red $ bold
warn <- magenta $ underline
note <- cyan
cat(error("Error: subscript out of bounds!\n"))
cat(warn("Warning: shorter argument was recycled.\n"))
cat(note("Note: no such directory.\n"))
```

See Also

[make_style\(\)](#) for using the 256 ANSI colors.

Examples

```
cat(blue("Hello", "world!"))

cat("... to highlight the " %% red("search term") %%
    " in a block of text")

cat(yellow$bgMagenta$bold('Hello world!'))

cat(green(
  'I am a green line ' %%
  blue$underline$bold('with a blue substring') %%
  ' that becomes green again!'
))

error <- red $ bold
warn <- magenta $ underline
note <- cyan
```

```
cat(error("Error: subscript out of bounds!\n"))
cat(warn("Warning: shorter argument was recycled.\n"))
cat(note("Note: no such directory.\n"))
```

drop_style *Remove a style*

Description

Remove a style

Usage

```
drop_style(style)
```

Arguments

style The name of the style to remove. No error is given for non-existing names.

Value

Nothing.

See Also

Other styles: [make_style](#)

Examples

```
make_style(new_style = "maroon", bg = TRUE)
cat(style("I am maroon", "new_style"), "\n")
drop_style("new_style")
"new_style" %in% names(styles())
```

has_color *Does the current R session support ANSI colors?*

Description

Does the current R session support ANSI colors?

Usage

```
has_color()
```

Details

The following algorithm is used to detect ANSI support:

- If the `crayon.enabled` option is set to `TRUE` with `options()`, then `TRUE` is returned. If it is set to something else than `TRUE` (typically `FALSE`), then `FALSE` is returned.
- Otherwise, if the standard output is not a terminal, then `FALSE` is returned.
- Otherwise, if the platform is Windows, `TRUE` is returned if running in ConEmu (<https://conemu.github.io/>) or `cmdr` (<http://cmdr.net>) with ANSI color support. Otherwise `FALSE` is returned.
- Otherwise, if the `COLORTERM` environment variable is set, `TRUE` is returned.
- Otherwise, if the `TERM` environment variable starts with `screen`, `xterm` or `vt100`, or matches `color`, `ansi`, `cygwin` or `linux` (with case insensitive matching), then `TRUE` is returned.
- Otherwise `FALSE` is returned.

Value

`TRUE` if the current R session supports color.

Sinks

Note that `has_color()` returns `FALSE` if a sink is active (see `sink()`). It assumes that the constructed string will be printed to the standard output, and `sink()` redirects to a file, and usually you don't want ANSI colors in the file.

The same applies to the case when R's standard output is redirected to a file, from the command line, e.g.:

```
R -q -e 'cat(crayon::red("no color here\n"))' > /tmp/crayon-test.txt
cat /tmp/crayon-test.txt
```

Examples

```
has_color()
```

has_style

Check if a string has some ANSI styling

Description

Check if a string has some ANSI styling

Usage

```
has_style(string)
```

Arguments

`string` The string to check. It can also be a character vector.

Value

Logical vector, TRUE for the strings that have some ANSI styling.

Examples

```
## The second one has style if crayon is enabled
has_style("foobar")
has_style(red("foobar"))
```

make_style	<i>Create an ANSI color style</i>
------------	-----------------------------------

Description

Create a style, or a style function, or both. This function is intended for those who wish to use 256 ANSI colors, instead of the more widely supported eight colors.

Usage

```
make_style(..., bg = FALSE, grey = FALSE, colors = num_colors())
```

Arguments

`...` The style to create. See details and examples below.

`bg` Whether the color applies to the background.

`grey` Whether to specifically create a grey color. This flag is included, because ANSI 256 has a finer color scale for greys, then the usual 0:5 scale for R, G and B components. It is only used for RGB color specifications (either numerically or via a hexa string), and it is ignored on eighth color ANSI terminals.

`colors` Number of colors, detected automatically by default.

Details

The crayon package comes with predefined styles (see [styles\(\)](#) for a list) and functions for the basic eight-color ANSI standard (red, blue, etc., see [crayon](#)).

There are no predefined styles or style functions for the 256 color ANSI mode, however, because we simply did not want to create that many styles and functions. Instead, `make_style()` can be used to create a style (or a style function, or both).

There are two ways to use this function:

1. If its first argument is not named, then it returns a function that can be used to color strings.

2. If its first argument is named, then it also creates a style with the given name. This style can be used in `style()`. One can still use the return value of the function, to create a style function.

The style (the code... argument) can be anything of the following:

- An R color name, see `colors()`.
- A 6- or 8-digit hexa color string, e.g. `#ff0000` means red. Transparency (alpha channel) values are ignored.
- A one-column matrix with three rows for the red, green and blue channels, as returned by `col2rgb` (in the base `grDevices` package).

`make_style()` detects the number of colors to use automatically (this can be overridden using the `colors` argument). If the number of colors is less than 256 (detected or given), then it falls back to the color in the ANSI eight color mode that is closest to the specified (RGB or R) color.

See the examples below.

Value

A function that can be used to color strings.

See Also

Other styles: [drop_style](#)

Examples

```
## Create a style function without creating a style
pink <- make_style("pink")
bgMaroon <- make_style(rgb(0.93, 0.19, 0.65), bg = TRUE)
cat(bgMaroon(pink("I am pink if your terminal wants it, too.\n")))
```

```
## Create a new style for pink and maroon background
make_style(pink = "pink")
make_style(bgMaroon = rgb(0.93, 0.19, 0.65), bg = TRUE)
"pink" %in% names(styles())
"bgMaroon" %in% names(styles())
cat(style("I am pink, too!\n", "pink", bg = "bgMaroon"))
```

num_colors

Number of colors the terminal supports

Description

Number of colors the terminal supports

Usage

```
num_colors(forget = FALSE)
```

Arguments

forget Whether to forget the cached result of the color check.

Details

If the `crayon.colors` option is set, then we just use that. It should be an integer number. You can use this option as a workaround if `crayon` does not detect the number of colors accurately.

In Emacs, we report eight colors.

Otherwise, we use the `tput` shell command to detect the number of colors. If `tput` is not available, but we think that the terminal supports colors, then eight colors are assumed.

If `tput` returns 8, but `TERM` is `xterm`, we return 256, as most `xterm` compatible terminals in fact do support 256 colors. There is some discussion about this here: <https://github.com/r-lib/crayon/issues/17>

For efficiency, `num_colors()` caches its result. To re-check the number of colors, set the `forget` argument to `TRUE`. The cached value is only used if no sinks are active, see also `has_color()` for more information about sinks.

Value

Numeric scalar, the number of colors the terminal supports.

Examples

```
num_colors()
```

show_ansi_colors	<i>Show the ANSI color table on the screen</i>
------------------	--

Description

Show the ANSI color table on the screen

Usage

```
show_ansi_colors(colors = num_colors())
```

Arguments

colors Number of colors to show, meaningful values are 8 and 256. It is automatically set to the number of supported colors, if not specified.

Value

The printed string, invisibly.

start.crayon	<i>Switch on or off a style</i>
--------------	---------------------------------

Description

Make a style active. The text printed to the screen from now on will use this style.

Usage

```
## S3 method for class 'crayon'  
start(x, ...)  
  
finish(x, ...)  
  
## S3 method for class 'crayon'  
finish(x, ...)
```

Arguments

x	Style.
...	Ignored.

Details

This function is very rarely needed, e.g. for colored user input. For other reasons, just call the style as a function on the string.

Examples

```
## The input is red (if color is supported)  
get_name <- function() {  
  cat("Enter your name:", start(red))  
  input <- readline()  
  cat(finish(red))  
  input  
}  
name <- get_name()  
name
```

<code>strip_style</code>	<i>Remove ANSI escape sequences from a string</i>
--------------------------	---

Description

Remove ANSI escape sequences from a string

Usage

```
strip_style(string)
```

Arguments

<code>string</code>	The input string.
---------------------	-------------------

Value

The cleaned up string.

Examples

```
strip_style(red("foobar")) == "foobar"
```

<code>style</code>	<i>Add style to a string</i>
--------------------	------------------------------

Description

See `names(styles)`, or the crayon manual for available styles.

Usage

```
style(string, as = NULL, bg = NULL)
```

Arguments

<code>string</code>	Character vector to style.
<code>as</code>	Style function to apply, either the function object, or its name, or an object to pass to <code>make_style()</code> .
<code>bg</code>	Background style, a style function, or a name that is passed to <code>make_style()</code> .

Value

Styled character vector.

Examples

```
## These are equivalent
style("foobar", bold)
style("foobar", "bold")
bold("foobar")
```

styles

ANSI escape sequences of crayon styles

Description

You can use this function to list all available crayon styles, via `names(styles())`, or to explicitly apply an ANSI escape sequence to a string.

Usage

```
styles()
```

Value

A named list. Each list element is a list of two strings, named 'open' and 'close'.

See Also

[crayon\(\)](#) for the beginning of the crayon manual.

Examples

```
names(styles())
cat(styles()[["bold"]]$close)
```

Index

`$.crayon (combine_styles)`, 7
`%+%` (concat), 8

`as.character()`, 2

`base::nchar()`, 3
`base::strsplit()`, 4
`base::substr()`, 5
`base::substring()`, 6
`bgBlack (crayon)`, 9
`bgBlue (crayon)`, 9
`bgCyan (crayon)`, 9
`bgGreen (crayon)`, 9
`bgMagenta (crayon)`, 9
`bgRed (crayon)`, 9
`bgWhite (crayon)`, 9
`bgYellow (crayon)`, 9
`black (crayon)`, 9
`blue (crayon)`, 9
`blurred (crayon)`, 9
`bold (crayon)`, 9

`chr`, 2
`col_align`, 3, 4–7
`col_nchar`, 3, 3, 5–7
`col_nchar()`, 3
`col_strsplit`, 3, 4, 4, 6, 7
`col_substr`, 3–5, 5, 7
`col_substring`, 3–6, 6
`colors()`, 15
`combine_styles`, 7
`combine_styles()`, 11
`concat`, 8
`crayon`, 9, 14
`crayon()`, 19
`crayon-package (crayon)`, 9
`cyan (crayon)`, 9

`drop_style`, 12, 15

`finish (start.crayon)`, 17

`green (crayon)`, 9

`has_color`, 12
`has_color()`, 16
`has_style`, 13
`hidden (crayon)`, 9

`inverse (crayon)`, 9
`italic (crayon)`, 9

`magenta (crayon)`, 9
`make_style`, 12, 14
`make_style()`, 11, 18

`nchar()`, 3
`num_colors`, 15

`options()`, 13

`red (crayon)`, 9
`reset (crayon)`, 9

`show_ansi_colors`, 16
`silver (crayon)`, 9
`sink()`, 13
`start.crayon`, 17
`strikethrough (crayon)`, 9
`strip_style`, 18
`style`, 18
`style()`, 15
`styles`, 19
`styles()`, 8, 14

`underline (crayon)`, 9

`white (crayon)`, 9

`yellow (crayon)`, 9