

Package ‘dundermifflin’

February 27, 2020

Type Package

Title The Office Quotes on-Demand

Version 0.1.1

Description Provides functions to randomly select, return, and print quotes or entire scenes from the American version of the show the Office. Receive laughs from one of the greatest sitcoms of all time on demand. Add these functions to your '.Rprofile' to get a good laugh everytime you start a new R session.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports stringi, crayon

Depends R (>= 2.10)

RoxygenNote 6.1.1

NeedsCompilation no

Author Tyler Bradley [aut, cre]

Maintainer Tyler Bradley <tcb85@drexel.edu>

Repository CRAN

Date/Publication 2020-02-27 08:50:02 UTC

R topics documented:

| | |
|-----------------------------|---|
| character_quotes | 2 |
| department_quotes | 3 |
| filter_quotes | 4 |
| get_quote | 4 |
| last_quote | 5 |
| office_quotes | 5 |
| random_scene | 6 |
| she_said | 6 |

| | |
|--------------|----------|
| Index | 7 |
|--------------|----------|

| | |
|------------------|--|
| character_quotes | <i>Get quotes from specific characters</i> |
|------------------|--|

Description

Get quotes from specific characters

Usage

michael(...)

jim(...)

dwight(...)

pam(...)

andy(...)

kevin(...)

angela(...)

erin(...)

oscar(...)

ryan(...)

darryl(...)

phyllis(...)

toby(...)

kelly(...)

stanley(...)

meredith(...)

creed(...)

Arguments

... arguments to be passed to [get_quote](#)

Examples

```
## Not run:  
  michael()  
  jim()  
  kelly()  
  dwight()  
  
## End(Not run)
```

department_quotes *Get quotes from different departments of the office*

Description

Get quotes from different departments of the office

Usage

```
sales(...)  
  
accounting(...)  
  
customer_service(...)  
  
hr(...)  
  
reception(...)  
  
corporate(...)
```

Arguments

... arguments to be passed to [get_quote](#)

Examples

```
## Not run:  
  sales()  
  accounting()  
  
## End(Not run)
```

| | |
|---------------|-----------------------------|
| filter_quotes | <i>Filter office_quotes</i> |
|---------------|-----------------------------|

Description

Filter office_quotes

Usage

```
filter_quotes(season = NULL, episode = NULL, name = NULL,
              scene = NULL, character = "main", min_nword = 10,
              max_nword = 100, include_actions = FALSE)
```

Arguments

| | |
|-----------------|---|
| season | an integer specifying the season for which to get quotes from Currently, all seasons are included except season 5 |
| episode | an integer specifying the episode number to get quote from |
| name | a character string with the episode name to get quote from |
| scene | an integer specifying the scene number |
| character | a character specifying the character or department to get quote from. Defaults to 'main', see details |
| min_nword | the minimum number of words a quote must have to be included, defaults to 4 |
| max_nword | the maximum number of words a quote can have to be included, defaults to 20 |
| include_actions | should non spoken actions be included in the output? Defaults to FALSE (i.e. actions will not be included) |

Details

Main Character List - Michael, Dwight, Jim, Pam, Andy, Kevin, Angela, Erin, Oscar, Ryan, Darryl, Phyllis, Toby, Kelly, Stanley, Meredith, and Creed

Other Departments - Sales, Accounting, HR, Customer Service, Reception, and Corporate

| | |
|-----------|--------------------------|
| get_quote | <i>Get office quotes</i> |
|-----------|--------------------------|

Description

Randomly pull quotes from the office_quotes data frame

Usage

```
get_quote(..., force_print = FALSE, idx = FALSE)
```

Arguments

... arguments to pass to [filter_quotes](#)

force_print a logical specifying whether you want the quote to print even if it is assigned to a variable name

idx logical specifying whether the quote index should be printed with the quote

Examples

```
## Not run:
  get_quote()

# return quote with index
  get_quote(idx = TRUE)

# get quotes using various filters
  get_quote(season = 1)
  get_quote(season = 4, episode = 3)
  get_quote(season = 4, character = "Jim")

## End(Not run)
```

| | |
|------------|---------------------------------|
| last_quote | <i>Get the last quote index</i> |
|------------|---------------------------------|

Description

Get the last quote index

Usage

```
last_quote()
```

| | |
|---------------|--|
| office_quotes | <i>Dataset of all quotes from The Office</i> |
|---------------|--|

Description

Dataset of all quotes from The Office
Season, episode and scene combinations

Usage

```
office_quotes

ep_n_scene
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 50221 rows and 7 columns.

| | |
|---------------------------|--|
| <code>random_scene</code> | <i>Get a random scene dialog from the Office</i> |
|---------------------------|--|

Description

Get a random scene dialog from the Office

Usage

```
random_scene()
```

Examples

```
## Not run: random_scene()
```

| | |
|-----------------------|--|
| <code>she_said</code> | <i>Get a "That's what she said" joke from the office</i> |
|-----------------------|--|

Description

Get a "That's what she said" joke from the office

Usage

```
she_said()
```

Index

*Topic **datasets**

office_quotes, 5

accounting (department_quotes), 3
andy (character_quotes), 2
angela (character_quotes), 2

character_quotes, 2
corporate (department_quotes), 3
creed (character_quotes), 2
customer_service (department_quotes), 3

darryl (character_quotes), 2
department_quotes, 3
dwight (character_quotes), 2

ep_n_scene (office_quotes), 5
erin (character_quotes), 2

filter_quotes, 4, 5

get_quote, 2, 3, 4

hr (department_quotes), 3

jim (character_quotes), 2

kelly (character_quotes), 2
kevin (character_quotes), 2

last_quote, 5

meredith (character_quotes), 2
michael (character_quotes), 2

office_quotes, 5
oscar (character_quotes), 2

pam (character_quotes), 2
phyllis (character_quotes), 2

random_scene, 6

reception (department_quotes), 3
ryan (character_quotes), 2

sales (department_quotes), 3
she_said, 6
stanley (character_quotes), 2

toby (character_quotes), 2