

Package ‘icesTAF’

May 15, 2020

Version 3.5-0

Date 2020-05-15

Title Functions to Support the ICES Transparent Assessment Framework

Imports grDevices, lattice, stats, tools, utils, bibtex

LazyData yes

Description Functions to support the ICES Transparent Assessment Framework <<https://taf.ices.dk>> to organize data, methods, and results used in ICES assessments. ICES is an organization facilitating international collaboration in marine science.

License GPL (>= 2)

URL <https://taf.ices.dk>

Encoding UTF-8

RoxygenNote 7.1.0

NeedsCompilation no

Author Arni Magnusson [aut, cre],
Colin Millar [aut],
Alexandros Kokkalis [ctb],
Iago Mosqueira [ctb],
Ibrahim Umar [ctb]

Maintainer Arni Magnusson <arni.magnusson@ices.dk>

Repository CRAN

Date/Publication 2020-05-15 10:20:03 UTC

R topics documented:

icesTAF-package	3
catage.long	5
catage.taf	6
catage.xtab	7
clean	8
clean.data	9

clean.library	10
clean.software	11
convert.spaces	12
cp	13
deps	14
detach.packages	15
div	16
dos2unix	17
download	18
download.github	19
draft.data	20
draft.software	22
file.encoding	24
flr2taf	25
get.remote.sha	26
is.r.package	27
latin1.to.utf8	27
lim	28
line.endings	29
long2taf	30
long2xtab	30
make	31
makeAll	32
makeTAF	33
mkdir	34
msg	35
os	36
period	37
plus	38
read.taf	39
rmdir	40
rnd	41
sam2taf	42
sourceAll	43
sourceDir	44
sourceTAF	45
summary.taf	46
taf.bootstrap	48
taf.colors	49
taf.install	50
taf.libPaths	51
taf.library	52
taf.png	53
taf.session	55
taf.skeleton	55
taf.unzip	56
taf2long	57
taf2xtab	58

tt	59
write.taf	60
xtab2long	61
xtab2taf	62
zoom	63

Index 65

icesTAF-package *Functions to Support the ICES Transparent Assessment Framework*

Description

Functions to support the ICES Transparent Assessment Framework, to organize data, methods, and results used in ICES assessments.

Details

Initial TAF steps:

draft.data	draft DATA.bib file
draft.software	draft SOFTWARE.bib file
period	paste period string for DATA.bib
taf.bootstrap	set up data files and software
taf.skeleton	create empty TAF template

Running scripts:

clean	clean TAF directories
make	run R script if needed
makeAll	run all TAF scripts as needed
makeTAF	run TAF script if needed
msg	show message
sourceAll	run all TAF scripts
sourceTAF	run TAF script

File management:

convert.spaces	convert spaces
cp	copy files
mkdir	create directory
os.linux	operating system
os.macos	operating system
os.windows	operating system
read.taf	read TAF table from file
sourceDir	read all *.R files
taf.library	load package from TAF library
taf.unzip	unzip file

`write.taf` write TAF table to file

Tables:

<code>div</code>	divide column values
<code>flr2taf</code>	convert FLR to TAF
<code>long2taf</code>	convert long format to TAF
<code>long2xtab</code>	convert long format to crosstab
<code>plus</code>	rename plus group column
<code>rnd</code>	round column values
<code>sam2taf</code>	convert SAM to TAF
<code>taf2long</code>	convert TAF to long format
<code>taf2xtab</code>	convert TAF to crosstab
<code>tt</code>	transpose TAF table
<code>xtab2long</code>	convert crosstab to long format
<code>xtab2taf</code>	convert crosstab to TAF

Plots:

<code>lim</code>	compute axis limits
<code>taf.colors</code>	predefined colors
<code>taf.png</code>	open PNG graphics device
<code>zoom</code>	change lattice text size

Example tables:

<code>catage.long</code>	long format
<code>catage.taf</code>	TAF format
<code>catage.xtab</code>	crosstab format
<code>summary.taf</code>	summary results

Administrative tools, rarely used in scripts:

<code>clean.data</code>	clean bootstrap data
<code>clean.library</code>	clean TAF library
<code>clean.software</code>	clean TAF software
<code>deps</code>	list dependencies
<code>detach.packages</code>	detach all packages
<code>dos2unix</code>	convert line endings
<code>download</code>	download file
<code>download.github</code>	download repository
<code>file.encoding</code>	examine file encoding
<code>get.remote.sha</code>	look up SHA code
<code>is.r.package</code>	check if file is an R package
<code>latin1.to.utf8</code>	convert file encoding
<code>line.endings</code>	examine line endings
<code>rmdir</code>	remove empty directory

<code>taf.install</code>	install package in TAF library
<code>taf.libPaths</code>	add TAF library to search path
<code>taf.session</code>	show session information
<code>unix2dos</code>	convert line endings
<code>utf8.to.latin1</code>	convert file encoding

Author(s)

Arni Magnusson and Colin Millar.

References

ICES Transparent Assessment Framework: <https://taf.ices.dk>.

To explore example TAF stock assessments, see the introductory [video](#) and [tutorial](#).

The [TAF Wiki](#) provides additional help resources.

catage.long

Catch at Age in Long Format

Description

Small catch-at-age table to describe a long format data frame to store year-age values.

Usage

`catage.long`

Format

Data frame containing three columns:

Year	year
Age	age
Catch	catch (millions of individuals)

Details

The data are an excerpt (first years and ages) from the catch-at-age table for North Sea cod from the ICES (2016) assessment.

Source

ICES (2016) Report of the working group on the assessment of demersal stocks in the North Sea and Skagerrak (WGNSSK). *ICES CM 2016/ACOM:14*, p. 673.

See Also

[catage.taf](#) and [catage.xtab](#) describe alternative table formats.

[long2taf](#) converts a long table to TAF format.

[icesTAF-package](#) gives an overview of the package.

Examples

```
catage.long
long2taf(catage.long)
```

catage.taf	<i>Catch at Age in TAF Format</i>
------------	-----------------------------------

Description

Small catch-at-age table to describe a TAF format data frame to store year-age values.

Usage

```
catage.taf
```

Format

Data frame containing five columns:

Year	year
1	number of one-year-olds in the catch (millions)
2	number of two-year-olds in the catch (millions)
3	number of three-year-olds in the catch (millions)
4	number of four-year-olds in the catch (millions)

Details

The data are an excerpt (first years and ages) from the catch-at-age table for North Sea cod from the ICES (2016) assessment.

Source

ICES (2016) Report of the working group on the assessment of demersal stocks in the North Sea and Skagerrak (WGNSSK). *ICES CM 2016/ACOM:14*, p. 673.

See Also

[catage.long](#) and [catage.xtab](#) describe alternative table formats.

[taf2long](#) and [taf2xtab](#) convert a TAF table to alternative formats.

[icesTAF-package](#) gives an overview of the package.

Examples

```
catage.taf
taf2long(catage.taf)
taf2xtab(catage.taf)
```

catage.xtab	<i>Catch at Age in Crosstab Format</i>
-------------	--

Description

Small catch-at-age table to describe a crosstab format data frame to store year-age values.

Usage

```
catage.xtab
```

Format

Data frame with years as row names and containing four columns:

- 1 number of one-year-olds in the catch (millions)
- 2 number of two-year-olds in the catch (millions)
- 3 number of three-year-olds in the catch (millions)
- 4 number of four-year-olds in the catch (millions)

Details

The data are an excerpt (first years and ages) from the catch-at-age table for North Sea cod from the ICES (2016) assessment.

Source

ICES (2016) Report of the working group on the assessment of demersal stocks in the North Sea and Skagerrak (WGNSSK). *ICES CM 2016/ACOM:14*, p. 673.

See Also

[catage.long](#) and [catage.taf](#) describe alternative table formats.

[xtab2taf](#) converts a crosstab table to TAF format.

[icesTAF-package](#) gives an overview of the package.

Examples

```
catage.xtab
xtab2taf(catage.xtab)
```

`clean`*Clean TAF Directories*

Description

Remove working TAF directories (data, model, output, report), bootstrap, or other directories.

Usage

```
clean(dirs = c("data", "model", "output", "report"), force = FALSE)
```

Arguments

<code>dirs</code>	directories to delete.
<code>force</code>	passed to <code>software</code> and <code>clean.library</code> if any of the <code>dirs</code> is "bootstrap".

Note

The purpose of removing the directories is to make sure that subsequent TAF scripts start by creating new empty directories.

If any of the `dirs` is "bootstrap" it is treated specially. Instead of completely removing the bootstrap directory, only the subdirectories data is removed, while `clean.software` and `clean.library` are used to clean the bootstrap/software and bootstrap/library subdirectories. This protects the subdirectory bootstrap/initial and *.bib metadata files from being accidentally deleted.

See Also

[clean.software](#) selectively removes software from bootstrap/software.

[clean.library](#) selectively removes packages from bootstrap/library.

[clean.data](#) selectively removes data from bootstrap/data.

[mkdir](#) and [rmdir](#) create and remove empty directories.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
clean()  
  
## End(Not run)
```

`clean.data`*Clean Data*

Description

Selectively remove data from the bootstrap/data folder if not listed in DATA.bib.

Usage

```
clean.data(folder = "bootstrap/data", quiet = FALSE, force = FALSE)
```

Arguments

folder	location of bootstrap/data.
quiet	whether to suppress messages about removed data.
force	whether to remove folder, regardless of how it compares to DATA.bib entries.

Note

For each data file or subfolder, the cleaning procedure selects between two cases:

1. Data entry found in DATA.bib - do nothing.
2. Data entry is not listed in DATA.bib - remove.

The `taf.bootstrap` procedure cleans the bootstrap/data folder, without requiring the user to run `clean.data`.

See Also

[taf.bootstrap](#) calls `clean.data` as part of the default bootstrap procedure.

[clean.software](#) cleans the local TAF software folder.

[clean.library](#) cleans the local TAF library.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
clean.data()  
  
## End(Not run)
```

clean.library

Clean TAF Library

Description

Selectively remove packages from the local TAF library if not listed in SOFTWARE.bib.

Usage

```
clean.library(folder = "bootstrap/library", quiet = FALSE, force = FALSE)
```

Arguments

folder	location of local TAF library.
quiet	whether to suppress messages about removed packages.
force	whether to remove the local TAF library, regardless of how it compares to SOFTWARE.bib entries.

Note

For each package, the cleaning procedure selects between three cases:

1. Installed package matches SOFTWARE.bib - do nothing.
2. Installed package is not the version listed in SOFTWARE.bib - remove.
3. Installed package is not listed in SOFTWARE.bib - remove.

The taf.bootstrap procedure cleans the TAF library, without requiring the user to run clean.library. The main reason for a TAF user to run clean.library directly is to experiment with installing and removing different versions of software without modifying the SOFTWARE.bib file.

See Also

[taf.bootstrap](#) calls clean.library as part of the default bootstrap procedure.

[taf.install](#) installs a package in the local TAF library.

[clean.software](#) cleans the local TAF software folder.

[clean.data](#) cleans the bootstrap/data folder.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
clean.library()  
  
## End(Not run)
```

clean.software	<i>Clean TAF Software</i>
----------------	---------------------------

Description

Selectively remove software from the local TAF software folder if not listed in SOFTWARE.bib.

Usage

```
clean.software(folder = "bootstrap/software", quiet = FALSE, force = FALSE)
```

Arguments

folder	location of local TAF software folder.
quiet	whether to suppress messages about removed software.
force	whether to remove the local TAF software folder, regardless of how it compares to SOFTWARE.bib entries.

Note

For each file (and subdirectory) in the software folder, the cleaning procedure selects between three cases:

1. File and version matches SOFTWARE.bib - do nothing.
2. Filename does not contain the version listed in SOFTWARE.bib - remove.
3. File is not listed in SOFTWARE.bib - remove.

The taf.bootstrap procedure cleans the TAF software folder, without requiring the user to run clean.software. The main reason for a TAF user to run clean.software directly is to experiment with installing and removing different versions of software without modifying the SOFTWARE.bib file.

See Also

[taf.bootstrap](#) calls clean.software as part of the default bootstrap procedure.

[download.github](#) downloads a GitHub repository.

[clean.library](#) cleans the local TAF library.

[clean.data](#) cleans the bootstrap/data folder.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
clean.software()  
  
## End(Not run)
```

convert.spaces	<i>Convert Spaces</i>
----------------	-----------------------

Description

Convert spaces in filenames.

Usage

```
convert.spaces(file, sep = "_")
```

Arguments

file	filename, e.g. "file name.csv", "*.csv", or "dir/*".
sep	character to use instead of spaces.

Value

TRUE for success, FALSE for failure, invisibly.

Note

This function treats '%20' in filenames as a space and converts to sep.

See Also

[file.rename](#) is the base function to rename files.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
write(pi, "A B.txt")  
convert.spaces("A B.txt")  
  
## Many files  
convert.spaces("bootstrap/initial/data/*")  
  
## End(Not run)
```

cp *Copy Files*

Description

Copy or move files, overwriting existing files if necessary, and returning the result invisibly.

Usage

```
cp(from, to, move = FALSE, ignore = FALSE, overwrite = TRUE, quiet = TRUE)
```

Arguments

from	source filenames, e.g. *.csv.
to	destination filenames, or directory.
move	whether to move instead of copy.
ignore	whether to suppress error if source file does not exist.
overwrite	whether to overwrite if destination file exists.
quiet	whether to suppress messages.

Value

TRUE for success, FALSE for failure, invisibly.

Note

To prevent accidental loss of files, two safeguards are enforced when `move = TRUE`:

1. When moving files, the `to` argument must either have a filename extension or be an existing directory.
2. When moving many files to one destination, the `to` argument must be an existing directory.

If these conditions do not hold, no files are changed and an error is returned.

See Also

[file.copy](#) and [unlink](#) are the underlying functions used to copy and (if `move = TRUE`) delete files.

[file.rename](#) is the base function to rename files.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
write(pi, "A.txt")
cp("A.txt", "B.txt")
cp("A.txt", "B.txt", move=TRUE)

## Copy directory tree
cp(system.file(package="datasets"), ".")
mkdir("everything")
cp("datasets/*", "everything")

## End(Not run)
```

deps

List Dependencies

Description

Search R scripts for packages that are required.

Usage

```
deps(path = ".", base = FALSE, installed = TRUE, available = TRUE,
      list = FALSE)
```

Arguments

path	a directory or file containing R scripts.
base	whether to include base packages in the output.
installed	whether to include installed packages in the output.
available	whether to include available packages in the output.
list	whether to return packages in list format, split by script.

Value

Names of packages as a vector, or in list format if `list=TRUE`. If no dependencies are found, the return value is `NULL`.

Note

Package names are matched based on four patterns:

```
library(*)
require(*)
*::object
*:::object
```

The search algorithm may return false-positive dependencies if these patterns occur inside if-clauses, strings, comments, etc.

See Also

[installed.packages](#), [available.packages](#).

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
dir <- system.file(package="MASS", "scripts")
script <- system.file(package="MASS", "scripts/ch08.R")

deps(script)           # dependencies
deps(script, base=TRUE) # including base packages
deps(script, installed=FALSE) # not (yet) installed

deps(dir)
deps(dir, list=TRUE)

deps(dir, available=FALSE) # dependencies that might be unavailable

## End(Not run)
```

detach.packages

Detach Packages

Description

Detach all non-base packages that have been attached using `library` or `taf.library`.

Usage

```
detach.packages(quiet = FALSE)
```

Arguments

`quiet` whether to suppress messages.

See Also

`detach` is the underlying base function to detach a package.

`taf.library` loads a package from bootstrap/library.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
detach.packages()  
  
## End(Not run)
```

div

Divide Columns

Description

Divide column values in a data frame with a common number.

Usage

```
div(x, cols, by = 1000, grep = FALSE, ...)
```

Arguments

x	a data frame.
cols	column names, or column indices.
by	a number to divide with.
grep	whether cols is a regular expression.
...	passed to grep().

Value

A data frame similar to x, after dividing columns cols by the number by.

Note

Provides notation that is convenient for modifying many columns at once.

See Also

[transform](#) can also be used to recalculate column values, using a more general and verbose syntax.

[grep](#) is the underlying function used to match column names if grep is TRUE.

[rnd](#) is a similar function that rounds columns.

[icesTAF-package](#) gives an overview of the package.

Examples

```
# These are equivalent:

x1 <- div(summary.taf, c("Rec", "Rec_lo", "Rec_hi",
                        "TSB", "TSB_lo", "TSB_hi",
                        "SSB", "SSB_lo", "SSB_hi",
                        "Removals", "Removals_lo", "Removals_hi"))

x2 <- div(summary.taf, "Rec|TSB|SSB|Removals", grep=TRUE)

x3 <- div(summary.taf, "Year|Fbar", grep=TRUE, invert=TRUE)

# Less reliable in scripts if columns have been added/deleted/reordered:

x4 <- div(summary.taf, 2:13)
```

dos2unix

Convert Line Endings

Description

Convert line endings in a text file between Dos (CRLF) and Unix (LF) format.

Usage

```
dos2unix(file)
```

```
unix2dos(file)
```

Arguments

file a filename.

See Also

[line.endings](#) examines line endings.

[write.taf](#) uses unix2dos to ensure that the resulting files have Dos line endings.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
file <- "test.txt"
write("123", file)

dos2unix(file)
file.size(file)
```

```

unix2dos(file)
file.size(file)

file.remove(file)

## End(Not run)

```

download

Download File

Description

Download a file in binary mode, e.g. a model executable.

Usage

```

download(url, dir = ".", mode = "wb", chmod = file_ext(url) == "",
  destfile = file.path(dir, basename(url)), quiet = TRUE, ...)

```

Arguments

<code>url</code>	URL of file to download.
<code>dir</code>	directory to download to.
<code>mode</code>	download mode, see details.
<code>chmod</code>	whether to set execute permission (default is TRUE if file has no filename extension).
<code>destfile</code>	destination path and filename (optional, overrides <code>dir</code>).
<code>quiet</code>	whether to suppress messages.
<code>...</code>	passed to <code>download.file</code> .

Details

With the default mode "wb" the file is downloaded in binary mode (see [download.file](#)), to prevent R from adding ^M at line ends. This is particularly relevant for Windows model executables, while the `chmod` switch is useful when downloading Linux executables.

This function can be convenient for downloading any file, including text files. Data files in CSV or other text format can also be read directly into memory using `read.table`, `read.taf` or similar functions, without writing to the file system.

Note

If `destfile` contains a question mark it is removed from the `destfile` filename. Similarly, if `destfile` contains spaces or ‘%20’ sequences, those are converted to underscores.

In general, TAF scripts do not access the internet using `download` or similar functions. Instead, data and software are declared in `DATA.bib` and `SOFTWARE.bib` and then downloaded using `taf.bootstrap`. The exception is when a bootstrap script is used to fetch files from a web service (see [TAF Wiki](#)).

See Also

`download.file` is the underlying base function to download files.

`download.github` downloads a GitHub repository.

`icesTAF-package` gives an overview of the package.

Examples

```
## Not run:
url <- paste0("https://github.com/ices-taf/2015_had-iceg/raw/master/",
             "bootstrap/initial/software/catageysa.exe")
download(url)

## End(Not run)
```

`download.github`*Download GitHub Repository*

Description

Download a repository from GitHub in ‘tar.gz’ format.

Usage

```
download.github(repo, dir = ".", quiet = FALSE)
```

Arguments

<code>repo</code>	GitHub reference of the form <code>owner/repo[/subdir]@ref</code> .
<code>dir</code>	directory to download to.
<code>quiet</code>	whether to suppress messages.

Value

Name of downloaded tar.gz file.

Note

In general, TAF scripts do not access the internet using `download.github` or similar functions. Instead, data and software are declared in `DATA.bib` and `SOFTWARE.bib` and then downloaded using `taf.bootstrap`. The exception is when a bootstrap script is used to fetch files from a web service (see [TAF Wiki](#)).

See Also

`taf.bootstrap` uses `download.github` to fetch software and data repositories.

`download` downloads a file.

`untar` extracts a tar.gz archive.

`taf.install` installs a package in tar.gz format.

`icesTAF-package` gives an overview of the package.

Examples

```
## Not run:
# Specify release tag
download.github("ices-tools-prod/icesTAF@2.0-0")

# Specify SHA reference code
download.github("ices-tools-prod/icesTAF@d5a8947")

## End(Not run)
```

draft.data

Draft DATA.bib

Description

Create an initial draft version of a ‘DATA.bib’ metadata file.

Usage

```
draft.data(originator = NULL, year = format(Sys.time(), "%Y"),
  title = NULL, period = NULL, access = "Public", source = NULL,
  file = "", append = FALSE, data.files = dir("bootstrap/initial/data"),
  data.scripts = dir("bootstrap", pattern = "\\R$"))
```

Arguments

<code>originator</code>	who prepared the data, e.g. a working group acronym.
<code>year</code>	year of the analysis when the data were used. The default is the current year.
<code>title</code>	description of the data, including survey names or the like.

period	a string of the form "1990-2000", indicating the first and last year that the data cover, separated by a simple dash. Alternatively, a single number if the data cover only one year. If the data do not cover specific years, this metadata field can be suppressed using period = FALSE.
access	data access code: "OSPAR", "Public", or "Restricted".
source	where the data are copied/downloaded from. This can be a URL, filename, special value "file", or special value "script".
file	optional filename to save the draft metadata to a file. The value TRUE can be used as shorthand for "bootstrap/DATA.bib".
append	whether to append metadata entries to an existing file.
data.files	data files to consider. The default is all folders and files inside bootstrap/initial/data.
data.scripts	bootstrap data scripts to consider. The default is all *.R files in the bootstrap folder.

Details

Typical usage is to specify originator, while using the default values for the other arguments. Most data files have the same originator, which can be specified to facilitate completing the entries after creating the initial draft.

The data access codes come from <https://vocab.ices.dk/?ref=1435>.

The special values source = "file" and source = "script" are described on the [TAF Wiki](#), along with other metadata information.

The default value file = "" prints the initial draft in the console, instead of writing it to a file. The output can then be pasted into a file to edit further, without accidentally overwriting an existing metadata file.

Value

Object of class Bibtex.

Note

This function is intended to be called from the top directory of a TAF analysis. It looks for data files inside bootstrap/initial/data folder and data scripts inside bootstrap.

After creating the initial draft, the user can complete the description of each data entry inside the title field and look into each file to specify the period that the data cover.

See Also

[period](#) pastes two years to form a period string.

[draft.software](#) creates an initial draft version of a SOFTWARE.bib metadata file.

[taf.bootstrap](#) reads and processes metadata entries.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
# Print in console
draft.data("WGEF", 2015)

# Export to file
draft.data("WGEF", 2015, file=TRUE)

## End(Not run)
```

draft.software	<i>Draft SOFTWARE.bib</i>
----------------	---------------------------

Description

Create an initial draft version of a ‘SOFTWARE.bib’ metadata file.

Usage

```
draft.software(package, author = NULL, year = NULL, title = NULL,
  version = NULL, source = NULL, file = "", append = FALSE)
```

Arguments

package	name of one or more R packages, or files/folders starting with the path bootstrap/initial/software.
author	author(s) of the software.
year	year when this version of the software was released, or the publication year of the cited manual/article/etc.
title	title or short description of the software.
version	string to specify details about the version, e.g. GitHub branch and commit date.
source	string to specify where the software are copied/downloaded from. This can be a GitHub reference of the form owner/repo[/subdir]@ref, URL, or a filename.
file	optional filename to save the draft metadata to a file. The value TRUE can be used as shorthand for "bootstrap/SOFTWARE.bib".
append	whether to append metadata entries to an existing file.

Details

Typical usage is to specify package, while using the default values for the other arguments.

If package is an R package, it can either be a package that is already installed ("icesAdvice") or a GitHub reference ("ices-tools-prod/icesAdvice@4271797").

With the default `version = NULL`, the function will automatically suggest an appropriate version entry for CRAN packages, but for GitHub packages it is left to the user to add further information about the GitHub branch (if different from master) and the commit date.

With the default `source = NULL`, the function will automatically suggest an appropriate source entry for CRAN and GitHub packages, but for other R packages it is left to the user to add information about where the software can be accessed.

The default value `file = ""` prints the initial draft in the console, instead of writing it to a file. The output can then be pasted into a file to edit further, without accidentally overwriting an existing metadata file.

Value

Object of class `Bibtex`.

Note

After creating the initial draft, the user can complete the version, source, and other fields as required.

This function is especially useful for citing exact versions of R packages on GitHub. To prepare metadata for software other than R packages, see the [TAF Wiki](#) for an example.

See Also

[citation](#) and [packageDescription](#) are the underlying functions to access information about installed R packages.

[draft.data](#) creates an initial draft version of a `DATA.bib` metadata file.

[taf.bootstrap](#) reads and processes metadata entries.

[icesTAF-package](#) gives an overview of the package.

Examples

```
# Print in console
draft.software("icesTAF")

## Not run:
# Export to file
draft.software("icesTAF", file=TRUE)

## End(Not run)
```

`file.encoding`*File Encoding*

Description

Examine file encoding.

Usage

```
file.encoding(file)
```

Arguments

`file` a filename.

Value

"latin1", "UTF-8", "unknown", or NA.

This function requires the `file` shell command. If the `file` utility is not found in the path, this function looks for it inside `c:/Rtools/bin`. If the required software is not installed, this function returns NA.

Note

The encoding "unknown" indicates that the file is an ASCII text file or a binary file.

In TAF, text files that have non-ASCII characters should be encoded as UTF-8.

If this function fails in Windows, the `guess_encoding` function in the **readr** package may help.

See Also

[Encoding](#) examines the encoding of a string.

[latin1.to.utf8](#) converts files from latin1 to UTF-8 encoding.

[line.endings](#) examines line endings.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
file.base <- system.file(package="base", "DESCRIPTION")
file.nlme <- system.file(package="nlme", "DESCRIPTION")
file.encoding(file.base) # ASCII
file.encoding(file.nlme)

## End(Not run)
```

flr2taf	<i>Convert FLR Table to TAF Format</i>
---------	--

Description

Convert a table from FLR format to TAF format.

Usage

```
flr2taf(x, colname = "Value")
```

Arguments

x	a table of class FLQuant.
colname	a column name to use if the FLR table contains only one row.

Value

A data frame in TAF format.

Note

FLR uses the FLQuant class to store tables as 6-dimensional arrays, while TAF tables are stored as data frames with a year column.

See Also

[catage.taf](#) describes the TAF format.

[as.data.frame](#) is a method provided by the **FLCore** package to convert FLQuant tables to a 7-column long format.

[icesTAF-package](#) gives an overview of the package.

Examples

```
x <- array(t(catage.xtab), dim=c(4,8,1,1,1,1))
dimnames(x) <- list(age=1:4, year=1963:1970,
                   unit="unique", season="all", area="unique", iter=1)
flr2taf(x)

x1 <- x[1,,,,,drop=FALSE]
flr2taf(x1)
flr2taf(x1, "Juveniles")
```

get.remote.sha	<i>Get Remote SHA</i>
----------------	-----------------------

Description

Look up SHA reference code on GitHub.

Usage

```
get.remote.sha(owner, repo, ref, seven = TRUE)
```

Arguments

owner	repository owner.
repo	repository name.
ref	reference.
seven	whether to truncate SHA reference code to seven characters.

Value

SHA reference code as a string.

See Also

[taf.bootstrap](#) uses `get.remote.sha` to determine whether it is necessary to remove or download files, via [clean.library](#), [clean.software](#), and [download.github](#).

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
get.remote.sha("ices-tools-prod", "icesTAF", "master")  
get.remote.sha("ices-tools-prod", "icesTAF", "3.0-0")  
get.remote.sha("ices-tools-prod", "icesTAF", "3.0-0", seven=FALSE)  
  
## End(Not run)
```

`is.r.package`*Is R Package*

Description

Check if '.tar.gz' file is an R package.

Usage

```
is.r.package(targz, spec = NULL, warn = TRUE)
```

Arguments

targz	a filename ending with tar.gz.
spec	an optional list generated with parse.repo.
warn	whether to warn if the file contents look like an R package nested inside a repository.

Details

The only purpose of passing spec is to get a more helpful warning message if the file contents look like an R package nested inside a repository.

Value

Logical indicating whether targz is an R package.

Examples

```
## Not run:  
is.r.package("bootstrap/software/SAM.tar.gz")  
is.r.package("bootstrap/software/stockassessment.tar.gz")  
  
## End(Not run)
```

`latin1.to.utf8`*Convert File Encoding*

Description

Convert file encoding between "latin1" and "UTF-8".

Usage

```
latin1.to.utf8(file, force = FALSE)
```

```
utf8.to.latin1(file, force = FALSE)
```

Arguments

file	a filename.
force	whether to perform the conversion even if the current file encoding cannot be verified with <code>file.encoding</code> . Not recommended.

Note

In TAF, text files that have non-ASCII characters must be encoded as UTF-8.

See Also

[iconv](#) converts the encoding of a string.
[file.encoding](#) examines the encoding of a file.
[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
utf8.to.latin1("data.txt")  
latin1.to.utf8("data.txt")  
  
## End(Not run)
```

lim

Axis Limits

Description

Compute axis limits. The lower limit is 0 and the upper limit is determined by the highest data value, times a multiplier.

Usage

```
lim(x, mult = 1.1)
```

Arguments

x	a vector of data values.
mult	a number to multiply with the highest data value.

Value

A vector of length two, which can be used as axis limits.

See Also

[icesTAF-package](#) gives an overview of the package.

Examples

```
plot(precip)
plot(precip, ylim=lim(precip))
plot(precip, ylim=lim(precip), yaxs="i")
```

line.endings

Line Endings

Description

Examine whether file has Dos or Unix line endings.

Usage

```
line.endings(file)
```

Arguments

file a filename.

Value

String indicating the line endings: "Dos" or "Unix".

See Also

[file.encoding](#) examines the encoding of a file.

[dos2unix](#) and [unix2dos](#) convert line endings.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
file <- system.file(package="icesTAF", "DESCRIPTION")
line.endings(file)

## End(Not run)
```

long2taf	<i>Convert Long Table to TAF Format</i>
----------	---

Description

Convert a table from long format to TAF format.

Usage

```
long2taf(x)
```

Arguments

x a data frame in long format.

Value

A data frame in TAF format.

Note

TAF stores tables as data frames, usually with a year column as seen in stock assessment reports. The long format is more convenient for analysis and producing plots.

See Also

[catage.long](#) and [catage.taf](#) describe the long and TAF formats.

[taf2long](#) converts a TAF table to long format.

[icesTAF-package](#) gives an overview of the package.

Examples

```
long2taf(catage.long)
```

long2xtab	<i>Convert Long Table to Crosstab Format</i>
-----------	--

Description

Convert a table from long format to crosstab format.

Usage

```
long2xtab(x)
```

Arguments

x a data frame in long format.

Value

A data frame with years as row names.

See Also

[catage.long](#) and [catage.xtab](#) describe the long and crosstab formats.

[long2taf](#) and [taf2xtab](#) are the underlying functions that perform the conversion.

[icesTAF-package](#) gives an overview of the package.

Examples

```
long2xtab(catage.long)
```

make

Run R Script If Needed

Description

Run an R script if underlying files have changed, otherwise do nothing.

Usage

```
make(recipe, prereq, target, include = TRUE, engine = source,
      debug = FALSE, force = FALSE, recon = FALSE, ...)
```

Arguments

recipe	script filename.
prereq	one or more underlying files, required by the script. For example, data files and/or scripts.
target	one or more output files, produced by the script. Directory names can also be used.
include	whether to automatically include the script itself as a prerequisite file.
engine	function to source the script.
debug	whether to show a diagnostic table of files and time last modified.
force	whether to run the R script unconditionally.
recon	whether to return TRUE or FALSE, without actually running the R script.
...	passed to engine.

Value

TRUE or FALSE, indicating whether the script was run.

Note

This function provides functionality similar to makefile rules, to determine whether a script should be (re)run or not.

If any target is missing or older than any prereq, then the script is run.

References

Stallman, R. M. *et al.* An introduction to makefiles. Chapter 2 in the *GNU Make manual*.

See Also

[source](#) runs any R script, [sourceTAF](#) is more convenient for running a TAF script, and [sourceAll](#) runs all TAF scripts.

[make](#), [makeTAF](#), and [makeAll](#) are similar to the source functions, except they avoid repeating tasks that have already been run.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
make("model.R", "data/input.dat", "model/results.dat")

## End(Not run)
```

makeAll

Run All TAF Scripts as Needed

Description

Run core TAF scripts that have changed, or if previous steps were rerun.

Usage

```
makeAll(...)
```

Arguments

... passed to [makeTAF](#).

Value

Logical vector indicating which scripts were run.

Note

TAF scripts that will be run as needed: data.R, model.R, output.R, and report.R.

See Also

[source](#) runs any R script, [sourceTAF](#) is more convenient for running a TAF script, and [sourceAll](#) runs all TAF scripts.

[make](#), [makeTAF](#), and [makeAll](#) are similar to the source functions, except they avoid repeating tasks that have already been run.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
makeAll()  
  
## End(Not run)
```

makeTAF

Run TAF Script If Needed

Description

Run a TAF script if the target directory is either older than the script, or older than the directory of the previous TAF step.

Usage

```
makeTAF(script, ...)
```

Arguments

script	TAF script filename.
...	passed to make and sourceTAF .

Value

TRUE or FALSE, indicating whether the script was run.

Note

Any underlying scripts are automatically included if they share the same filename prefix, followed by an underscore. For example, when determining whether a script data.R should be run, this function checks whether data_foo.R and data_bar.R have been recently modified.

See Also

[source](#) runs any R script, [sourceTAF](#) is more convenient for running a TAF script, and [sourceAll](#) runs all TAF scripts.

[make](#), [makeTAF](#), and [makeAll](#) are similar to the source functions, except they avoid repeating tasks that have already been run.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
makeTAF("model.R")  
  
## End(Not run)
```

mkdir

Create Directory

Description

Create directory, including parent directories if necessary, without generating a warning if the directory already exists.

Usage

```
mkdir(path)
```

Arguments

path a directory name.

Value

TRUE for success, FALSE for failure, invisibly.

See Also

[dir.create](#) is the base function to create a new directory.

[rmdir](#) removes an empty directory.

[clean](#) can be used to remove non-empty directories.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
mkdir("emptydir")
rmdir("emptydir")

mkdir("outer/inner")
rmdir("outer", recursive=TRUE)

## End(Not run)
```

msg

Show Message

Description

Show a message, as well as the current time.

Usage

```
msg(...)
```

Arguments

... passed to message.

See Also

[message](#) is the base function to show messages, without the current time.

[sourceTAF](#) reports progress using msg.

[icesTAF-package](#) gives an overview of the package.

Examples

```
msg("script.R running...")
```

os *Operating System*

Description

Determine operating system name.

Usage

```
os()  
  
os.linux()  
  
os.macos()  
  
os.windows()  
  
os.unix()
```

Value

os returns the name of the operating system, typically "Linux", "Darwin", or "Windows".
os.linux, os.macos, os.unix, and os.windows return TRUE or FALSE.

Note

The macOS operating system identifies itself as "Darwin".

Both Linux and macOS are os.unix.

These shorthand functions can be useful when writing workaround solutions in platform-independent scripts.

See Also

[Sys.info](#) is the underlying function used to extract the operating system name.
[icesTAF-package](#) gives an overview of the package.

Examples

```
os()  
os.linux()  
os.macos()  
os.unix()  
os.windows()
```

period	<i>Period</i>
--------	---------------

Description

Paste two years to form a period string.

Usage

```
period(x, y = NULL)
```

Arguments

x the first year, vector of years, matrix, or data frame.
y the last year, if x is only the first year.

Details

If x is a vector or a data frame, then the lowest and highest years are used, and y is ignored.

If x is a matrix or data frame, this function looks for years in the first column. If the values of the first column do not look like years (four digits), then it looks for years in the row names.

Value

A string of the form "1990-2000".

Note

This function can be useful when working with [draft.data](#).

See Also

[paste](#) is the underlying function to paste strings.

[draft.data](#) has an argument called `period`.

[icesTAF-package](#) gives an overview of the package.

Examples

```
period(1963, 1970)
period(c(1963, 1970))
period(1963:1970)

period(range(catage.taf$Year))
period(catage.taf$Year)
period(catage.taf)
period(catage.xtab)
period(catage.long)
```

plus

Rename Plus Group Column

Description

Rename the last column in a data frame, by appending a "+" character. This is useful if the last column is a plus group.

Usage

```
plus(x)
```

Arguments

x a data frame.

Value

A data frame similar to x, after renaming the last column.

Note

If the last column name already ends with a "+", the original data frame is returned without modifications.

See Also

[names](#) is the underlying function to rename columns.

[icesTAF-package](#) gives an overview of the package.

Examples

```
catage <- catage.taf

# Rename last column
catage <- plus(catage)

# Shorter and less error-prone than
names(catage)[names(catage)=="4"] <- "4+"
```

read.taf	<i>Read TAF Table from File</i>
----------	---------------------------------

Description

Read a TAF table from a file into a data frame.

Usage

```
read.taf(file, check.names = FALSE, stringsAsFactors = FALSE,  
         fileEncoding = "UTF-8", ...)
```

Arguments

file	a filename.
check.names	whether to enforce regular column names, e.g. convert column name "3" to "X3".
stringsAsFactors	whether to import strings as factors.
fileEncoding	character encoding of input file.
...	passed to read.csv.

Details

Alternatively, file can be a directory or a vector of filenames, to read many tables in one call.

Value

A data frame in TAF format, or a list of data frames if file is a directory or a vector of filenames.

See Also

[read.csv](#) is the underlying function used to read a table from a file.

[write.taf](#) writes a TAF table to a file.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
write.taf(catage.taf, "catage.csv")  
catage <- read.taf("catage.csv")  
  
write.taf(catage)  
file.remove("catage.csv")  
  
## End(Not run)
```

`rmdir`*Remove Empty Directory*

Description

Remove empty directory under any operating system.

Usage

```
rmdir(path, recursive = FALSE)
```

Arguments

<code>path</code>	a directory name.
<code>recursive</code>	whether to remove empty subdirectories as well.

Value

TRUE for success, FALSE for failure, invisibly.

Note

The base function `unlink(dir, recursive=FALSE)` does not remove empty directories in Windows and `unlink(dir, recursive=TRUE)` removes non-empty directories, making it unsuitable for tidying up empty ones.

See Also

[unlink](#) with `recursive = TRUE` removes non-empty directories.

[mkdir](#) creates a new directory.

[clean](#) can be used to remove non-empty directories.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
mkdir("emptydir")
rmdir("emptydir")

mkdir("outer/inner")
rmdir("outer", recursive=TRUE)

## End(Not run)
```

rnd	<i>Round Columns</i>
-----	----------------------

Description

Round column values in a data frame.

Usage

```
rnd(x, cols, digits = 0, grep = FALSE, ...)
```

Arguments

x	a data frame.
cols	column names, or column indices.
digits	number of decimal places.
grep	whether cols is a regular expression.
...	passed to grep().

Value

A data frame similar to x, after rounding columns cols to the number of digits.

Note

Provides notation that is convenient for modifying many columns at once.

See Also

[round](#) is the underlying function used to round numbers.

[grep](#) is the underlying function used to match column names if grep is TRUE.

[div](#) is a similar function that divides columns with a common number.

[icesTAF-package](#) gives an overview of the package.

The [icesAdvice](#) package provides the [icesRound](#) function to round values for ICES advice sheets.

Examples

```
# With rnd() we no longer need to repeat the column names:
```

```
m <- mtcars
m[c("mpg", "disp", "qsec")] <- round(m[c("mpg", "disp", "qsec")])
m <- rnd(m, c("mpg", "disp", "qsec"))
```

```
# The x1/x2/x3/x4 approaches are equivalent:
```

```
x1 <- rnd(summary.taf, c("Rec", "Rec_lo", "Rec_hi",
```

```

      "TSB", "TSB_lo", "TSB_hi",
      "SSB", "SSB_lo", "SSB_hi",
      "Removals", "Removals_lo", "Removals_hi"))
x1 <- rnd(x1, c("Fbar", "Fbar_lo", "Fbar_hi"), 3)

x2 <- rnd(summary.taf, "Rec|TSB|SSB|Removals", grep=TRUE)
x2 <- rnd(x2, "Fbar", 3, grep=TRUE)

x3 <- rnd(summary.taf, "Fbar", grep=TRUE, invert=TRUE)
x3 <- rnd(x3, "Fbar", 3, grep=TRUE)

# Less reliable in scripts if columns have been added/deleted/reordered:

x4 <- rnd(summary.taf, 2:13)
x4 <- rnd(x4, 14:16, 3)

```

sam2taf

Convert SAM Table to TAF Format

Description

Convert a table from SAM format to TAF format.

Usage

```
sam2taf(x, colname = NULL, year = TRUE)
```

Arguments

x	a matrix containing columns Estimate, Low, and High.
colname	a descriptive column name for the output.
year	whether to include a year column.

Details

The default when colname = NULL is to try to infer a column name from the x argument. For example,

```

sam2taf(ssbtable(fit))
sam2taf(ssb)
sam2taf(SSB)

```

will recognize ssbtable calls and ssb object names, implicitly setting colname = "SSB" if the user does not pass an explicit value for colname.

Value

A data frame in TAF format.

Note

The **stockassessment** package provides accessor functions that return a matrix with columns Estimate, Low, and High, while TAF tables are stored as data frames with a year column.

See Also

[summary.taf](#) describes the TAF format.

[catchtable](#), [fbartable](#), [rectable](#), [ssbtable](#), and [tsbtable](#) (in the **stockassessment** package) return matrices with SAM estimates and confidence limits.

The summary method for sam objects produces a summary table with some key quantities of interest, containing duplicated column names (Low, High) and rounded values.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Example objects
x <- as.matrix(summary.taf[grep("SSB", names(summary.taf))])
rec <- as.matrix(summary.taf[grep("Rec", names(summary.taf))])
tsb <- as.matrix(summary.taf[grep("TSB", names(summary.taf))])
dimnames(x) <- list(summary.taf$Year, c("Estimate", "Low", "High"))
dimnames(rec) <- dimnames(tsb) <- dimnames(x)

## One SAM table, arbitrary object name
sam2taf(x)
sam2taf(x, "SSB")
sam2taf(x, "SSB", year=FALSE)

## Many SAM tables, recognized names
sam2taf(rec)
data.frame(sam2taf(rec), sam2taf(tsb, year=FALSE))

## Not run:

## Accessing tables from SAM fit object
data.frame(sam2taf(rectable(fit)), sam2taf(tsbtable(fit), year=FALSE))

## End(Not run)
```

sourceAll

Run All TAF Scripts

Description

Run core TAF scripts in current directory.

Usage

```
sourceAll(...)
```

Arguments

... passed to `sourceTAF`.

Value

Logical vector, indicating which scripts ran without errors.

Note

TAF scripts that will be run if they exist: data.R, model.R, output.R, and report.R.

See Also

`sourceTAF` runs a TAF script.

`makeAll` runs all TAF scripts as needed.

`clean` cleans TAF directories.

`icesTAF-package` gives an overview of the package.

Examples

```
## Not run:
sourceAll()

## End(Not run)
```

sourceDir

Source Directory

Description

Read all *.R files from a directory containing R functions.

Usage

```
sourceDir(dir, pattern = "\\.[r|R]$", all.files = FALSE,
  recursive = FALSE, quiet = TRUE, ...)
```

Arguments

`dir` a directory containing R source files.
`pattern` passed to `dir` when selecting files.
`all.files` passed to `dir` when selecting files.
`recursive` passed to `dir` when selecting files.
`quiet` whether to suppress messages.
... passed to `source` when sourcing files.

Details

The `dir` argument can also be a vector of filenames, instead of a directory name. This can be useful to specify certain files while avoiding others.

Value

Names of sourced files.

Note

This function is convenient in TAF analyses when many R utility functions are stored in a directory, see example below.

See Also

[source](#) is the base function to read R code from a file.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
sourceDir("bootstrap/software/utilities")

## End(Not run)
```

sourceTAF

Run TAF Script

Description

Run a TAF script and return to the original directory.

Usage

```
sourceTAF(script, rm = FALSE, clean = TRUE, detach = FALSE, taf = NULL,
  quiet = FALSE)
```

Arguments

<code>script</code>	script filename.
<code>rm</code>	whether to remove all objects from the global environment before and after the script is run.
<code>clean</code>	whether to clean the target directory before running the script.
<code>detach</code>	whether to detach all non-base packages before running the script, to ensure that the script is not affected by packages that may have been attached outside the script.

taf	a convenience flag where taf = TRUE sets rm, clean, and detach to TRUE, as is done on the TAF server. Any other value of taf is ignored.
quiet	whether to suppress messages reporting progress.

Details

The default value of rm = FALSE is to protect users from accidental loss of work, but the TAF server always runs with rm = TRUE to make sure that only files, not objects, are carried over between scripts.

Likewise, the TAF server runs with clean = TRUE to make sure that the script starts with a clean directory. The target directory of a TAF script has the same filename prefix as the script: data.R creates 'data' etc.

Value

TRUE or FALSE, indicating whether the script ran without errors.

Note

Commands within a script (such as setwd) may change the working directory, but sourceTAF guarantees that the working directory reported by getwd() is the same before and after running a script.

See Also

[source](#) is the base function to run R scripts.

[makeTAF](#) runs a TAF script if needed.

[sourceAll](#) runs all TAF scripts in a directory.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
write("print(pi)", "script.R")
source("script.R")
sourceTAF("script.R")
file.remove("script.R")
```

```
## End(Not run)
```

summary.taf

Summary Results in TAF Format

Description

Small summary results table to describe a TAF format data frame to store values by year.

Usage

```
summary.taf
```

Format

Data frame containing 16 columns:

Year	year
Rec	recruitment, numbers at age 1 in this year (thousands)
Rec_lo	lower 95% confidence limit
Rec_hi	upper 95% confidence limit
TSB	total stock biomass (tonnes)
TSB_lo	lower 95% confidence limit
TSB_hi	upper 95% confidence limit
SSB	spawning stock biomass (tonnes)
SSB_lo	lower 95% confidence limit
SSB_hi	upper 95% confidence limit
Removals	total removals, including catches due to unaccounted mortality
Removals_lo	lower 95% confidence limit
Removals_hi	upper 95% confidence limit
Fbar	average fishing mortality (ages 2-4)
Fbar_lo	lower 95% confidence limit
Fbar_hi	upper 95% confidence limit

Details

The data are an excerpt (first years) from the summary results table for North Sea cod from the ICES (2016) assessment.

Source

ICES (2016) Report of the working group on the assessment of demersal stocks in the North Sea and Skagerrak (WGNSSK). *ICES CM 2016/ACOM:14*, p. 673.

See Also

[div](#) and [rnd](#) can modify a large number of columns.

[icesTAF-package](#) gives an overview of the package.

Examples

```
summary.taf
x <- div(summary.taf, "Rec|TSB|SSB|Removals", grep=TRUE)
x <- rnd(x, "Rec|TSB|SSB|Removals", grep=TRUE)
x <- rnd(x, "Fbar", 3, grep=TRUE)
```

`taf.bootstrap`*Bootstrap TAF Analysis*

Description

Process metadata files ‘SOFTWARE.bib’ and ‘DATA.bib’ to set up software and data files required for the analysis.

Usage

```
taf.bootstrap(software = TRUE, data = TRUE, clean = TRUE,  
              force = FALSE, taf = NULL, quiet = FALSE)
```

Arguments

<code>software</code>	whether to process SOFTWARE.bib.
<code>data</code>	whether to process DATA.bib.
<code>clean</code>	whether to clean directories during the bootstrap procedure.
<code>force</code>	whether to remove existing bootstrap/data, bootstrap/library, and bootstrap/software directories before the bootstrap procedure.
<code>taf</code>	a convenience flag where <code>taf = TRUE</code> sets <code>software</code> , <code>data</code> , <code>clean</code> , and <code>force</code> to <code>TRUE</code> , as is done on the TAF server. Any other value of <code>taf</code> is ignored.
<code>quiet</code>	whether to suppress messages reporting progress.

Details

If `clean = TRUE` then:

1. [clean.software](#) and [clean.library](#) are run if ‘SOFTWARE.bib’ is processed.
2. [clean.data](#) is run if ‘DATA.bib’ is processed.

The default behavior of `taf.bootstrap` is to skip downloading of remote files (GitHub resources, URLs, bootstrap scripts) and also skip installing R packages from GitHub if the files seem to be already in place. This is done to speed up the bootstrap procedure as much as possible. To override this and guarantee that all data and software files are updated, pass `force = TRUE` to download and install everything declared in SOFTWARE.bib and DATA.bib.

Value

Logical vector indicating which metadata files were processed.

Note

This function should be called from the top directory of a TAF analysis. It looks for a directory called 'bootstrap' and prepares data files and software according to metadata specifications.

The bootstrap procedure consists of the following steps:

1. If a bootstrap/SOFTWARE.bib metadata file exists, it is processed.
2. If a bootstrap/DATA.bib metadata file exists, it is processed.

After the bootstrap procedure, software and data have been documented and are ready to be used in the subsequent analysis. Specifically, the procedure populates up to three new directories:

- bootstrap/data with data files.
- bootstrap/library with R packages compiled for the local platform.
- bootstrap/software with software files, such as R packages in tar.gz source code format.

Model settings and configuration files can be set up within DATA.bib, see [TAF Wiki](#).

See Also

[draft.data](#) and [draft.software](#) can be used to create initial draft versions of 'DATA.bib' and 'SOFTWARE.bib' metadata files.

[taf.library](#) loads a package from bootstrap/library.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
taf.bootstrap()  
  
## End(Not run)
```

taf.colors

TAF Colors

Description

Predefined colors that can be useful in TAF plots.

Usage

```
taf.green  
taf.orange  
taf.blue  
taf.dark  
taf.light
```

See Also

[icesTAF-package](#) gives an overview of the package.

Examples

```

taf.green

par(mfrow=c(3,1))

barplot(5:1, main="Five",
        col=c(taf.green, taf.orange, taf.blue, taf.dark, taf.light))

barplot(6:1, main="Six", col=c(taf.green, taf.orange, taf.blue,
                              taf.dark, taf.light, "white"))

barplot(7:1, main="Seven", col=c("black", taf.dark, taf.light,
                                 taf.green, taf.orange, taf.blue, "white"))

```

taf.install

TAF Install

Description

Install packages in ‘tar.gz’ format in local TAF library.

Usage

```
taf.install(targz = NULL, lib = "bootstrap/library", quiet = FALSE)
```

Arguments

targz	a package filename, vector of filenames, or NULL.
lib	location of local TAF library.
quiet	whether to suppress messages.

Details

If targz = NULL, all packages found in bootstrap/software are installed, as long as they have file-names of the form package_sha.tar.gz containing a 7-character SHA reference code.

The default behavior of taf.install is to install packages in alphabetical order. When the installation order matters because of dependencies, the user can specify a vector of package filenames to install.

Note

The `taf.bootstrap` procedure downloads and installs R packages, without requiring the user to run `taf.install`. The main reason for a TAF user to run `taf.install` directly is to initialize and run a TAF analysis without running the bootstrap procedure, e.g. to avoid updating the underlying datasets and software.

After installing the package, this function writes the remote SHA reference code into the package files `DESCRIPTION` and `Meta/package.rds`.

See Also

`taf.bootstrap` calls `download.github` and `taf.install` to download and install R packages.

`taf.library` loads a package from bootstrap/library.

`clean.library` selectively removes packages from the local TAF library.

`install.packages` is the underlying base function to install a package.

`icesTAF-package` gives an overview of the package.

Examples

```
## Not run:  
# Install one package  
taf.install("bootstrap/software/FLAssess_f1e5acb.tar.gz")  
  
# Install all packages found in bootstrap/software  
taf.install()  
  
## End(Not run)
```

<code>taf.libPaths</code>	<i>Add TAF Library Path</i>
---------------------------	-----------------------------

Description

Add TAF library to the search path for R packages.

Usage

```
taf.libPaths(remove = FALSE)
```

Arguments

`remove` whether to remove TAF library from the search path, instead of adding it.

Value

The resulting vector of file paths.

Warning

An unwanted side effect of having the TAF library as the first element in the search path is that `install.packages` will then install packages inside `bootstrap/library`. This is not a serious side effect, since a subsequent call to `taf.bootstrap` or `clean.library` will remove packages from the TAF library that are not declared in the ‘SOFTWARE.bib’ file.

Note

Specifically, this function sets “`bootstrap/library`” as the first element of `.libPaths()`. This is rarely beneficial in TAF scripts, but can be useful when using the `sessioninfo` package, for example.

See Also

[.libPaths](#) is the underlying function to modify the search path for R packages.

[taf.library](#) loads a package from `bootstrap/library`.

[icesTAF-package](#) gives an overview of the package.

Examples

```
taf.libPaths()  
taf.libPaths(remove=TRUE)
```

taf.library

TAF Library

Description

Load and attach package from local TAF library.

Usage

```
taf.library(package, messages = FALSE, warnings = FALSE)
```

Arguments

package	name of a package found in <code>bootstrap/library</code> .
messages	whether to show messages when package loads.
warnings	whether to show warnings when package loads.

Value

The names of packages currently installed in the TAF library.

Note

The purpose of the TAF library is to retain R packages that are not commonly used (and not on CRAN), to support long-term reproducibility of TAF analyses.

See Also

[library](#) is the underlying base function to load and attach a package.

[taf.bootstrap](#) is the procedure to install packages into a local TAF library, via the SOFTWARE.bib metadata file.

[detach.packages](#) detaches all packages.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:  
  
# Show packages in TAF library  
taf.library()  
  
# Load packages  
taf.library(this)  
taf.library(that)  
  
## End(Not run)
```

taf.png

PNG Device

Description

Open PNG graphics device to export a plot into the TAF report folder.

Usage

```
taf.png(filename, width = 1600, height = 1200, res = 200, ...)
```

Arguments

filename	plot filename.
width	image width.
height	image height.
res	resolution determining the text size, line width, plot symbol size, etc.
...	passed to png.

Details

The filename can be passed without the preceding "report/", and without the ".png" filename extension.

Specifically, the function prepends "report/" to the filename if (1) the filename does not contain a "/" separator, (2) the working directory is not report, and (3) the directory report exists. The function also appends ".png" to the filename if it does not already have that filename extension.

This automatic filename manipulation can be bypassed by using the png function directly.

Note

A simple convenience function to shorten

```
png("report/plot.png", width=1600, height=1200, res=200)
```

to

```
taf.png("plot")
```

The res argument affects the text size, along with all other plot elements. To change the text size of specific lattice plot elements, the zoom function can be helpful.

For consistent image width and text size, it can be useful to keep the default width = 1600 but vary the height to adjust the desired aspect ratio for each plot.

See Also

[png](#) is the underlying function used to open a PNG graphics device.

[zoom](#) changes text size in a lattice plot.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
taf.png("myplot")
plot(1)
dev.off()

library(lattice)
taf.png("mytrellis")
xyplot(1~1)
dev.off()

library(ggplot2)
taf.png("myggplot")
qplot(1, 1)
dev.off()

## End(Not run)
```

taf.session	<i>TAF Session</i>
-------------	--------------------

Description

Show session information about loaded packages, clearly indicating which packages were loaded from the local TAF library.

Usage

```
taf.session(sort = FALSE, details = FALSE)
```

Arguments

sort	whether to sort packages by name.
details	whether to include more detailed session information.

Value

List containing session information about loaded packages.

See Also

[sessionInfo](#) and the **sessioninfo** package provide similar information, but do not indicate clearly packages that were loaded from the local TAF library.

[icesTAF-package](#) gives an overview of the package.

Examples

```
taf.session()  
taf.session(sort=TRUE)  
taf.session(details=TRUE)
```

taf.skeleton	<i>TAF Skeleton</i>
--------------	---------------------

Description

Create initial directories and R scripts for a new TAF analysis.

Usage

```
taf.skeleton(path = ".", force = FALSE)
```

Arguments

path	where to create initial directories and R scripts. The default is the current working directory.
force	whether to overwrite existing scripts.

Value

Full path to analysis directory.

See Also

[package.skeleton](#) creates an empty template for a new R package.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
taf.skeleton()

## End(Not run)
```

taf.unzip

Unzip File

Description

Extract files from a zip archive, retaining executable file permissions.

Usage

```
taf.unzip(zipfile, files = NULL, exdir = ".", unzip = NULL, ...)
```

Arguments

zipfile	zip archive filename.
files	files to extract, default is all files.
exdir	directory to extract to, will be created if necessary.
unzip	extraction method to use, see details below.
...	passed to unzip .

Details

The default method `unzip = NULL` uses the external `unzip` program in Unix-compatible operating systems, but an internal method in Windows. For additional information, see the [unzip](#) help page.

Note

One shortcoming of the base `unzip` function is that the default "internal" method resets file permissions, so Linux and macOS executables will return a 'Permission denied' error when run.

This function is identical to the base `unzip` function, except the default value `unzip = NULL` chooses an appropriate extraction method in all operating systems, making it useful when writing platform-independent scripts.

See Also

[unzip](#) is the base function to unzip files.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
exefile <- if(os.unix()) "run" else "run.exe"
taf.unzip("bootstrap/software/archive.zip", files=exefile, exdir="model")

## End(Not run)
```

taf2long

Convert TAF Table to Long Format

Description

Convert a table from TAF format to long format.

Usage

```
taf2long(x, names = c("Year", "Age", "Value"))
```

Arguments

`x` a data frame in TAF format.
`names` a vector of three column names for the resulting data frame.

Value

A data frame with three columns.

Note

TAF stores tables as data frames, usually with a year column as seen in stock assessment reports. The long format is more convenient for analysis and producing plots.

See Also

[catage.taf](#) and [catage.long](#) describe the TAF and long formats.

[long2taf](#) converts a long table to TAF format.

[icesTAF-package](#) gives an overview of the package.

Examples

```
taf2long(catage.taf, names=c("Year", "Age", "Catch"))
```

taf2xtab

Convert TAF Table to Crosstab Format

Description

Convert a table from TAF format to crosstab format.

Usage

```
taf2xtab(x)
```

Arguments

x a data frame in TAF format.

Value

A data frame with years as row names.

Note

TAF stores tables as data frames, usually with a year column as seen in stock assessment reports. The crosstab format can be more convenient for analysis and producing plots.

See Also

[catage.taf](#) and [catage.xtab](#) describe the TAF and crosstab formats.

[tt](#) converts a TAF table to transposed crosstab format.

[xtab2taf](#) converts a crosstab table to TAF format.

[icesTAF-package](#) gives an overview of the package.

Examples

```
taf2xtab(catage.taf)
```

tt	<i>TAF Transpose</i>
----	----------------------

Description

Convert a table from TAF format to transposed crosstab format.

Usage

```
tt(x, column = FALSE)
```

Arguments

x	a data frame in TAF format.
column	a logical indicating whether the group names should be stored in a column called 'Age' instead of in row names. Alternatively, column can be a string supplying another name for that first column.

Value

A data frame with years as column names.

Note

Transposing can be useful when comparing TAF tables to stock assessment reports.

See Also

[t](#) transposes a matrix.

[catage.taf](#) describes the TAF format.

[taf2xtab](#) converts a TAF table to crosstab format, without transposing.

[icesTAF-package](#) gives an overview of the package.

Examples

```
taf2xtab(catage.taf)
tt(catage.taf)
tt(catage.taf, TRUE)
tt(catage.taf, "Custom")
```

`write.taf`*Write TAF Table to File*

Description

Write a TAF table to a file.

Usage

```
write.taf(x, file = NULL, dir = NULL, quote = FALSE, row.names = FALSE,  
          fileEncoding = "UTF-8", underscore = TRUE, ...)
```

Arguments

<code>x</code>	a data frame in TAF format.
<code>file</code>	a filename.
<code>dir</code>	an optional directory name.
<code>quote</code>	whether to quote strings.
<code>row.names</code>	whether to include row names.
<code>fileEncoding</code>	character encoding for output file.
<code>underscore</code>	whether automatically generated filenames (when <code>file = NULL</code>) should use underscore separators instead of dots.
<code>...</code>	passed to <code>write.csv</code> .

Details

Alternatively, `x` can be a list of data frames or a string vector of object names, to write many tables in one call. The resulting files are named automatically, similar to `file = NULL`.

The default value `file = NULL` uses the name of `x` as a filename, so a data frame called `survey.uk` will be written to a file called `'survey_uk.csv'` (when `underscore = TRUE`) or `'survey.uk.csv'` (when `underscore = FALSE`).

The special value `file = ""` prints the data frame in the console, similar to `write.csv`.

Note

The resulting CSV file has Dos line endings, as specified in the RFC 4180 standard (IETF 2005).

This function gives a warning when column names are duplicated, unless the target directory name is `report`.

References

IETF (2005) Common format and Mime type for Comma-Separated Values (CSV) files. *IETF RFC 4180*.

See Also

[write.csv](#) is the underlying function used to write a table to a file.

[read.taf](#) reads a TAF table from a file into a data frame.

[icesTAF-package](#) gives an overview of the package.

Examples

```
## Not run:
write.taf(catage.taf, "catage.csv")
catage <- read.taf("catage.csv")

write.taf(catage)
file.remove("catage.csv")

## End(Not run)
```

xtab2long

Convert Crosstab Table to Long Format

Description

Convert a table from crosstab format to long format.

Usage

```
xtab2long(x, names = c("Year", "Age", "Value"))
```

Arguments

x a data frame in crosstab format.
names a vector of three column names for the resulting data frame.

Value

A data frame with three columns.

See Also

[catage.xtab](#) and [catage.long](#) describe the crosstab and long formats.

[xtab2taf](#) and [taf2long](#) are the underlying functions that perform the conversion.

[icesTAF-package](#) gives an overview of the package.

Examples

```
xtab2long(catage.xtab, names=c("Year", "Age", "Catch"))
```

xtab2taf	<i>Convert Crosstab Table to TAF Format</i>
----------	---

Description

Convert a table from crosstab format to TAF format.

Usage

```
xtab2taf(x, colname = "Year")
```

Arguments

x	a data frame in crosstab format.
colname	name for first column.

Value

A data frame in TAF format.

Note

TAF stores tables as data frames, usually with a year column as seen in stock assessment reports. The crosstab format can be more convenient for analysis and producing plots.

See Also

[catage.xtab](#) and [catage.taf](#) describe the crosstab and TAF formats.

[taf2xtab](#) converts a TAF table to crosstab format.

[icesTAF-package](#) gives an overview of the package.

Examples

```
xtab2taf(catage.xtab)
```

 zoom

Zoom

Description

Change text size in a lattice plot.

Usage

```
zoom(x, ...)
```

```
## S3 method for class 'trellis'
zoom(x, size = 1, main = 1.2 * size, lab = size,
      axis = size, strip = size, sub = 0.9 * size, legend = 0.9 * size,
      splom = 0.9 * size, ...)
```

Arguments

x	a lattice plot of class "trellis".
...	further arguments, currently ignored.
size	text size multiplier.
main	size of main title (default is 1.2 * size).
lab	size of axis labels (default is size).
axis	size of tick labels (default is size).
strip	size of strip labels (default is size).
sub	size of subtitle (default is 0.9 * size).
legend	size of legend labels (default is 0.9 * size).
splom	size of scatterplot matrix diagonal labels (default is 0.9 * size).

Details

Pass NULL for any argument to avoid changing the size of that text component.

The legend component of a lattice plot can be somewhat fickle, as the object structure varies between plots. One solution is to pass `legend = NULL` and tweak the legend before or after calling the `zoom` function.

Value

The same lattice object, but with altered text size.

Note

The default values result in lattice plots that have similar text size as base plots, when using `taf.png`.

This function ends with a `print` call, to make it easy to export the lattice plot to a file, without the need of an explicit `print`.

See Also

[Lattice](#) plots are created using [xyplot](#) or related functions.

[taf.png](#) opens a PNG graphics device.

[icesTAF-package](#) gives an overview of the package.

Examples

```
library(lattice)

xyplot(1~1)
zoom(xyplot(1~1))
zoom(xyplot(1~1), size=1.2)
zoom(xyplot(1~1), axis=0.8)
zoom(xyplot(1~1), axis=NULL)

## Not run:
taf.png("myplot")
plot(1)
dev.off()

taf.png("mytrellis")
xyplot(1~1)
dev.off()

taf.png("mytrellis_zoom")
zoom(xyplot(1~1))
dev.off()

## End(Not run)
```


Index

.libPaths, [52](#)

as.data.frame, [25](#)

available.packages, [15](#)

catage.long, [4](#), [5](#), [6](#), [7](#), [30](#), [31](#), [58](#), [61](#)

catage.taf, [4](#), [6](#), [6](#), [7](#), [25](#), [30](#), [58](#), [59](#), [62](#)

catage.xtab, [4](#), [6](#), [7](#), [31](#), [58](#), [61](#), [62](#)

citation, [23](#)

clean, [3](#), [8](#), [34](#), [40](#), [44](#), [45](#), [48](#)

clean.data, [4](#), [8](#), [9](#), [10](#), [11](#), [48](#)

clean.library, [4](#), [8](#), [9](#), [10](#), [11](#), [26](#), [48](#), [51](#)

clean.software, [4](#), [8–10](#), [11](#), [26](#), [48](#)

convert.spaces, [3](#), [12](#)

cp, [3](#), [13](#)

deps, [4](#), [14](#)

detach, [15](#)

detach.packages, [4](#), [15](#), [53](#)

dir, [44](#)

dir.create, [34](#)

div, [4](#), [16](#), [41](#), [47](#)

dos2unix, [4](#), [17](#), [29](#)

download, [4](#), [18](#), [20](#)

download.file, [18](#), [19](#)

download.github, [4](#), [11](#), [19](#), [19](#), [26](#), [51](#)

draft.data, [3](#), [20](#), [23](#), [37](#), [49](#)

draft.software, [3](#), [21](#), [22](#), [49](#)

Encoding, [24](#)

file.copy, [13](#)

file.encoding, [4](#), [24](#), [28](#), [29](#)

file.rename, [12](#), [13](#)

flr2taf, [4](#), [25](#)

get.remote.sha, [4](#), [26](#)

grep, [16](#), [41](#)

icesRound, [41](#)

icesTAF (icesTAF-package), [3](#)

icesTAF-package, [3](#)

iconv, [28](#)

install.packages, [51](#)

installed.packages, [15](#)

is.r.package, [4](#), [27](#)

latin1.to.utf8, [4](#), [24](#), [27](#)

Lattice, [64](#)

library, [53](#)

lim, [4](#), [28](#)

line.endings, [4](#), [17](#), [24](#), [29](#)

long2taf, [4](#), [6](#), [30](#), [31](#), [58](#)

long2xtab, [4](#), [30](#)

make, [3](#), [31](#), [32–34](#)

makeAll, [3](#), [32](#), [32](#), [33](#), [34](#), [44](#)

makeTAF, [3](#), [32](#), [33](#), [33](#), [34](#), [46](#)

message, [35](#)

mkdir, [3](#), [8](#), [34](#), [40](#)

msg, [3](#), [35](#)

names, [38](#)

os, [36](#)

os.linux, [3](#)

os.macos, [3](#)

os.windows, [3](#)

package.skeleton, [56](#)

packageDescription, [23](#)

paste, [37](#)

period, [3](#), [21](#), [37](#)

plus, [4](#), [38](#)

png, [54](#)

print, [63](#)

read.csv, [39](#)

read.taf, [3](#), [39](#), [61](#)

rmdir, [4](#), [8](#), [34](#), [40](#)

rnd, [4](#), [16](#), [41](#), [47](#)

round, [41](#)

sam2taf, [4](#), [42](#)
sessionInfo, [55](#)
source, [32–34](#), [45](#), [46](#)
sourceAll, [3](#), [32–34](#), [43](#), [46](#)
sourceDir, [3](#), [44](#)
sourceTAF, [3](#), [32–35](#), [44](#), [45](#)
summary.taf, [4](#), [43](#), [46](#)
Sys.info, [36](#)

t, [59](#)
taf.blue (taf.colors), [49](#)
taf.bootstrap, [3](#), [9–11](#), [19–21](#), [23](#), [26](#), [48](#),
[51](#), [53](#)
taf.colors, [4](#), [49](#)
taf.dark (taf.colors), [49](#)
taf.green (taf.colors), [49](#)
taf.install, [5](#), [10](#), [20](#), [50](#)
taf.libPaths, [5](#), [51](#)
taf.library, [3](#), [15](#), [49](#), [51](#), [52](#), [52](#)
taf.light (taf.colors), [49](#)
taf.orange (taf.colors), [49](#)
taf.png, [4](#), [53](#), [64](#)
taf.session, [5](#), [55](#)
taf.skeleton, [3](#), [55](#)
taf.unzip, [3](#), [56](#)
taf2long, [4](#), [6](#), [30](#), [57](#), [61](#)
taf2xtab, [4](#), [6](#), [31](#), [58](#), [59](#), [62](#)
tafpng (taf.png), [53](#)
transform, [16](#)
tt, [4](#), [58](#), [59](#)

unix2dos, [5](#), [29](#)
unix2dos (dos2unix), [17](#)
unlink, [13](#), [40](#)
untar, [20](#)
unzip, [56](#), [57](#)
utf8.to.latin1, [5](#)
utf8.to.latin1 (latin1.to.utf8), [27](#)

write.csv, [61](#)
write.taf, [4](#), [17](#), [39](#), [60](#)

xtab2long, [4](#), [61](#)
xtab2taf, [4](#), [7](#), [58](#), [61](#), [62](#)
xyplot, [64](#)

zoom, [4](#), [54](#), [63](#)