

Package ‘island’

March 18, 2020

Type Package

Title Stochastic Island Biogeography Theory Made Easy

Version 0.2.5

Date 2020-03-18

Description Tools to develop stochastic models based on the Theory of Island Biogeography (TIB) of MacArthur and Wilson (1967) <DOI:10.1023/A:1016393430551> and extensions. The package implements methods to estimate colonization and extinction rates (including environmental variables) given presence-absence data, simulate community assembly, and perform model selection.

NeedsCompilation yes

Depends R (>= 3.0.0), stats, utils

License GPL-3

LazyData TRUE

RoxygenNote 7.1.0

Suggests testthat, knitr, rmarkdown, rootSolve

VignetteBuilder knitr

Author Vicente Jimenez [aut, cre],
David Alonso [aut]

Maintainer Vicente Jimenez <vicente.jimenez.ontiveros@gmail.com>

Repository CRAN

Date/Publication 2020-03-18 17:50:05 UTC

R topics documented:

akaikcic	2
all_environmental_fit	3
alonso15	4
cetotrans	5
data_generation	6
ibd_models	7
idaho	8

irregular_multiple_datasets	9
irregular_single_dataset	11
island	13
lakshadweep	14
lakshadweepPLUS	15
mss_cedp	16
rates_calculator	18
regular_sampling_scheme	19
r_squared	20
simberloff	21
sss_cedp	23
upgma_model_selection	25
weight_of_evidence	27

Index	29
--------------	-----------

akaikeic	<i>Akaike Information Criterion</i>
----------	-------------------------------------

Description

akaikeic calculates the Akaike Information Criterion (AIC) of a model.

akaikeicc calculates the corrected Akaike Information Criterion (AICc) for small samples.

Usage

```
akaikeic(NLL, k)
```

```
akaikeicc(NLL, k, n)
```

Arguments

NLL	Negative Log-Likelihood of the model.
k	Number of parameters of the model.
n	Sample size.

Details

$$AIC = 2 * k + 2 * NLL$$

$$AICc = 2 * k - 2 * \ln L + 2 * k * (k + 1) / (n - k - 1)$$

Value

A number with the AIC value for a model with k parameters and negative log-likelihood NLL, or the AICc value for a model with k parameters, negative log-likelihood NLL and sample size n.

See Also[weight_of_evidence](#)**Examples**

```

akaikeic(1485.926, 3)
akaikeicc(736.47, 6, 15)
akaikeicc(736.47, 6, 100)

```

all_environmental_fit *Environmental fit for a single dataset*

Description

all_environmental_fit estimates the best expressions for colonization and extinction rates given their dependency on environmental variables.

greedy_environmental_fit estimates expressions for colonization and extinction rates given their dependency on environmental variables using a greedy algorithm.

custom_environmental_fit estimates the m.l.e. of the parameters describing the relationship between colonization and extinction rates and environmental variables.

NLL_env returns the Negative Log-Likelihood of a pair of colonization and extinction rates for a given dataset with an specific relationship with environmental variables.

Usage

```
all_environmental_fit(dataset, vector, env, c, e, aic, verbose = F)
```

```
custom_environmental_fit(dataset, vector, params, c_expression, e_expression)
```

```
NLL_env(dataset, vector, params, c_expression, e_expression)
```

```
greedy_environmental_fit(dataset, vector, env, c, e, aic, verbose = F)
```

Arguments

dataset	A single dataset.
vector	A vector indicating the columns with presence-absence data.
env	The names of the environmental variables to be considered.
c	Tentative colonization rate.
e	Tentative extinction rate.
aic	Tentative AIC to be improved by the optimizer.
verbose	Logical. Do you want to get the intermediate steps looking for the best model?
params	A vector with priors of the parameters in c_expression and e_expression.
c_expression	Expression for colonization.
e_expression	Expression for extinction.

Details

`all_environmental_fit` calculates all the combinations of parameters, that increase exponentially with the number of parameters. We advise to keep low the number of parameters.

`greedy_environmental_fit` adds sequentially environmental variables to the expressions of colonization and extinction rates and fix one at a time until termination, when only adding one variable does not improve the AIC of the last accepted model.

Value

A list with three components: a expression for colonization, a expression for extinction and the output of the optimization function, or the output of the optimization function in the custom environmental fit.

In the case of `NLL_env`, returns the NLL of an specific set or parameters describing the relationship of environmental covariates with colonizaiton and extinction.

Note

AIC is recommended to be higher than the AIC of the most simple model (i.e. not including environmental variables).

See Also

[rates_calculator](#)

Examples

```
## Not run:
all_environmental_fit(idaho[[1]],3:23,c("idaho[[2]]$TOTAL.ppt",
"idaho[[2]]$ANNUAL.temp"),0.13,0.19,100000)
greedy_environmental_fit(idaho[[1]],3:23,c("idaho[[2]]$TOTAL.ppt",
"idaho[[2]]$ANNUAL.temp"),0.13,0.19,100000)

## End(Not run)
custom_environmental_fit(idaho[[1]], 3:23, c(-0.00497925, -0.01729602,
0.19006501, 0.93486956), expression(params[1] * idaho[[2]]$TOTAL.ppt[i] +
params[3]), expression(params[2] * idaho[[2]]$ANNUAL.temp[i] + params[4]))
NLL_env(idaho[[1]], 3:23, c(-0.00497925, -0.01729602,
0.19006501, 0.93486956), expression(params[1] * idaho[[2]]$TOTAL.ppt[i] +
params[3]), expression(params[2] * idaho[[2]]$ANNUAL.temp[i] + params[4]))
```

Description

A list with three datasets containing presence-absence data for the reassembly process of coral fish communities in three atolls (Agatti, Kadmat and Kavaratti) of the Lakshadweep Archipelago (India).

Format

A list with 3 dataframes, each corresponding to the survey of a different atoll. Dataframes have in columns:

Species Name of the species found

Trophic.Level A number indicating the trophic level of the surveyed species

Presence-absence data Several columns with letters (indicating the atoll surveyed) and the year in which the surveys were done

Guild Guild of the surveyed species

Details

Surveys were conducted from 2000 to 2011 in order to follow community reassembly after a coral mass mortality event in the relatively unfished Lakshadweep Archipelago. Results indicated that higher trophic groups suffer an increased extinction rate even without fishing targeting them.

Note

Kavaratti atoll was not surveyed in 2000 and 2010.

Source

Alonso, D., Pinyol-Gallema, A., Alcoverro T. and Arthur, R.. (2015) Fish community reassembly after a coral mass mortality: higher trophic groups are subject to increased rates of extinction. *Ecology Letters*, **18**, 451–461.

cetotrans

From rates to probabilities

Description

cetotrans calculates transition probabilities from colonization and extinction rates for a determined interval of time, when provided.

Usage

```
cetotrans(c, e, dt = 1)
```

Arguments

c	Colonization rate.
e	Extinction rate.
dt	Interval of time or a vector of time intervals.

Details

Given a pair of colonization and extinction rates, we can calculate the transition probabilities with the following equations:

$$T_{01} = (e/(c + e)) * (1 - \exp(-(c + e) * dt))$$

$$T_{10} = (c/(c + e)) * (1 - \exp(-(c + e) * dt))$$

Value

A matrix with the transition probabilities T_01 and T_10 of the Markov chain associated with the specified colonization and extinction rates.

Examples

```
cetotrans(0.13, 0.19)
cetotrans(0.2, 0.2, 2)
```

data_generation	<i>Data simulation of colonization-extinction dynamics</i>
-----------------	--

Description

data_generation simulates species richness data according to the stochastic model of island biogeography
 PA_simulation simulates presence-absence data according to the stochastic model of island biogeography

Usage

```
data_generation(x, column, transitions, iter, times)
```

```
PA_simulation(x, column, transitions, times = 1)
```

Arguments

x	A dataframe with the vector of initial absences and presences.
column	A number indicating the column with the initial presence-absence data.
transitions	A matrix with the transition probabilities of the simulation, in the form (T01, T10), that can contain one single pair or multiple pairs.
iter	Number of times that the specified dynamics should be repeated.
times	Number of temporal steps to simulate.

Details

To simulate community assembly, we need an initial vector of presence-absence, from which the subsequent assembly process will be simulated. This initial vector is considered as x[, column].

Value

A matrix with species richness representing each row consecutive samples and each column a replica of the specified dynamics or a matrix with presence-absence data for the specified dynamics, each row representing a species and each column consecutive samplings.

Note

You can simulate not only with a colonization and extinction pair, but with the pairs obtained from the environmental fit. In this case, you still have to indicate exactly the number of temporal steps that you are going to simulate.

See Also

[cetotrans](#) to obtain the transition probabilities associated with a colonization-extinction pair.

Examples

```
data_generation(as.data.frame(rep(0, 100)), 1,
matrix(c(0.5, 0.5), ncol = 2), 5, 25)
data_generation(alonso15[[1]], 3, matrix(c(0.5, 0.5), ncol = 2), 5, 25)
PA_simulation(as.data.frame(c(rep(0, 163), rep(1, 57))), 1, c(0.13, 0.19),
20)
```

 ibd_models

Immigration, birth, death- models

Description

ibd_models simulates population dynamics under three different immigration, birth and death models.

Usage

```
ibd_models(n0, beta, delta, mu, K = NULL, time_v, type)
```

Arguments

n0	Initial number of individuals in the population.
beta	Birth rate, in time^{-1} units.
delta	Death rate, in time^{-1} units.
mu	Immigration rate, in time^{-1} units.
K	Carrying capacity.
time_v	Vector of times to sample. Must start with 0.
type	Type of immigration, birth, death- model used to simulate the dynamics. This must be "Kendall", "Alonso" or "Haegeman".

Details

We have included three different stochastic models: Kendall (1948) seminal work, Alonso & McKane (2002) mainland-island model and Haegeman & Loreau (2010) basic population model with density-dependent deaths. These models are different formulations of a population dynamics with three basic processes: birth, death and immigration of individuals. For the specifics, please refer to the original articles.

Value

A data.frame with two columns: one with the time vector and the other with the number of individuals at those times.

Note

Haegeman & Loreau model specification breaks for high values of n_0 when the birth rate is lower than the death rate.

References

Kendall, D. G. (1948). On some modes of population growth leading to R. A. Fisher's logarithmic series distribution. *Biometrika*, **35**, 6–15.

Haegeman, B. and Loreau, M. (2010). A mathematical synthesis of niche and neutral theories in community ecology. *Journal of Theoretical Biology*, **269**(1), 150–165.

Alonso, D. and McKane, A (2002). Extinction Dynamics in Mainland–Island Metapopulations: An N-patch Stochastic Model. *Bulletin of Mathematical Biology*, **64**, 913–958.

Examples

```
ibd_models(n0 = 0, beta = 0.4, delta = 0.3, mu = 0.2,
time_v = 0:20, type = "Kendall")
ibd_models(n0 = 0, beta = 0.4, delta = 0.3, mu = 0.1, K = 30,
time_v = 0:20, type = "Alonso")
```

idaho

Mapped plant community time series, Dubois, ID

Description

A list with two datasets containing presence-absence and environmental data for a plant community of sagebrush steppe in Dubois, Idaho, USA

Format

A list with 2 dataframes, one corresponding to the presence-absence data and the other to the environmental variables. The first dataframe has in columns:

quad Name of the quadrat surveyed

species Name of the species found

Presence-absence data Several columns with the year in which the surveys were conducted

The second dataframe has the following columns:

YEAR Year in which surveys were conducted

Environmental variables Data of the recorded environmental variables in the form XXX.YYY, where XXX denotes a month (or a total) and YYY can refer to snow (in inches), temperature (fahrenheit degrees) or precipitation (in inches)

Details

A historical dataset consisting of a series of permanent 1- m^2 quadrats located on the sagebrush steppe in eastern Idaho, USA, between 1923 and 1973. It also contains records of monthly precipitation, mean temperature and snowfall. Total precipitation, total snowfall, and mean annual temperature have been calculated from the original data.

Note

Only quadrats Q1, Q2, Q3, Q4, Q5, Q6, Q25 and Q26 are included here. The surveys were conducted annually from 1932 to 1955 with some gaps for the quadrats included here.

Source

<https://knb.ecoinformatics.org/#view/doi:10.5063/AA/lzachmann.6.36>

References

Zachmann, L., Moffet, C., and Adler, P. (2010). Mapped quadrats in sagebrush steppe long-term data for analyzing demographic rates and plant-plant interactions. *Ecology*, **91**(11), 3427–3427. <http://doi.wiley.com/10.1890/10-0404.1>

irregular_multiple_datasets

c/e rates for irregular samplings in multiple datasets

Description

irregular_multiple_datasets estimates colonization and extinction rates for data in several datasets.

NLL_imd returns the Negative Log-Likelihood of a pair of colonization and extinction rates for irregular sampling schemes in several single dataset.

Usage

```

irregular_multiple_datasets(
  list,
  vectorlist,
  c,
  e,
  column = NULL,
  n = NULL,
  step = NULL,
  assembly = F,
  jacobian = F,
  verbose = F,
  CI = F
)

NLL_imd(list, vectorlist, c, e, assembly = F)

```

Arguments

<code>list</code>	A list of dataframes.
<code>vectorlist</code>	A list of vectors indicating the columns with presence-absence data.
<code>c</code>	Tentative colonization rate.
<code>e</code>	Tentative extinction rate.
<code>column</code>	The name of the column with groups to calculate their c_e pair.
<code>n</code>	Minimal number of rows for each group.
<code>step</code>	Accuracy to calculate the c_e pairs with.
<code>assembly</code>	Logical indicating if the assembly starts from zero species or not.
<code>jacobian</code>	Logical. Use the semianalytical method to estimate colonization and extinction rates?
<code>verbose</code>	Logical. If TRUE, gives the output of the optimizer or the numerical solver that finds the values of c and e.
<code>CI</code>	Logical. If TRUE, gives the confidence interval of the colonization and extinction rates.

Value

`irregular_multiple_datasets` returns a dataframe with colonization and extinction rates and their upper and lower confidence interval, and if needed, the names of the groups to which colonization and extinction rates have been calculated. `NLL_imd` gives the NLL for a multiple datasets with irregular sampling schemes given a specific c and e.

Note

The columns with the presence-absence data should have the day of that sampling on the name of the column in order to calculate colonization and extinction.

See Also

[regular_sampling_scheme](#), [irregular_single_dataset](#)

Examples

```
irregular_multiple_datasets(simberloff, list(3:17, 3:18, 3:17,
3:19, 3:17, 3:16), 0.001, 0.001)
## Not run:
irregular_multiple_datasets(simberloff, list(3:17, 3:18, 3:17, 3:19, 3:17,
3:16), 0.001, 0.001, "Tax. Unit 1", n = 13)
irregular_multiple_datasets(simberloff, list(3:17, 3:18, 3:17, 3:19, 3:17,
3:16), 0.001, 0.001, "Tax. Unit 1", n = 13, CI = TRUE)

## End(Not run)
NLL_imd(simberloff, list(3:17, 3:18, 3:17, 3:19, 3:17, 3:16), 0.0051, 0.0117)
```

irregular_single_dataset

c/e rates for irregular samplings in a dataset

Description

`irregular_single_dataset` estimates colonization and extinction rates in a single dataset with irregular sampling scheme.

`NLL_isd` returns the Negative Log-Likelihood of a pair of colonization and extinction rates for an irregular sampling scheme in a single dataset.

Usage

```
irregular_single_dataset(
  dataframe,
  vector,
  c,
  e,
  column = NULL,
  n = NULL,
  step = NULL,
  assembly = F,
  jacobian = F,
  verbose = F,
  CI = F
)
```

```
NLL_isd(dataframe, vector, c, e, assembly = F)
```

Arguments

dataframe	A single dataframe.
vector	A vector indicating the columns with presence-absence data.
c	Tentative colonization rate.
e	Tentative extinction rate.
column	The name of the column with groups to calculate their c_e pair.
n	Minimal number of rows for each group
step	Accuracy to calculate the c_e pairs with.
assembly	Logical indicating if the assembly starts from zero species or not.
jacobian	Logical. Use the semianalytical method to estimate colonization and extinction rates?
verbose	Logical. If TRUE, gives the output of the optimizer or the numerical solver that finds the values of c and e.
CI	Logical. If TRUE, gives the confidence interval of the colonization and extinction rates.

Value

irregular_single_dataset returns a dataframe with colonization and extinction rates and their upper and lower confidence interval, and if needed, the names of the groups to which colonization and extinction rates have been calculated. *NLL_isd* gives the NLL for a single dataset in an irregular sampling scheme given a specific c and e.

Note

The columns with the presence-absence data should have the day of that sampling on the name of the column in order to calculate colonization and extinction.

See Also

[regular_sampling_scheme](#), [irregular_multiple_datasets](#)

Examples

```
irregular_single_dataset(simberloff[[1]], 3:17, 0.001, 0.001)
irregular_single_dataset(simberloff[[1]], 3:17, column = "Tax. Unit 1",
0.001, 0.001, 3)
## Not run:
irregular_single_dataset(simberloff[[1]], 3:17, column = "Tax. Unit 1",
0.001, 0.001, 3, 0.00001)

## End(Not run)
NLL_isd(simberloff[[1]], 3:17, 0.0038, 0.0086)
```

island

island: Stochastic Island Biogeography Theory Made Easy

Description

Tools to develop stochastic models based on the Theory of Island Biogeography (TIB) of MacArthur and Wilson (1967) and extensions. The package allows the calculation of colonization and extinction rates (including environmental variables) given presence-absence data, the simulation of community assembly and model selection.

Details

In the simplest stochastic model of Island Biogeography, there is a pool of species that potentially can colonize a system of islands. When we sample an island in time, we obtain a time-series of presence-absence vectors for the different species of the pool, which allows us to estimate colonization (c) and extinction (e) rates under perfect detectability. These are actual rates (in time^{-1} units). The simplest stochastic model of island biogeography assumes a single colonization-extinction pair for the whole community. This model implicitly assumes: first, neutrality of the species in the community, that is, all species in the community share the same values for those rates; and second, all species colonize and become extinct independently from each other. The "species neutrality assumption" can be relaxed easily, for example, calculating different rates for different groups or on a per-species basis. In addition, we can make these rates depend on environmental variables measured at the same time that we took our samples. For more information of the basic model, please see the references.

Data entry

The data should be organized in dataframes with consecutive presence-absence data of each sample ordered chronologically, being the data associated with a single species in a row. Additional columns can contain the filiations of every species to a group, i. e. a phylogenetic group or a guild.

References

- Alonso, D., Pinyol-Galleml, A., Alcoverro T. and Arthur, R.. (2015) Fish community reassembly after a coral mass mortality: higher trophic groups are subject to increased rates of extinction. *Ecology Letters*, **18**, 451–461.
- Simberloff, D. S., and Wilson, E. O.. (1969). Experimental Zoogeography of Islands: The Colonization of Empty Islands. *Ecology*, **50**(2), 278–296. <http://doi.org/10.2307/1934856>
- Simberloff, D. S.. (1969). Experimental Zoogeography of Islands: A Model for Insular Colonization. *Ecology*, **50**(2), 296–314. <http://doi.org/10.2307/1934857>

lakshadweep	<i>Lakshadweep Archipelago coral fish community reassembly data (expanded)</i>
-------------	--

Description

A list with three data frames containing presence-absence data for the reassembly process of coral fish communities in three atolls (Agatti, Kadmat and Kavaratti) of the Lakshadweep Archipelago in India. These data contains a number of replicates (transects) per sampling time. It is in this respect that expands alonso community data (see `island` R package).

Format

A list with three dataframes from the 3 different atoll. The dataframe has in columns:

Species Name of the species found

Atoll Atoll surveyed

Guild Feeding strategy of the surveyed species

Presence-absence data Several columns corresponding to the year in which the surveys were done. Year repetition means repeated sampling of the same atoll at the same time. Presences are represented by 1 and true absence/true or undetected presences by 0.

Details

Surveys were conducted from 2000 to 2013 in order to follow community reassembly after a coral mass mortality event in the relatively unfished Lakshadweep Archipelago. For most years, transects were taken in four locations per atoll. Although there might be some underlying heterogeneity, these transects are approximately taken as true replicates.

Note

Detectability per transect results to be of about 0.5, which means that the parameter 'Detectability' per atoll goes up to almost 0.94 if four transects per sampling time are taken ($1-0.5^4$).

Source

Alonso, D., Pinyol-Gallemlé, A., Alcoverro T. and Arthur, R.. (2015) Fish community reassembly after a coral mass mortality: higher trophic groups are subject to increased rates of extinction. *Ecology Letters*, **18**, 451–461.

lakshadweepPLUS	<i>Lakshadweep Archipelago coral fish community reassembly data in a single data frame</i>
-----------------	--

Description

A list with only one data frame containing presence-absence data for the reassembly process of coral fish communities in three atolls (Agatti, Kadmat and Kavaratti) of the Lakshadweep Archipelago in India. These data contains a number of replicates per sampling time. The data matrix marks missing data with a flag. It is in this respect that differs from lakshadweep.

Format

A list of a single dataframe with data from the 3 different atoll. The dataframe has in columns:

Species Name of the species found

Atoll Atoll surveyed

Guild Feeding strategy of the surveyed species

Presence-absence data Several columns corresponding to the year in which the surveys were done. Year repetition means repeated sampling of the same atoll at the same time. Presences are represented by 1 and true absence or undetected presences by 0.

Details

Surveys were conducted from 2000 to 2013 in order to follow community reassembly after a coral mass mortality event in the relatively unfished Lakshadweep Archipelago. For most years, transects were taken in four locations per atoll. Although there might be some underlying heterogeneity, these transects are approximately taken here as true replicates.

Note

Detectability per transect results to be of about 0.5, which means that the parameter 'Detectability' per atoll goes up to almost 0.94 if four transects per sampling time are taken ($1-0.5^4$). The sampling structure differs from atoll to to atoll. Certain columns are filled with 0.1. This is the missing value flag.

Source

Alonso, D., Pinyol-Galleml, A., Alcoverro T. and Arthur, R.. (2015) Fish community reassembly after a coral mass mortality: higher trophic groups are subject to increased rates of extinction. *Ecology Letters*, **18**, 451–461.

mss_cedp	<i>Likelihood approach for estimating colonization/extinction with perfect or imperfect detectability</i>
----------	---

Description

mss_cedp conducts maximum likelihood estimation of colonization/extinction parameters of different data sets. This function can handle imperfect detectability and missing data defining a heterogeneous sampling structure across input data matrix rows. The function generates, as an output, either a 3-column matrix (Colonization, Extinction, Negative LogLikelihood) or 5-column matrix (Colonization, Extinction, Detectability, P_0, Negative LogLikelihood), depending on the value of the input parameter PerfectDetectability (either TRUE or FALSE).

Usage

```
mss_cedp(
  Data,
  Time,
  Factor,
  Tags,
  Colonization = 1,
  Extinction = 1,
  Detectability_Value = 0.5,
  Phi_Time_0_Value = 0.5,
  Tol = 1e-08,
  MIT = 100,
  C_MAX = 10,
  C_min = 0,
  E_MAX = 10,
  E_min = 0,
  D_MAX = 0.99,
  D_min = 0,
  P_MAX = 0.99,
  P_min = 0.01,
  I_0 = 0,
  I_1 = 1,
  I_2 = 2,
  I_3 = 3,
  z = 2,
  Minimization = 1,
  Verbose = 0,
  MV_FLAG = 0.1,
  PerfectDetectability = TRUE
)
```

Arguments

Data	data frame containing presence data per time (in cols) and sites (in rows)
------	--

Time	an array of length n containing increasing sampling times
Factor	column number containing the 'data frame' factor used to split total data into level-based groups
Tags	array of names (one short for each level of the factor analyzed)
Colonization	guess value to initiate search / parameter value
Extinction	guess value to initiate search / parameter value
Detectability_Value	guess value to initiate search / parameter value
Phi_Time_0_Value	guess value to initiate search / parameter value
Tol	stopping criteria of the search algorithm.
MIT	max number of iterations of the search algorithm.
C_MAX	max value for the possible range of colonization values
C_min	min value for the possible range of colonization values
E_MAX	max value for the possible range of colonization values
E_min	min value for the possible range of colonization values
D_MAX	max value for the possible range of colonization values
D_min	min value for the possible range of colonization values
P_MAX	max value for the possible range of colonization values
P_min	min value for the possible range of colonization values
I_0	has to be 0 or 1. Defaults to 0
I_1	has to be 0 or 1. Defaults to 1
I_2	has to be 0, 1, 2, or 3. Defaults to 2
I_3	has to be 0, 1, 2, or 3. Defaults to 3
z	dimension of the parameter subspace for which the optimization process will take place. Defaults to 2
Minimization,	1/0. If Minimization is 0, then no minimization is performed.
Verbose	more/less (1/0) information about the optimization algorithm will be printed out.
MV_FLAG	missing Value Flag (to specify sites and times where no sample exists)
PerfectDetectability	TRUE means 'Perfect Detectability'. Of course, FALSE means 'Imperfect Detectability'

Details

The input is a data frame containing presence data per time (in cols). Different factors (for instance, OTU, location, etc) can slide the initial data frame accordingly. Model parameters will be estimated for each of these groups independently that correspond to each level of the chosen factor. If Minimization is 0, then no maximum likelihood estimation is performed and only the likelihood evaluation at the input model parameter values is returned. Searches are based on the Nelder-Mead simplex method, but conducted in a bounded parameter space which means that in case a neg log-likelihood (NLL) evaluation is called out from these boundaries, the returned value for this NLL

evaluation is artificially given as the maximum number the machine can hold. Each group is named by a short-length-character label (ideally, 3 or 4 characters). All labels should have the same character length to fulfill memory alignment requirements of the shared object called by `.C(...)` function. `I_0`, `I_1`, `I_2`, `I_3` are model parameter keys. They are used to define a 4D-vector (Index). The search will take place on the full parameter space defined by model parameters (`I_0`, `I_1`) if `PerfectDetectability` is `TRUE` or, alternatively, defined by (`I_0`, `I_1`, `I_2`, `I_3`) if `PerfectDetectability` is `FALSE`. Model parameter keys correspond to colonization (0), extinction (1), detectability (2), and `P_0` (3) model parameters. For instance, if (`I_0`, `I_1`) is (1, 0), the search will take place within the parameter space defined by extinction, as the first axis, and colonization, as the second.

Examples

```
## Not run:
Data <- lakshadweepPLUS[[1]]
Guild_Tag = c("Alg", "Cor", "Mac", "Mic", "Omn", "Pis", "Zoo")
Time <- as.vector(c(2000, 2000, 2001, 2001, 2001, 2001, 2002, 2002, 2002,
2002, 2003, 2003, 2003, 2003, 2010, 2010, 2011, 2011, 2011, 2011, 2012,
2012, 2012, 2012, 2013, 2013, 2013, 2013))
R <- mss_cedp(Data, Time, Factor = 3, Tags = Guild_Tag,
PerfectDetectability = FALSE, z = 4)
Guild_Tag = c("Agt", "Kad", "Kvt")
R <- mss_cedp(Data, Time, Factor = 2, Tags = Guild_Tag,
PerfectDetectability = FALSE, z = 4)

## End(Not run)
```

rates_calculator

Colonization and extinction rates calculator for expressions.

Description

rates_calculator Calculate colonization and extinction rates depending of their expressions.

Usage

```
rates_calculator(params, c_expression, e_expression, t)
```

Arguments

params	A vector with priors of the parameters in <code>c_expression</code> and <code>e_expression</code> .
c_expression	Expression for colonization.
e_expression	Expression for extinction.
t	Number of colonization and extinction pairs required.

Value

A matrix with the colonization and extinction rates.

See Also[all_environmental_fit](#)**Examples**

```
rates_calculator(c(-0.00497925, -0.01729602, 0.19006501,
0.93486956), expression(params[1] * idaho[[2]]$TOTAL.ppt[i] + params[3]),
expression(params[2] * idaho[[2]]$ANNUAL.temp[i] + params[4]), 21)
```

regular_sampling_scheme

c/e rates for a regular sampling scheme

Description

regular_sampling_scheme estimates colonization and extinction rates for a community or groups in a community.

NLL_rss returns the Negative Log-Likelihood of a pair of colonization and extinction rates for a regular sampling scheme.

Usage

```
regular_sampling_scheme(x, vector, level = NULL, n = NULL, step = NULL, CI = F)
```

```
NLL_rss(x, vector, c, e)
```

Arguments

x	A single dataset.
vector	A vector indicating the columns with presence-absence data.
level	The name of the column that contain groups used to subset them and calculate their colonization and extinction rates.
n	Minimal number of rows for each group.
step	Accuracy to calculate the c_e pairs with.
CI	Logical. Should confidence intervals be returned?
c	A colonization rate.
e	An extinction rate.

Details

The confidence intervals are calculated with a binary search seeded with the hessian of the estimated rates.

Value

regular_sampling_scheme returns a dataframe with colonization and extinction rates along with their lower and upper confidence intervals (optional), for each group if specified, and its number of rows and NLL. NLL_rss gives the NLL for a dataframe given a specific c and e.

See Also

[irregular_single_dataset](#), [irregular_multiple_datasets](#)

Examples

```
regular_sampling_scheme(alonso15[[1]], 3:6)
regular_sampling_scheme(alonso15[[1]], 3:6, "Guild", n = 5)
regular_sampling_scheme(alonso15[[1]], 3:6, "Guild", n = 5, CI = TRUE)
NLL_rss(alonso15[[1]], 3:6, 0.52, 0.39)
```

r_squared

Model prediction error

Description

r_squared evaluates R^2 for our simulated dynamics.
 simulated_model Error of the stochastic model.
 null_model Error of the null model.

Usage

```
r_squared(observed, simulated, sp)

null_model(observed, sp)

simulated_model(observed, simulated)
```

Arguments

observed A vector with the actual observed species richness.
 simulated A vector with the simulated species richness.
 sp Number of species in the species pool.

Details

The importance of assessing how well a model predicts new data is paramount. The most used metric to assess this model error is R^2 . R^2 is always referred to a null model and is defined as follows:

$$R^2 = 1 - \epsilon^2 / \epsilon_0^2$$

where ϵ^2 is the prediction error defined as the mean squared deviation of model predictions from actual observations, and ϵ_0^2 is a null model error, in example, an average of squared deviations evaluated with a null model.

Our null model corresponds with a random species model with no time correlations, in which we draw randomly from a uniform distribution a number of species between 0 and number of species observed in the species pool. The expectation of the sum of squared errors under the null model is evaluated analytically in Alonso et al. (2015).

Value

`r_squared` gives the value of R^2 for the predictions of the model.

`null_model` gives the average of squared deviations of the null model predictions from actual observations, ϵ_0^2 .

`simulated_model` gives the average of squared deviations of the model predictions from the actual observations, ϵ^2 .

Note

The value of R^2 depends critically on the definition of the null model. Note that different definitions of the null model will lead to different values of R^2 .

References

Alonso, D., Pinyol-Galleml, A., Alcoverro T. and Arthur, R.. (2015) Fish community reassembly after a coral mass mortality: higher trophic groups are subject to increased rates of extinction. *Ecology Letters*, **18**, 451–461.

Examples

```
idaho.sim <- data_generation(as.data.frame(c(rep(0, 163),
rep(1, 57))), 1, matrix(c(0.162599, 0.111252), ncol = 2), 250, 20)
idaho.me <- c(57, apply(idaho.sim, 1, quantile, 0.5))
r_squared(colSums(idaho[[1]][,3:23]), idaho.me, 220)

null_model(colSums(idaho[[1]][,3:23]), 220)

simulated_model(colSums(idaho[[1]][,3:23]), idaho.me)
```

simberloff

Simberloff and Wilson original defaunation experiment data

Description

A list of datasets containing the presence-absence data gathered originally by Simberloff and Wilson in their defaunation experiment of six mangrove islands in the Florida Keys.

Format

A list with 6 dataframes, each corresponding to the survey of a different island. Dataframes have in columns:

Taxa Taxa considered

PRE Presence-absence before the defaunation process

Integers (e.g. 21, 40, 58...) Several columns with presence-absence data for the day specified

Tax. Unit 1 Highest taxonomical unit considered

Tax. Unit 2 Second highest taxonomical unit considered

Genera Genera of the identified taxon

Island Island of identification of the taxon

Details

The defaunation experiment of Simberloff and Wilson was aimed to test experimentally the Theory of Island Biogeography. The approach sought was eliminating the fauna of several islands and following the recolonization process.

After some trials, six red mangrove islets of Florida Bay were chosen for the task. These islets had to be stripped of all arthropofauna without harming the vegetation and then all the colonists were identified. The result of these defaunation experiments supported the existence of species equilibria and were consistent with the basic MacArthur-Wilson equilibrium model.

Note

The shaded entries in the original dataset, for taxa inferred to be present from other evidence rather than direct observation, are considered as present in these datasets.

Source

Simberloff, D. S., & Wilson, E. O.. (1969). Experimental Zoogeography of Islands: The Colonization of Empty Islands. *Ecology*, **50(2)**, 278–296. <http://doi.org/10.2307/1934856>

References

Wilson, E. O.. (2010). Island Biogeography in the 1960s: THEORY AND EXPERIMENT. In J. B. Losos and R. E. Ricklefs (Eds.), *The Theory of Island Biogeography Revisited* (pp. 1–12). Princeton University Press.

Simberloff, D. S., and Wilson, E. O.. (1969). Experimental Zoogeography of Islands: The Colonization of Empty Islands. *Ecology*, **50(2)**, 278–296. <http://doi.org/10.2307/1934856>

Wilson, E. O., and Simberloff, D. S.. (1969). Experimental Zoogeography of Islands: Defaunation and Monitoring Techniques. *Ecology*, **50(2)**, 267–278. <http://doi.org/10.2307/1934855>

Simberloff, D. S.. (1969). Experimental Zoogeography of Islands: A Model for Insular Colonization. *Ecology*, **50(2)**, 296–314. <http://doi.org/10.2307/1934857>

sss_cedp	<i>MacKenzie et al (2003) likelihood approach for estimating colonization/extinction parameters (with imperfect detectability)</i>
----------	--

Description

sss_cedp conducts a maximum likelihood estimation of model parameters (Colonization, Extinction, Detectability, and Phi_Time_0) of MacKenzie et al (2003) colonization-extinction model. This function is an alternative to mss_cedp that takes a different input (a 2D array), and requires the same sampling structure for all input data matrix rows, this is, no missing data defining a heterogeneous sampling structure across rows are allowed. As an advantage, it may run faster than mss_cedp.

Usage

```
sss_cedp(
  Data,
  Time,
  Transects,
  Colonization = 0.1,
  Extinction = 0.1,
  Detectability = 0.99,
  Phi_Time_0 = 0.5,
  Tol = 1e-06,
  MIT = 100,
  C_MAX = 2,
  C_min = 0,
  E_MAX = 2,
  E_min = 0,
  D_MAX = 0.999,
  D_min = 0.001,
  P_MAX = 0.999,
  P_min = 0.001,
  I_0 = 0,
  I_1 = 1,
  I_2 = 2,
  I_3 = 3,
  z = 4,
  Verbose = 0,
  Minimization = TRUE
)
```

Arguments

Data	S x N matrix containing presence data per transect (in cols):
Time	an array of length n containing increasing sampling times (without repetitions)
Transects	an integer array of length n containing the number of transects per sampling time

Colonization	guess value to initiate search / parameter value
Extinction	guess value to initiate search / parameter value
Detectability	guess value to initiate search / parameter value
Phi_Time_0	guess value to initiate search / parameter value
Tol	Stopping criteria of the search algorithm
MIT	max number of iterations of the search algorithm
C_MAX	max value of colonization values
C_min	min value of colonization values
E_MAX	max value of extinction values
E_min	min value of extinction values
D_MAX	max value of detectability values
D_min	min value of detectability values
P_MAX	max value for the initial presence probability on the site
P_min	min value for the initial presence probability on the site
I_0	parameter index of 1st parameter
I_1	parameter index of 2nd parameter
I_2	parameter index of 3rd parameter
I_3	parameter index of 4th parameter
z	dimension of the parameter subspace
Verbose	more/less (1/0) output information
Minimization	TRUE/FALSE.

Details

Maximum likelihood parameter estimation is conducted through bounded searches. This is the reason why the minimum and maximum values for each axis should be given as input arguments. The optimization procedure is the simplex method. A bounded parameter space implies that in case a neg loglikelihood (NLL) evaluation is required outside from these boundaries, the returned value for this NLL evaluation is artificially given as the maximum number the machine can hold. The array Parameters (I_0, I_1, I_2, I_3) has to be a permutation of (0, 1, 3, 4). This parameter indices along with the input parameter 'z' are used to define a subparameter space where the search will be conducted. If $z = 2$, then the search will take place on the plane defined by model parameters (I_0, I_1). These indices are model parameter keys: colonization (0), extinction (1), detectability (2), and Phi_Time_0 (3). For instance, if (I_0, I_1, I_2, I_3) is (2, 3, 1, 0), and $z = 2$, then the search will take place within the subparameter space defined by the detection probability (Detectability) and the probability of presence at time 0 (Phi_Time_0). If Minimization is TRUE (default value), then the whole mle is conducted. If FALSE, the function only return the NLL value at the input model parameter values. Likelihood evaluations are exact provided the number of 'absences' corresponding to either true absences or undetected presences in the input data matrix is not too high.

Examples

```

Data1 <- lakshadweep[[1]]
Name_of_Factors <- c("Species","Atoll","Guild")
Factors <- Filter(is.factor, Data1)
No_of_Factors <- length(Factors[1,])
n <- No_of_Factors + 1
D1 <- as.matrix(Data1[1:nrow(Data1),n:ncol(Data1)])
Time <- as.double(D1[1,])
P1 <- as.matrix(D1[2:nrow(D1),1:ncol(D1)])
# Dealing with time.
Time_Vector <- as.numeric(names(table(Time)))
Transects <- as.numeric((table(Time)))
R1 <- sss_cedp(P1, Time_Vector, Transects,
              Colonization=0.5, Extinction=0.5, Detectability=0.5,
              Phi_Time_0=0.5,
              Tol=1.0e-8, Verbose = 1)

```

upgma_model_selection *Model selection function based on a upgma grouping algorithm*

Description

upgma_model_selection function conducts a model selection procedure intended to find an optimal partition that minimize AIC values. Maximum likelihood estimation of model parameters (Colonization, Extinction) or (Colonization, Extinction, Detectability, P_0) is performed assuming either perfect detectability or imperfect detectability, respectively. In the latter case, the input data frame should contain multiple transects per sampling time. This function can handle missing data defining a heterogeneous sampling structure across the rows of the input data matrix. The function generates, as an output, a Sx6 matrix with the following 6 columns (for the S different partitions): (No of Model Parameters, NLL, AIC, AIC_c, AIC_d, AIC_w) which compares all upgma-generated partitions.

Usage

```

upgma_model_selection(
  Data,
  Time,
  Factor,
  Tags,
  Colonization = 1,
  Extinction = 1,
  Detectability_Value = 0.5,
  Phi_Time_0_Value = 0.5,
  Tol = 1e-08,
  MIT = 100,
  C_MAX = 10,
  C_min = 0,
  E_MAX = 10,

```

```

E_min = 0,
D_MAX = 0.99,
D_min = 0,
P_MAX = 0.99,
P_min = 0.01,
I_0 = 0,
I_1 = 1,
I_2 = 2,
I_3 = 3,
z = 2,
Verbose = 0,
MV_FLAG = 0.1,
PerfectDetectability = TRUE
)

```

Arguments

Data	data frame containing presence data per time (in cols) and sites (in rows)
Time	an array of length n containing increasing sampling times
Factor	column number containing the 'data frame' factor used to split total data into level-based groups
Tags	array of factor level names: name[i] is the level tag (short name) for the i-th level.
Colonization	guess value to initiate search / parameter value
Extinction	guess value to initiate search / parameter value
Detectability_Value	guess value to initiate search / parameter value
Phi_Time_0_Value	guess value to initiate search / parameter value
Tol	stopping criteria of the search algorithm.
MIT	max number of iterations of the search algorithm.
C_MAX	max value for the possible range of colonization values
C_min	min value for the possible range of colonization values
E_MAX	max value for the possible range of colonization values
E_min	min value for the possible range of colonization values
D_MAX	max value for the possible range of colonization values
D_min	min value for the possible range of colonization values
P_MAX	max value for the possible range of colonization values
P_min	min value for the possible range of colonization values
I_0	has to be 0, 1, 2, or 3. Defaults to 0
I_1	has to be 0, 1, 2, or 3. Defaults to 1
I_2	has to be 0, 1, 2, or 3. Defaults to 2

I_3	has to be 0, 1, 2, or 3. Defaults to 3
z	dimension of the parameter subspace for which the optimization process will take place. Default is 2
Verbose	more/less (1/0) information about the optimization algorithm will be printed out.
MV_FLAG	missing value flag (to specify sites and times where no sample exists)
PerfectDetectability	TRUE means 'Perfect Detectability'. Of course, FALSE means 'Imperfect Detectability'

Details

The output matrix contains a row for the S different binary partitions of the set of S groups. Searches are conducted using Nelder-Mead simplex method in a bounded parameter space which means that in case a neg loglikelihood (NLL) evaluation is called out from these boundaries, the returned value for this NLL evaluation is artificially given as the maximum number the machine can hold. The input is a data frame containing presence data per time (in cols) and sites (in rows). Different factors (for instance, OTU, location, etc) can slide the initial data frame in their different levels, accordingly. Each initial group (usually, species, OUTs, factors, ...) is named by a short-length-character label (ideally, 3 or 4 characters). The length of Tags array should match the number of levels in which the given factor is subdivided. All labels should have the same character length to fulfill memory alignment requirement of the shared object called by .C(...) function. I_0, I_1, I_2, and I_3 are model parameter keys. They are used to define a 4D-vector (Index). The model parameter keys correspond to the colonization (0), extinction (1), detectability (2), and Phi_0 (3) model parameters in case detectability is imperfect or, alternatively, only colonization (0) and extinction (1) in case detectability is perfect. For instance, if (I_0, I_1) is (1, 0), searches will take place within the parameter space defined by extinction, as the first axis, and colonization, as the second.

Examples

```
## Not run:
Data <- lakshadweepPLUS[[1]]
Guild_Tag = c("Alg", "Cor", "Mac", "Mic", "Omn", "Pis", "Zoo")
Time <- as.vector(c(2000, 2000, 2001, 2001, 2001, 2001, 2002, 2002, 2002,
2002, 2003, 2003, 2003, 2003, 2010, 2010, 2011, 2011, 2011, 2011, 2012,
2012, 2012, 2012, 2013, 2013, 2013, 2013))
R <- upgma_model_selection(Data, Time, Factor = 3, Tags = Guild_Tag,
PerfectDetectability = FALSE, z = 4)
Guild_Tag = c("Agt", "Kad", "Kvt")
R <- upgma_model_selection(Data, Time, Factor = 2, Tags = Guild_Tag,
PerfectDetectability = FALSE, z = 4)

## End(Not run)
```

Description

weight_of_evidence calculates the weight of evidence of a set of nested models.

Usage

```
weight_of_evidence(data)
```

Arguments

data A dataframe with the names of the models in the first column and their AIC values in the second column.

Details

Calculates the weight of evidence in favor of model i being the actual Kullback-Leibler best model given a set of models R for your data.

$$w_i = \exp(-1/2 * \Delta_i) / \sum_{r=1, R} \exp(-1/2 * \Delta_r)$$

Value

A dataframe with the names of the analysed models, their AIC differences with respect to the best model and the w_i of each one.

References

K. P. Burnham, D. R. Anderson. *Model selection and multimodel inference: a practical information-theoretic approach* (New York:Springer, ed. 2, 2002).

See Also

[akaikc](#)

Examples

```
models <- c("Best_3k", "Best_4k", "Best_5k", "Best_6k", "Best_7k",
           "Best_8k", "Best_9k")

aks <- c(2977.852, 2968.568, 2957.384, 2952.618,
        2949.128, 2947.038, 2943.480)

weight_of_evidence(cbind(models, aks))
```

Index

akaikeic, [2](#), [28](#)
akaikeicc (akaikeic), [2](#)
all_environmental_fit, [3](#), [19](#)
alonso15, [4](#)

cetotrans, [5](#), [7](#)
custom_environmental_fit
 (all_environmental_fit), [3](#)

data_generation, [6](#)

greedy_environmental_fit
 (all_environmental_fit), [3](#)

ibd_models, [7](#)
idaho, [8](#)
irregular_multiple_datasets, [9](#), [12](#), [20](#)
irregular_single_dataset, [11](#), [11](#), [20](#)
island, [13](#)

lakshadweep, [14](#)
lakshadweepPLUS, [15](#)

mss_cedp, [16](#)

NLL_env (all_environmental_fit), [3](#)
NLL_imd (irregular_multiple_datasets), [9](#)
NLL_isd (irregular_single_dataset), [11](#)
NLL_rss (regular_sampling_scheme), [19](#)
null_model (r_squared), [20](#)

PA_simulation (data_generation), [6](#)

r_squared, [20](#)
rates_calculator, [4](#), [18](#)
regular_sampling_scheme, [11](#), [12](#), [19](#)

simberloff, [21](#)
simulated_model (r_squared), [20](#)
sss_cedp, [23](#)

upgma_model_selection, [25](#)

weight_of_evidence, [3](#), [27](#)