

Package ‘jfa’

August 5, 2020

Title Bayesian and Classical Audit Sampling

Version 0.2.0

Description Implements the audit sampling workflow as discussed in Derks et al. (2019) <doi:10.31234/osf.io/9f6ub>. The package makes it easy for an auditor to plan an audit sample, sample from the population, and evaluating that sample using various confidence bounds according to the International Standards on Auditing. Furthermore, the package implements Bayesian equivalents of these methods.

Language en-US

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

VignetteBuilder knitr

Suggests testthat, knitr, rmarkdown

NeedsCompilation no

Author Koen Derks [aut, cre]

Maintainer Koen Derks <k.derks@nyenrode.nl>

Repository CRAN

Date/Publication 2020-08-05 12:10:03 UTC

R topics documented:

auditPrior	2
BuildIt	5
evaluation	6
planning	10
sampling	14

Index	18
--------------	-----------

auditPrior

*Create a Prior Distribution with Audit Information***Description**

This function creates a prior distribution for Bayesian audit sampling according to several methods discussed in Derks et al. (2020). The returned object is of class `jfaPrior` and can be used with associated `print()` and `plot()` methods. `jfaPrior` objects can be used as input for the prior argument in other functions.

Usage

```
auditPrior(materiality = NULL, confidence = 0.95, method = "arm", ir = 1,
           cr = 1, expectedError = 0, likelihood = "binomial", N = NULL,
           pHmin = NULL, pHplus = NULL, factor = 1, sampleN = 0, sampleK = 0)
```

Arguments

<code>materiality</code>	a value between 0 and 1 representing the materiality of the audit as a fraction of the total size or value. Can be NULL for some methods.
<code>confidence</code>	the confidence level desired from the confidence bound (on a scale from 0 to 1). Defaults to 0.95, or 95% confidence.
<code>method</code>	the method by which the prior distribution is constructed. Defaults to the <code>arm</code> method, which uses the audit risk model (Derks et al., 2019). Can be one of <code>none</code> , <code>median</code> , <code>hypotheses</code> , <code>arm</code> , <code>sample</code> or <code>factor</code> . See the Details section for more information.
<code>ir</code>	the inherent risk probability from the audit risk model. Defaults to 1 for 100% risk.
<code>cr</code>	the inherent risk probability from the audit risk model. Defaults to 1 for 100% risk.
<code>expectedError</code>	a fraction representing the percentage of expected mistakes in the sample relative to the total size, or a number (≥ 1) that represents the number of expected mistakes.
<code>likelihood</code>	can be one of <code>binomial</code> , <code>poisson</code> , or <code>hypergeometric</code> . See the Details section for more information.
<code>N</code>	the population size (only required when <code>likelihood = 'hypergeometric'</code>).
<code>pHmin</code>	When using <code>method = 'hypotheses'</code> , the prior probability of the hypothesis $\theta < \text{materiality}$.
<code>pHplus</code>	When using <code>method = 'hypotheses'</code> , the prior probability of the hypothesis $\theta > \text{materiality}$.
<code>factor</code>	When using <code>method = 'factor'</code> , the value of the weighting factor for the results of the previous sample.
<code>sampleN</code>	When using <code>method sample</code> or <code>factor</code> , the number of transactions that were inspected in the previous sample.
<code>sampleK</code>	When using <code>method sample</code> or <code>factor</code> , the number of transactions that were misstated in the previous sample.

Details

This section elaborates on the available methods for constructing a prior distribution.

- none: This method constructs a prior distribution according to the principle of minimum information.
- median: This method constructs a prior distribution so that the prior probabilities of tolerable and intolerable misstatement are equal.
- hypotheses: This method constructs a prior distribution with specified prior probabilities for the hypotheses of tolerable and intolerable misstatement. Requires specification of the `pHmin` and `pHplus` arguments.
- arm: This method constructs a prior distribution according to the assessed risks in the audit risk model. Requires specification of the `ir` and `cr` arguments.
- sample: This method constructs a prior distribution on the basis of an earlier sample. Requires specification of the `sampleN` and `sampleK` arguments.
- factor: This method constructs a prior distribution on the basis of last year's results and a weighting factor. Requires specification of the `factor`, `sampleN` and `sampleK` arguments.

This section elaborates on the available likelihoods and corresponding prior distributions for the likelihood argument.

- poisson: The Poisson likelihood is used as a likelihood for monetary unit sampling (MUS). Its likelihood function is defined as:

$$p(x) = \frac{\lambda^x e^{-\lambda}}{x!}$$

The conjugate $gamma(\alpha, \beta)$ prior has probability density function:

$$f(x; \alpha, \beta) = \frac{\beta^\alpha x^{\alpha-1} e^{-\beta x}}{\Gamma(\alpha)}$$

- binomial: The binomial likelihood is used as a likelihood for record sampling *with* replacement. Its likelihood function is defined as:

$$p(x) = \binom{n}{k} p^k (1-p)^{n-k}$$

The conjugate $beta(\alpha, \beta)$ prior has probability density function:

$$f(x; \alpha, \beta) = \frac{1}{B(\alpha, \beta)} x^{\alpha-1} (1-x)^{\beta-1}$$

- hypergeometric: The hypergeometric likelihood is used as a likelihood for record sampling *without* replacement. Its likelihood function is defined as:

$$p(x = k) = \frac{\binom{K}{k} \binom{N-K}{n-k}}{\binom{N}{n}}$$

The conjugate $beta$ -binomial(α, β) prior (Dyer and Pierce, 1993) has probability density function:

$$f(k|n, \alpha, \beta) = \binom{n}{k} \frac{B(k + \alpha, n - k + \beta)}{B(\alpha, \beta)}$$

Value

An object of class `jfaPrior` containing:

<code>method</code>	the method by which the prior distribution is constructed.
<code>likelihood</code>	the likelihood by which the prior distribution is updated.
<code>priorD</code>	the name of the probability density function of the prior distribution.
<code>nPrior</code>	the prior assumed sample size.
<code>kPrior</code>	the prior assumed sample errors
<code>aPrior</code>	the prior parameter alpha.
<code>bPrior</code>	the prior parameter beta.
<code>materiality</code>	the materiality that was used to construct the prior distribution.
<code>N</code>	if specified as input, the population size.
<code>pHmin</code>	For methods <code>median</code> and <code>hypotheses</code> , the prior probability of the hypothesis $\theta < \text{materiality}$.
<code>pHmin</code>	For methods <code>median</code> and <code>hypotheses</code> , the prior probability of the hypothesis $\theta > \text{materiality}$.
<code>sampleN</code>	For methods <code>sample</code> and <code>factor</code> , the total number of transactions in the earlier sample.
<code>sampleK</code>	For methods <code>sample</code> and <code>factor</code> , the number of transactions that were misstated in the earlier sample.

Author(s)

Koen Derks, <k.derks@nyenrode.nl>

References

Derks, K., de Swart, J., Wagenmakers, E.-J., Wille, J., & Wetzels, R. (2019). JASP for audit: Bayesian tools for the auditing practice.

Derks, K., de Swart, J., van Batenburg, P. Wagenmakers, E.-J., & Wetzels, R. (2020). Priors in a Bayesian Audit: How Integrating Information into the Prior Distribution can Improve Audit Transparency and Efficiency.

See Also

[planning sampling evaluation](#)

Examples

```
library(jfa)

# Specify the materiality, confidence, and expected errors:
materiality <- 0.05 # 5%
confidence <- 0.95 # 95%
expectedError <- 0.025 # 2.5%
```

```

# Specify the inherent risk (ir) and control risk (cr):
ir <- 1      # 100%
cr <- 0.6    # 60%

# Create a beta prior distribution according to the Audit Risk Model (arm)
# and a binomial likelihood:
prior <- auditPrior(materiality = materiality, confidence = confidence,
                    method = "arm", ir = ir, cr = cr,
                    expectedError = expectedError, likelihood = "binomial")

print(prior)

# -----
#           jfa Prior Distribution Summary (Bayesian)
# -----
# Input:
#
# Confidence:           0.95
# Expected sample errors: 0.025
# Likelihood:          binomial
# Specifics:           Inherent risk = 1; Internal control risk = 0.6; Detection risk = 0.083
# -----
# Output:
#
# Prior distribution:   beta(2.275, 50.725)
# Implicit sample size: 51
# Implicit errors:     1.275
# -----

```

BuildIt

BuildIt Construction financial statements

Description

Fictional data from a construction company in the United States, containing 3500 observations identification numbers, book values, and audit values. The audit values are added for illustrative purposes, as these would need to be assessed by the auditor in the execution stage of the audit.

Usage

```
data(BuildIt)
```

Format

A data frame with 3500 rows and 3 variables.

ID unique record identification number.

bookValue book value in US dollars (\$14.47–\$2,224.40).

auditValue true value in US dollars (\$14.47–\$2,224.40).

References

Derks, K., de Swart, J., Wagenmakers, E.-J., Wille, J., & Wetzels, R. (2019). JASP for audit: Bayesian tools for the auditing practice.

Examples

```
data(BuildIt)
```

evaluation

Evaluation of Audit Samples using Confidence / Credible Bounds

Description

This function takes a sample data frame or summary statistics about an evaluated audit sample and calculates a confidence bound according to a specified method. The returned object is of class `jfaEvaluation` and can be used with associated `print()` and `plot()` methods.

Usage

```
evaluation(sample = NULL, bookValues = NULL, auditValues = NULL,
           confidence = 0.95, nSumstats = NULL, kSumstats = NULL,
           method = "binomial", materiality = NULL, N = NULL,
           prior = FALSE, nPrior = 0, kPrior = 0,
           rohrbachDelta = 2.7, momentPoptype = "accounts",
           populationBookValue = NULL, minPrecision = NULL,
           csA = 1, csB = 3, csMu = 0.5)
```

Arguments

<code>sample</code>	a data frame containing at least a column of book values and a column of audit (true) values.
<code>bookValues</code>	the column name for the book values in the sample.
<code>auditValues</code>	the column name for the audit (true) values in the sample.
<code>confidence</code>	the required confidence level for the bound.
<code>nSumstats</code>	the number of observations in the sample. If specified, overrides the <code>sample</code> , <code>bookValues</code> and <code>auditValues</code> arguments and assumes that the data comes from summary statistics specified by <code>nSumstats</code> and <code>kSumstats</code> .
<code>kSumstats</code>	the sum of the errors found in the sample. If specified, overrides the <code>sample</code> , <code>bookValues</code> and <code>auditValues</code> arguments and assumes that the data comes from summary statistics specified by <code>kSumstats</code> and <code>nSumstats</code> .
<code>method</code>	can be either one of <code>poisson</code> , <code>binomial</code> , <code>hypergeometric</code> , <code>stringer</code> , <code>stringer-meikle</code> , <code>stringer-lta</code> , <code>stringer-pvz</code> , <code>rohrbach</code> , <code>moment</code> , <code>direct</code> , <code>difference</code> , <code>quotient</code> , or <code>regression</code> .

materiality	if specified, the function also returns the conclusion of the analysis with respect to the materiality. This value must be specified as a fraction of the total value of the population (a value between 0 and 1). The value is discarded when <code>direct</code> , <code>difference</code> , <code>quotient</code> , or <code>regression</code> method is chosen.
N	the total population size.
prior	whether to use a prior distribution when evaluating. Defaults to <code>FALSE</code> for frequentist evaluation. If <code>TRUE</code> , the prior distribution is updated by the specified likelihood. Chooses a conjugate gamma distribution for the Poisson likelihood, a conjugate beta distribution for the binomial likelihood, and a conjugate beta-binomial distribution for the hypergeometric likelihood.
nPrior	the prior parameter α (number of errors in the assumed prior sample).
kPrior	the prior parameter β (total number of observations in the assumed prior sample).
rohrbachDelta	the value of Δ in Rohrbach's augmented variance bound.
momentPoctype	can be either one of <code>accounts</code> or <code>inventory</code> . Options result in different methods for calculating the central moments, for more information see Dworin and Grimlund (1986).
populationBookValue	the total value of the audit population. Required when method is one of <code>direct</code> , <code>difference</code> , <code>quotient</code> , or <code>regression</code> .
minPrecision	if specified, the function also returns the conclusion of the analysis with respect to the minimum precision. This value must be specified as a fraction of the total value of the population (a value between 0 and 1).
csA	if <code>method = "coxsnell"</code> , the α parameter of the prior distribution on the mean taint. Default is set to 1, as recommended by Cox and Snell (1979).
csB	if <code>method = "coxsnell"</code> , the β parameter of the prior distribution on the mean taint. Default is set to 3, as recommended by Cox and Snell (1979).
csMu	if <code>method = "coxsnell"</code> , the mean of the prior distribution on the mean taint. Default is set to 0.5, as recommended by Cox and Snell (1979).

Details

This section lists the available options for the `methods` argument.

- `poisson`: The confidence bound taken from the Poisson distribution. If combined with `prior = TRUE`, performs Bayesian evaluation using a *gamma* prior and posterior.
- `binomial`: The confidence bound taken from the binomial distribution. If combined with `prior = TRUE`, performs Bayesian evaluation using a *beta* prior and posterior.
- `hypergeometric`: The confidence bound taken from the hypergeometric distribution. If combined with `prior = TRUE`, performs Bayesian evaluation using a *beta-binomial* prior and posterior.
- `stringer`: The Stringer bound (Stringer, 1963).
- `stringer-meikle`: Stringer bound with Meikle's correction for understatements (Meikle, 1972).

- `stringer-lta`: Stringer bound with LTA correction for understatements (Leslie, Teitlebaum, and Anderson, 1979).
- `stringer-pvz`: Stringer bound with Pap and van Zuijlen's correction for understatements (Pap and van Zuijlen, 1996).
- `rohrbach`: Rohrbach's augmented variance bound (Rohrbach, 1993).
- `moment`: Modified moment bound (Dworin and Grimlund, 1986).
- `coxsnell`: Cox and Snell bound (Cox and Snell, 1979).
- `direct`: Confidence interval using the direct method (Touw and Hoogduin, 2011).
- `difference`: Confidence interval using the difference method (Touw and Hoogduin, 2011).
- `quotient`: Confidence interval using the quotient method (Touw and Hoogduin, 2011).
- `regression`: Confidence interval using the regression method (Touw and Hoogduin, 2011).

Value

An object of class `jfaEvaluation` containing:

<code>n</code>	the sample size.
<code>k</code>	an integer specifying the number of observed errors.
<code>t</code>	a number specifying the sum of observed taints.
<code>confidence</code>	the confidence level of the result.
<code>mle</code>	the most likely error in the population.
<code>precision</code>	the difference between the <code>mle</code> and the upper confidence bound.
<code>popBookvalue</code>	if specified as input, the total book value of the population.
<code>pointEstimate</code>	if method is one of <code>direct</code> , <code>difference</code> , <code>quotient</code> , or <code>regression</code> , the value of the point estimate.
<code>lowerBound</code>	if method is one of <code>direct</code> , <code>difference</code> , <code>quotient</code> , or <code>regression</code> , the value of the lower bound of the interval.
<code>upperBound</code>	if method is one of <code>direct</code> , <code>difference</code> , <code>quotient</code> , or <code>regression</code> , the value of the upper bound of the interval.
<code>confBound</code>	the upper confidence bound on the error percentage.
<code>method</code>	the evaluation method that was used.
<code>materiality</code>	the materiality.
<code>conclusion</code>	if <code>materiality</code> is specified, the conclusion about whether to approve or not approve the population.
<code>N</code>	if specified as input, the population size.
<code>populationK</code>	the assumed total errors in the population. Used for inferences with hypergeometric method.
<code>prior</code>	a logical, indicating whether a prior was used in the analysis.
<code>nPrior</code>	if a prior is specified, the prior assumed sample size.
<code>kPrior</code>	if a prior is specified, the prior assumed sample errors.
<code>multiplicationFactor</code>	if method = " <code>coxsnell</code> ", the multiplication factor for the F -distribution.
<code>df1</code>	if method = " <code>coxsnell</code> ", the $df1$ for the F -distribution.
<code>df2</code>	if method = " <code>coxsnell</code> ", the $df2$ for the F -distribution.

Author(s)

Koen Derks, <k.derks@nyenrode.nl>

References

- Cox, D. and Snell, E. (1979). On sampling and the estimation of rare errors. *Biometrika*, 66(1), 125-132.
- Dworin, L., and Grimlund, R. A. (1986). Dollar-unit sampling: A comparison of the quasi-Bayesian and moment bounds. *Accounting Review*, 36-57.
- Leslie, D. A., Teitlebaum, A. D., & Anderson, R. J. (1979). *Dollar-unit sampling: a practical guide for auditors*. Copp Clark Pitman; Belmont, Calif.: distributed by Fearon-Pitman.
- Meikle, G. R. (1972). *Statistical Sampling in an Audit Context: An Audit Technique*. Canadian Institute of Chartered Accountants.
- Pap, G., and van Zuijlen, M. C. (1996). On the asymptotic behavior of the Stringer bound 1. *Statistica Neerlandica*, 50(3), 367-389.
- Rohrbach, K. J. (1993). Variance augmentation to achieve nominal coverage probability in sampling from audit populations. *Auditing*, 12(2), 79.
- Stringer, K. W. (1963). Practical aspects of statistical sampling in auditing. In *Proceedings of the Business and Economic Statistics Section* (pp. 405-411). American Statistical Association.
- Touw, P., and Hoogduin, L. (2011). *Statistiek voor Audit en Controlling*. Boom uitgevers Amsterdam.

See Also

[auditPrior planning sampling](#)

Examples

```
library(jfa)
set.seed(1)

# Generate some audit data (N = 1000):
data <- data.frame(ID = sample(1000:100000, size = 1000, replace = FALSE),
                   bookValue = runif(n = 1000, min = 700, max = 1000))

# Using monetary unit sampling, draw a random sample from the population.
s1 <- sampling(population = data, sampleSize = 100, units = "mus",
              bookValues = "bookValue", algorithm = "random")
s1_sample <- s1$sample
s1_sample$trueValue <- s1_sample$bookValue
s1_sample$trueValue[2] <- s1_sample$trueValue[2] - 500 # One overstatement is found

# Using summary statistics, calculate the upper confidence bound according
# to the binomial distribution:

e1 <- evaluation(nSumstats = 100, kSumstats = 1, method = "binomial",
                materiality = 0.05)
print(e1)
```

```

# -----
#           jfa Evaluation Summary (Frequentist)
# -----
# Input:
#
# Confidence:           95%
# Materiality:          5%
# Minium precision:    100%
# Sample size:         100
# Sample errors:       1
# Sum of taints:       1
# Method:              binomial
# -----
# Output:
#
# Most likely error:    1%
# Upper bound:         4.656%
# Precision:           3.656%
# Conclusion:          Approve population
# -----

# Evaluate the raw sample using the stringer bound:

e2 <- evaluation(sample = s1_sample, bookValues = "bookValue", auditValues = "trueValue",
                 method = "stringer", materiality = 0.05)
print(e2)

# -----
#           jfa Evaluation Summary (Frequentist)
# -----
# Input:
#
# Confidence:           95%
# Materiality:          5%
# Minium precision:    100%
# Sample size:         100
# Sample errors:       1
# Sum of taints:       0.587
# Method:              stringer
# -----
# Output:
#
# Most likely error:    0.587%
# Upper bound:         3.952%
# Precision:           3.365%
# Conclusion:          Approve population
# -----

```

Description

This function calculates the required sample size for an audit, based on the poisson, binomial, or hypergeometric likelihood. A prior can be specified to perform Bayesian planning. The returned object is of class `jfaPlanning` and can be used with associated `print()` and `plot()` methods.

Usage

```
planning(materiality = NULL, confidence = 0.95, expectedError = 0, minPrecision = NULL,
         likelihood = "poisson", N = NULL, maxSize = 5000, increase = 1,
         prior = FALSE, kPrior = 0, nPrior = 0)
```

Arguments

<code>materiality</code>	a value between 0 and 1 representing the materiality of the audit as a fraction of the total size or value. Can be NULL, but <code>minPrecision</code> should be specified in that case.
<code>confidence</code>	the confidence level desired from the confidence bound (on a scale from 0 to 1). Defaults to 0.95, or 95% confidence.
<code>expectedError</code>	a fraction representing the percentage of expected mistakes in the sample relative to the total size, or a number (≥ 1) that represents the number of expected mistakes.
<code>minPrecision</code>	The minimum precision to be obtained. Can be NULL, but <code>materiality</code> should be specified in that case.
<code>likelihood</code>	can be one of <code>binomial</code> , <code>poisson</code> , or <code>hypergeometric</code> .
<code>N</code>	the population size (required for hypergeometric calculations).
<code>maxSize</code>	the maximum sample size that is considered for calculations. Defaults to 5000 for efficiency. Increase this value if the sample size cannot be found due to it being too large (e.g., for a low materiality).
<code>increase</code>	the desired increase step for the sample size calculation.
<code>prior</code>	whether to use a prior distribution when planning. Defaults to <code>FALSE</code> for frequentist planning. If <code>TRUE</code> , the prior distribution is updated by the specified likelihood. Chooses a conjugate gamma distribution for the Poisson likelihood, a conjugate beta distribution for the binomial likelihood, and a conjugate beta-binomial distribution for the hypergeometric likelihood.
<code>kPrior</code>	the prior parameter α (number of errors in the assumed prior sample).
<code>nPrior</code>	the prior parameter β (total number of observations in the assumed prior sample).

Details

This section elaborates on the available likelihoods and corresponding prior distributions for the likelihood argument.

- `poisson`: The Poisson likelihood is used as a likelihood for monetary unit sampling (MUS). Its likelihood function is defined as:

$$p(x) = \frac{\lambda^x e^{-\lambda}}{x!}$$

The conjugate *gamma*(α, β) prior has probability density function:

$$f(x; \alpha, \beta) = \frac{\beta^\alpha x^{\alpha-1} e^{-\beta x}}{\Gamma(\alpha)}$$

- **binomial:** The binomial likelihood is used as a likelihood for record sampling *with* replacement. Its likelihood function is defined as:

$$p(x) = \binom{n}{k} p^k (1-p)^{n-k}$$

The conjugate *beta*(α, β) prior has probability density function:

$$f(x; \alpha, \beta) = \frac{1}{B(\alpha, \beta)} x^{\alpha-1} (1-x)^{\beta-1}$$

- **hypergeometric:** The hypergeometric likelihood is used as a likelihood for record sampling *without* replacement. Its likelihood function is defined as:

$$p(x = k) = \frac{\binom{K}{k} \binom{N-K}{n-k}}{\binom{N}{n}}$$

The conjugate *beta-binomial*(α, β) prior (Dyer and Pierce, 1993) has probability density function:

$$f(k|n, \alpha, \beta) = \binom{n}{k} \frac{B(k + \alpha, n - k + \beta)}{B(\alpha, \beta)}$$

Value

An object of class `jfaPlanning` containing:

<code>materiality</code>	the value of the specified materiality. Can be NULL.
<code>confidence</code>	the confidence level for the desired population statement.
<code>sampleSize</code>	the resulting sample size.
<code>expectedSampleError</code>	the number of full errors that are allowed to occur in the sample.
<code>expectedError</code>	the specified number of errors as a fraction or as a number.
<code>likelihood</code>	the specified likelihood.
<code>errorType</code>	whether the expected errors were specified as a percentage or as an integer.
<code>minPrecision</code>	The minimum precision to be obtained. Can be NULL.
<code>N</code>	the population size (only returned in case of a hypergeometric likelihood).
<code>populationK</code>	the assumed population errors (only returned in case of a hypergeometric likelihood).
<code>prior</code>	a list containing information on the prior parameters.

Author(s)

Koen Derks, <k.derks@nyenrode.nl>

References

Dyer, D. and Pierce, R.L. (1993). On the Choice of the Prior Distribution in Hypergeometric Sampling. *Communications in Statistics - Theory and Methods*, 22(8), 2125 - 2146.

See Also

[auditPrior sampling evaluation](#)

Examples

```
library(jfa)

# Using the binomial distribution, calculates the required sample size for a
# materiality of 5% when 2.5% mistakes are expected to be found in the sample.

# Frequentist planning with binomial likelihood:

p1 <- planning(materiality = 0.05, confidence = 0.95, expectedError = 0.025,
               likelihood = "binomial")
print(p1)

# -----
#               jfa Planning Summary (Frequentist)
# -----
# Input:
#
# Confidence:           95%
# Materiality:          5%
# Minimum precision:   100%
# Likelihood:           binomial
# Expected sample errors: 6
# -----
# Output:
#
# Sample size:          234
# -----

# Bayesian planning with uninformed prior:

p2 <- planning(materiality = 0.05, confidence = 0.95, expectedError = 0.025,
               likelihood = "binomial", prior = TRUE)
print(p2)

# -----
#               jfa Planning Summary (Bayesian)
# -----
# Input:
#
# Confidence:           95%
# Materiality:          5%
# Minimum precision:   100%
# Likelihood:           binomial
```

```

# Prior:                beta(1, 1)
# Expected sample errors: 5.5
# -----
# Output:
#
# Sample size:          220
# -----

# Bayesian planning with informed prior:

prior <- auditPrior(materiality = 0.05, confidence = 0.95, cr = 0.6,
                    expectedError = 0.025, likelihood = "binomial")

p3 <- planning(materiality = 0.05, confidence = 0.95, expectedError = 0.025,
              prior = prior)
print(p3)

# -----
#                jfa Planning Summary (Bayesian)
# -----
# Input:
#
# Confidence:           95%
# Materiality:          5%
# Minimum precision:    100%
# Likelihood:           binomial
# Prior:                beta(2.275, 50.725)
# Expected sample errors: 4.23
# -----
# Output:
#
# Sample size:          169
# -----

```

sampling

Sampling from Audit Populations

Description

This function takes a data frame and performs sampling according to one of three popular algorithms: random sampling, cell sampling, or fixed interval sampling. Sampling is done in combination with one of two sampling units: records or monetary units. The returned object is of class `jfaSampling` and can be used with associated `print()` and `plot()` methods.

Usage

```

sampling(population, sampleSize, bookValues = NULL, units = "records",
         algorithm = "random", intervalStartingPoint = 1, ordered = TRUE,
         ascending = TRUE, withReplacement = FALSE, seed = 1)

```

Arguments

<code>population</code>	a data frame containing the population the auditor wishes to sample from.
<code>sampleSize</code>	the number of observations that need to be selected from the population. Can also be an object of class <code>jfaPlanning</code> .
<code>bookValues</code>	a character specifying the name of the column containing the book values (as in the population data).
<code>units</code>	can be either <code>records</code> (default) for record sampling, or <code>mus</code> for monetary unit sampling.
<code>algorithm</code>	can be either one of <code>random</code> (default) for random sampling, <code>cell</code> for cell sampling, or <code>interval</code> for fixed interval sampling.
<code>intervalStartingPoint</code>	the starting point in the interval (used only in fixed interval sampling)
<code>ordered</code>	if <code>TRUE</code> (default), the population is first ordered according to the value of their book values.
<code>ascending</code>	if <code>TRUE</code> (default), order the population in ascending order.
<code>withReplacement</code>	whether sampling should be performed with replacement. Defaults to <code>FALSE</code> .
<code>seed</code>	seed to reproduce results. Default is 1.

Details

This first part of this section elaborates on the possible options for the `units` argument:

- `records`: In record sampling, each observation in the population is seen as a sampling unit. An observation of \$5000 is therefore equally likely to be selected as an observation of \$500.
- `mus`: In monetary unit sampling, each monetary unit in the population is seen as a sampling unit. An observation of \$5000 is therefore ten times more likely to be selected as an observation of \$500.

This second part of this section elaborates on the possible options for the `algorithm` argument:

- `random`: In random sampling each sampling unit in the population is drawn with equal probability.
- `cell`: In cell sampling the sampling units in the population are divided into a number (equal to the sample size) of intervals. From each interval one sampling unit is selected with equal probability.
- `interval`: In fixed interval sampling the sampling units in the population are divided into a number (equal to the sample size) of intervals. From each interval one sampling unit is selected according to a fixed starting point (`intervalStartingPoint`).

Value

An object of class `jfaSampling` containing:

<code>population</code>	a data frame containing the input population.
-------------------------	---

sample a data frame containing the selected observations.
 bookValues if specified, the name of the specified book value column.
 algorithm the algorithm that was used for sampling.
 units the sampling units that were used for sampling.

Author(s)

Koen Derks, <k.derks@nyenrode.nl>

References

Wampler, B., & McEacharn, M. (2005). Monetary-unit sampling using Microsoft Excel. *The CPA journal*, 75(5), 36.

See Also

[auditPrior planning evaluation](#)

Examples

```
library(jfa)
set.seed(1)

# Generate some audit data (N = 1000).
population <- data.frame(ID = sample(1000:100000, size = 1000, replace = FALSE),
                          bookValue = runif(n = 1000, min = 700, max = 1000))

# Draw a custom sample of 100 from the population (via random record sampling):
s1 <- sampling(population = population, sampleSize = 100, algorithm = "random",
               units = "records", seed = 1)
print(s1)

# -----
#                               jfa Selection Summary
# -----
# Input:
#
# Population size:           1000
# Requested sample size:    100
# Sampling units:           Records
# Algorithm:                 Random sampling
# -----
# Output:
#
# Obtained sample size:     100
# Proportion n/N:          0.1
# -----

# Use the result from the planning stage in the sampling stage:
```



```
p1 <- planning(materiality = 0.05, confidence = 0.95, expectedError = 0.025,
               likelihood = "binomial")

# Draw a sample via random monetary unit sampling:
s2 <- sampling(population = population, sampleSize = p1, algorithm = "random",
               units = "mus", seed = 1, bookValues = "bookValue")

print(s2)

# -----
#                               jfa Selection Summary
# -----
# Input:
#
# Population size:           1000
# Requested sample size:    234
# Sampling units:           Monetary units
# Algorithm:                 Random sampling
# -----
# Output:
#
# Obtained sample size:     234
# Proportion n/N:          0.234
# Percentage of value:      23.3%
# -----
```

Index

- * **audit**
 - auditPrior, 2
 - evaluation, 6
 - planning, 11
 - sampling, 14
 - * **bound**
 - evaluation, 6
 - * **confidence**
 - evaluation, 6
 - * **datasets**
 - BuildIt, 5
 - * **distribution**
 - auditPrior, 2
 - * **evaluation**
 - evaluation, 6
 - * **planning**
 - planning, 11
 - * **prior**
 - auditPrior, 2
 - * **sample**
 - planning, 11
 - sampling, 14
 - * **sampling**
 - sampling, 14
 - * **size**
 - planning, 11
- auditPrior, 2, 9, 13, 16
- BuildIt, 5
- evaluation, 4, 6, 13, 16
- planning, 4, 9, 10, 16
- sampling, 4, 9, 13, 14