

Package ‘kableExtra’

March 16, 2019

Type Package

Title Construct Complex Table with 'kable' and Pipe Syntax

Version 1.1.0

Description Build complex HTML or 'LaTeX' tables using 'kable()' from 'knitr' and the piping syntax from 'magrittr'. Function 'kable()' is a light weight table generator coming from 'knitr'. This package simplifies the way to manipulate the HTML or 'LaTeX' codes generated by 'kable()' and allows users to construct complex tables and customize styles using a readable syntax.

License MIT + file LICENSE

LazyData TRUE

URL <http://haozhu233.github.io/kableExtra/>,
<https://github.com/haozhu233/kableExtra>

BugReports <https://github.com/haozhu233/kableExtra/issues>

Depends R (>= 3.1.0)

Imports knitr (>= 1.16), magrittr, stringr (>= 1.0), xml2 (>= 1.1.1), rvest, rmarkdown (>= 1.6.0), readr, scales, viridisLite, stats, grDevices, htmltools, rstudioapi, glue, tools, webshot, digest

Suggests testthat, magick, formattable, dplyr

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 6.1.1

NeedsCompilation no

Author Hao Zhu [aut, cre] (<<https://orcid.org/0000-0002-3386-6076>>), Thomas Travison [ctb], Timothy Tsai [ctb], Will Beasley [ctb], Yihui Xie [ctb], GuangChuang Yu [ctb], Stéphane Laurent [ctb],

Rob Shepherd [ctb],
 Yoni Sidi [ctb],
 Brian Salzer [ctb],
 George Gui [ctb],
 Yeliang Fan [ctb],
 Duncan Murdoch [ctb]

Maintainer Hao Zhu <haozhu233@gmail.com>

Repository CRAN

Date/Publication 2019-03-16 20:10:03 UTC

R topics documented:

kableExtra-package	3
add_footnote	4
add_header_above	4
add_indent	6
as_image	6
auto_index	7
cell_spec	7
collapse_rows	8
column_spec	9
footnote	11
footnote_marker_number	12
group_rows	13
html_dependency_bsTable	14
html_dependency_kePrint	14
kableExtra_latex_packages	15
kable_as_image	15
kable_as_xml	16
kable_styling	16
landscape	18
linebreak	19
magic_mirror	19
rmd_format	20
row_spec	20
save_kable	21
scroll_box	22
spec_angle	23
spec_color	23
spec_font_size	24
specPopover	24
spec_tooltip	25
usepackage_latex	25
xml_as_kable	26
xtable2kable	26

kableExtra-package *kableExtra*

Description

When we are talking about table generators in R, `knitr`'s `kable()` function wins lots of flavor by its ultimate simplicity. Unlike those powerful table rendering engines such as `xtable`, the philosophy behind `knitr::kable()` is to make it easy for programmers to use. Just as it claimed in its function description, "this is a very simple table generator. It is simple by design. It is not intended to replace any other R packages for making tables. - Yihui".

However, the ultimate simplicity of `kable()` also brought troubles to some of us, especially for new R users, who may not have a lot of experience on generating tables in R. It is not rare to see people including experienced users asking questions like how to center/left-align a table on Stack Overflow. Also, for me personally, I found myself repeatedly parsing CSS into `kable()` for some very simple features like striped lines. For LaTeX, it's even worse since I'm almost Stack Overflow dependent for LaTeX... That's why this package `kableExtra` was created.

I hope with `kableExtra`, you can

- Use default base `kable()` (Or a good alternative for markdown tables is `pander::pander()`) for all simple tables
- Use `kable()` with `kableExtra` to generate 90 tables in either HTML or LaTeX
- Only have to mess with raw HTML/LaTeX in the last 10 `kableExtra` cannot solve the problem

For a full package documentation, please visit the [package documentation site](#) for more information

Features

Pipable syntax: `kableExtra` is NOT a table generating package. It is a package that can "add features" to a `kable` output using a syntax that every user loves - the `pipe`. We see similar approaches to deal with plots in packages like `ggvis` and `plotly`. There is no reason why we cannot use it with tables.

Unified functions for both HTML and PDF: Most functionalities in `kableExtra` can work in both HTML and PDF. In fact, as long as you specifies format in `kable` (which can be set globally through option `knitr.table.format`), functions in this package will pick the right way to manipulate the table by themselves. As a result, if users want to left align the table, `kable_styling(kable(...), position = "left")` will work in both HTML and PDF.

Note

If you found a feature on the documentation site that is not available in the version of `kableExtra` you are using, try to install the pre-release version from github. You can do so by running `devtools::install_github("haozhu233/kableExtra")`.

Also, note that This package can load required LaTeX package automatically in vanilla rmarkdown. For customized rmarkdown templates, it is recommended to load related LaTeX packages manually.

`add_footnote`*Add footnote***Description**

Add footnote to your favorite kable output.

Usage

```
add_footnote(input, label = NULL, notation = "alphabet",
            threeparttable = FALSE, escape = TRUE)
```

Arguments

<code>input</code>	The direct output of your <code>kable</code> function or your last <code>kableExtra</code> function.
<code>label</code>	A vector of footnotes you want to add. You don't need to add notations in your notes.
<code>notation</code>	You can select the format of your footnote notation from <code>number</code> , <code>alphabet</code> , <code>symbol</code> and <code>none</code> .
<code>threeparttable</code>	Boolean value indicating if a <code>threeparttable</code> scheme should be used.
<code>escape</code>	Logical value controlling if the label needs to be escaped. Default is TRUE.

Examples

```
x <- knitr::kable(head(mtcars), "html")
add_footnote(x, c("footnote 1", "footnote 2"), notation = "symbol")
```

`add_header_above`*Add a header row on top of current header***Description**

Tables with multiple rows of header rows are extremely useful to demonstrate grouped data. This function takes the output of a `kable()` function and adds an header row on top of it.

Usage

```
add_header_above(kable_input, header = NULL, bold = FALSE,
                 italic = FALSE, monospace = FALSE, underline = FALSE,
                 strikeout = FALSE, align = "c", color = NULL, background = NULL,
                 font_size = NULL, angle = NULL, escape = TRUE, line = TRUE,
                 line_sep = 3, extra_css = NULL, include_empty = FALSE)
```

Arguments

kable_input	Output of knitr::kable() with format specified
header	A (named) character vector with colspan as values. For example, c(" " = 1, "title" = 2) can be used to create a new header row for a 3-column table with "title" spanning across column 2 and 3. For convenience, when colspan equals to 1, users can drop the = 1 part. As a result, c(" ", "title" = 2) is the same as c(" " = 1, "title" = 2).
bold	A T/F value to control whether the text should be bolded.
italic	A T/F value to control whether the text should be emphasized.
monospace	A T/F value to control whether the text of the selected column need to be monospaced (verbatim)
underline	A T/F value to control whether the text of the selected row need to be underlined
strikeout	A T/F value to control whether the text of the selected row need to be stricked out.
align	A character string for cell alignment. For HTML, possible values could be l, c, r plus left, center, right, justify, initial and inherit while for LaTeX, you can only choose from l, c & r.
color	A character string/vector for text color. Here please pay attention to the differences in color codes between HTML and LaTeX.
background	A character string/vector for background color. Here please pay attention to the differences in color codes between HTML and LaTeX. Also note that in HTML, background defined in cell_spec won't cover the whole cell.
font_size	A numeric input/vector for font size. For HTML, you can also use options including xx-small, x-small, small, medium, large, x-large, xx-large, smaller, larger, initial and inherit.
angle	0-360, degree that the text will rotate.
escape	A T/F value showing whether special characters should be escaped.
line	A T/F value to control whether a line will appear underneath the header
line_sep	A numeric value indicating how much the midlines should be separated by space. Default is 3.
extra_css	An HTML only option. CSS defined here will be send to the td cell.
include_empty	Whether empty cells in HTML should also be styled. Default is FALSE.

Examples

```
x <- knitr::kable(head(mtcars), "html")
# Add a row of header with 3 columns on the top of the table. The column
# span for the 2nd and 3rd one are 5 & 6.
add_header_above(x, c(" ", "Group 1" = 5, "Group 2" = 6))
```

<code>add_indent</code>	<i>Add indentations to row headers</i>
-------------------------	--

Description

Add indentations to row headers

Usage

```
add_indent(kable_input, positions)
```

Arguments

<code>kable_input</code>	Output of <code>knitr::kable()</code> with format specified
<code>positions</code>	A vector of numeric row numbers for the rows that need to be indented.

Examples

```
x <- knitr::kable(head(mtcars), "html")
# Add indentations to the 2nd & 4th row
add_indent(x, c(2, 4))
```

<code>as_image</code>	<i>Render the table as an format-independent image and use it in rmarkdown</i>
-----------------------	--

Description

This function generates a temporary png file using `save_kable` and then try to put it in an rmarkdown document using `knitr::include_graphics`.

Usage

```
as_image(x, width = NULL, height = NULL, file = NULL, ...)
```

Arguments

<code>x</code>	kable input. Either HTML or LaTeX
<code>width</code>	Image width in inches. (1 inch = 2.54 cm)
<code>height</code>	Image height in inches. (1 inch = 2.54 cm)
<code>file</code>	By default, <code>as_image</code> saves to an temp file, which works for normal rmarkdown. However if you are using things like xaringan, which can't be a standalone html, you can specify this file be the path you need, eg. "img/something.png"
<code>...</code>	Additional arguments passed to <code>save_kable</code> .

auto_index*Automatically figuring out the group_row index*

Description

This helper function allows users to build the group_row index more quickly and use group_rows in a way that is similar with collapse_rows.

Usage

```
auto_index(x)
```

Arguments

x	The index column. A vector. For example ‘c("a", "a", "b", "b", "b")’
---	--

cell_spec*Specify Cell/Text format*

Description

Specify Cell format before it gets into kable

Usage

```
cell_spec(x, format, bold = FALSE, italic = FALSE, monospace = FALSE,
underline = FALSE, strikeout = FALSE, color = NULL,
background = NULL, align = NULL, font_size = NULL, angle = NULL,
tooltip = NULL, popover = NULL, link = NULL, extra_css = NULL,
escape = TRUE, background_as_tile = TRUE,
latex_background_in_cell = TRUE)

text_spec(x, format, bold = FALSE, italic = FALSE, monospace = FALSE,
underline = FALSE, strikeout = FALSE, color = NULL,
background = NULL, align = NULL, font_size = NULL, angle = NULL,
tooltip = NULL, popover = NULL, link = NULL, extra_css = NULL,
escape = TRUE, background_as_tile = TRUE,
latex_background_in_cell = FALSE)
```

Arguments

x	Things to be formatted. It could be a vector of numbers or strings.
format	Either "html" or "latex". It can also be set through option(knitr.table.format), same as knitr::kable().
bold	T/F for font bold.

<code>italic</code>	T/F for font italic.
<code>monospace</code>	T/F for font monospaced (verbatim)
<code>underline</code>	A T/F value to control whether the text of the selected row need to be underlined
<code>strikeout</code>	A T/F value to control whether the text of the selected row need to be stricked out.
<code>color</code>	A character string for text color. Here please pay attention to the differences in color codes between HTML and LaTeX.
<code>background</code>	A character string for background color. Here please pay attention to the differences in color codes between HTML and LaTeX. Also note that in HTML, background defined in cell_spec won't cover the whole cell.
<code>align</code>	A character string for cell alignment. For HTML, possible values could be <code>l</code> , <code>c</code> , <code>r</code> plus <code>left</code> , <code>center</code> , <code>right</code> , <code>justify</code> , <code>initial</code> and <code>inherit</code> while for LaTeX, you can only choose from <code>l</code> , <code>c</code> & <code>r</code> .
<code>font_size</code>	A numeric input for font size. For HTML, you can also use options including <code>xx-small</code> , <code>x-small</code> , <code>small</code> , <code>medium</code> , <code>large</code> , <code>x-large</code> , <code>xx-large</code> , <code>smaller</code> , <code>larger</code> , <code>initial</code> and <code>inherit</code> .
<code>angle</code>	0-360, degree that the text will rotate. Can be a vector.
<code>tooltip</code>	A vector of strings to be displayed as tooltip. Obviously, this feature is only available in HTML. Read the package vignette to see how to use bootstrap tooltip css to improve the loading speed and look.
<code>popover</code>	Similar with tooltip but can hold more contents. The best way to build a popover is through <code>specPopover()</code> . If you only provide a text string, it will be used as content. Note that You have to enable this bootstrap module manually. Read the package vignette to see how.
<code>link</code>	A vector of strings for url links. Can be used together with tooltip and popover.
<code>extra_css</code>	Extra css text to be passed into the cell
<code>escape</code>	T/F value showing whether special characters should be escaped.
<code>background_as_tile</code>	T/F value indicating if you want to have round cornered tile as background in HTML.
<code>latex_background_in_cell</code>	T/F value. It only takes effect in LaTeX when background provided, Default value is TRUE. If it's TRUE, the background only works in a table cell. If it's FALSE, it works outside of a table environment.

`collapse_rows`*Collapse repeated rows to multirow cell*

Description

Collapse same values in columns into multirow cells. This feature does similar things with `group_rows`. However, unlike `group_rows`, it analyzes existing columns, finds out rows that can be grouped together, and make them multirow cells. Note that if you want to use `column_spec` to specify column styles, you should use `column_spec` before `collapse_rows`.

Usage

```
collapse_rows(kable_input, columns = NULL, valign = c("middle", "top",
  "bottom"), latex_hline = c("full", "major", "none", "custom"),
  row_group_label_position = c("identity", "stack"),
  custom_latex_hline = NULL, row_group_label_fonts = NULL,
  headers_to_remove = NULL)
```

Arguments

kable_input	Output of knitr::kable() with format specified
columns	A numeric value or vector indicating in which column(s) rows need to be collapsed.
valign	Select from "top", "middle"(default), "bottom". The reason why "top" is not default is that the multirow package on CRAN win-builder is not up to date.
latex_hline	Option controlling the behavior of adding hlines to table. Choose from full, major, none, custom.
row_group_label_position	Option controlling positions of row group labels. Choose from identity, stack.
custom_latex_hline	Numeric column positions whose collapsed rows will be separated by hlines.
row_group_label_fonts	A list of arguments that can be supplied to group_rows function to format the row group label when row_group_label_position is stack
headers_to_remove	Numeric column positions where headers should be removed when they are stacked.

Examples

```
dt <- data.frame(a = c(1, 1, 2, 2), b = c("a", "a", "a", "b"))
x <- knitr::kable(dt, "html")
collapse_rows(x)
```

column_spec

*Specify the look of the selected column***Description**

This function allows users to select a column and then specify its look.

Usage

```
column_spec(kable_input, column, width = NULL, bold = FALSE,
  italic = FALSE, monospace = FALSE, underline = FALSE,
  strikeout = FALSE, color = NULL, background = NULL,
  border_left = FALSE, border_right = FALSE, width_min = NULL,
  width_max = NULL, extra_css = NULL, include_thead = FALSE)
```

Arguments

<code>kable_input</code>	Output of <code>knitr::kable()</code> with <code>format</code> specified
<code>column</code>	A numeric value or vector indicating which column(s) to be selected.
<code>width</code>	A character string telling HTML & LaTeX how wide the column needs to be, e.g. "10cm", "3in" or "30em".
<code>bold</code>	A T/F value to control whether the text of the selected column need to be bolded.
<code>italic</code>	A T/F value to control whether the text of the selected column need to be emphasized.
<code>monospace</code>	A T/F value to control whether the text of the selected column need to be monospaced (verbatim)
<code>underline</code>	A T/F value to control whether the text of the selected row need to be underlined
<code>strikeout</code>	A T/F value to control whether the text of the selected row need to be stricked out.
<code>color</code>	A character string for column text color. Here please pay attention to the differences in color codes between HTML and LaTeX.
<code>background</code>	A character string for column background color. Here please pay attention to the differences in color codes between HTML and LaTeX.
<code>border_left</code>	A logical variable indicating whether there should be a border line on the left of the selected column. In HTML, you can also pass in a character string for the CSS of the border line
<code>border_right</code>	A logical variable indicating whether there should be a border line on the right of the selected column. In HTML, you can also pass in a character string for the CSS of the border line
<code>width_min</code>	Only for HTML table. Normal column width will automatically collapse when the window cannot hold enough contents. With this <code>width_min</code> , you can set up a column with a width that won't collapse even when the window is not wide enough.
<code>width_max</code>	Only for HTML table. <code>width_max</code> defines the maximum width of table columns.
<code>extra_css</code>	Extra css text to be passed into the cells of the row. Note that it's not for the whole column but to each individual cells
<code>include_thead</code>	T/F. A HTML only feature to contoll whether the header row will be manipulated. Default is FALSE.

Examples

```
x <- knitr::kable(head(mtcars), "html")
column_spec(x, 1:2, width = "20em", bold = TRUE, italic = TRUE)
```

footnote*Add footnote (new)*

Description

footnote provides a more flexible way to add footnote. You can add mutiple sets of footnote using differeny notation system. It is also possible to specify footnote section header one by one and print footnotes as a chunk of texts.

Usage

```
footnote(kable_input, general = NULL, number = NULL, alphabet = NULL,
         symbol = NULL, footnote_order = c("general", "number", "alphabet",
         "symbol"), footnote_as_chunk = FALSE, escape = TRUE,
         threeparttable = FALSE, fixed_small_size = FALSE,
         general_title = "Note: ", number_title = "", alphabet_title = "",
         symbol_title = "", title_format = "italic", symbol_manual = NULL)
```

Arguments

kable_input	HTML or LaTeX table generated by knitr::kable
general	Text for general footnote comments. Footnotes in this section won't be labeled with any notations
number	A vector of footnote texts. Footnotes here will be numbered. There is no upper cap for the number of footnotes here
alphabet	A vector of footnote texts, Footnotes here will be labeled with abc. The vector here should not have more than 26 elements.
symbol	A vector of footnote texts, Footnotes here will be labeled with special symbols. The vector here should not have more than 20 elements.
footnote_order	The order of how to arrange general, number, alphabet and symbol.
footnote_as_chunk	T/F value. Default is FALSE. It controls whether the footnotes should be printed in a chunk (without line break).
escape	T/F value. It controls whether the contents and titles should be escaped against HTML or LaTeX. Default is TRUE.
threeparttable	T/F value for whether to use LaTeX package threeparttable. Threeparttable will force the width of caption and footnotes be the width of the original table. It's useful when you have long paragraph of footnotes.
fixed_small_size	T/F When you want to keep the footnote small after specifying large font size with the kable_styling() (e.g. ideal font for headers and table content with small font in footnotes).
general_title	Section header for general footnotes. Default is "Note: ".
number_title	Section header for number footnotes. Default is "".

- `alphabet_title` Section header for alphabet footnotes. Default is "".
- `symbol_title` Section header for symbol footnotes. Default is "".
- `title_format` Choose from "italic"(default), "bold" and "underline". Multiple options are possible.
- `symbol_manual` User can manually supply a vector of either html or latex symbols. For example, `symbol_manual = c('*', '\\dag', '\\ddag')`.

Examples

```
dt <- mtcars[1:5, 1:5]
footnote(knitr::kable(dt, "html"), alphabet = c("Note a", "Note b"))
```

`footnote_marker_number`

Footnote marker

Description

Put footnote mark in superscription in table. Unless you are using it in the `caption` of `kable`, you will need to put `escape = F` in `kable` (similar with `cell_spec`). Again, similar with `cell_spec`, the `format` option here can read default value from global option `knitr.table.format`.

Usage

```
footnote_marker_number(x, format, double_escape = FALSE)
footnote_marker_alphabet(x, format, double_escape = FALSE)
footnote_marker_symbol(x, format, double_escape = FALSE)
```

Arguments

- `x` a number. For example, for `footnote_marker_alphabet(2)` will return "b" in HTML.
- `format` Either `html` or `latex`. All functions here can read default value from global option `knitr.table.format`.
- `double_escape` T/F if output is in LaTeX, whether it should be double escaped. If you are using `footnote_marker` in `group_rows`` labeling` row or `add_header_above`, you need to set this to `TRUE`.

Examples

```
dt <- mtcars[1:5, 1:5]
colnames(dt)[1] <- paste0("mpg", footnote_marker_alphabet(2, "html"))
rownames(dt)[2] <- paste0(rownames(dt)[2], footnote_marker_alphabet(1, "html"))
footnote(knitr::kable(dt, "html"), alphabet = c("Note a", "Note b"))
```

group_rows	<i>Put a few rows of a table into one category</i>
------------	--

Description

Group a few rows in a table together under a label.

Usage

```
group_rows(kable_input, group_label = NULL, start_row = NULL,
           end_row = NULL, index = NULL,
           label_row_css = "border-bottom: 1px solid;",
           latex_gap_space = "0.3em", escape = TRUE, latex_align = "l",
           colnum = NULL, bold = TRUE, italic = FALSE, hline_before = FALSE,
           hline_after = FALSE, extra_latex_after = NULL, indent = TRUE)

pack_rows(kable_input, group_label = NULL, start_row = NULL,
           end_row = NULL, index = NULL,
           label_row_css = "border-bottom: 1px solid;",
           latex_gap_space = "0.3em", escape = TRUE, latex_align = "l",
           colnum = NULL, bold = TRUE, italic = FALSE, hline_before = FALSE,
           hline_after = FALSE, extra_latex_after = NULL, indent = TRUE)
```

Arguments

<code>kable_input</code>	Output of <code>knitr::kable()</code> with format specified
<code>group_label</code>	A character string for the name of the group
<code>start_row</code>	A numeric value that tells the function in which row the group starts. Note that the counting excludes header rows and other group labeling rows
<code>end_row</code>	A numeric value that tells the function in which row the group ends.
<code>index</code>	A named vector providing the index for robust row-grouping tasks. Basically, you can use it in the same way as <code>add_header_above()</code> .
<code>label_row_css</code>	A character string for any customized css used for the labeling row. By default, the labeling row will have a solid black line underneath. Only useful for HTML documents.
<code>latex_gap_space</code>	A character value telling LaTeX how large the gap between the previous row and the group labeling row. Only useful for LaTeX documents.
<code>escape</code>	A T/F value showing whether special characters should be escaped.
<code>latex_align</code>	Adjust justification of <code>group_label</code> in latex only. Value should be "c" for centered on row, "r" for right justification, or "l" for left justification. Default Value is "l" If using html, the alignment can be set by using the <code>label_row_css</code> parameter.
<code>colnum</code>	A numeric that determines how many columns the text should span. The default setting will have the text span the entire length.

<code>bold</code>	A T/F value to control whether the text should be bolded.
<code>italic</code>	A T/F value to control whether the text should be emphasized.
<code>hline_before</code>	A T/F value that adds a horizontal line before the group_row label. Default value is False.
<code>hline_after</code>	A replicate of <code>hline.after</code> in <code>xtable</code> . It adds a hline after the row
<code>extra_latex_after</code>	Extra LaTeX text to be added after the row.
<code>indent</code>	A T?F value to control whether list items are indented.

Examples

```
x <- knitr::kable(head(mtcars), "html")
# Put Row 2 to Row 5 into a Group and label it as "Group A"
pack_rows(x, "Group A", 2, 5)
```

`html_dependency_bsTable`

HTML dependency for Twitter bootstrap (table only)

Description

HTML dependency for Twitter bootstrap (table only)

Usage

```
html_dependency_bsTable()
```

`html_dependency_kePrint`

HTML dependency for js script to enable bootstrap tooltip and popup message

Description

HTML dependency for js script to enable bootstrap tooltip and popup message

Usage

```
html_dependency_kePrint()
```

kableExtra_latex_packages
LaTeX Packages

Description

This function shows all LaTeX packages that is supposed to be loaded for this package in a rmarkdown yaml format.

Usage

```
kableExtra_latex_packages()
```

kable_as_image *Deprecated*

Description

deprecated

Usage

```
kable_as_image(kable_input, filename = NULL, file_format = "png",
  latex_header_includes = NULL, keep_pdf = FALSE, density = 300,
  keep_tex = FALSE)
```

Arguments

<code>kable_input</code>	Raw LaTeX code to generate a table. It doesn't have to come from <code>kable</code> or <code>kableExtra</code> .
<code>filename</code>	Character String. If specified, the image will be saved under the specified (path &) name. You don't need to put file format like ".png" here.
<code>file_format</code>	Character String to specify image format, such as png, jpeg, gif, tiff, etc. Default is png.
<code>latex_header_includes</code>	A character vector of extra LaTeX header stuff. Each element is a row. You can have things like c("\\usepackage{threeparttable}", "\\usepackage{icons}") You could probably add your language package here if you use non-English text in your table, such as \\usepackage[magyar]{babel}.
<code>keep_pdf</code>	A T/F option to control if the mid-way standalone pdf should be kept. Default is FALSE.
<code>density</code>	Resolution to read the PDF file. Default value is 300, which should be sufficient in most cases.
<code>keep_tex</code>	A T/F option to control if the latex file that is initially created should be kept. Default is FALSE.

<code>kable_as_xml</code>	<i>Read HTML kable as XML</i>
---------------------------	-------------------------------

Description

This function will read kable as a xml file

Usage

```
kable_as_xml(x)
```

Arguments

<code>x</code>	kable or kableExtra object
----------------	----------------------------

<code>kable_styling</code>	<i>HTML table attributes</i>
----------------------------	------------------------------

Description

This function provides a cleaner approach to modify the style of HTML tables other than using the `table.attr` option in `knitr::kable()`. Note that those bootstrap options requires Twitter bootstrap theme, which is not available in some customized template being loaded.

Usage

```
kable_styling(kable_input, bootstrap_options = "basic",
  latex_options = "basic", full_width = NULL, position = "center",
  font_size = NULL, row_label_position = "l",
  repeat_header_text = "\\textit{(continued)}",
  repeat_header_method = c("append", "replace"),
  repeat_header_continued = FALSE, stripe_color = "gray!6",
  stripe_index = NULL, latex_table_env = NULL, protect_latex = TRUE,
  table.envir = "table", fixed_thead = FALSE)
```

Arguments

<code>kable_input</code>	Output of <code>knitr::kable()</code> with format specified
--------------------------	---

<code>bootstrap_options</code>	
--------------------------------	--

	A character vector for bootstrap table options. Please see package vignette or visit the w3schools' Bootstrap Page for more information. Possible options include basic, striped, bordered, hover, condensed and responsive.
--	--

<code>latex_options</code>	A character vector for LaTeX table options. Please see package vignette for more information. Possible options include <code>basic</code> , <code>striped</code> , <code>hold_position</code> , <code>HOLD_position</code> , <code>scale_down</code> & <code>repeat_header</code> . <code>striped</code> will add alternative row colors to the table. It will import LaTeX package <code>xcolor</code> if enabled. <code>hold_position</code> will "hold" the floating table to the exact position. It is useful when the LaTeX table is contained in a <code>table</code> environment after you specified captions in <code>kable()</code> . It will force the table to stay in the position where it was created in the document. A stronger version: <code>HOLD_position</code> requires the <code>float</code> package and specifies <code>[H]</code> . <code>scale_down</code> is useful for super wide table. It will automatically adjust the table to page width. <code>repeat_header</code> is only meaningful in a <code>longtable</code> environment. It will let the header row repeat on every page in that long table.
<code>full_width</code>	A TRUE or FALSE variable controlling whether the HTML table should have 100% width. Since HTML and pdf have different flavors on the preferable format for <code>full_width</code> . If not specified, a HTML table will have full width by default but this option will be set to FALSE for a LaTeX table
<code>position</code>	A character string determining how to position the table on a page. Possible values include <code>left</code> , <code>center</code> , <code>right</code> , <code>float_left</code> and <code>float_right</code> . Please see the package doc site for demonstrations. For a LaTeX table, if <code>float_*</code> is selected, LaTeX package <code>wrapfig</code> will be imported.
<code>font_size</code>	A numeric input for table font size
<code>row_label_position</code>	A character string determining the justification of the row labels in a table. Possible values included <code>l</code> for left, <code>c</code> for center, and <code>r</code> for right. The default value is <code>l</code> for left justification.
<code>repeat_header_text</code>	LaTeX option. A text string you want to append on or replace the caption.
<code>repeat_header_method</code>	LaTeX option, can either be <code>append</code> (default) or <code>replace</code>
<code>repeat_header_continued</code>	T/F or a text string. Whether or not to put a continued mark on the second page of longtable. If you put in text, we will use this text as the "continued" mark.
<code>stripe_color</code>	LaTeX option allowing users to pick a different color for their stripe lines. This option is not available in HTML
<code>stripe_index</code>	LaTeX option allowing users to customize which rows should have stripe color.
<code>latex_table_env</code>	LaTeX option. A character string to define customized table environment such as <code>tabu</code> or <code>tabularx</code> . You shouldn't expect all features could be supported in self-defined environments.
<code>protect_latex</code>	If TRUE, LaTeX code embedded between dollar signs will be protected from HTML escaping.
<code>table.envir</code>	LaTeX floating table environment. <code>kable_style</code> will put a plain no-caption table in a <code>table</code> environment in order to center the table. You can specify this option to things like <code>table*</code> or <code>float*</code> based on your need.
<code>fixed_head</code>	HTML table option so table header row is fixed at top. Values can be either T/F or <code>list(enabled = T/F, background = "anycolor")</code> .

Details

For LaTeX, if you use other than English environment

- all tables are converted to 'UTF-8'. If you use, for example, Hungarian characters on a Windows machine, make sure to use Sys.setlocale("LC_ALL","Hungarian") to avoid unexpected conversions.
- `protect_latex = TRUE` has no effect.

For HTML,

- `protect_latex = TRUE` is for including complicated math in HTML output. The LaTeX may not include dollar signs even if they are escaped. Pandoc's rules for recognizing embedded LaTeX are used.

Examples

```
x_html <- knitr::kable(head(mtcars), "html")
kable_styling(x_html, "striped", position = "left", font_size = 7)

x_latex <- knitr::kable(head(mtcars), "latex")
kable_styling(x_latex, latex_options = "striped", position = "float_left")
```

`landscape`

Print the table on an isolated landscape page in PDF

Description

This function will put the table on a single landscape page. It's useful for wide tables that can't be printed on a portrait page.

Usage

```
landscape(kable_input, margin = NULL)
```

Arguments

<code>kable_input</code>	Output of <code>knitr::kable()</code> with format specified
<code>margin</code>	Customizable page margin for special needs. Values can be "1cm", "1in" or similar.

Examples

```
landscape(knitr::kable(head(mtcars), "latex"))
```

linebreak*Make linebreak in LaTeX Table cells*

Description

This function generate LaTeX code of `makecell` so that users can have linebreaks in their table

Usage

```
linebreak(x, align = c("l", "c", "r"), double_escape = F,  
         linebreaker = "\n")
```

Arguments

x	A character vector
align	Choose from "l", "c" or "r"
double_escape	Whether special character should be double escaped. Default is FALSE.
linebreaker	Symbol for linebreaks to replace. Default is \n.

magic_mirror*Magic mirror that returns kable's attributes*

Description

Mirror mirror tell me, how does this kable look like?

Usage

```
magic_mirror(kable_input)
```

Arguments

kable_input	The output of kable
-------------	---------------------

Examples

```
magic_mirror(knitr::kable(head(mtcars), "html"))
```

rmd_format*Rmarkdown Format*

Description

If the export format of the Rmarkdown document exist,

Usage

```
rmd_format()
```

row_spec*Specify the look of the selected row*

Description

This function allows users to select a row and then specify its look. It can also specify the format of the header row when `row = 0`.

Usage

```
row_spec(kable_input, row, bold = FALSE, italic = FALSE,
         monospace = FALSE, underline = FALSE, strikeout = FALSE,
         color = NULL, background = NULL, align = NULL, font_size = NULL,
         angle = NULL, extra_css = NULL, hline_after = FALSE,
         extra_latex_after = NULL)
```

Arguments

<code>kable_input</code>	Output of <code>knitr::kable()</code> with format specified
<code>row</code>	A numeric value or vector indicating which row(s) to be selected. You don't need to count in header rows or group labeling rows.
<code>bold</code>	A T/F value to control whether the text of the selected row need to be bolded.
<code>italic</code>	A T/F value to control whether the text of the selected row need to be emphasized.
<code>monospace</code>	A T/F value to control whether the text of the selected row need to be monospaced (verbatim)
<code>underline</code>	A T/F value to control whether the text of the selected row need to be underlined
<code>strikeout</code>	A T/F value to control whether the text of the selected row need to be stricked out.
<code>color</code>	A character string for row text color. For example, "red" or "#BBBBBB".
<code>background</code>	A character string for row background color. Here please pay attention to the differences in color codes between HTML and LaTeX.

<td>A character string for cell alignment. For HTML, possible values could be l, c, r plus left, center, right, justify, initial and inherit while for LaTeX, you can only choose from l, c & r.</td>	A character string for cell alignment. For HTML, possible values could be l, c, r plus left, center, right, justify, initial and inherit while for LaTeX, you can only choose from l, c & r.
font_size	A numeric input for font size. For HTML, you can also use options including xx-small, x-small, small, medium, large, x-large, xx-large, smaller, larger, initial and inherit.
angle	0-360, degree that the text will rotate.
extra_css	Extra css text to be passed into the cells of the row. Note that it's not for the whole row.
hline_after	T/F. A replicate of hline.after in xtable. It adds a hline after the row
extra_latex_after	Extra LaTeX text to be added after the row. Similar with add.to.row in xtable

Examples

```
x <- knitr::kable(head(mtcars), "html")
row_spec(x, 1:2, bold = TRUE, italic = TRUE)
```

save_kable

Save kable to files

Description

Save kable to files

Usage

```
save_kable(x, file, bs_theme = "simplex", self_contained = TRUE,
           extra_dependencies = NULL, ..., latex_header_includes = NULL,
           keep_tex = FALSE)
```

Arguments

x	A piece of HTML code for tables, usually generated by kable and kableExtra
file	save to files. If the input table is in HTML and the output file ends with .png, .pdf and .jpeg, webshot will be used to do the conversion.
bs_theme	Which Bootstrap theme to use
self_contained	Will the files be self-contained?
extra_dependencies	Additional HTML dependencies. For example, list(
...	Additional variables being passed to webshot::webshot. This is for HTML only.

latex_header_includes

A character vector of extra LaTeX header stuff. Each element is a row. You can have things like c("\\usepackage{threeparttable}", "\\usepackage{icons}"). You could probably add your language package here if you use non-English text in your table, such as \\usepackage[magyar]{babel}.

keep_tex

A T/F option to control if the latex file that is initially created should be kept. Default is FALSE.

scroll_box

Put a HTML table into a scrollable box

Description

This function will put a HTML kable object in a fixed-height, fixed-width or both box and make it scrollable.

Usage

```
scroll_box(kable_input, height = NULL, width = NULL,
           box_css = "border: 1px solid #ddd; padding: 5px; ", extra_css = NULL,
           fixed_head = TRUE)
```

Arguments

kable_input	A HTML kable object
height	A character string indicating the height of the box, e.g. "50px"
width	A character string indicating the width of the box, e.g. "100px"
box_css	CSS text for the box
extra_css	Extra CSS styles
fixed_head	HTML table option so table header row is fixed at top. Values can be either T/F or list(enabled = T/F, background = "anycolor").

Examples

```
## Not run:
# Specify table size by pixels
kable(cbind(mtcars, mtcars), "html") %>%
  kable_styling() %>%
  scroll_box(width = "500px", height = "200px")

# Specify by percent
kable(cbind(mtcars, mtcars), "html") %>%
  kable_styling() %>%
  scroll_box(width = "100%", height = "200px")

## End(Not run)
```

spec_angle	<i>Generate rotation angle for continuous values</i>
------------	--

Description

Generate rotation angle for continuous values

Usage

```
spec_angle(x, begin, end, scale_from = NULL)
```

Arguments

x	continuous vectors of values
begin	Smallest degree to rotate. Default is 0
end	Largest degree to rotate. Default is 359.
scale_from	input range (vector of length two). If not given, is calculated from the range of x

spec_color	<i>Generate viridis Color code for continuous values</i>
------------	--

Description

Generate viridis Color code for continuous values

Usage

```
spec_color(x, alpha = 1, begin = 0, end = 1, direction = 1,
           option = "D", na_color = "#BBBBBB", scale_from = NULL)
```

Arguments

x	continuous vectors of values
alpha	The alpha transparency, a number in [0,1], see argument alpha in hsv .
begin	The (corrected) hue in [0,1] at which the viridis colormap begins.
end	The (corrected) hue in [0,1] at which the viridis colormap ends.
direction	Sets the order of colors in the scale. If 1, the default, colors are ordered from darkest to lightest. If -1, the order of colors is reversed.
option	A character string indicating the colormap option to use. Four options are available: "magma" (or "A"), "inferno" (or "B"), "plasma" (or "C"), "viridis" (or "D", the default option) and "cividis" (or "E").
na_color	color code for NA values
scale_from	input range (vector of length two). If not given, is calculated from the range of x

spec_font_size	<i>Generate common font size for continuous values</i>
----------------	--

Description

Generate common font size for continuous values

Usage

```
spec_font_size(x, begin = 8, end = 16, na_font_size = 12,
               scale_from = NULL)
```

Arguments

x	continuous vectors of values
begin	Smalles font size to be used. Default is 10.
end	Largest font size. Default is 20.
na_font_size	font size for NA values
scale_from	input range (vector of length two). If not given, is calculated from the range of x

specPopover	<i>Setup bootstrap popover</i>
-------------	--------------------------------

Description

Setup bootstrap popover

Usage

```
specPopover(content = NULL, title = NULL, trigger = "hover",
            position = "right")
```

Arguments

content	content for pop-over message
title	title for pop-over message.
trigger	Controls how the pop-over message should be triggered. Possible values include hover (default), click, focus and manual.
position	How the tooltip should be positioned. Possible values are right(default), top, bottom, left & auto.

spec_tooltip	<i>Setup bootstrap tooltip</i>
--------------	--------------------------------

Description

Setup bootstrap tooltip

Usage

```
spec_tooltip(title, position = "right")
```

Arguments

title	text for hovering message
position	How the tooltip should be positioned. Possible values are right(default), top, bottom, left & auto.

usepackage_latex	<i>Load a LaTeX package</i>
------------------	-----------------------------

Description

Load a LaTeX package using R code. Just like \usepackage{} in LaTeX

Usage

```
usepackage_latex(name, options = NULL)
```

Arguments

name	The LaTeX package name
options	The LaTeX options for the package

Examples

```
usepackage_latex("xcolor")
```

<code>xml_as_kable</code>	<i>Convert XML back to kable</i>
---------------------------	----------------------------------

Description

Convert XML back to kable

Usage

```
xml_as_kable(x)
```

Arguments

x	XML table object
---	------------------

<code>xtable2kable</code>	<i>Convert xtable to a kable object</i>
---------------------------	---

Description

This function allow users to turn an xtable object into a kable so they can use most of kableExtra's functions with their xtable code without making too many changes. Note that although I tested many cases and it seems to work, this function may not be functional in some other cases. I'm not a regular xtable user and can only provide very limited support for this function.

You should use this table in the same way as `print.xtable`. All the options you provided to this function will be sent to `print.xtable`. Instead of printing out the result, this function will return the LaTeX or HTML as text and a kable object.

Usage

```
xtable2kable(x, ...)
```

Arguments

x	an xtable object
...	options for <code>print.xtable</code>

Examples

```
## Not run:
library(xtable)
xtable(mtcars) %>%
  xtable2kable(booktabs = TRUE) %>%
  kable_styling(latex_options = "striped")

## End(Not run)
```

Index

*Topic **package**

kableExtra-package, 3
add_footnote, 4
add_header_above, 4
add_indent, 6
as_image, 6
auto_index, 7
cell_spec, 7
collapse_rows, 8
column_spec, 9
footnote, 11
footnote_marker_alphabet
 (footnote_marker_number), 12
footnote_marker_number, 12
footnote_marker_symbol
 (footnote_marker_number), 12
group_rows, 13
hsv, 23
html_dependency_bsTable, 14
html_dependency_kePrint, 14
kable_as_image, 15
kable_as_xml, 16
kable_styling, 16
kableExtra (kableExtra-package), 3
kableExtra-package, 3
kableExtra_latex_packages, 15
landscape, 18
linebreak, 19
magic_mirror, 19
pack_rows (group_rows), 13
rmd_format, 20
row_spec, 20
save_kable, 21
scroll_box, 22
spec_angle, 23
spec_color, 23
spec_font_size, 24
specPopover, 24
spec_tooltip, 25
text_spec (cell_spec), 7
usepackage_latex, 25
xml_as_kable, 26
xtable2kable, 26