

Package ‘linearQ’

March 13, 2019

Type Package

Title Linear Algorithm for Simulating Quantiles in Multiscale
Change-Point Segmentation Problem

Version 2.0

Date 2019-03-13

Author Chengcheng Huang [aut,cre], Housen Li[aut]

Maintainer Chengcheng Huang <huangchengcheng12@nudt.edu.cn>

Description It is a linear algorithm to simulate quantiles of multiscale statistics
under hull hypothesis for multiscale change-point segmentation.
The reference is in preparation.

License GPL (>= 2)

Imports Rcpp (>= 0.12.13), stepR (>= 1.0-1), stats

LinkingTo Rcpp

NeedsCompilation yes

Repository CRAN

Date/Publication 2019-03-13 15:20:07 UTC

R topics documented:

linearQ-package	1
fastQuantile	3

Index

5

linearQ-package *Quantile Simulation in Multiscale Chang-Point Segmentation.*

Description

A linear algorithm for simulating quantiles of multiscale statistics under null hypothesis in multi-scale change-point segmentation.

Details

```
Package: linearQ
Type: Package
Version: 1.0
Date: 2018-02-27
License: GPL (>= 2)
```

Index:

fastQuantile Quantile simulation

Author(s)

Chengcheng Huang [aut,cre], Housen Li[aut]

Maintainer: Chengcheng Huang <chuangchengcheng12@nudt.edu.cn>

References

Frick, K., Munk, A., and Sieling, H. (2014). Multiscale Change-Point Inference. *J. R. Statist. Soc. B*, with discussion and rejoinder by the authors, 76:495–580. Li, H., Munk, A., and Sieling, H. (2015). FDR-control in multiscale change-point segmentation. arXiv:1412.5844.

Examples

```
# simulate quantiles for multiscale statistics from Normal regression model
seed = 123
q <- fastQuantile(0.9, 500, 100, seed = seed, type = 1)
```

fastQuantile

linear Algorithm for Quantile Simulation

Description

This is a linear algorithm for quantile simulation under null hypothesis in multiscale change-point segmentation.

Usage

```
fastQuantile(alpha, n, r=round(50/min(alpha, 1-alpha)),
mType=c("norm-pen","pois"), seed = 123, ...)
```

Arguments

<code>alpha</code>	a scalar with values in [0, 1]; the alpha-quantile of the null distribution of the multiscale statistic via Monte Carlo simulation
<code>n</code>	number of observations
<code>r</code>	number of Monte Carlo simulations
<code>mType</code>	"norm-pen" simulates the multiscale statistic from Normal regression model, "pois" simulates the multiscale statistic from Poission regression model.
<code>seed</code>	data seed
<code>...</code>	further arguments passed to penalty function

Value

A scalar quantile value q.

References

- Frick, K., Munk, A., and Sieling, H. (2014). Multiscale Change-Point Inference. *J. R. Statist. Soc. B, with discussion and rejoinder by the authors*, 76:495–580.
- Li, H., Munk, A., and Sieling, H. (2015). FDR-control in multiscale change-point segmentation. arXiv:1412.5844.

Examples

```
# simulate quantiles for multiscale statistics from Normal regression model
seed = 123
q <- fastQuantile(0.9, 500, 100, mType = "norm-pen")
```

Index

*Topic **package**

linearQ-package, [1](#)

fastQuantile, [3](#)

linearQ (linearQ-package), [1](#)

linearQ-package, [1](#)