

Package ‘paws.customer.engagement’

August 3, 2020

Title Amazon Web Services Customer Engagement Services

Version 0.1.9

Description Interface to Amazon Web Services customer engagement services, including 'Simple Email Service', 'Connect' contact center service, and more <<https://aws.amazon.com/>>.

License Apache License (>= 2.0)

URL <https://github.com/paws-r/paws>

BugReports <https://github.com/paws-r/paws/issues>

Imports paws.common (>= 0.3.0)

Suggests testthat

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

Collate 'connect_service.R' 'connect_interfaces.R'
'connect_operations.R' 'pinpoint_service.R'
'pinpoint_interfaces.R' 'pinpoint_operations.R'
'pinpointemail_service.R' 'pinpointemail_interfaces.R'
'pinpointemail_operations.R' 'pinpointmsvoice_service.R'
'pinpointmsvoice_interfaces.R' 'pinpointmsvoice_operations.R'
'ses_service.R' 'ses_interfaces.R' 'ses_operations.R'

NeedsCompilation no

Author David Kretch [aut, cre],
Adam Banker [aut],
Amazon.com, Inc. [cph]

Maintainer David Kretch <david.kretch@gmail.com>

Repository CRAN

Date/Publication 2020-08-03 09:10:19 UTC

R topics documented:

connect	2
pinpoint	4
pinpointemail	7
pinpointsmsvoice	9
ses	10
Index	14

connect	<i>Amazon Connect Service</i>
---------	-------------------------------

Description

Amazon Connect is a cloud-based contact center solution that makes it easy to set up and manage a customer contact center and provide reliable customer engagement at any scale.

Amazon Connect provides rich metrics and real-time reporting that allow you to optimize contact routing. You can also resolve customer issues more efficiently by putting customers in touch with the right agents.

There are limits to the number of Amazon Connect resources that you can create and limits to the number of requests that you can make per second. For more information, see [Amazon Connect Service Limits](#) in the *Amazon Connect Administrator Guide*.

Usage

```
connect(config = list())
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

Service syntax

```
svc <- connect(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string"
    ),
    endpoint = "string",
    region = "string"
  )
)
```

Operations

<code>create_user</code>	Creates a user account for the specified Amazon Connect instance
<code>delete_user</code>	Deletes a user account from the specified Amazon Connect instance
<code>describe_user</code>	Describes the specified user account
<code>describe_user_hierarchy_group</code>	Describes the specified hierarchy group
<code>describe_user_hierarchy_structure</code>	Describes the hierarchy structure of the specified Amazon Connect instance
<code>get_contact_attributes</code>	Retrieves the contact attributes for the specified contact
<code>get_current_metric_data</code>	Gets the real-time metric data from the specified Amazon Connect instance
<code>get_federation_token</code>	Retrieves a token for federation
<code>get_metric_data</code>	Gets historical metric data from the specified Amazon Connect instance
<code>list_contact_flows</code>	Provides information about the contact flows for the specified Amazon Connect instance
<code>list_hours_of_operations</code>	Provides information about the hours of operation for the specified Amazon Connect instance
<code>list_phone_numbers</code>	Provides information about the phone numbers for the specified Amazon Connect instance
<code>list_queues</code>	Provides information about the queues for the specified Amazon Connect instance
<code>list_routing_profiles</code>	Provides summary information about the routing profiles for the specified Amazon Connect instance
<code>list_security_profiles</code>	Provides summary information about the security profiles for the specified Amazon Connect instance
<code>list_tags_for_resource</code>	Lists the tags for the specified resource
<code>list_user_hierarchy_groups</code>	Provides summary information about the hierarchy groups for the specified Amazon Connect instance
<code>list_users</code>	Provides summary information about the users for the specified Amazon Connect instance
<code>resume_contact_recording</code>	When a contact is being recorded, and the recording has been suspended using <code>SuspendContactRecording</code>
<code>start_chat_contact</code>	Initiates a contact flow to start a new chat for the customer
<code>start_contact_recording</code>	This API starts recording the contact when the agent joins the call
<code>start_outbound_voice_contact</code>	This API places an outbound call to a contact, and then initiates the contact flow
<code>stop_contact</code>	Ends the specified contact
<code>stop_contact_recording</code>	When a contact is being recorded, this API stops recording the call
<code>suspend_contact_recording</code>	When a contact is being recorded, this API suspends recording the call
<code>tag_resource</code>	Adds the specified tags to the specified resource
<code>untag_resource</code>	Removes the specified tags from the specified resource
<code>update_contact_attributes</code>	Creates or updates the contact attributes associated with the specified contact
<code>update_user_hierarchy</code>	Assigns the specified hierarchy group to the specified user
<code>update_user_identity_info</code>	Updates the identity information for the specified user
<code>update_user_phone_config</code>	Updates the phone configuration settings for the specified user
<code>update_user_routing_profile</code>	Assigns the specified routing profile to the specified user
<code>update_user_security_profiles</code>	Assigns the specified security profiles to the specified user

Examples

```
## Not run:
svc <- connect()
svc$create_user(
  Foo = 123
)

## End(Not run)
```

pinpoint

*Amazon Pinpoint***Description**

Doc Engage API - Amazon Pinpoint API

Usage

pinpoint(config = list())

Arguments

config Optional configuration of credentials, endpoint, and/or region.

Service syntax

```

svc <- pinpoint(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string"
    ),
    endpoint = "string",
    region = "string"
  )
)

```

Operations

create_app	Creates an application
create_campaign	Creates a new campaign for an application or updates the settings of an existing campaign
create_email_template	Creates a message template for messages that are sent through the email channel
create_export_job	Creates an export job for an application
create_import_job	Creates an import job for an application
create_journey	Creates a journey for an application
create_push_template	Creates a message template for messages that are sent through a push notification channel
create_recommender_configuration	Creates an Amazon Pinpoint configuration for a recommender model
create_segment	Creates a new segment for an application or updates the configuration, dimension, and name of an existing segment
create_sms_template	Creates a message template for messages that are sent through the SMS channel
create_voice_template	Creates a message template for messages that are sent through the voice channel
delete_adm_channel	Disables the ADM channel for an application and deletes any existing settings for the channel
delete_apns_channel	Disables the APNs channel for an application and deletes any existing settings for the channel

delete_apns_sandbox_channel	Disables the APNs sandbox channel for an application and deletes any existing settings for the channel
delete_apns_voip_channel	Disables the APNs VoIP channel for an application and deletes any existing settings for the channel
delete_apns_voip_sandbox_channel	Disables the APNs VoIP sandbox channel for an application and deletes any existing settings for the channel
delete_app	Deletes an application
delete_baidu_channel	Disables the Baidu channel for an application and deletes any existing settings for the channel
delete_campaign	Deletes a campaign from an application
delete_email_channel	Disables the email channel for an application and deletes any existing settings for the channel
delete_email_template	Deletes a message template for messages that were sent through the email channel
delete_endpoint	Deletes an endpoint from an application
delete_event_stream	Deletes the event stream for an application
delete_gcm_channel	Disables the GCM channel for an application and deletes any existing settings for the channel
delete_journey	Deletes a journey from an application
delete_push_template	Deletes a message template for messages that were sent through a push notification channel
delete_recommender_configuration	Deletes an Amazon Pinpoint configuration for a recommender model
delete_segment	Deletes a segment from an application
delete_sms_channel	Disables the SMS channel for an application and deletes any existing settings for the channel
delete_sms_template	Deletes a message template for messages that were sent through the SMS channel
delete_user_endpoints	Deletes all the endpoints that are associated with a specific user ID
delete_voice_channel	Disables the voice channel for an application and deletes any existing settings for the channel
delete_voice_template	Deletes a message template for messages that were sent through the voice channel
get_adm_channel	Retrieves information about the status and settings of the ADM channel for an application
get_apns_channel	Retrieves information about the status and settings of the APNs channel for an application
get_apns_sandbox_channel	Retrieves information about the status and settings of the APNs sandbox channel for an application
get_apns_voip_channel	Retrieves information about the status and settings of the APNs VoIP channel for an application
get_apns_voip_sandbox_channel	Retrieves information about the status and settings of the APNs VoIP sandbox channel for an application
get_app	Retrieves information about an application
get_application_date_range_kpi	Retrieves (queries) pre-aggregated data for a standard metric that applies to an application
get_application_settings	Retrieves information about the settings for an application
get_apps	Retrieves information about all the applications that are associated with your Amazon Pinpoint account
get_baidu_channel	Retrieves information about the status and settings of the Baidu channel for an application
get_campaign	Retrieves information about the status, configuration, and other settings for a campaign
get_campaign_activities	Retrieves information about all the activities for a campaign
get_campaign_date_range_kpi	Retrieves (queries) pre-aggregated data for a standard metric that applies to a campaign
get_campaigns	Retrieves information about the status, configuration, and other settings for all the campaigns
get_campaign_version	Retrieves information about the status, configuration, and other settings for a specific campaign version
get_campaign_versions	Retrieves information about the status, configuration, and other settings for all versions of a campaign
get_channels	Retrieves information about the history and status of each channel for an application
get_email_channel	Retrieves information about the status and settings of the email channel for an application
get_email_template	Retrieves the content and settings of a message template for messages that are sent through the email channel
get_endpoint	Retrieves information about the settings and attributes of a specific endpoint for an application
get_event_stream	Retrieves information about the event stream settings for an application
get_export_job	Retrieves information about the status and settings of a specific export job for an application
get_export_jobs	Retrieves information about the status and settings of all the export jobs for an application
get_gcm_channel	Retrieves information about the status and settings of the GCM channel for an application
get_import_job	Retrieves information about the status and settings of a specific import job for an application
get_import_jobs	Retrieves information about the status and settings of all the import jobs for an application
get_journey	Retrieves information about the status, configuration, and other settings for a journey
get_journey_date_range_kpi	Retrieves (queries) pre-aggregated data for a standard engagement metric that applies to a journey

get_journey_execution_activity_metrics	Retrieves (queries) pre-aggregated data for a standard execution metric that applies
get_journey_execution_metrics	Retrieves (queries) pre-aggregated data for a standard execution metric that applies
get_push_template	Retrieves the content and settings of a message template for messages that are sent
get_recommender_configuration	Retrieves information about an Amazon Pinpoint configuration for a recommender
get_recommender_configurations	Retrieves information about all the recommender model configurations that are asso
get_segment	Retrieves information about the configuration, dimension, and other settings for a s
get_segment_export_jobs	Retrieves information about the status and settings of the export jobs for a segment
get_segment_import_jobs	Retrieves information about the status and settings of the import jobs for a segment
get_segments	Retrieves information about the configuration, dimension, and other settings for all
get_segment_version	Retrieves information about the configuration, dimension, and other settings for a s
get_segment_versions	Retrieves information about the configuration, dimension, and other settings for all
get_sms_channel	Retrieves information about the status and settings of the SMS channel for an applic
get_sms_template	Retrieves the content and settings of a message template for messages that are sent
get_user_endpoints	Retrieves information about all the endpoints that are associated with a specific use
get_voice_channel	Retrieves information about the status and settings of the voice channel for an applic
get_voice_template	Retrieves the content and settings of a message template for messages that are sent
list_journeys	Retrieves information about the status, configuration, and other settings for all the j
list_tags_for_resource	Retrieves all the tags (keys and values) that are associated with an application, camp
list_templates	Retrieves information about all the message templates that are associated with your
list_template_versions	Retrieves information about all the versions of a specific message template
phone_number_validate	Retrieves information about a phone number
put_events	Creates a new event to record for endpoints, or creates or updates endpoint data tha
put_event_stream	Creates a new event stream for an application or updates the settings of an existing
remove_attributes	Removes one or more attributes, of the same attribute type, from all the endpoints t
send_messages	Creates and sends a direct message
send_users_messages	Creates and sends a message to a list of users
tag_resource	Adds one or more tags (keys and values) to an application, campaign, message tem
untag_resource	Removes one or more tags (keys and values) from an application, campaign, messa
update_adm_channel	Enables the ADM channel for an application or updates the status and settings of th
update_apns_channel	Enables the APNs channel for an application or updates the status and settings of th
update_apns_sandbox_channel	Enables the APNs sandbox channel for an application or updates the status and sett
update_apns_woip_channel	Enables the APNs VoIP channel for an application or updates the status and settings
update_apns_woip_sandbox_channel	Enables the APNs VoIP sandbox channel for an application or updates the status an
update_application_settings	Updates the settings for an application
update_baidu_channel	Enables the Baidu channel for an application or updates the status and settings of th
update_campaign	Updates the configuration and other settings for a campaign
update_email_channel	Enables the email channel for an application or updates the status and settings of th
update_email_template	Updates an existing message template for messages that are sent through the email
update_endpoint	Creates a new endpoint for an application or updates the settings and attributes of a
update_endpoints_batch	Creates a new batch of endpoints for an application or updates the settings and attri
update_gcm_channel	Enables the GCM channel for an application or updates the status and settings of th
update_journey	Updates the configuration and other settings for a journey
update_journey_state	Cancels (stops) an active journey
update_push_template	Updates an existing message template for messages that are sent through a push no
update_recommender_configuration	Updates an Amazon Pinpoint configuration for a recommender model
update_segment	Creates a new segment for an application or updates the configuration, dimension, a
update_sms_channel	Enables the SMS channel for an application or updates the status and settings of th
update_sms_template	Updates an existing message template for messages that are sent through the SMS c

[update_template_active_version](#)
[update_voice_channel](#)
[update_voice_template](#)

Changes the status of a specific version of a message template to *active*
Enables the voice channel for an application or updates the status and settings of the channel
Updates an existing message template for messages that are sent through the voice channel

Examples

```
## Not run:  
svc <- pinpoint()  
svc$create_app(  
  Foo = 123  
)  
  
## End(Not run)
```

pinpointemail

Amazon Pinpoint Email Service

Description

Welcome to the *Amazon Pinpoint Email API Reference*. This guide provides information about the Amazon Pinpoint Email API (version 1.0), including supported operations, data types, parameters, and schemas.

Amazon Pinpoint is an AWS service that you can use to engage with your customers across multiple messaging channels. You can use Amazon Pinpoint to send email, SMS text messages, voice messages, and push notifications. The Amazon Pinpoint Email API provides programmatic access to options that are unique to the email channel and supplement the options provided by the Amazon Pinpoint API.

If you're new to Amazon Pinpoint, you might find it helpful to also review the **Amazon Pinpoint Developer Guide**. The *Amazon Pinpoint Developer Guide* provides tutorials, code samples, and procedures that demonstrate how to use Amazon Pinpoint features programmatically and how to integrate Amazon Pinpoint functionality into mobile apps and other types of applications. The guide also provides information about key topics such as Amazon Pinpoint integration with other AWS services and the limits that apply to using the service.

The Amazon Pinpoint Email API is available in several AWS Regions and it provides an endpoint for each of these Regions. For a list of all the Regions and endpoints where the API is currently available, see **AWS Service Endpoints** in the *Amazon Web Services General Reference*. To learn more about AWS Regions, see **Managing AWS Regions** in the *Amazon Web Services General Reference*.

In each Region, AWS maintains multiple Availability Zones. These Availability Zones are physically isolated from each other, but are united by private, low-latency, high-throughput, and highly redundant network connections. These Availability Zones enable us to provide very high levels of availability and redundancy, while also minimizing latency. To learn more about the number of Availability Zones that are available in each Region, see **AWS Global Infrastructure**.

Usage

```
pinpointemail(config = list())
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

Service syntax

```
svc <- pinpointemail(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string"
    ),
    endpoint = "string",
    region = "string"
  )
)
```

Operations

create_configuration_set	Create a configuration set
create_configuration_set_event_destination	Create an event destination
create_dedicated_ip_pool	Create a new pool of dedicated IP addresses
create_deliverability_test_report	Create a new predictive inbox placement test
create_email_identity	Verifies an email identity for use with Amazon Pinpoint
delete_configuration_set	Delete an existing configuration set
delete_configuration_set_event_destination	Delete an event destination
delete_dedicated_ip_pool	Delete a dedicated IP pool
delete_email_identity	Deletes an email identity that you previously verified for use with Amazon Pinpoint
get_account	Obtain information about the email-sending status and capabilities of your Amazon Pinpoint account
get_blacklist_reports	Retrieve a list of the blacklists that your dedicated IP addresses appear on
get_configuration_set	Get information about an existing configuration set, including the dedicated IP addresses
get_configuration_set_event_destinations	Retrieve a list of event destinations that are associated with a configuration set
get_dedicated_ip	Get information about a dedicated IP address, including the name of the dedicated IP pool
get_dedicated_ips	List the dedicated IP addresses that are associated with your Amazon Pinpoint account
get_deliverability_dashboard_options	Retrieve information about the status of the Deliverability dashboard for your Amazon Pinpoint account
get_deliverability_test_report	Retrieve the results of a predictive inbox placement test
get_domain_deliverability_campaign	Retrieve all the deliverability data for a specific campaign
get_domain_statistics_report	Retrieve inbox placement and engagement rates for the domains that you use with Amazon Pinpoint
get_email_identity	Provides information about a specific identity associated with your Amazon Pinpoint account
list_configuration_sets	List all of the configuration sets associated with your Amazon Pinpoint account
list_dedicated_ip_pools	List all of the dedicated IP pools that exist in your Amazon Pinpoint account

list_deliverability_test_reports	Show a list of the predictive inbox placement tests that you've performed, reg
list_domain_deliverability_campaigns	Retrieve deliverability data for all the campaigns that used a specific domain
list_email_identities	Returns a list of all of the email identities that are associated with your Amaz
list_tags_for_resource	Retrieve a list of the tags (keys and values) that are associated with a specifie
put_account_dedicated_ip_warmup_attributes	Enable or disable the automatic warm-up feature for dedicated IP addresses
put_account_sending_attributes	Enable or disable the ability of your account to send email
put_configuration_set_delivery_options	Associate a configuration set with a dedicated IP pool
put_configuration_set_reputation_options	Enable or disable collection of reputation metrics for emails that you send usi
put_configuration_set_sending_options	Enable or disable email sending for messages that use a particular configurati
put_configuration_set_tracking_options	Specify a custom domain to use for open and click tracking elements in email
put_dedicated_ip_in_pool	Move a dedicated IP address to an existing dedicated IP pool
put_dedicated_ip_warmup_attributes	Put dedicated ip warmup attributes
put_deliverability_dashboard_option	Enable or disable the Deliverability dashboard for your Amazon Pinpoint acc
put_email_identity_dkim_attributes	Used to enable or disable DKIM authentication for an email identity
put_email_identity_feedback_attributes	Used to enable or disable feedback forwarding for an identity
put_email_identity_mail_from_attributes	Used to enable or disable the custom Mail-From domain configuration for an
send_email	Sends an email message
tag_resource	Add one or more tags (keys and values) to a specified resource
untag_resource	Remove one or more tags (keys and values) from a specified resource
update_configuration_set_event_destination	Update the configuration of an event destination for a configuration set

Examples

```
## Not run:
svc <- pinpointemail()
svc$create_configuration_set(
  Foo = 123
)

## End(Not run)
```

pinpointSMSvoice

Amazon Pinpoint SMS and Voice Service

Description

Pinpoint SMS and Voice Messaging public facing APIs

Usage

```
pinpointSMSvoice(config = list())
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

Service syntax

```

svc <- pinpointSMSvoice(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string"
    ),
    endpoint = "string",
    region = "string"
  )
)

```

Operations

create_configuration_set	Create a new configuration set
create_configuration_set_event_destination	Create a new event destination in a configuration set
delete_configuration_set	Deletes an existing configuration set
delete_configuration_set_event_destination	Deletes an event destination in a configuration set
get_configuration_set_event_destinations	Obtain information about an event destination, including the types of events it r
list_configuration_sets	List all of the configuration sets associated with your Amazon Pinpoint account
send_voice_message	Create a new voice message and send it to a recipient's phone number
update_configuration_set_event_destination	Update an event destination in a configuration set

Examples

```

## Not run:
svc <- pinpointSMSvoice()
svc$create_configuration_set(
  Foo = 123
)

## End(Not run)

```

Description

This document contains reference information for the [Amazon Simple Email Service](#) (Amazon SES) API, version 2010-12-01. This document is best used in conjunction with the [Amazon SES Developer Guide](#).

For a list of Amazon SES endpoints to use in service requests, see [Regions and Amazon SES](#) in the [Amazon SES Developer Guide](#).

Usage

```
ses(config = list())
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

Service syntax

```
svc <- ses(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string"
    ),
    endpoint = "string",
    region = "string"
  )
)
```

Operations

clone_receipt_rule_set	Creates a receipt rule set by cloning an existing one
create_configuration_set	Creates a configuration set
create_configuration_set_event_destination	Creates a configuration set event destination
create_configuration_set_tracking_options	Creates an association between a configuration set and a custom domain
create_custom_verification_email_template	Creates a new custom verification email template
create_receipt_filter	Creates a new IP address filter
create_receipt_rule	Creates a receipt rule
create_receipt_rule_set	Creates an empty receipt rule set
create_template	Creates an email template
delete_configuration_set	Deletes a configuration set
delete_configuration_set_event_destination	Deletes a configuration set event destination
delete_configuration_set_tracking_options	Deletes an association between a configuration set and a custom domain
delete_custom_verification_email_template	Deletes an existing custom verification email template
delete_identity	Deletes the specified identity (an email address or a domain) from the

delete_identity_policy	Deletes the specified sending authorization policy for the given identity
delete_receipt_filter	Deletes the specified IP address filter
delete_receipt_rule	Deletes the specified receipt rule
delete_receipt_rule_set	Deletes the specified receipt rule set and all of the receipt rules it contains
delete_template	Deletes an email template
delete_verified_email_address	Deprecated
describe_active_receipt_rule_set	Returns the metadata and receipt rules for the receipt rule set that is currently active
describe_configuration_set	Returns the details of the specified configuration set
describe_receipt_rule	Returns the details of the specified receipt rule
describe_receipt_rule_set	Returns the details of the specified receipt rule set
get_account_sending_enabled	Returns the email sending status of the Amazon SES account for the current AWS Region
get_custom_verification_email_template	Returns the custom email verification template for the template name
get_identity_dkim_attributes	Returns the current status of Easy DKIM signing for an entity
get_identity_mail_from_domain_attributes	Returns the custom MAIL FROM attributes for a list of identities (email addresses and domains)
get_identity_notification_attributes	Given a list of verified identities (email addresses and/or domains), returns the notification attributes for each identity
get_identity_policies	Returns the requested sending authorization policies for the given identities
get_identity_verification_attributes	Given a list of identities (email addresses and/or domains), returns the verification attributes for each identity
get_send_quota	Provides the sending limits for the Amazon SES account
get_send_statistics	Provides sending statistics for the current AWS Region
get_template	Displays the template object (which includes the Subject line, HTML content, and plain text content)
list_configuration_sets	Provides a list of the configuration sets associated with your Amazon SES account
list_custom_verification_email_templates	Lists the existing custom verification email templates for your Amazon SES account
list_identities	Returns a list containing all of the identities (email addresses and domains) associated with your Amazon SES account
list_identity_policies	Returns a list of sending authorization policies that are attached to the specified identities
list_receipt_filters	Lists the IP address filters associated with your AWS account in the current AWS Region
list_receipt_rule_sets	Lists the receipt rule sets that exist under your AWS account in the current AWS Region
list_templates	Lists the email templates present in your Amazon SES account in the current AWS Region
list_verified_email_addresses	Deprecated
put_configuration_set_delivery_options	Adds or updates the delivery options for a configuration set
put_identity_policy	Adds or updates a sending authorization policy for the specified identity
reorder_receipt_rule_set	Reorders the receipt rules within a receipt rule set
send_bounce	Generates and sends a bounce message to the sender of an email you received
send_bulk_templated_email	Composes an email message to multiple destinations
send_custom_verification_email	Adds an email address to the list of identities for your Amazon SES account
send_email	Composes an email message and immediately queues it for sending
send_raw_email	Composes an email message and immediately queues it for sending
send_templated_email	Composes an email message using an email template and immediately queues it for sending
set_active_receipt_rule_set	Sets the specified receipt rule set as the active receipt rule set
set_identity_dkim_enabled	Enables or disables Easy DKIM signing of email sent from an identity
set_identity_feedback_forwarding_enabled	Given an identity (an email address or a domain), enables or disables Amazon Simple Notification Service (Amazon SNS) feedback forwarding
set_identity_headers_in_notifications_enabled	Given an identity (an email address or a domain), sets whether Amazon Simple Notification Service (Amazon SNS) notifications include the identity's headers
set_identity_mail_from_domain	Enables or disables the custom MAIL FROM domain setup for a verified identity
set_identity_notification_topic	Sets an Amazon Simple Notification Service (Amazon SNS) topic for an identity
set_receipt_rule_position	Sets the position of the specified receipt rule in the receipt rule set
test_render_template	Creates a preview of the MIME content of an email when provided with a template
update_account_sending_enabled	Enables or disables email sending across your entire Amazon SES account
update_configuration_set_event_destination	Updates the event destination of a configuration set
update_configuration_set_reputation_metrics_enabled	Enables or disables the publishing of reputation metrics for emails sent from the specified identity

update_configuration_set_sending_enabled	Enables or disables email sending for messages sent using a specific
update_configuration_set_tracking_options	Modifies an association between a configuration set and a custom domain
update_custom_verification_email_template	Updates an existing custom verification email template
update_receipt_rule	Updates a receipt rule
update_template	Updates an email template
verify_domain_dkim	Returns a set of DKIM tokens for a domain identity
verify_domain_identity	Adds a domain to the list of identities for your Amazon SES account
verify_email_address	Deprecated
verify_email_identity	Adds an email address to the list of identities for your Amazon SES account

Examples

```
## Not run:
svc <- ses()
# The following example creates a receipt rule set by cloning an existing
# one:
svc$clone_receipt_rule_set(
  OriginalRuleSetName = "RuleSetToClone",
  RuleSetName = "RuleSetToCreate"
)

## End(Not run)
```

Index

clone_receipt_rule_set, [11](#)
connect, [2](#)
create_app, [4](#)
create_campaign, [4](#)
create_configuration_set, [8](#), [10](#), [11](#)
create_configuration_set_event_destination, [8](#), [10](#), [11](#)
create_configuration_set_tracking_options, [11](#)
create_custom_verification_email_template, [11](#)
create_dedicated_ip_pool, [8](#)
create_deliverability_test_report, [8](#)
create_email_identity, [8](#)
create_email_template, [4](#)
create_export_job, [4](#)
create_import_job, [4](#)
create_journey, [4](#)
create_push_template, [4](#)
create_receipt_filter, [11](#)
create_receipt_rule, [11](#)
create_receipt_rule_set, [11](#)
create_recommender_configuration, [4](#)
create_segment, [4](#)
create_sms_template, [4](#)
create_template, [11](#)
create_user, [3](#)
create_voice_template, [4](#)

delete_adm_channel, [4](#)
delete_apns_channel, [4](#)
delete_apns_sandbox_channel, [5](#)
delete_apns_voip_channel, [5](#)
delete_apns_voip_sandbox_channel, [5](#)
delete_app, [5](#)
delete_baidu_channel, [5](#)
delete_campaign, [5](#)
delete_configuration_set, [8](#), [10](#), [11](#)
delete_configuration_set_event_destination, [8](#), [10](#), [11](#)
delete_configuration_set_tracking_options, [11](#)
delete_custom_verification_email_template, [11](#)
delete_dedicated_ip_pool, [8](#)
delete_email_channel, [5](#)
delete_email_identity, [8](#)
delete_email_template, [5](#)
delete_endpoint, [5](#)
delete_event_stream, [5](#)
delete_gcm_channel, [5](#)
delete_identity, [11](#)
delete_identity_policy, [12](#)
delete_journey, [5](#)
delete_push_template, [5](#)
delete_receipt_filter, [12](#)
delete_receipt_rule, [12](#)
delete_receipt_rule_set, [12](#)
delete_recommender_configuration, [5](#)
delete_segment, [5](#)
delete_sms_channel, [5](#)
delete_sms_template, [5](#)
delete_template, [12](#)
delete_user, [3](#)
delete_user_endpoints, [5](#)
delete_verified_email_address, [12](#)
delete_voice_channel, [5](#)
delete_voice_template, [5](#)
describe_active_receipt_rule_set, [12](#)
describe_configuration_set, [12](#)
describe_receipt_rule, [12](#)
describe_receipt_rule_set, [12](#)
describe_user, [3](#)
describe_user_hierarchy_group, [3](#)
describe_user_hierarchy_structure, [3](#)

get_account, [8](#)
get_account_sending_enabled, [12](#)
get_adm_channel, [5](#)
get_apns_channel, [5](#)

- get_apns_sandbox_channel, 5
- get_apns_voip_channel, 5
- get_apns_voip_sandbox_channel, 5
- get_app, 5
- get_application_date_range_kpi, 5
- get_application_settings, 5
- get_apps, 5
- get_baidu_channel, 5
- get_blacklist_reports, 8
- get_campaign, 5
- get_campaign_activities, 5
- get_campaign_date_range_kpi, 5
- get_campaign_version, 5
- get_campaign_versions, 5
- get_campaigns, 5
- get_channels, 5
- get_configuration_set, 8
- get_configuration_set_event_destinations, 8, 10
- get_contact_attributes, 3
- get_current_metric_data, 3
- get_custom_verification_email_template, 12
- get_dedicated_ip, 8
- get_dedicated_ips, 8
- get_deliverability_dashboard_options, 8
- get_deliverability_test_report, 8
- get_domain_deliverability_campaign, 8
- get_domain_statistics_report, 8
- get_email_channel, 5
- get_email_identity, 8
- get_email_template, 5
- get_endpoint, 5
- get_event_stream, 5
- get_export_job, 5
- get_export_jobs, 5
- get_federation_token, 3
- get_gcm_channel, 5
- get_identity_dkim_attributes, 12
- get_identity_mail_from_domain_attributes, 12
- get_identity_notification_attributes, 12
- get_identity_policies, 12
- get_identity_verification_attributes, 12
- get_import_job, 5
- get_import_jobs, 5
- get_journey, 5
- get_journey_date_range_kpi, 5
- get_journey_execution_activity_metrics, 6
- get_journey_execution_metrics, 6
- get_metric_data, 3
- get_push_template, 6
- get_recommender_configuration, 6
- get_recommender_configurations, 6
- get_segment, 6
- get_segment_export_jobs, 6
- get_segment_import_jobs, 6
- get_segment_version, 6
- get_segment_versions, 6
- get_segments, 6
- get_send_quota, 12
- get_send_statistics, 12
- get_sms_channel, 6
- get_sms_template, 6
- get_template, 12
- get_user_endpoints, 6
- get_voice_channel, 6
- get_voice_template, 6
- list_configuration_sets, 8, 10, 12
- list_contact_flows, 3
- list_custom_verification_email_templates, 12
- list_dedicated_ip_pools, 8
- list_deliverability_test_reports, 9
- list_domain_deliverability_campaigns, 9
- list_email_identities, 9
- list_hours_of_operations, 3
- list_identities, 12
- list_identity_policies, 12
- list_journeys, 6
- list_phone_numbers, 3
- list_queues, 3
- list_receipt_filters, 12
- list_receipt_rule_sets, 12
- list_routing_profiles, 3
- list_security_profiles, 3
- list_tags_for_resource, 3, 6, 9
- list_template_versions, 6
- list_templates, 6, 12
- list_user_hierarchy_groups, 3
- list_users, 3

- [list_verified_email_addresses](#), [12](#)
- [phone_number_validate](#), [6](#)
- [pinpoint](#), [4](#)
- [pinpointemail](#), [7](#)
- [pinpointsmsvoice](#), [9](#)
- [put_account_dedicated_ip_warmup_attributes](#), [9](#)
- [put_account_sending_attributes](#), [9](#)
- [put_configuration_set_delivery_options](#), [9](#), [12](#)
- [put_configuration_set_reputation_options](#), [9](#)
- [put_configuration_set_sending_options](#), [9](#)
- [put_configuration_set_tracking_options](#), [9](#)
- [put_dedicated_ip_in_pool](#), [9](#)
- [put_dedicated_ip_warmup_attributes](#), [9](#)
- [put_deliverability_dashboard_option](#), [9](#)
- [put_email_identity_dkim_attributes](#), [9](#)
- [put_email_identity_feedback_attributes](#), [9](#)
- [put_email_identity_mail_from_attributes](#), [9](#)
- [put_event_stream](#), [6](#)
- [put_events](#), [6](#)
- [put_identity_policy](#), [12](#)
- [remove_attributes](#), [6](#)
- [reorder_receipt_rule_set](#), [12](#)
- [resume_contact_recording](#), [3](#)
- [send_bounce](#), [12](#)
- [send_bulk_templated_email](#), [12](#)
- [send_custom_verification_email](#), [12](#)
- [send_email](#), [9](#), [12](#)
- [send_messages](#), [6](#)
- [send_raw_email](#), [12](#)
- [send_templated_email](#), [12](#)
- [send_users_messages](#), [6](#)
- [send_voice_message](#), [10](#)
- [ses](#), [10](#)
- [set_active_receipt_rule_set](#), [12](#)
- [set_identity_dkim_enabled](#), [12](#)
- [set_identity_feedback_forwarding_enabled](#), [12](#)
- [set_identity_headers_in_notifications_enabled](#), [12](#)
- [set_identity_mail_from_domain](#), [12](#)
- [set_identity_notification_topic](#), [12](#)
- [set_receipt_rule_position](#), [12](#)
- [start_chat_contact](#), [3](#)
- [start_contact_recording](#), [3](#)
- [start_outbound_voice_contact](#), [3](#)
- [stop_contact](#), [3](#)
- [stop_contact_recording](#), [3](#)
- [suspend_contact_recording](#), [3](#)
- [tag_resource](#), [3](#), [6](#), [9](#)
- [test_render_template](#), [12](#)
- [untag_resource](#), [3](#), [6](#), [9](#)
- [update_account_sending_enabled](#), [12](#)
- [update_adm_channel](#), [6](#)
- [update_apns_channel](#), [6](#)
- [update_apns_sandbox_channel](#), [6](#)
- [update_apns_voip_channel](#), [6](#)
- [update_apns_voip_sandbox_channel](#), [6](#)
- [update_application_settings](#), [6](#)
- [update_baidu_channel](#), [6](#)
- [update_campaign](#), [6](#)
- [update_configuration_set_event_destination](#), [9](#), [10](#), [12](#)
- [update_configuration_set_reputation_metrics_enabled](#), [12](#)
- [update_configuration_set_sending_enabled](#), [13](#)
- [update_configuration_set_tracking_options](#), [13](#)
- [update_contact_attributes](#), [3](#)
- [update_custom_verification_email_template](#), [13](#)
- [update_email_channel](#), [6](#)
- [update_email_template](#), [6](#)
- [update_endpoint](#), [6](#)
- [update_endpoints_batch](#), [6](#)
- [update_gcm_channel](#), [6](#)
- [update_journey](#), [6](#)
- [update_journey_state](#), [6](#)
- [update_push_template](#), [6](#)
- [update_receipt_rule](#), [13](#)
- [update_recommender_configuration](#), [6](#)
- [update_segment](#), [6](#)
- [update_sms_channel](#), [6](#)
- [update_sms_template](#), [6](#)
- [update_template](#), [13](#)
- [update_template_active_version](#), [7](#)

update_user_hierarchy, [3](#)
update_user_identity_info, [3](#)
update_user_phone_config, [3](#)
update_user_routing_profile, [3](#)
update_user_security_profiles, [3](#)
update_voice_channel, [7](#)
update_voice_template, [7](#)

verify_domain_dkim, [13](#)
verify_domain_identity, [13](#)
verify_email_address, [13](#)
verify_email_identity, [13](#)