

Package ‘phonenumber’

August 29, 2016

Title Convert Letters to Numbers and Back as on a Telephone Keypad

Version 0.2.2

Description Convert English letters to numbers or numbers to English letters as on a telephone keypad. When converting letters to numbers, a character vector is returned with ``A," ``B," or ``C" becoming 2, ``D," ``E", or ``F" becoming 3, etc. When converting numbers to letters, a character vector is returned with multiple elements (i.e., ``2" becomes a vector of ``A," ``B," and ``C").

URL <http://steve.mylesandmyles.info/projects/phonenumber/>,
<https://github.com/scumdogsteev/phonenumber>

BugReports <https://github.com/scumdogsteev/phonenumber/issues>

Depends R (>= 3.1.3)

License MIT + file LICENSE

LazyData true

VignetteBuilder knitr

Suggests knitr, testthat

NeedsCompilation no

Author Steve Myles [aut, cre]

Maintainer Steve Myles <steve@mylesandmyles.info>

Repository CRAN

Date/Publication 2015-09-07 21:26:50

R topics documented:

letterToNumber	2
numberToLetter	3
phonenumber	4

Index	5
--------------	----------

letterToNumber	<i>Convert letters to numbers as on a telephone's keypad</i>
----------------	--

Description

Take a character vector and convert it to the equivalent number sequence from a telephone's keypad

Usage

```
letterToNumber(value, qz = 1)
```

Arguments

value	An input value as a character vector with one element (a string)
qz	Whether to assign q and z to zero (qz = 0) or not (any other value)

Value

A character vector of numbers and dashes based on value

Examples

```
# Convert an alphabetic string can be converted directly (with
# non-alphanumeric characters replaced by dashes)

letterToNumber("R functions") # returns "7-386284667"

# Of course, vectors containing strings can also be converted

string <- "Phone Number"
letterToNumber(string) # returns "74663-686237"

# Alphanumeric strings can also be converted with numbers being returned as
# is

letterToNumber("Jenny's number is 867-5309") # returns "53669-7-686237-47-867-5309"

# Specifying qz = 0 maps "q" and "z" to 0 instead of 7 and 9

letterToNumber("qz") # returns "79"
letterToNumber("qz", qz = 0) # returns ("00")
```

numberToLetter	<i>Convert numbers to letters as on a telephone's keypad</i>
----------------	--

Description

Take a character vector (i.e., a telephone number) and convert it to all possible letter combinations as on from a telephone's key pad

Usage

```
numberToLetter(value, decreasing = FALSE, qz = 1)
```

Arguments

value	An input value as a character vector with one element (a string)
decreasing	Whether to sort the results in alphabetical order or not
qz	Whether to assign q and z to zero (qz = 0) or not (any other value)

Value

A character vector of letters and dashes based on value

Examples

```
# Convert a string or a vector of numeric characters
numberToLetter("911") # returns "W11" "X11" "Y11" "Z11"
x <- "911"
numberToLetter(x) # also returns "W11" "X11" "Y11" "Z11"

# Convert a number directly
numberToLetter(911) # also returns "W11" "X11" "Y11" "Z11"

# Convert an alphanumeric string (letters are returned as is and
# non-alphanumeric characters are returned as dashes)
numberToLetter("dial 911!") # returns "DIAL-W11-" "DIAL-X11-" "DIAL-Y11-" "DIAL-Z11-"

# Specifying qz = 0 maps "q" and "z" to 0 instead of 7 and 9
numberToLetter("000") # returns "000"
numberToLetter("000", qz = 0) # returns "QQQ" "QQZ" "QZQ" "QZZ" "ZQQ" "ZQZ" "ZZQ" "ZZZ"
```

phonenumber	<i>phonenumber: Convert letters to numbers and back as on a telephone keypad</i>
-------------	--

Description

phonenumber: Convert letters to numbers and back as on a telephone keypad

phonenumber functions

- [letterToNumber](#): convert letters to numbers
- [numberToLetter](#): convert numbers to letters

Index

letterToNumber, [2](#), [4](#)

numberToLetter, [3](#), [4](#)

phonenumber, [4](#)

phonenumber-package (phonenumber), [4](#)