

Package ‘pins’

July 10, 2020

Type Package

Title Pin, Discover and Share Resources

Version 0.4.3

Maintainer Javier Luraschi <javier@rstudio.com>

Description Pin remote resources into a local cache to work offline, improve speed and avoid recomputing; discover and share resources in local folders, 'GitHub', 'Kaggle' or 'RStudio Connect'. Resources can be anything from 'CSV', 'JSON', or image files to arbitrary R objects.

License Apache License 2.0

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Depends R (>= 3.2.0)

Imports backports, base64enc, crayon, digest, filelock, httr, jsonlite, magrittr, mime, openssl, rappdirs, withr, yaml, zip

Suggests callr, covr, data.table, knitr, rmarkdown, R6, stringi, tibble, testthat, xml2

VignetteBuilder knitr

URL <https://github.com/rstudio/pins>

BugReports <https://github.com/rstudio/pins/issues>

NeedsCompilation no

Author Javier Luraschi [aut, cre],
RStudio [cph]

Repository CRAN

Date/Publication 2020-07-10 17:10:09 UTC

R topics documented:

board_cache_path	2
board_default	3
board_deregister	3
board_get	4
board_list	4
board_pin_create	5
board_register	5
board_register_azure	7
board_register_datatxt	8
board_register_dospace	9
board_register_gcloud	10
board_register_github	11
board_register_kaggle	12
board_register_local	13
board_register_rsconnect	13
board_register_s3	14
pin	16
pin_find	17
pin_get	18
pin_info	19
pin_reactive	20
pin_remove	21
pin_versions	21

Index	23
--------------	-----------

board_cache_path	<i>Retrieve Default Cache Path</i>
------------------	------------------------------------

Description

Retrieves the default path used to cache boards and pins. Makes use of the rappdirs package to use cache folders defined by each OS.

Usage

```
board_cache_path()
```

Examples

```
# retrieve default cache path
board_cache_path()
```

board_default	<i>Default Board</i>
---------------	----------------------

Description

Retrieves the default board, which defaults to "local" but can also be configured with the `pins.board` option.

Usage

```
board_default()
```

Examples

```
library(pins)

# create temp board
board_register_local("temp", cache = tempfile())

# configure default board
options(pins.board = "temp")

# retrieve default board
board_default()

# revert default board
options(pins.board = NULL)
```

board_deregister	<i>Deregister Board</i>
------------------	-------------------------

Description

Deregisters a board, useful to disable boards no longer in use.

Usage

```
board_deregister(name, ...)
```

Arguments

name	An optional name to identify this board, defaults to the board name.
...	Additional parameters required to deregister a particular board.

Examples

```
# create a new local board
board_register("local", "other_board", cache = tempfile())

# pin iris to new board
pin(iris, board = "other_board")

# deregister new board
board_deregister("other_board")
```

board_get	<i>Get Board</i>
-----------	------------------

Description

Retrieves information about a particular board.

Usage

```
board_get(name)
```

Arguments

name	The name of the board to use
------	------------------------------

board_list	<i>List Boards</i>
------------	--------------------

Description

Retrieves all available boards.

Usage

```
board_list()
```

board_pin_create	<i>Custom Boards</i>
------------------	----------------------

Description

Family of functions meant to be used to implement custom boards extensions, not to be used by users.

Usage

```
board_pin_create(board, path, name, metadata, ...)
```

```
board_initialize(board, ...)
```

```
board_pin_get(board, name, ...)
```

```
board_pin_remove(board, name, ...)
```

```
board_pin_find(board, text, ...)
```

```
board_pin_versions(board, name, ...)
```

```
board_browse(board, ...)
```

Arguments

board	The board to extend, retrieved with board_get().
path	The path to store as a pin.
name	The name of the pin.
metadata	A list of metadata associated with this pin.
...	Additional parameteres.
text	The text pattern to find a pin.

board_register	<i>Register Board</i>
----------------	-----------------------

Description

Registers a board, useful to find resources with pin_find() or pin to additional boards with pin().

Usage

```
board_register(  
  board,  
  name = board,  
  cache = board_cache_path(),  
  versions = NULL,  
  ...  
)
```

Arguments

board	The name of the board to register.
name	An optional name to identify this board, defaults to the board name.
cache	The local folder to use as a cache, defaults to <code>board_cache_path()</code> .
versions	Should this board be registered with support for versions?
...	Additional parameters required to initialize a particular board.

Details

A board requires a local cache to avoid downloading files multiple times. It is recommended to not specify the cache parameter since it defaults to a well known rappdirs. However, you are welcome to specify any other location for this cache or even a temp folder with `tempfile()`. Notice that, when using a temp folder, pins will be cleared when your R session restarts. The cache parameter can be also set with the `pins.path` option.

If `versions` is set to `NULL` (the default), it will fall back on the board-type-specific default. For instance, local boards do not use versions by default, but GitHub boards do.

See Also

[board_register_local](#), [board_register_github](#), [board_register_kaggle](#), [board_register_rsconnect](#) and [board_register_datatxt](#).

Examples

```
# create a new local board  
board_register("local", "other_board", cache = tempfile())  
  
# create a Website board  
board_register("datatxt",  
  name = "txtexample",  
  url = "https://datatxt.org/data.txt",  
  cache = tempfile())
```

board_register_azure *Register Azure Board*

Description

Wrapper with explicit parameters over board_register() to register a Microsoft Azure Storage Blob as a board.

Usage

```
board_register_azure(  
    name = "azure",  
    container = Sys.getenv("AZURE_STORAGE_CONTAINER"),  
    account = Sys.getenv("AZURE_STORAGE_ACCOUNT"),  
    key = Sys.getenv("AZURE_STORAGE_KEY"),  
    cache = board_cache_path(),  
    ...  
)
```

Arguments

name	Optional name for this board, defaults to 'azure'.
container	The name of the Azure Storage container. Defaults to the AZURE_STORAGE_CONTAINER environment variable.
account	The account of the Azure Storage container. Defaults to the AZURE_STORAGE_ACCOUNT environment variable.
key	The key of the Azure Storage container Defaults to the AZURE_STORAGE_KEY environment variable.
cache	The local folder to use as a cache, defaults to board_cache_path().
...	Additional parameters required to initialize a particular board.

Details

This function requires an Azure Storage container to be manually created; otherwise, registering an Azure board will fail.

See Also

board_register

Examples

```
## Not run:  
# the following example requires an Azure Storage key  
board_register_azure(container = "pinscontainer",  
                    account = "pinsstorage",
```

```
key = "abcabcabcabcabcabcabcabcabcab==")

## End(Not run)
```

board_register_datatxt

Register Data TXT Board

Description

Wrapper with explicit parameters over `board_register()` to register as a board a website describing resources with a `data.txt` file.

Usage

```
board_register_datatxt(
  url,
  name = NULL,
  headers = NULL,
  cache = board_cache_path(),
  ...
)
```

Arguments

<code>url</code>	Path to the <code>data.txt</code> file or path containing it.
<code>name</code>	The name for this board, usually the domain name of the website.
<code>headers</code>	Optional list of headers to include or a function to generate them.
<code>cache</code>	The local folder to use as a cache, defaults to <code>board_cache_path()</code> .
<code>...</code>	Additional parameters required to initialize a particular board.

See Also

`board_register`

Examples

```
# register website board using datatxt file
board_register_datatxt(url = "https://datatxt.org/data.txt",
  name = "txtexample",
  cache = tempfile())

# find pins
pin_find(board = "txtexample")
```

 board_register_dospace

Register DigitalOcean Board

Description

Wrapper with explicit parameters over `board_register()` to register a DigitalOcean Spaces board.

Usage

```
board_register_dospace(
  name = "dospace",
  space = Sys.getenv("DO_SPACE"),
  key = Sys.getenv("DO_ACCESS_KEY_ID"),
  secret = Sys.getenv("DO_SECRET_ACCESS_KEY"),
  datacenter = Sys.getenv("DO_DATACENTER"),
  cache = board_cache_path(),
  host = "digitaloceanspaces.com",
  ...
)
```

Arguments

name	Optional name for this board, defaults to 's3'.
space	The name of the DigitalOcean space. Defaults to the DO_SPACE environment variable.
key	The key of the DigitalOcean space. Defaults to the DO_ACCESS_KEY_ID environment variable.
secret	The secret of the DigitalOcean space. Defaults to the DO_SECRET_ACCESS_KEY environment variable.
datacenter	The datacenter of the DigitalOcean space. Defaults to the DO_DATACENTER environment variable.
cache	The local folder to use as a cache, defaults to <code>board_cache_path()</code> .
host	The host to use for storage, defaults to "digitaloceanspaces.com".
...	Additional parameters required to initialize a particular board.

Details

This function requires a DigitalOcean space to be manually created; otherwise, registering a DigitalOcean space will fail.

See Also

`board_register`

Examples

```
## Not run:  
# the following example requires a DigitalOcean Spaces API key  
board_register_s3(bucket = "s3bucket")  
  
## End(Not run)
```

board_register_gcloud *Register Google Cloud Board*

Description

Wrapper with explicit parameters over `board_register()` to register a Google Cloud Storage container as a board.

Usage

```
board_register_gcloud(  
  name = "gcloud",  
  bucket = Sys.getenv("GCLOUD_STORAGE_BUCKET"),  
  token = NULL,  
  cache = board_cache_path(),  
  ...  
)
```

Arguments

name	Optional name for this board, defaults to 'gcloud'.
bucket	The name of the Google Cloud Storage bucket. Defaults to the GCLOUD_STORAGE_BUCKET environment variable.
token	The access token of the Google Cloud Storage container. Defaults to use the Google Cloud SDK if configured.
cache	The local folder to use as a cache, defaults to board_cache_path().
...	Additional parameters required to initialize a particular board.

Details

This function requires a Google Cloud Storage container to be manually created; otherwise, registering a Google Cloud board will fail.

See Also

`board_register`

Examples

```
## Not run:
# the following example requires the Google Cloud SDK to be configured
board_register_gcloud(container = "gcloudcontainer")

## End(Not run)
```

board_register_github *Register GitHub Board*

Description

Wrapper with explicit parameters over `board_register()` to register a GitHub repo as a board.

Usage

```
board_register_github(
  name = "github",
  repo = NULL,
  branch = "master",
  token = NULL,
  path = "",
  host = "https://api.github.com",
  cache = board_cache_path(),
  ...
)
```

Arguments

name	Optional name for this board, defaults to 'github'.
repo	The GitHub repository formatted as 'owner/repo', can be NULL if the GITHUB_PAT environment variable is set.
branch	The branch to use when committing pins.
token	Token to use when GITHUB_PAT is not specified.
path	The subdirectory in the repo where the pins will be stored.
host	The URL hosting the GitHub API, defaults to "https://api.github.com".
cache	The local folder to use as a cache, defaults to <code>board_cache_path()</code> .
...	Additional parameters required to initialize a particular board.

Details

This function requires a GitHub repo to be manually created; otherwise, registering a GitHub board will fail.

When a file upload exceeds 25MB, a GitHub release file will be used since they support up to 2GB file uploads. This threshold can be configured through the `pins.github.release` option which is specified in megabytes and defaults to 25.

When using GitHub Enterprise, consider customizing the host parameter to "https://yourhostname/api/v3".

See Also

board_register

Examples

```
## Not run:
# the following example requires a GitHub API key
board_register_github(repo = "owner/repo")

## End(Not run)
```

board_register_kaggle *Register Kaggle Board*

Description

Wrapper with explicit parameters over board_register() to register Kaggle as a board.

Usage

```
board_register_kaggle(
  name = "kaggle",
  token = NULL,
  overwrite = FALSE,
  cache = board_cache_path(),
  ...
)
```

Arguments

name	Optional name for this board, defaults to 'kaggle'.
token	The Kaggle token as a path to the kaggle.json file, can be NULL if the ~/.kaggle/kaggle.json file already exists.
overwrite	Should ~/.kaggle/kaggle.json be overridden?
cache	The local folder to use as a cache, defaults to board_cache_path().
...	Additional parameters required to initialize a particular board.

See Also

board_register

Examples

```
## Not run:
# the following example requires a Kaggle API token
board_register_kaggle(token = "path/to/kaggle.json")

## End(Not run)
```

board_register_local *Register Local Board*

Description

Wrapper with explicit parameters over `board_register()` to register a local folder as a board.

Usage

```
board_register_local(name = "local", cache = board_cache_path(), ...)
```

Arguments

name	Optional name for this board, defaults to 'local'.
cache	The local folder to use as a cache, defaults to <code>board_cache_path()</code> .
...	Additional parameters required to initialize a particular board.

See Also

`board_register`

Examples

```
# register local board using a temp folder
board_register_local(cache = tempfile())
```

board_register_rsconnect
Register RStudio Connect Board

Description

Wrapper with explicit parameters over `board_register()` to register RStudio Connect as a board.

Usage

```
board_register_rsconnect(
  name = "rsconnect",
  server = NULL,
  account = NULL,
  key = NULL,
  output_files = FALSE,
  cache = board_cache_path(),
  ...
)
```

Arguments

name	Optional name for this board, defaults to 'rsconnect'.
server	Optional address to RStudio Connect server.
account	Optional account name to use with RStudio Connect.
key	The RStudio Connect API key.
output_files	Should the output in an automated report create output files?
cache	The local folder to use as a cache, defaults to board_cache_path().
...	Additional parameters required to initialize a particular board.

See Also

board_register

Examples

```
## Not run:
# the following examples require an RStudio Connect API key

# register from rstudio
board_register_rsconnect()

# register from rstudio with multiple servers
board_register_rsconnect(server = "https://rstudio-connect-server")

# register from rstudio with multiple account
board_register_rsconnect(account = "account-name")

# register automated report for rstudio connect
board_register_rsconnect(key = Sys.getenv("CONNECT_API_KEY"),
                        server = Sys.getenv("CONNECT_SERVER"))

## End(Not run)
```

board_register_s3 *Register S3 Board*

Description

Wrapper with explicit parameters over board_register() to register an Amazon S3 bucket as a board.

Usage

```
board_register_s3(
    name = "s3",
    bucket = Sys.getenv("AWS_BUCKET"),
    key = Sys.getenv("AWS_ACCESS_KEY_ID"),
    secret = Sys.getenv("AWS_SECRET_ACCESS_KEY"),
    cache = board_cache_path(),
    host = "s3.amazonaws.com",
    ...
)
```

Arguments

name	Optional name for this board, defaults to 's3'.
bucket	The name of the Amazon S3 bucket. Defaults to the AWS_BUCKET environment variable.
key	The key of the Amazon S3 bucket. Defaults to the AWS_ACCESS_KEY_ID environment variable.
secret	The secret of the Amazon S3 bucket. Defaults to the AWS_SECRET_ACCESS_KEY environment variable.
cache	The local folder to use as a cache, defaults to board_cache_path().
host	The host to use for storage, defaults to "s3.amazonaws.com".
...	Additional parameters required to initialize a particular board.

Details

This function requires an Amazon S3 bucket to be manually created; otherwise, registering an S3 board will fail.

See Also

board_register

Examples

```
## Not run:
# the following example requires an Amazon S3 API key
board_register_s3(bucket = "s3bucket")

## End(Not run)
```

pin	<i>Pin Resource</i>
-----	---------------------

Description

Pins the given resource locally or to the given board.

Usage

```
pin(x, name = NULL, description = NULL, board = NULL, ...)
```

Arguments

x	An object, local file or remote URL to pin.
name	The name for the dataset or object.
description	Optional description for this pin.
board	The board where this pin will be placed.
...	Additional parameters.

Details

`pin()` allows you to cache remote resources and intermediate results with ease. When caching remote resources, usually URLs, it will check for HTTP caching headers to avoid re-downloading when the remote result has not changed.

This makes it ideal to support reproducible research by requiring manual instruction to download resources before running your R script.

In addition, `pin()` still works when working offline or when the remote resource becomes unavailable; when this happens, a warning will be triggered but your code will continue to work.

Examples

```
library(pins)

# define local board
board_register_local(cache = tempfile())

# cache the mtcars dataset
pin(mtcars)

# cache computation over mtcars
mtcars[mtcars$mpg > 30,] %>%
  pin(name = "mtefficient")

# retrieve cached pin
pin_get("mtefficient")

# url to remote resource
```



```
resource <- file.path("https://raw.githubusercontent.com/facebook/prophet",
                     "master/examples/example_retail_sales.csv")

# cache remote resource
pin(resource, name = "example_retail_sales")

# load cached csv
pin_get("example_retail_sales") %>% read.csv()

# cache and read csv
read.csv(pin(resource))
```

pin_find

Find Pin

Description

Find a pin in any board registered using `board_register()`.

Usage

```
pin_find(text = NULL, board = NULL, name = NULL, extended = FALSE, ...)
```

Arguments

<code>text</code>	The text to find in the pin description or name.
<code>board</code>	The board name used to find the pin.
<code>name</code>	The exact name of the pin to match when searching.
<code>extended</code>	Should additional board-specific columns be shown?
<code>...</code>	Additional parameters.

Details

`pin_find()` allows you to discover new resources or retrieve pins you've previously created with `pin()`.

The `pins` package comes with a CRAN packages board which allows searching all CRAN packages; however, you can add additional boards to search from like Kaggle, Github and RStudio Connect.

For 'local' and 'packages' boards, the 'text' parameter searches the title and description of a pin using a regular expression. Other boards search in different ways, most of them are just partial matches, please refer to their documentation to understand how other boards search for pins.

Once you find a pin, you can retrieve with `pin_get("pin-name")`.

Examples

```
library(pins)

# retrieve pins
pin_find()

# search pins related to 'cars'
pin_find("cars")

# search pins related to 'seattle' in the 'packages' board
pin_find("seattle", board = "packages")

# search pins related to 'london' in the 'packages' board
pin_find("london", board = "packages")

# retrieve 'hpiR/seattle_sales' pin
pin_get("hpiR/seattle_sales")

# retrieve 'bsamGP/London.Mortality' pin
pin_get("bsamGP/London.Mortality")
```

pin_get

Retrieve Pin

Description

Retrieves a pin by name from the local or given board.

Usage

```
pin_get(
  name,
  board = NULL,
  cache = TRUE,
  extract = NULL,
  version = NULL,
  files = FALSE,
  signature = NULL,
  ...
)
```

Arguments

name	The name of the pin.
board	The board where this pin will be retrieved from.

cache	Should the pin cache be used? Defaults to TRUE.
extract	Should compressed files be extracted? Each board defines the default behavior.
version	The version of the dataset to retrieve, defaults to latest one.
files	Should only the file names be returned?
signature	Optional signature to validate this pin, use pin_info() to compute signature.
...	Additional parameters.

Details

pin_get() retrieves a pin by name and, by default, from the local board. You can use the board parameter to specify which board to retrieve a pin from. If a board is not specified, it will use pin_find() to find the pin across all boards and retrieve the one that matches by name.

Examples

```
library(pins)

# define local board
board_register_local(cache = tempfile())

# cache the mtcars dataset
pin(mtcars)

# retrieve the mtcars pin
pin_get("mtcars")

# retrieve mtcars pin from packages board
pin_get("easyalluvial/mtcars2", board = "packages")
```

pin_info

Pin Info

Description

Retrieve information for a given pin.

Usage

```
pin_info(
  name,
  board = NULL,
  extended = TRUE,
  metadata = TRUE,
  signature = FALSE,
  ...
)
```

Arguments

name	The exact name of the pin to match when searching.
board	The board name used to find the pin.
extended	Should additional board-specific information be shown?
metadata	Should additional pin-specific information be shown?
signature	Should a signature to identify this pin be shown?
...	Additional parameters.

Examples

```
library(pins)

# define local board
board_register_local(cache = tempfile())

# cache the mtcars dataset
pin(mtcars)

# print pin information
pin_info("mtcars")
```

pin_reactive

Reactive Pin

Description

Creates a pin that reacts to changes in the given board by polling `pin_get()`, useful when used from the shiny package.

Usage

```
pin_reactive(name, board, interval = 5000, session = NULL, extract = NULL)
```

Arguments

name	The name of the pin.
board	The board where this pin will be retrieved from.
interval	Approximate number of milliseconds to wait to retrieve updated pin. This can be a numeric value, or a function that returns a numeric value.
session	The user session to associate this file reader with, or NULL if none. If non-null, the reader will automatically stop when the session ends.
extract	Should compressed files be extracted? Each board defines the default behavior.

`pin_remove`*Remove Pin*

Description

Unpins the given named pin from the given board.

Usage

```
pin_remove(name, board)
```

Arguments

name	The name for the pin.
board	The board from where this pin will be removed.

Details

Notice that some boards do not support deleting pins, this is the case for the Kaggle board. For these boards, you would manually have to remote resources using the tools the board provides.

Examples

```
library(pins)

# define local board
board_register_local(cache = tempfile())

# create mtcars pin
pin(mtcars)

# remove mtcars pin
pin_remove("mtcars", board = "local")
```

`pin_versions`*Pin Versions*

Description

Retrieve versions available for a given pin.

Usage

```
pin_versions(name, board = NULL, full = FALSE, ...)
```

Arguments

<code>name</code>	The exact name of the pin to match when searching.
<code>board</code>	The board name used to find the pin.
<code>full</code>	Should the full versioned paths be shown? Defaults to FALSE.
<code>...</code>	Additional parameters.

Examples

```
library(pins)

# define local board with versioning enabled
board_register_local(cache = tempfile(), versions = TRUE)

# cache the mtcars dataset
pin(mtcars, name = "mtcars")

# cache variation of the mtcars dataset
pin(mtcars * 10, name = "mtcars")

# print the mtcars versions
versions <- pin_versions("mtcars") %>% print()

# retrieve the original version
pin_get("mtcars", version = versions$version[1])

# retrieve the variation version
pin_get("mtcars", version = versions$version[2])
```

Index

[board_browse \(board_pin_create\)](#), 5
[board_cache_path](#), 2
[board_default](#), 3
[board_deregister](#), 3
[board_get](#), 4
[board_initialize \(board_pin_create\)](#), 5
[board_list](#), 4
[board_pin_create](#), 5
[board_pin_find \(board_pin_create\)](#), 5
[board_pin_get \(board_pin_create\)](#), 5
[board_pin_remove \(board_pin_create\)](#), 5
[board_pin_versions \(board_pin_create\)](#), 5
[board_register](#), 5
[board_register_azure](#), 7
[board_register_datatxt](#), 6, 8
[board_register_dospace](#), 9
[board_register_gcloud](#), 10
[board_register_github](#), 6, 11
[board_register_kaggle](#), 6, 12
[board_register_local](#), 6, 13
[board_register_rsconnect](#), 6, 13
[board_register_s3](#), 14

[pin](#), 16
[pin_find](#), 17
[pin_get](#), 18
[pin_info](#), 19
[pin_reactive](#), 20
[pin_remove](#), 21
[pin_versions](#), 21