

Package ‘plu’

June 9, 2020

Type Package

Title Pluralize Phrases

Version 0.1.0

Description Converts English phrases to singular or plural form based on the length of an associated vector. Contains helper functions to create natural language lists from vectors and to include the length of a vector in natural language.

License MIT + file LICENSE

URL <https://github.com/rossellhayes/plu>

BugReports <https://github.com/rossellhayes/plu/issues>

Depends R (>= 2.10)

Suggests covr, nombre, testthat

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.1.0

NeedsCompilation no

Author Alexander Rossell Hayes [aut, cre, cph],
Kevin Atkinson [dct]

Maintainer Alexander Rossell Hayes <alexander@rossellhayes.com>

Repository CRAN

Date/Publication 2020-06-09 10:50:07 UTC

R topics documented:

plu_ral	2
plu_ralize	4
plu_stick	5

Index	8
--------------	----------

 plu_ral

Pluralize a phrase based on the length of a vector

Description

Pluralize a phrase based on the length of a vector

Usage

```
plu_ral(
  x,
  vector = integer(2),
  n_fn = NULL,
  ...,
  n = length(vector),
  pl = abs(n) != 1,
  irregulars = c("moderate", "conservative", "liberal", "none", "easter"),
  replace_n = TRUE
)

ral(
  x,
  vector = integer(2),
  n_fn = NULL,
  ...,
  n = length(vector),
  pl = abs(n) != 1,
  irregulars = c("moderate", "conservative", "liberal", "none", "easter"),
  replace_n = TRUE
)
```

Arguments

x	An English word or phrase to be pluralized. See details for special sequences which are handled differently.
vector	A vector whose length determines n. Defaults to length 2.
n_fn	A function to apply to the output of the special sequence "n". See examples. Defaults to identity, which returns n unchanged.
...	Additional arguments passed to the function n_fn.
n	The number which will determine the plurality of x. Defaults to length(n). If specified, overrides vector.
pl	A logical value indicating whether to use the plural form (if TRUE) or the singular form (if FALSE) of x. Defaults to FALSE when n is 1 or -1 and TRUE for all other values. If specified, overrides n.

irregulars	What level of irregularity to use in pluralization. "moderate" uses the most common pluralization. "conservative" uses the most common irregular plural if one exists, even if a regular plural is more common. "liberal" uses a regular plural if it exists, even if an irregular plural is more common. "none" attempts to apply regular noun pluralization rules to all words. Defaults to "moderate". The default can be changed by setting <code>options(plu.irregulars)</code> . See examples in <code>plu::ralize()</code> for more details.
replace_n	A logical indicating whether to use special handling for "n". See details. Defaults to TRUE.

Details

Certain strings in `x` are treated specially.

- By default, "a" and "an" are deleted in the plural ("a word" to "words").
- The string "n" will be replaced with the length of vector or the number in `n`.
 - This output can be modified with `n_fn`.
- Strings between braces separated by a pipe will be treated as a custom plural ("{a|some} word" to "a word", "some words").
 - Three strings separated by pipes will be treated as a singular, dual, and plural form ("{the|both|all} word" to "the word" (1), "both words" (2), "all words" (3+)).
- Any other string between braces will be treated as invariant ("attorney {general}" to "attorneys general").

Value

The character vector `x` altered to match the number of `n`

See Also

`plu::ralize()` to convert an English word to its plural form.

Examples

```
plu::ral("apple", pl = FALSE)
plu::ral("apple", pl = TRUE)

plu::ral("apple", n = 1)
plu::ral("apple", n = 2)
plu::ral("apple", n = 0)
plu::ral("apple", n = -1)
plu::ral("apple", n = 0.5)

mon <- c("apple")
tue <- c("pear", "pear")

plu::ral("apple", mon)
plu::ral("pear", tue)
```

```

paste("Monday, the caterpillar ate", plu::ral("an apple", mon))
paste("Tuesday, the caterpillar ate", plu::ral("a pear", tue))

paste("Monday, the caterpillar visited", plu::ral("an {apple} tree", mon))
paste("Tuesday, the caterpillar visited", plu::ral("a {pear} tree", tue))

paste("Monday, the caterpillar ate", plu::ral("a {single|multiple} apple", mon))
paste("Tuesday, the caterpillar ate", plu::ral("a {single|multiple} pear", tue))

later <- c(
  rep("plum", 3), rep("strawberry", 4), rep("orange", 5),
  "chocolate cake", "ice-cream cone", "pickle", "Swiss cheese", "salami",
  "lollipop", "cherry pie", "sausage", "cupcake", "watermelon"
)

paste("The caterpillar ate", plu::ral("{the|both|all of the} apple", mon))
paste("The caterpillar ate", plu::ral("{the|both|all of the} pear", tue))
paste("The caterpillar ate", plu::ral("{the|both|all of the} delicacy", later))

paste("The caterpillar ate", plu::ral("n apple", mon))
paste("The caterpillar ate", plu::ral("n delicacy", later))

paste("The caterpillar ate", plu::ral("n apple", mon, nombre::cardinal))
paste("The caterpillar ate", plu::ral("n delicacy", later, nombre::cardinal))

```

plu_ralize

Pluralize a word

Description

Pluralize a word

Usage

```

plu_ralize(
  x,
  irregulars = getOption("plu.irregulars", c("moderate", "conservative", "liberal",
    "none", "easter"))
)

ralize(
  x,
  irregulars = getOption("plu.irregulars", c("moderate", "conservative", "liberal",
    "none", "easter"))
)

```

Arguments

x A character vector of English words to be pluralized

`irregulars` What level of irregularity to use in pluralization. "moderate" uses the most common pluralization. "conservative" uses the most common irregular plural if one exists, even if a regular plural is more common. "liberal" uses a regular plural if it exists, even if an irregular plural is more common. "none" attempts to apply regular noun pluralization rules to all words. Defaults to "moderate". The default can be changed by setting `options(plu.irregulars)`. See examples.

Value

The character vector `x` pluralized

Source

Irregular plurals list adapted from [Automatically Generated Inflection Database \(AGID\)](#)

Copyright 2000-2014 by Kevin Atkinson

Permission to use, copy, modify, distribute and sell this database, the associated scripts, the output created from the scripts and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appears in all copies and that both that copyright notice and this permission notice appear in supporting documentation. Kevin Atkinson makes no representations about the suitability of this array for any purpose. It is provided "as is" without express or implied warranty.

See Also

[`plu::ral\(\)`](#) to pluralize an English phrase based on a condition

Examples

```
plu::ralize("word")
plu::ralize(c("group", "word"))

plu::ralize(c("formula", "person", "child"), irregulars = "conservative")
plu::ralize(c("formula", "person", "child"), irregulars = "moderate")
plu::ralize(c("formula", "person", "child"), irregulars = "liberal")
plu::ralize(c("formula", "person", "child"), irregulars = "none")
```

`plu_stick`

Collapse character vectors into natural language strings

Description

Collapse character vectors into natural language strings

Usage

```

plu_stick(
  x,
  fn = NULL,
  ...,
  max = Inf,
  fn_overflow = FALSE,
  sep = ", ",
  conj = " and ",
  syndeton = c("last", "all", "none"),
  oxford = getOption("plu.oxford_comma")
)

stick(
  x,
  fn = NULL,
  ...,
  max = Inf,
  fn_overflow = FALSE,
  sep = ", ",
  conj = " and ",
  syndeton = c("last", "all", "none"),
  oxford = getOption("plu.oxford_comma")
)

```

Arguments

<code>x</code>	A character vector (or a vector coercible to character)
<code>fn</code>	A function to apply to all items in the list
<code>...</code>	Additional arguments to <code>fn</code>
<code>max</code>	The maximum number of items to list. Additional arguments are replaced with "n more". Defaults to <code>Inf</code> , which prints all items.
<code>fn_overflow</code>	Whether to apply <code>fn</code> to the overflow message when <code>x</code> contains more items than <code>max</code> . Defaults to <code>FALSE</code> .
<code>sep</code>	The mark to place between list items. Defaults to <code>" "</code> .
<code>conj</code>	A conjunction to place between list items. Defaults to <code>"and"</code> .
<code>syndeton</code>	Whether to place the conjunction before the <code>"last"</code> list items, between <code>"all"</code> list items, or between <code>"none"</code> . Defaults to <code>"last"</code> .
<code>oxford</code>	A logical value indicating whether to place <code>sep</code> before the last list item (<code>x</code> , <code>y</code> , and <code>z</code>) or not (<code>x</code> , <code>y</code> and <code>z</code>) in lists of length three or more where <code>syndeton</code> is <code>"last"</code> . Defaults to <code>TRUE</code> if R's locale is set to the United States and <code>FALSE</code> otherwise. The default can be changed by setting <code>options(plu.oxford_comma)</code> .

Value

A character vector of length 1

See Also

[glue::glue_collapse\(\)](#) for a generalized way to collapse vectors into a single string

Examples

```
ingredients <- c("sugar", "spice", "everything nice")
plu::stick(ingredients)

plu::stick(ingredients, fn = toupper)
plu::stick(names(formals(plu::stick)), fn = encodeString, quote = "`")

plu::stick(ingredients, conj = "or")

plu::stick(ingredients, syndeton = "all")

plu::stick(ingredients, sep = "/", syndeton = "none")

creed <- c("snow", "rain", "heat", "gloom of night")
plu::stick(creed, conj = "nor", syndeton = "all")

dedication <- c("my parents", "Ayn Rand", "God")
plu::stick(dedication)
plu::stick(dedication, oxford = TRUE)
plu::stick(dedication, oxford = FALSE)
```

Index

`glue::glue_collapse()`, 7

`plu::ral()`, 5

`plu::ralize()`, 3

`plu_ral`, 2

`plu_ralize`, 4

`plu_stick`, 5

`ral(plu_ral)`, 2

`ralize(plu_ralize)`, 4

`stick(plu_stick)`, 5