

Package ‘preference’

June 19, 2020

Type Package

Title 2-Stage Preference Trial Design and Analysis

Version 1.1.3

URL <https://github.com/kanepiusplus/preference>

BugReports <https://github.com/kanepiusplus/preference/issues>

Description Design and analyze two-stage randomized trials with a continuous outcome measure. The package contains functions to compute the required sample size needed to detect a given preference, treatment, and selection effect; alternatively, the package contains functions that can report the study power given a fixed sample size. Finally, analysis functions are provided to test each effect using either summary data (i.e. means, variances) or raw study data.

License LGPL-2

Imports ggplot2, tidyr

Suggests testthat

Encoding UTF-8

RoxygenNote 7.1.0

LazyData true

NeedsCompilation no

Author Briana Cameron [aut, cph],
Denise Esserman [ctb],
Michael Kane [cre, ctb] (<<https://orcid.org/0000-0003-1899-6662>>)

Maintainer Michael Kane <michael.kane@yale.edu>

Repository CRAN

Date/Publication 2020-06-19 08:50:02 UTC

R topics documented:

preference-package	2
effects_from_means	4

fit_preference	5
fit_preference_summary	6
imap_stratified_summary	8
optimal_proportion	9
overall_power_binom	10
overall_sample_size_bin	11
overall_sample_size_pois	12
plot.preference.trial	13
preference	15
preference.trial	16
pt_from_power	17
pt_from_ss	19
pwr_overall_pois	20
sample_size	22
treatment_effect_size	23
Index	25

preference-package *Design and Analysis of Two-stage Randomized Clinical Trials*

Description

The **preference** package is used for the design and analysis of two-stage randomized trials with a continuous outcome measure. In this study, patients are first randomized to either a random or choice arm. Patients initially randomized to the choice arm are allowed to select their preferred treatment from the available treatment options; patients initially randomized to the random arm undergo a second randomization procedure to one of the available treatment options. The design has also been extended to include important stratification variables; the functions provided in this package can accommodate both the unstratified and stratified designs.

In this study, there are three effects that may be of interest. The treatment effect captures the difference in outcome between patients randomized to treatment A and treatment B (similar to a traditional RCT). The selection effect captures the difference in outcome between patients that prefer treatment A and patients that prefer treatment B, regardless of the treatment that is actually received. Finally, the preference effect compares the outcomes of patients who receive their preferred treatment (either treatment A or treatment B) and patients who do not receive their preferred treatment.

To aid in the design of these two-stage randomized studies, sample size functions are provided to determine the necessary sample size to detect a particular selection, preference, and/or treatment effect. If the sample size is fixed prior to the start of the study, functions are provided to calculate the study power to detect each effect. Finally, the `optimal_proportion` function can be used to determine the optimal proportion of patients randomized to the choice arm in the initial randomization.

To analyze the data from the two-stage randomized trial, two analysis functions are provided. The function `preference` computes the test statistic and p-value for each effect given provided raw study data. The function `fit_preference_summary` uses provided summary data (mean, variance,

and sample size) of each study group to compute the test statistic and p-value of each effect. The test statistics can be accessed from the models using the `summary()` function.

Preference Trial Function Calls:

- `preference.trial`: construct a `preference.trial` based on effect and sample sizes.
- `pt_from_power`: construct a `preference.trial` based on power and effect size.
- `pt_from_ss`: construct a `preference.trial` based on sample size

Analysis Function Calls

- `preference` and `fit_preference`: computes test statistic and p-value for observed #' selection, preference, and treatment effects using provided raw data
- `fit_preference_summary`: computes test statistic and p-value for observed selection, preference, and treatment effects using provided summary data (mean, variance, sample size)

Other Function Calls

- `treatment_effect_size`: computes the treatment effect that can be detected given a specified sample size and power
- `optimal_proportion`: computes the optimal proportion randomized to choice arm (defined for unstratified design only)
- `effects_from_means`: computes the treatment, selection, and preference effect sizes provided the study means in each treatment arm

Data Sets

- `imap`: summary SF36 outcome data for the two-stage randomized IMAP study
- `imap_strat`: summary SF36 outcome data for the two-stage randomized IMAP study stratified by high vs. low STAI score

Acknowledgments: This work was partially supported through a Patient-Centered Outcomes Research Institute (PCORI) Award (ME-1511-32832) and Yale's CTSA Award (U11TR001863). We would also like to thank the IMAP team for sharing their data to demonstrate this package.

Disclaimer: All statements in this report, including its findings and conclusions, are solely those of the authors and do not necessarily represent the views of the Patient-Centered Outcomes Research Institute (PCORI), its Board of Governors or Methodology Committee.

References

- Rucker G (1989). "A two-stage trial design for testing treatment, self-selection and treatment preference effects." *Stat Med*, **8**(4):477-485. ([PubMed](#))
- McCaffery et al. (2010) "Psychosocial outcomes of three triage methods for the management of borderline abnormal cervical smears: an open randomised trial." *BMJ*, **340**:b4491. ([PubMed](#))
- Walter et. al. (2011). "Optimal allocation of participants for the estimation of selection, preference and treatment effects in the two-stage randomised trial design." *Stat Med*, **31**(13):1307-1322. ([PubMed](#))
- McCaffery et al. (2011) "Determining the Impact of Informed Choice: Separating Treatment Effects from the Effects of Choice and Selection in Randomized Trials." *Med Decis Making*, **31**(2):229-236. ([PubMed](#))

Turner RM, et al. (2014). "Sample Size and Power When Designing a Randomized Trial for the Estimation of Treatment, Selection, and Preference Effects." *Medical Decision Making*, **34**:711-719. ([PubMed](#))

Cameron B, Esserman D (2016). "Sample Size and Power for a Stratified Doubly Randomized Preference Design." *Stat Methods Med Res.* ([PubMed](#))

effects_from_means *Calculate Effect Sizes from Means*

Description

Calculates the preference, selection and treatment effects given the means of each treatment group in the choice and random arms for the 2-stage randomized study.

Usage

```
effects_from_means(mu1, mu2, mu11, mu22, phi, nstrata = 1, xi = NULL)
```

Arguments

mu1	mean response of the patients receiving treatment 1 in the random arm. For unstratified design, should be numeric value. For the stratified design, should be vector of length equal to number of strata with each entry corresponding to stratum-specific mean.
mu2	mean response of the patients receiving treatment 2 in the random arm. For unstratified design, should be numeric value. For the stratified design, should be vector of length equal to number of strata with each entry corresponding to stratum-specific mean.
mu11	mean response of the patients choosing treatment 1 in the choice arm. For unstratified design, should be numeric value. For the stratified design, should be vector of length equal to number of strata with each entry corresponding to stratum-specific mean.
mu22	mean response of the patients choosing treatment 2 in the choice arm. For unstratified design, should be numeric value. For the stratified design, should be vector of length equal to number of strata with each entry corresponding to stratum-specific mean.
phi	proportion of patients preferring treatment 1. For unstratified design, should be numeric value. For the stratified design, should be vector of length equal to number of strata with each entry corresponding to stratum-specific preference rate. All elements should be numeric values between 0 and 1.
nstrata	number of strata. Default is 1 (unstratified design).
xi	a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. Should only be specified for stratified design.

References

Rucker G (1989). "A two-stage trial design for testing treatment, self-selection and treatment preference effects." *Stat Med*, **8**(4):477-485. ([PubMed](#))

Examples

```
effects_from_means(mu1=1, mu2=2, mu11=1.5, mu22=2.5, phi=0.5)
```

fit_preference	<i>Fit the Preference Data Collected from a Two-stage Clinical Trial</i>
----------------	--

Description

Computes the test statistics and p-values for the preference, selection, and treatment effects for the two-stage randomized trial using collected outcome, random, treatment, and strata values for specified significance level.

Usage

```
fit_preference(outcome, arm, treatment, strata, alpha = 0.05)
```

Arguments

outcome	(numeric) individual trial outcomes.
arm	(character or factor) a vector of "choice" and "random" character or factor values indicating the arm of the sample?
treatment	(character, factor, or integer) which treatment an individual received
strata	(optional integer) which strata the individual belongs to.
alpha	(optional numeric) Level of significance (default=0.05)

Examples

```
# Unstratified
outcome <- c(10, 8, 6, 10, 5, 8, 7, 6, 10, 12, 11, 6, 8, 10, 5, 7, 9,
            12, 6, 8, 9, 10, 7, 8,11)
arm <- c(rep("choice", 13), rep("random", 12))
treatment <- c(rep(1, 5), rep(2, 8), rep(1, 6), rep(2, 6))
fit_preference(outcome, arm, treatment)

# Stratified
# Same data plus strata information.
strata <- c(1,1,2,2,2,1,1,1,1,2,2,2,2,1,1,1,2,2,2,1,1,1,2,2,2)
fit_preference(outcome, arm, treatment, strata, alpha=0.1)
```

`fit_preference_summary`*Fit Preference Model from Summary Data*

Description

Computes the test statistics and p-values for the preference, selection, and treatment effects in a two-stage randomized trial using summary data.

Usage

```
fit_preference_summary(  
  x1mean,  
  x1var,  
  m1,  
  x2mean,  
  x2var,  
  m2,  
  y1mean,  
  y1var,  
  n1,  
  y2mean,  
  y2var,  
  n2,  
  xi = 1,  
  nstrata = 1,  
  alpha = 0.05  
)
```

Arguments

<code>x1mean</code>	mean of responses for patients choosing treatment 1. If study is stratified, should be vector with length equal to the number of strata.
<code>x1var</code>	variance of responses for patients choosing treatment 1. If study is stratified, should be vector with length equal to the number of strata.
<code>m1</code>	number of patients choosing treatment 1. If study is stratified, should be vector with length equal to the number of strata.
<code>x2mean</code>	mean of responses for patients choosing treatment 2. If study is stratified, should be vector with length equal to the number of strata.
<code>x2var</code>	variance of responses for patients choosing treatment 2. If study is stratified, should be vector with length equal to the number of strata.
<code>m2</code>	number of patients choosing treatment 2. If study is stratified, should be vector with length equal to the number of strata.
<code>y1mean</code>	mean of responses for patients randomized to treatment 1. If study is stratified, should be vector with length equal to the number of strata.

y1var	variance of responses for patients randomized to treatment 1. If study is stratified, should be vector with length equal to the number of strata.
n1	number of patients randomized to treatment 1. If study is stratified, should be vector with length equal to the number of strata.
y2mean	mean of responses for patients randomized to treatment 2. If study is stratified, should be vector with length equal to the number of strata.
y2var	variance of responses for patients randomized to treatment 2. If study is stratified, should be vector with length equal to the number of strata.
n2	number of patients randomized to treatment 2. If study is stratified, should be vector with length equal to the number of strata.
xi	a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design).
nstrata	number of strata. Default is 1 (i.e. unstratified design).
alpha	Type I error rate, used to determine confidence interval level for the effect estimates. Default is 0.05 (i.e. 95% confidence interval)

References

- Rucker G (1989). "A two-stage trial design for testing treatment, self-selection and treatment preference effects." *Stat Med*, **8**(4):477-485. ([PubMed](#))
- Cameron B, Esserman D (2016). "Sample Size and Power for a Stratified Doubly Randomized Preference Design." *Stat Methods Med Res*. ([PubMed](#))

Examples

```
# Unstratified

x1mean <- 5
x1var <- 1
m1 <- 15
x2mean <- 7
x2var <- 1.1
m2 <- 35
y1mean <- 6
y1var <- 1
n1 <- 25
y2mean <- 8
y2var <- 1.2
n2 <- 25
fit_preference_summary(x1mean, x2var, m1, x2mean, x2var, m2, y1mean, y1var,
                      n1, y2mean, y2var, n2)

# Stratified

x1mean <- c(5, 3)
x1var <- c(1, 1)
```

```
m1 <- c(15, 30)
x2mean <- c(7, 7)
x2var <- c(1.1, 3.1)
m2 <- c(35, 40)
y1mean <- c(6, 4)
y1var <- c(1, 2)
n1 <- c(25, 35)
y2mean <- c(8, 12)
y2var <- c(1.2, 1)
n2 <- c(25, 20)
fit_preference_summary(x1mean, x2var, m1, x2mean, x2var, m2, y1mean, y1var,
                      n1, y2mean, y2var, n2, alpha=0.1)
```

imap_stratified_summary

Data from the IMAP study

Description

The “Improving Management of Abnormal Pap Smears” study used a two-stage randomized preference trial design to evaluate psychosocial outcomes in women found to have atypical cells in a Pap Smear. Two systems for managing the atypical cells were tested (repeated Pap smears or HCV triage) and a doubly randomized design was used to evaluate the role of patient preference. The data set provides mean, standard deviation and sample sizes of the SF36 outcome for each treatment in both the choice and random arms.

Three data sets are provided with the preference package based on the IMAP study. The first, `imap_summary` provides summary statistics of the entire trial. The second `imap_summary_stratified`, summary statistics of the study per strata. The third `imap` is a resampled version of the individual level data including stratification. Each of these data sets are compatible with the analysis functions `fit_preference_summary`, `fit_preference`, and `preference`, provided in this package. The examples sections in the documentation illustrate their use.

References

- McCaffery et al. (2010) "Psychosocial outcomes of three triage methods for the management of borderline abnormal cervical smears: an open randomised trial." *BMJ*, **340**:b4491. ([PubMed](#))
- McCaffery et al. (2011) "Determining the Impact of Informed Choice: Separating Treatment Effects from the Effects of Choice and Selection in Randomized Trials." *Med Decis Making*, **31**(2):229-236. ([PubMed](#))

optimal_proportion	<i>Unstratified Optimized Theta</i>
--------------------	-------------------------------------

Description

Calculates the optimal proportion of patients assigned to the choice arm in an unstratified two-stage randomized trial

Usage

```
optimal_proportion(w_sel, w_pref, w_treat, sigma2, phi, delta_pi, delta_nu)
```

Arguments

w_sel	weight assigned to the estimation of the selection effect. Each weight should be a numeric value between 0 and 1 and sum of three weights should be 1.
w_pref	weight assigned to the estimation of the preference effect. Each weight should be a numeric value between 0 and 1 and sum of three weights should be 1.
w_treat	weight assigned to estimation of the treatment effect. Each weight should be a numeric value between 0 and 1 and sum of three weights should be 1.
sigma2	variance estimate. Should be a positive numeric value.
phi	proportion of patients preferring treatment 1. Should be numeric value between 0 and 1.
delta_pi	overall study preference effect.
delta_nu	overall study selection effect.

References

Walter et. al. (2011). "Optimal allocation of participants for the estimation of selection, preference and treatment effects in the two-stage randomised trial design." *Stat Med*, **31**(13):1307-1322. ([PubMed](#))

Examples

```
optimal_proportion(w_sel=0.2, w_pref=0.4, w_treat=0.4, sigma2=1, phi=0.5,  
                  delta_pi=1, delta_nu=0.5)
```

overall_power_binom *Power Calculation from Sample Size*

Description

Calculates the study power to detect the preference effect given a particular sample size in a two-stage randomized clinical trial with a binary outcome measure

Usage

```
overall_power_binom(
  N,
  phi,
  p11,
  p22,
  p1,
  p2,
  alpha = 0.05,
  theta = 0.5,
  xi = 1,
  nstrata = 1
)
```

Arguments

N	overall study sample size.
phi	the proportion of patients preferring treatment 1. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
p11	response proportion of patients choosing to receive treatment 1 in the choice arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
p22	response proportion of patients choosing to receive treatment 2 in the choice arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
p1	response proportion of patients randomized to receive treatment 1 in the random arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
p2	response proportion of patients randomized to receive treatment 2 in the random arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
alpha	desired type I error rate.
theta	proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5).

xi	a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design).
nstrata	number of strata. Default is 1 (i.e. unstratified design).

overall_sample_size_bin

Overall Sample Size Binomial

Description

Calculates the sample size required to detect a given set of effects in a two-stage randomized clinical trial with a binary outcome. Returns the sample size for each of the three effects: preference, selection and treatment

Usage

```
overall_sample_size_bin(
  power,
  phi,
  p11,
  p22,
  p1,
  p2,
  alpha = 0.05,
  theta = 0.5,
  xi = 1,
  nstrata = 1,
  k = 1
)
```

Arguments

power	desired study power. Should be numeric value between 0 and 1.
phi	the proportion of patients preferring treatment 1. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
p11	response proportion of patients choosing to receive treatment 1 in the choice arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
p22	response proportion of patients choosing to receive treatment 2 in the choice arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.

p1	response proportion of patients randomized to receive treatment 1 in the random arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
p2	response proportion of patients randomized to receive treatment 2 in the random arm. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
alpha	desired type I error rate.
theta	proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5).
xi	a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design).
nstrata	number of strata. Default is 1 (i.e. unstratified design).
k	the ratio of treatment A to treatment B in the random arm. (default 1, i.e. equal distribution to the two treatments in the random arm)

overall_sample_size_pois

Overall Sample Size Poisson Distribution

Description

Calculates the sample size required to detect a given set of effects in a two-stage randomized clinical trial. Returns the largest of the required sample sizes for a given set of treatment, selection, and preference effects.

Usage

```
overall_sample_size_pois(  
  power,  
  phi,  
  lambda11,  
  lambda22,  
  lambda1,  
  lambda2,  
  alpha = 0.05,  
  theta = 0.5,  
  xi = 1,  
  nstrata = 1  
)
```

Arguments

power	desired study power. Should be numeric value between 0 and 1.
phi	the proportion of patients preferring treatment 1. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda11	response mean of patients choosing to receive treatment 1 in the choice arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda22	response mean of patients choosing to receive treatment 2 in the choice arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda1	response mean of patients randomized to receive treatment 1 in the random arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda2	response mean of patients randomized to receive treatment 2 in the random arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
alpha	desired type I error rate.
theta	proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5).
xi	a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design).
nstrata	number of strata. Default is 1 (i.e. unstratified design).

Examples

```
# Unstratified
overall_sample_size_pois(power = 0.8, phi = 0.6, lambda11 = 0.6,
                        lambda22 = 0.7, lambda1 = 0.4, lambda2 = 0.6)

# Stratified
overall_sample_size_pois(power = 0.8, phi = c(0.6, 0.5),
                        lambda11 = c(0.6, 0.7), lambda22 = c(0.7,0.7),
                        lambda1 = c(0.4, 0.6), lambda2 = c(0.6, 0.6),
                        xi = c(0.5, 0.5), nstrata = 2)
```

Description

The `plot()` function visualizes the change in the preference effect, the selection effect, or both as a function of the total sample size of the trial. If the preference effect varies but the selection effect does not, then it plots the preference effect by the total sample size. Similarly if the selection effect varies but not the preference effect then selection effect vs total sample size is shown. When both preference and selection effect vary then the selection effect is shown conditioned on the given preference effects.

It is assumed that the set of trial provided as a parameter are related and are comparable. For example, the function does not check to if the strata are the same for all trials. If some other visualization is required then the user is reminded that a `preference.trial` object is a data frame and can be visualized in the usual way.

Usage

```
## S3 method for class 'preference.trial'
plot(x, ...)
```

Arguments

`x` an object of class `preference.trial`.
`...` any other parameters (this is currently not used).

Examples

```
# Plot trials with fixed power and varying preference effect.
trials <- pt_from_power(power = 0.8, pref_effect = seq(0.5, 2, by = 0.1),
                       selection_effect = 1, treatment_effect = 1,
                       sigma2 = 1, pref_prop = 0.6)

plot(trials)

# Plot trials with fixed power and varying selection effect.
trials <- pt_from_power(power = 0.8, pref_effect = 1,
                       selection_effect = seq(0.5, 2, by = 0.1),
                       treatment_effect = 1, sigma2 = 1, pref_prop = 0.6)

plot(trials)

# Plot trials with fixed power and varying preference and
# selection effects.

# the selection effects of interest
selection_effects <- rep(seq(0.5, 2, by = 0.1), 4)

# the preference effects to condition on
pref_effects <- rep(seq(0.4, 1, by = 0.2),
                   each = length(selection_effects)/4)

trials <- pt_from_power(power = 0.8, pref_effect = pref_effects,
                       selection_effect = selection_effects,
                       treatment_effect = 1, sigma2 = 1, pref_prop = 0.6)
```

```
plot(trials)
```

```
preference
```

Fit Preference Data Collected from a Two-stage Clinical Trial

Description

The variables in the formula should reference columns in the data parameter and should have the following characteristics.

- **outcome:** Numeric values giving the outcome of interest.
- **treatment:** Character, categorical, or integer values denoting the treatment received by an individual.
- **random:** Logical value indicating whether the sample was from the random arm (TRUE) or choice (FALSE).
- **strata:** An optional integer value denoting which strata individuals belong to.

Usage

```
preference(form, data, alpha = 0.05)
```

Arguments

<code>form</code>	a formula of the form <code>outcome ~ treatment:arm { strata }</code> .
<code>data</code>	a <code>data.frame</code> containing variables specified in the formula. It should be noted that the arm values must be either "choice" or "random".
<code>alpha</code>	(optional numeric) Level of significance (default 0.05)

Examples

```
# Unstratified
outcome <- c(10, 8, 6, 10, 5, 8, 7, 6, 10, 12, 11, 6, 8, 10, 5, 7, 9,
            12, 6, 8, 9, 10, 7, 8, 11)
arm <- c(rep("choice", 13), rep("random", 12))
treatment <- c(rep(1, 5), rep(2, 8), rep(1, 6), rep(2, 6))
d <- data.frame(outcome=outcome, treatment=treatment, arm=arm)
preference(outcome ~ treatment:arm, d)

# Stratified
random <- c(rep(FALSE, 13), rep(TRUE, 12))
treatment <- c(rep(1, 5), rep(2, 8), rep(1, 6), rep(2, 6))
strata <- c(1,1,2,2,2,1,1,1,1,2,2,2,2,1,1,1,2,2,2,1,1,1,2,2,2,1,1,1,2,2,2)
d <- data.frame(outcome=outcome, treatment=treatment, arm=arm,
               strata=strata)
preference(outcome ~ treatment:arm|strata, d, alpha=0.1)
```

```
preference.trial      Create a Preference Trial
```

Description

Create a Preference Trial

Usage

```
preference.trial(  
  pref_ss,  
  pref_effect,  
  selection_ss,  
  selection_effect,  
  treatment_ss,  
  treatment_effect,  
  sigma2,  
  pref_prop,  
  choice_prop = 0.5,  
  stratum_prop = 1,  
  alpha = 0.05,  
  k = 1  
)
```

Arguments

pref_ss	the sample size of the preference arm.
pref_effect	the effect size of the preference arm (δ_{π}).
selection_ss	the sample size of the selection arm.
selection_effect	the effect size of selection arm (δ_{ν}).
treatment_ss	the sample size of the treatment arm .
treatment_effect	the sample size of the treatment arm (δ_{τ})
sigma2	the variance estimate of the outcome of interest. This value should be positive numeric values. If study is stratified, should be vector of within-stratum variances with length equal to the number of strata in the study.
pref_prop	the proportion of patients preferring treatment 1. This value should be between 0 and 1 (ϕ).
choice_prop	the proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5) (θ).
stratum_prop	xi a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design) (ξ).

alpha	the desired type I error rate (default 0.05).
k	the ratio of treatment A to treatment B in the random arm (default 1)..

References

Turner RM, et al. (2014). "Sample Size and Power When Designing a Randomized Trial for the Estimation of Treatment, Selection, and Preference Effects." *Medical Decision Making*, **34**:711-719. ([PubMed](#))

Cameron B, Esserman D (2016). "Sample Size and Power for a Stratified Doubly Randomized Preference Design." *Stat Methods Med Res.* ([PubMed](#))

Examples

```
# Unstratified single trial.
preference.trial(pref_ss=100, pref_effect=1, selection_ss=100,
  selection_effect=1, treatment_ss=100, treatment_effect=1,
  sigma2=1, pref_prop=0.6)

# Stratified single trial.
preference.trial(pref_ss=100, pref_effect=1, selection_ss=100,
  selection_effect=1, treatment_ss=100, treatment_effect=1,
  sigma2=list(c(1, 0.8)), pref_prop=list(c(0.6, 0.3)),
  choice_prop=0.5, stratum_prop=list(c(0.3, 0.7)))

# Multiple trials unstratified.
preference.trial(pref_ss=100, pref_effect=seq(0.1, 2, by=0.5),
  selection_ss=100, selection_effect=1, treatment_ss=100,
  treatment_effect=1, sigma2=1, pref_prop=0.6)

# Multiple, stratified trials.
preference.trial(pref_ss=100, pref_effect=seq(0.1, 2, by=0.5),
  selection_ss=100, selection_effect=1, treatment_ss=100,
  treatment_effect=1, sigma2=list(c(1, 0.8)), pref_prop=list(c(0.6, 0.3)),
  choice_prop=0.5, stratum_prop=list(c(0.3, 0.7)))
```

pt_from_power

Design Preference Trials with Power Constraint(s)

Description

Create a set of preference trials with specified power. The power parameter guarantees that the power will be at least what is specified for each of the three arms.

Usage

```
pt_from_power(
  power,
  pref_effect,
  selection_effect,
  treatment_effect,
  sigma2,
  pref_prop,
  choice_prop = 0.5,
  stratum_prop = 1,
  alpha = 0.05,
  k = 1
)
```

Arguments

power	the desired power(s) for the trial(s)
pref_effect	the effect size of the preference arm (delta_pi).
selection_effect	the effect size of selection arm (delta_nu).
treatment_effect	the sample size of the treatment arm (delta_tau)
sigma2	the variance estimate of the outcome of interest. This value should be positive numeric values. If study is stratified, should be vector of within-stratum variances with length equal to the number of strata in the study.
pref_prop	the proportion of patients preferring treatment 1. This value should be between 0 and 1 (phi).
choice_prop	the proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5) (theta).
stratum_prop	xi a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design) (xi).
alpha	the desired type I error rate (default 0.05).
k	the ratio of treatment A to treatment B in the random arm (default 1)..

Examples

```
# Unstratified trials with power constraints.
pt_from_power(power=seq(.1, 0.8, by=0.1), pref_effect=1, selection_effect=1,
  treatment_effect=1, sigma2=1, pref_prop=0.6)

# Stratified trials with power constraints. Note that the proportion
# of patients in the choice arm (choice prop) is fixed for all strata.
pt_from_power(power=seq(0.1, 0.8, by=0.1), pref_effect=1,
  selection_effect=1, treatment_effect=1,
```

```

sigma2=list(c(1, 0.8)), pref_prop=list(c(0.6, 0.3)),
choice_prop=0.5, stratum_prop=list(c(0.3, 0.7)))

# or...

pt_from_power(power=seq(0.1, 0.8, by=0.1), pref_effect=1,
selection_effect=1, treatment_effect=1,
sigma2=c(1, 0.8), pref_prop=c(0.6, 0.3),
choice_prop=0.5, stratum_prop=c(0.3, 0.7))

```

pt_from_ss

Design Preference Trials with Sample Size Constraint(s)

Description

Create a set of preference trials where the maximum sample size for an arm is specified.

Usage

```

pt_from_ss(
  ss,
  pref_effect,
  selection_effect,
  treatment_effect,
  sigma2,
  pref_prop,
  choice_prop = 0.5,
  stratum_prop = 1,
  alpha = 0.05,
  k = 1
)

```

Arguments

ss	the maximum size of any of the three arms.
pref_effect	the effect size of the preference arm (δ_{π}).
selection_effect	the effect size of selection arm (δ_{ν}).
treatment_effect	the sample size of the treatment arm (δ_{τ})
sigma2	the variance estimate of the outcome of interest. This value should be positive numeric values. If study is stratified, should be vector of within-stratum variances with length equal to the number of strata in the study.
pref_prop	the proportion of patients preferring treatment 1. This value should be between 0 and 1 (ϕ).

choice_prop	the proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5) (theta).
stratum_prop	xi a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design) (xi).
alpha	the desired type I error rate (default 0.05)..
k	the ratio of treatment A to treatment B in the random arm (default 1).

Examples

```
# Unstratified trials with power constraints.
pt_from_ss(ss=seq(100, 1000, by=100), pref_effect=1,
  selection_effect=1, treatment_effect=1, sigma2=1, pref_prop=0.6)

# Stratified trials with power constraints. Note that the proportion
# of patients in the choice arm (choice prop) is fixed for all strata.
pt_from_ss(ss=seq(100, 1000, by=100), pref_effect=1,
  selection_effect=1, treatment_effect=1,
  sigma2=list(c(1, 0.8)), pref_prop=list(c(0.6, 0.3)),
  choice_prop=0.5, stratum_prop=list(c(0.3, 0.7)))

# or...

pt_from_ss(ss=seq(100, 1000, by=100), pref_effect=1,
  selection_effect=1, treatment_effect=1,
  sigma2=c(1, 0.8), pref_prop=c(0.6, 0.3),
  choice_prop=0.5, stratum_prop=c(0.3, 0.7))
```

pwr_overall_pois

Power Calculation from Sample Size

Description

Calculates the study power to detect a set of effects given a particular sample size in a two-stage randomized clinical trial

Usage

```
pwr_overall_pois(
  N,
  phi,
  lambda11,
  lambda22,
  lambda1,
  lambda2,
```

```

alpha = 0.05,
theta = 0.5,
xi = 1,
nstrata = 1
)

```

Arguments

N	overall study sample size.
phi	the proportion of patients preferring treatment 1. Should be numeric value between 0 and 1. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda11	response mean of patients choosing to receive treatment 1 in the choice arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda22	response mean of patients choosing to receive treatment 2 in the choice arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda1	response mean of patients randomized to receive treatment 1 in the random arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
lambda2	response mean of patients randomized to receive treatment 2 in the random arm. Should be numeric value larger than 0. If study is stratified, should be vector with length equal to the number of strata in the study.
alpha	desired type I error rate.
theta	proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5).
xi	a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design).
nstrata	number of strata. Default is 1 (i.e. unstratified design).

Examples

```

# Unstratified
pwr_overall_pois(N=400, phi=0.5, lambda11=0.8, lambda22=0.5, lambda1=0.5, lambda2=0.4)
# Stratified
pwr_overall_pois(N=400, phi=c(0.5,0.5), lambda11=c(0.7,0.8), lambda22=c(0.4,0.4),
lambda1=c(0.5,0.4), lambda2=c(0.2,0.3), xi=c(0.3,0.7), nstrata=2)

```

sample_size	<i>Preference trial parameter accessors</i>
-------------	---

Description

Accessor functions have been created to get the sample size (`sample_size`), power (`power`), effect size (`effect_size`), arm proportion (`proportion`), significance (`significance`), and trial variance estimates (`sigma2`) for a set of preference trials.

Note that these methods are preferred over accessing the underlying data frame directly since the structure is slightly non-standard (some columns are lists) and some values, like power, are not stored directly.

Usage

```
sample_size(x)

## S3 method for class 'preference.trial'
sample_size(x)

power(x)

## S3 method for class 'preference.trial'
power(x)

effect_size(x)

## S3 method for class 'preference.trial'
effect_size(x)

proportion(x)

## S3 method for class 'preference.trial'
proportion(x)

significance(x)

## S3 method for class 'preference.trial'
significance(x)

sigma2(x)

## S3 method for class 'preference.trial'
sigma2(x)
```

Arguments

`x` the set of preference trials.

Examples

```
# Create a set of trials with a sequence of preference effects.
trials <- preference.trial(pref_ss=100, pref_effect=seq(0.1, 2, by=0.5),
                          selection_ss=100, selection_effect=1,
                          treatment_ss=100, treatment_effect=1, sigma2=1,
                          pref_prop=0.6)

# the sample sizes
sample_size(trials)

# the powers
power(trials)

# the effect sizes
effect_size(trials)

# the arm proportions
proportion(trials)

# the significance
significance(trials)

# the variance estimates
sigma2(trials)
```

treatment_effect_size *Treatment Effect Back Calculation*

Description

Calculates the treatment effect that can be detected given a desired study power and overall study sample size for the two-stage randomized design

Usage

```
treatment_effect_size(
  N,
  power,
  sigma2,
  alpha = 0.05,
  theta = 0.5,
  xi = 1,
  nstrata = 1
)
```

Arguments

N	overall study sample size.
power	desired study power. Should be numeric value between 0 and 1.
sigma2	variance estimate. Should be positive numeric values. If study is stratified, should be vector of within-stratum variances with length equal to the number of strata in the study.
alpha	desired type I error rate.
theta	proportion of patients assigned to choice arm in the initial randomization. Should be numeric value between 0 and 1 (default=0.5).
xi	a numeric vector of the proportion of patients in each stratum. Length of vector should equal the number of strata in the study and sum of vector should be 1. All vector elements should be numeric values between 0 and 1. Default is 1 (i.e. unstratified design).
nstrata	number of strata. Default is 1 (i.e. unstratified design).

Examples

```
treatment_effect_size(N=300, power=0.9, sigma2=c(1,0.8), xi=c(0.3,0.7),  
                      nstrata=2)
```


Index

*Topic **data**

- imap_stratified_summary, 8
- effect_size (sample_size), 22
- effects_from_means, 4
- fit_preference, 5
- fit_preference_summary, 6
- imap (imap_stratified_summary), 8
- imap_stratified_summary, 8
- imap_summary (imap_stratified_summary),
8
- optimal_proportion, 9
- overall_power_binom, 10
- overall_sample_size_bin, 11
- overall_sample_size_pois, 12
- plot.preference.trial, 13
- power (sample_size), 22
- preference, 15
- preference-package, 2
- preference.trial, 16
- proportion (sample_size), 22
- pt_from_power, 17
- pt_from_ss, 19
- pwr_overall_pois, 20
- sample_size, 22
- sigma2 (sample_size), 22
- significance (sample_size), 22
- treatment_effect_size, 23