

Package ‘quantdates’

June 9, 2020

Type Package

Title Manipulate Dates for Finance

Version 1.0

Maintainer Julian Chitiva <julian.chitiva@quantil.com.co>

Description

Functions to manipulate dates and count days for quantitative finance analysis. The 'quantdates' package considers leap, holidays and business days for relevant calendars in a financial context to simplify quantitative finance calculations, consistent with International Swaps and Derivatives Association (ISDA) (2006) <<https://www.isda.org/book/2006-isda-definitions/>> regulations.

Encoding UTF-8

LazyData true

License GPL-3

BugReports <https://github.com/quantilma/quantdates/issues>

RoxygenNote 7.1.0

Depends R (>= 2.10)

Imports lubridate (>= 1.7.4)

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Julian Chitiva [aut, cre],
Diego Jara [aut],
Erick Translateur [com],
Quantil S.A.S [aut, cph]

Repository CRAN

Date/Publication 2020-06-09 14:30:02 UTC

R topics documented:

AddBusinessDays	2
AddDate	3

BusinessDays	4
day_count	5
diffime_business	7
diffime_leap_year	7
holiDaysBOG	8
holiDaysLDN	9
holiDaysNY	9
LastDayOfMonth	10
NumExcel2DateR	11
NumR2DateR	11
wdBOG	12
wdLDN	13
wdNY	13

Index	14
--------------	-----------

AddBusinessDays	<i>AddBusinessDays</i>
-----------------	------------------------

Description

Function to add a number of business days to a specific date. Currently the function work for returning values between 2000 and 2030.

Usage

```
AddBusinessDays(date = Sys.Date(), numDate, loc = "BOG")
```

Arguments

date	Initial date, the default is set to the date returned by Sys.Date().
numDate	Number of dates to be add (positive or negative).
loc	String that determines the location for business days. See details.

Details

loc refers to the location for business days:

- NY for New York.
- LDN for London.
- NYLDN for the intersection of business days in New York and London.
- BOG for Bogota.
- BOGNY for the intersection of business days in Bogota and New York.

Value

The output is the final date after adding the number of business dates to the initial date. If the initial date is a non-working date, the result of the function for numDate equal to 0 or 1 is the same.

Author(s)

Diego Jara

Examples

```
# Date input as Date object
AddBusinessDays(date = Sys.Date(), numDate = 15, loc = 'BOG')

# Date input as character object
AddBusinessDays(date = as.character(Sys.Date()), numDate = 15, loc = 'BOG')
```

AddDate

AddDate

Description

Function to add a number of days, months and years to a specific date. The length of addDays, addMonths and addYears must be the same.

Usage

```
AddDate(date = Sys.Date(), addDays = 0, addMonths = 0, addYears = 0)
```

Arguments

date	Initial date.
addDays	If specified, vector number of days to add to the initial date.
addMonths	If specified, vector number of months to add to the initial date.
addYears	If specified, vector number of years to add to the initial date.

Value

The output is the final date after adding the number of days, months and years to the initial date.

Author(s)

Julian Chitiva and Diego Jara

Examples

```
# Date input as Date object
AddDate(date = Sys.Date(), addDays=14, addMonths=2, addYears=3)

# Date input as character object
AddDate(date = '2019-10-04', addDays=14, addMonths=2, addYears=3)
```

 BusinessDays

BusinessDays

Description

Calculate business days for a given location. Data availability depends on the location.

Usage

```
BusinessDays(loc = "BOG", from = NULL, to = NULL)
```

Arguments

loc	String that determines the location for business days. See details.
from	If provided returns available business dates after this date (inclusive).
to	If provided returns available business dates until this date (inclusive).

Details

loc refers to the location for business days:

- NY for New York.
- LDN for London.
- NYLDN for the intersection of business days in New York and London.
- BOG for Bogota.
- BOGNY for the intersection of business days in Bogota and New York.

Value

Vector of business days. Data availability depends on the location.

Author(s)

Diego Jara and Julian Chitiva

Examples

```
# Returns all business days available for the location
BusinessDays(loc='BOG')

# Returns business days within given range for the location and Dates as
# character
BusinessDays(loc='BOG', from='2020-10-10', to='2020-11-10')

# Returns business days within given range for the location and Dates as
# Dates
BusinessDays(loc='BOG', from=as.Date('2020-10-10'), to='2020-11-10')
```

```
# Returns all available business days for the locatio after given
# 'from' date as character
BusinessDays(loc='BOG', from='2020-10-10')
```

day_count

day_count

Description

Function to count the number of years between two dates according to the given convention.

Usage

```
day_count(tfinal, tinitial, convention = "ACT/365")
```

Arguments

tfinal	Final date.
tinitial	Initial date.
convention	Character that specifies the convention. See details.

Details

The convention accepts the following values:

- 30/360.

$$DayCount = \frac{360 \times (Y_2 - Y_1) + 30 \times (M_2 - M_1) + (D_2 - D_1)}{360}$$

Here the dates are in the following format

- tfinal = Y_2 - M_2 - D_2 (YYYY-MM-DD).
- tinitial = Y_1 - M_1 - D_1 (YYYY-MM-DD).

It is important to note that

- $D_1 = \min(D_1, 30)$
- If $D_1 = 30$ then $D_2 = \min(D_2, 30)$

- ACT/365 (Default).

$$DayCount = \frac{Days(tinitial, tfinal)}{365}$$

Also known as ACT/365 Fixed.

- ACT/360.

$$DayCount = \frac{Days(tinitial, tfinal)}{365}$$

- ACT/365L.

$$DayCount = \frac{Days(t_{initial}, t_{final})}{DiY}$$

If February 29 is in the range from Date1 (exclusive) to Date2 (inclusive), then DiY = 366, else DiY = 365.

- NL/365.

If February 29 is not in the period then actual number of days between dates is used. Else actual number of days minus 1 is used. Day count basis = 365.

- ACT/ACT-ISDA.

$$DayCount = \frac{Days\ not\ in\ leap\ year}{365} + \frac{Days\ in\ leap\ year}{366}$$

- ACT/ACT-AFB.

$$DayCount = \frac{Days(t_{initial}, t_{final})}{DiY}$$

The basic rule is that if February 29 is in the range from Date1 (inclusive) to Date2 (exclusive), then DiY = 366, else DiY = 365.

If the period from Date1 to Date2 is more than one year, the calculation is split into two parts:

- The number of complete years, counted back from the last day of the period.
- The remaining initial stub, calculated using the basic rule.

Value

Number of years between the specified dates according to the convention.

Author(s)

Julian Chitiva

Source

International Swaps and Derivatives Association - ISDA.

References

International Swaps and Derivatives Association. (2006). 2006 ISDA definitions. New York, N.Y: International Swaps and Derivatives Association.

Examples

```
#Function accepts Dates as Dates or as characters.
day_count(tfinal='2023-03-08',tinitial='2019-02-28',convention='ACT/365')
day_count(tfinal=as.Date('2023-03-08'),tinitial=as.Date('2019-02-28'),convention='ACT/360')
day_count(tfinal='2023-03-08',tinitial=as.Date('2019-02-28'),convention='30/360')
day_count(tfinal='2023-03-08',tinitial='2019-02-28',convention='NL/365')
day_count(tfinal='2023-03-08',tinitial='2019-02-28',convention='ACT/ACT-ISDA')
day_count(tfinal='2023-03-08',tinitial='2019-02-28',convention='ACT/ACT-AFB')
```

difftime_business *difftime_business*

Description

difftime_business

Usage

```
difftime_business(tfinal, tinitial, wd = wdBOG)
```

Arguments

tfinal	Final date, it must be a business day.
tinitial	Initial date, it must be a business day.
wd	Vector of dates with business days. The default are the business days of Bogota.

Value

Number of days between the specified dates.

Author(s)

Diego Jara

Function to count the number of business days between two dates.

Examples

```
#Function accepts Dates as Dates or as characters.
difftime_business(tfinal='2023-03-08', tinitial='2019-02-28', wd=wdBOG)
difftime_business(tfinal=as.Date('2023-03-08'), tinitial=as.Date('2019-02-28'), wd=wdBOG)
difftime_business(tfinal='2023-03-08', tinitial=as.Date('2019-02-28'), wd=wdLDN)
difftime_business(tfinal='2023-03-08', tinitial='2019-02-28', wd=wdNY)
```

difftime_leap_year *difftime_leap_year*

Description

Function to count the number of days between two dates. Optional parameters to count without the leap-days.

Usage

```
difftime_leap_year(tfinal, tinitial, leapDatesIn = TRUE)
```

Arguments

`tfinal` Final date.
`tinitial` Initial date.
`leapDatesIn` If TRUE count leap Dates, else exclude from counting.

Value

Number of days between the specified dates.

Author(s)

Julian Chitiva and Diego Jara

Examples

```
#Function accepts Dates as Dates or as characters.  
difftime_leap_year(tfinal='2023-03-05', tinitial='2019-02-28', leapDatesIn=TRUE)  
difftime_leap_year(tfinal=as.Date('2023-03-05'), tinitial=as.Date('2019-02-28'), leapDatesIn=TRUE)  
difftime_leap_year(tfinal='2023-03-05', tinitial='2019-02-28', leapDatesIn=FALSE)  
difftime_leap_year(tfinal=as.Date('2023-03-05'), tinitial=as.Date('2019-02-28'), leapDatesIn=FALSE)
```

holiDaysBOG

Bogota holidays dates.

Description

Bogota (Colombia) holidays dates. The holidays were created using the package `timeDate`. Dates range between 2011-01-10 and 2050-12-08.

holiDaysBOG Vector of dates of Bogota holidays

Usage

```
holiDaysBOG
```

Format

Vector of dates.

Author(s)

Quantil S.A.S

Source

Author Calculations

holiDaysLDN	<i>London holidays dates.</i>
-------------	-------------------------------

Description

London(England) holidays dates. The holidays were created using the package timeDate. Dates range between 1900-04-13 and 2100-12-28.

holiDaysLDN Vector of dates of London holidays

Usage

holiDaysLDN

Format

Vector of dates.

Author(s)

Quantil S.A.S

Source

Author Calculations

holiDaysNY	<i>New York holidays dates.</i>
------------	---------------------------------

Description

New York-United States holidays dates. The holidays were created using the package timeDate. Dates range between 1900-01-01 and 2100-12-24.

holiDaysNY Vector of dates of New York holidays

Usage

holiDaysNY

Format

Vector of dates.

Author(s)

Quantil S.A.S

Source

Author Calculations

LastDayOfMonth	<i>LastDayOfMonth</i>
----------------	-----------------------

Description

Returns the last day of a month.

Usage

```
LastDayOfMonth(year, month, date = NULL)
```

Arguments

year	Year as a number.
month	Month as a number.
date	If provided, uses year and month from this date. It could be date or a string format date YYYY-MM-DD.

Value

Last day of the month in the current year.

Author(s)

Diego Jara

Examples

```
# Return last day of the month in year
LastDayOfMonth(year = 2020, month = 2)

# Return last day of the month for the date
LastDayOfMonth(date = '2020-02-03')
```

NumExcel2DateR	<i>NumExcel2DateR</i>
----------------	-----------------------

Description

Takes a date represented by a number in Excel format (origin="1899-12-30") and returns a date in R format.

Usage

```
NumExcel2DateR(date)
```

Arguments

date numeric vector.

Value

date in R.

Author(s)

Diego Jara

See Also

For dates with R origin.

Other Number to Date: [NumR2DateR\(\)](#)

Examples

```
NumExcel2DateR(as.numeric(Sys.Date()))
```

NumR2DateR	<i>NumR2DateR</i>
------------	-------------------

Description

Takes a date represented by a number in R format (origin="1970-01-01") and returns a date.

Usage

```
NumR2DateR(date)
```

Arguments

date numeric vector.

Value

date in R.

Author(s)

Diego Jara

See Also

For dates with Excel origin.

Other Number to Date: [NumExcel2DateR\(\)](#)

Examples

```
NumR2DateR(as.numeric(Sys.Date()))
```

wdBOG

Bogota business dates.

Description

Bogota (Colombia) business dates. Dates range between 1998-01-02 and 2030-12-31.

wdBOG Vector of dates of Bogota business days

Usage

```
wdBOG
```

Format

Vector of dates.

Author(s)

Quantil S.A.S

Source

Author Calculations

wdLDN	<i>London business dates.</i>
-------	-------------------------------

Description

London (England) business dates. Dates range between 2000-01-03 and 2030-12-31.

wdLDN Vector of dates of London business days

Usage

wdLDN

Format

Vector of dates.

Author(s)

Quantil S.A.S

Source

Author Calculations

wdNY	<i>New York business dates.</i>
------	---------------------------------

Description

New York (United States) business dates. Dates range between 2000-01-03 and 2030-12-31.

wdNY Vector of dates of New York business days

Usage

wdNY

Format

Vector of dates.

Author(s)

Quantil S.A.S

Source

Author Calculations

Index

*Topic **datasets**

holiDaysBOG, [8](#)

holiDaysLDN, [9](#)

holiDaysNY, [9](#)

wdBOG, [12](#)

wdLDN, [13](#)

wdNY, [13](#)

AddBusinessDays, [2](#)

AddDate, [3](#)

BusinessDays, [4](#)

day_count, [5](#)

difftime_business, [7](#)

difftime_leap_year, [7](#)

holiDaysBOG, [8](#)

holiDaysLDN, [9](#)

holiDaysNY, [9](#)

LastDayOfMonth, [10](#)

NumExcel2DateR, [11](#), [12](#)

NumR2DateR, [11](#), [11](#)

wdBOG, [12](#)

wdLDN, [13](#)

wdNY, [13](#)