

Package ‘rsf’

April 10, 2020

Type Package

Title Report of Statistical Findings in 'bookdown'

Version 0.2.2

Description A report of statistical findings (RSF) project template is generated using a 'bookdown' format. 'YAML' fields can be further customized. Additional helper functions provide extra features to the RSF.

License MIT + file LICENSE

URL <https://github.com/dchiu911/rsf>, <https://dchiu911.github.io/rsf>

BugReports <https://github.com/dchiu911/rsf/issues>

Imports bookdown, knitr, magrittr, rlang, usethis, yaml, ymlthis

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

NeedsCompilation no

Author Derek Chiu [aut, cre]

Maintainer Derek Chiu <dchiu@bccrc.ca>

Repository CRAN

Date/Publication 2020-04-10 05:30:02 UTC

R topics documented:

| | |
|------------------------------|---|
| git_ignore_outputs | 2 |
| use_references | 2 |
| use_rsf | 3 |

| | |
|--------------|----------|
| Index | 4 |
|--------------|----------|

git_ignore_outputs *Git ignore generated outputs*

Description

Add generated reports, figures, and HTML libraries to .gitignore

Usage

```
git_ignore_outputs(path = ".", figs_only = TRUE)
```

Arguments

path path of the directory containing the input files .gitignore and _bookdown.yml.
 figs_only logical; if TRUE (default), only figures are git ignored.

Examples

```
wd <- tempdir()
savedir <- setwd(wd)
file.copy(list.files(system.file("extdata", package = "rsf"),
                        full.names = TRUE, all.files = TRUE, no.. = TRUE), ".")
file.rename("gitignore", ".gitignore")
git_ignore_outputs(figs_only = FALSE)
setwd(savedir)
```

use_references *Use references*

Description

Add a References section at the end of the RSF.

Usage

```
use_references(path = ".", number = 99)
```

Arguments

path path of the directory containing the input files index.Rmd, _output.yml, preamble.tex.
 number number prepended to references Rmd source file.

Examples

```
wd <- tempdir()
savedir <- setwd(wd)
file.copy(list.files(system.file("extdata", package = "rsf"),
                        full.names = TRUE), ".")
use_references(number = 4)
setwd(savedir)
```

| | |
|---------|---------------------------------|
| use_rsf | <i>Use RSF project template</i> |
|---------|---------------------------------|

Description

Opens a new R project using the RSF template. Intended for use in RStudio, not interactively.

Usage

```
use_rsf(path, ...)
```

Arguments

| | |
|------|--|
| path | project path |
| ... | additional configurations for <code>_bookdown.yml</code> as described in https://bookdown.org/yihui/bookdown/configuration.html . Currently, only <code>output_dir</code> is supported. |

Details

This function is called when the user selects File > New Project > New Directory > Report of Statistical Findings using bookdown. The directory name and output directory can be specified.

Index

`git_ignore_outputs`, [2](#)

`use_references`, [2](#)

`use_rsf`, [3](#)