

Package ‘rwhatsapp’

March 18, 2020

Title Import and Handling for 'WhatsApp' Chat Logs

Version 0.2.2

Date 2020-03-16

Description A straightforward, easy-to-use and robust parsing package which aims to digest history files from the popular messenger service 'WhatsApp' in all locales and from all devices.

Depends R (>= 3.4.0)

License GPL-3

Imports stringi (>= 1.1.7), tibble (>= 1.4.0)

Suggests knitr, testthat, covr, spelling, rmarkdown

URL <https://github.com/JBGruber/rwhatsapp>

Encoding UTF-8

BugReports <https://github.com/JBGruber/rwhatsapp/issues>

LazyData true

RoxygenNote 7.1.0

VignetteBuilder knitr

Language en-GB

NeedsCompilation no

Author Johannes Gruber [aut, cre]

Maintainer Johannes Gruber <j.gruber.1@research.gla.ac.uk>

Repository CRAN

Date/Publication 2020-03-18 15:00:08 UTC

R topics documented:

emojis	2
rwa_read	2
Index	4

emojis	<i>List of emojis and corresponding descriptions.</i>
--------	---

Description

A dataset containing emojis and corresponding descriptions. This is a subset of the emojis provided by the emo package.

Usage

```
emojis
```

Format

A tibble with 3570 rows and 3 columns:

- emoji character representation of the emoji
- name of the emoji
- hex_runes hexadecimal representations of emoji

Details

hex_runes can be used to easily look up image files of emojis.

Source

<https://github.com/hadley/emo/>

rwa_read	<i>Read WhatsApp history into R</i>
----------	-------------------------------------

Description

Takes a history file from the “WhatsApp” messenger app (txt or zip) and returns a formatted data.frame with descriptions of the used emojis.

Usage

```
rwa_read(x, tz = NULL, format = NULL, verbose = FALSE, encoding = "UTF-8", ...)
```

Arguments

x	Path to a txt or zip file of a WhatsApp history or the history itself as character object.
tz	A time zone for date conversion. Set NULL or "" for the default time zone or a single string with a timezone identifier, see stri_timezone_list .
format	Most formats are automatically detected. If you encounter problems you can provide a custom format here. Refer to stri_datetime_parse for guidance.
verbose	A logical flag indicating whether information should be printed to the screen.
encoding	Input encoding. Should usually be "UTF-8" if files haven't changed since export from WhatsApp.
...	Further arguments passed to readLines .

Details

The history can be obtained going to the menu in a chat on the “WhatsApp” app, choosing "more", then "Export chat".

Value

A tibble with the information parsed from the history file.

Examples

```
history <- system.file("extdata", "sample.txt", package = "rwhatsapp")
df <- rwa_read(history)
```

Index

*Topic **datasets**

emojis, [2](#)

emojis, [2](#)

readLines, [3](#)

rwa_read, [2](#)

stri_datetime_parse, [3](#)

stri_timezone_list, [3](#)