

Package ‘splitTools’

April 18, 2020

Type Package

Title Tools for Data Splitting

Version 0.2.1

Date 2020-04-18

Maintainer Michael Mayer <mayermichael79@gmail.com>

Description Fast, lightweight toolkit for data splitting. Data sets can be partitioned into disjoint groups (e.g. into training, validation, and test) or into (repeated) k-folds for subsequent cross-validation. Besides basic splits, the package supports stratified, grouped as well as blocked splitting. Furthermore, cross-validation folds for time series data can be created. See e.g. Hastie et al. (2001) <doi:10.1007/978-0-387-84858-7> for the basic background on data partitioning and cross-validation.

License GPL (>= 2)

URL <https://github.com/mayer79/splitTools>

BugReports <https://github.com/mayer79/splitTools/issues>

Depends R (>= 3.1.0)

VignetteBuilder knitr

Encoding UTF-8

LazyData true

Imports stats

Suggests knitr, ranger

RoxygenNote 7.1.0

NeedsCompilation no

Author Michael Mayer [aut, cre]

Repository CRAN

Date/Publication 2020-04-18 15:30:03 UTC

R topics documented:

create_folds	2
create_timefolds	3
partition	4

Index	6
--------------	----------

create_folds	<i>Creates Folds</i>
--------------	----------------------

Description

This function provides a list of row indices per fold of k-fold cross-validation (basic, stratified, grouped, or blocked). Repeated fold creation is supported as well.

Usage

```
create_folds(
  y,
  k = 5,
  type = c("stratified", "basic", "grouped", "blocked"),
  n_bins = 10,
  m_rep = 1,
  use_names = TRUE,
  invert = FALSE,
  seed = NULL
)
```

Arguments

y	Either the variable used for "stratification" or "grouped" splits. For other types of splits, any vector of the same length as the data intended to split.
k	Number of folds.
type	Split type. One of "stratified", "basic", "grouped", "blocked". The default is "stratified".
n_bins	Approximate numbers of bins for numeric y and type = "stratified".
m_rep	How many times should the data be split into k folds? Default is 1, i.e. no repetitions.
use_names	Should folds be named? Default is TRUE.
invert	Set to TRUE if the row numbers not in the fold are to be returned. Default is FALSE.
seed	Integer random seed.

Details

By default, the function uses stratified splitting. This will balance the folds regarding the distribution of the input vector y . Numeric input is first binned into n_bins quantile groups. If `type = "grouped"`, groups specified by y are kept together when splitting. This is relevant for clustered or panel data. In contrast to basic splitting, `type = "blocked"` does not sample indices at random, but rather keeps them in sequential groups.

Value

A list with row indices per fold.

Examples

```
y <- rep(c(letters[1:4]), each = 5)
create_folds(y)
create_folds(y, k = 2)
create_folds(y, k = 2, m_rep = 2)
create_folds(y, k = 3, type = "blocked")
```

<code>create_timefolds</code>	<i>Creates Folds for Time Series Data</i>
-------------------------------	---

Description

This function provides a list with in- and out-of-sample indices per fold used for time series k -fold cross-validation, see Details.

Usage

```
create_timefolds(y, k = 5, use_names = TRUE, type = c("extending", "moving"))
```

Arguments

<code>y</code>	Any vector of the same length as the data intended to split.
<code>k</code>	Number of folds.
<code>use_names</code>	Should folds be named? Default is TRUE.
<code>type</code>	Should insample data be "extending" over the folds (default) or consist of one single fold ("moving")?

Details

The data is first partitioned into $k+1$ sequential blocks B_1 to B_{k+1} . Each fold consists of two index vectors: one with in-sample row numbers, the other with out-of-sample row numbers. The first fold uses B_1 as in-sample and B_2 as out-of-sample data. The second one uses either B_2 (if `type = "extending"`) or B_1, B_2 (if `type = "moving"`) as in-sample and B_3 as out-of-sample data etc. until the k th fold with B_1, \dots, B_k ("extending") resp. B_k ("moving") as in-sample and B_{k+1} as out-of-sample data. This makes sure that out-of-sample data always follows in-sample data.

Value

A nested list with in-sample ("insample") and out-of-sample ("outsample") indices per fold.

Examples

```
y <- runif(100)
create_timefolds(y)
create_timefolds(y, use_names = FALSE)
create_timefolds(y, use_names = FALSE, type = "moving")
```

 partition

Split Data into Partitions

Description

This function provides row indices for data splitting, e.g. into training, validation, and test. Different types of split strategies are supported ("basic", "stratified" (the default), "grouped", or "blocked"), see Details. The partition indices are either returned as a list with one element per partition (the default) or as vector of partition ids.

Usage

```
partition(
  y,
  p,
  type = c("stratified", "basic", "grouped", "blocked"),
  n_bins = 10,
  split_into_list = TRUE,
  use_names = TRUE,
  seed = NULL
)
```

Arguments

y	Either the variable used for "stratification" or "grouped" splits. For other types of splits, any vector of the same length as the data intended to split.
p	A vector with split probabilities per partition, e.g. c(train = 0.7, valid = 0.3). Names are passed to the output.
type	Split type. One of "stratified", "basic", "grouped", "blocked". The default is "stratified".
n_bins	Approximate numbers of bins for numeric y and type = "stratified".
split_into_list	Should the resulting partition vector be split into a list or not? Default is TRUE.
use_names	Should names of p be used as partition names? Default is TRUE.
seed	Integer random seed.

Details

By default, the function uses stratified splitting. This will balance the partitions as good as possible regarding the distribution of the input vector *y*. Numeric input is first binned into *n_bins* quantile groups. If *type = "grouped"*, groups specified by *y* are kept together when splitting. This is relevant for clustered or panel data. In contrast to basic splitting, *type = "blocked"* does not sample indices at random, but rather keeps them in groups: e.g. the first 80

Value

A list with row indices per partition (if *split_into_list = TRUE*) or a vector of partition ids.

Examples

```
y <- rep(c(letters[1:4]), each = 5)
partition(y, p = c(0.7, 0.3), seed = 1)
partition(y, p = c(0.7, 0.3), split_into_list = FALSE, seed = 1)
p <- c(train = 0.8, valid = 0.1, test = 0.1)
partition(y, p, seed = 1)
partition(y, p, split_into_list = FALSE, seed = 1)
partition(y, p, split_into_list = FALSE, use_names = FALSE, seed = 1)
partition(y, p = c(0.7, 0.3), type = "grouped")
partition(y, p = c(0.7, 0.3), type = "blocked")
```

Index

`create_folds`, [2](#)
`create_timefolds`, [3](#)
`partition`, [4](#)