

Package ‘statGraph’

October 24, 2019

Type Package

Title Statistical Methods for Graphs

Author Suzana S. Santos [aut],
Eduardo S. Lira [aut],
Andre Fujita [aut, cre]

Maintainer Andre Fujita <fujita@ime.usp.br>

Depends R (>= 2.10.0), stats, graphics

Imports igraph, MASS

Description Contains statistical methods to analyze graphs, such as graph parameter estimation, model selection based on the GIC (Graph Information Criterion), statistical tests to discriminate two or more populations of graphs (ANOVA - Analysis of Graph Variability), correlation between graphs, and clustering of graphs. References: Takahashi et al. (2012) <doi:10.1371/journal.pone.0049949>, Fujita et al. (2017) <doi:10.3389/fnins.2017.00066>, Fujita et al. (2017) <doi:10.1016/j.csda.2016.11.016>, Tang et al. (2017) <doi:10.3150/15-BEJ789>, Tang et al. (2017) <doi:10.1080/10618600.2016.1193505>, Ghoshdastidar et al. (2017) <arXiv:1705.06168>, Ghoshdastidar et al. (2017) <arXiv:1707.00833>, Cerqueira et al. (2017) <doi:10.1109/TNSE.2017.2674026>, Fraiman and Fraiman (2018) <doi:10.1038/s41598-018-23152-5>, Fujita et al. (2019) <doi:10.1093/comnet/cnz028>.

License GPL (>= 3)

Encoding UTF-8

LazyLoad yes

URL <https://www.ime.usp.br/~fujita/software.html>

Version 0.3.0

Date 2019-10-23

RoxygenNote 6.1.1

NeedsCompilation no

Repository CRAN

Date/Publication 2019-10-24 08:30:02 UTC

R topics documented:

statGraph-package	2
anogva	3
cerqueira	4
fraiman	6
ghoshdastidar	7
GIC	8
graph.acf	10
graph.cluster	11
graph.cor.test	12
graph.entropy	13
graph.model.selection	14
graph.mult.scaling	17
graph.param.estimator	18
graph.test	20
sp.anogva	21
tang	23

Index	25
--------------	-----------

statGraph-package	<i>Statistical Methods for Graphs</i>
-------------------	---------------------------------------

Description

Contains statistical methods to analyze graphs, such as graph parameter estimation, model selection based on the GIC (Graph Information Criterion), statistical tests to discriminate two or more populations of graphs (ANOVA - Analysis of Graph Variability), correlation between graphs, and clustering of graphs. References: Takahashi et al. (2012) <doi:10.1371/journal.pone.0049949>, Futja et al. (2017) <doi:10.3389/fnins.2017.00066>, Fujita et al. (2017) <doi:10.1016/j.csda.2016.11.016>, Tang et al. (2017) <doi:10.3150/15-BEJ789>, Tang et al. (2017) <doi:10.1080/10618600.2016.1193505>, Ghoshdastidar et al. (2017) <arXiv:1705.06168>, Ghoshdastidar et al. (2017) <arXiv:1707.00833>, Cerqueira et al. (2017) <doi:10.1109/TNSE.2017.2674026>, Fraiman and Fraiman (2018) <doi:10.1038/s41598-018-23152-5>, Fujita et al. (2019) <doi:10.1093/comnet/cnz028>.

Details

The DESCRIPTION file:

Package:	statGraph
Type:	Package
Version:	0.3.0
Date:	2019-10-23

Depends: R (>= 2.10.0), stats, graphics
Encoding: UTF-8
License: GPL (>= 3)
LazyLoad: yes
URL: <https://www.ime.usp.br/~fujita/software.html>

Author(s)

Suzana S. Santos [aut], Eduardo S. Lira [aut], Andre Fujita [aut, cre]

Maintainer: Andre Fujita <fujita@ime.usp.br>

See Also

Useful links:

- <https://www.ime.usp.br/~fujita/software.html>

anogva

ANOVA Analysis Of Graph Variability

Description

'anogva' statistically tests whether two or more sets of graphs are generated by the same random graph model. It is a generalization of the 'graph.test' function.

Usage

```
anogva(graphs, labels, numBoot = 1000, bandwidth = "Silverman")
```

Arguments

graphs	a list of adjacency (symmetric) matrices of undirected graphs. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix may contain real values that correspond to the weights of the edges.
labels	an array of integers indicating the labels of each graph.
numBoot	integer indicating the number of bootstrap resamplings.
bandwidth	string indicating which criterion will be used to choose the bandwidth for the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".

Value

A list containing:

statistic	the statistic of the test.
p.value	the p-value of the test.

References

- Fujita, A., Vidal, M. C. and Takahashi, D. Y. (2017) A Statistical Method to Distinguish Functional Brain Networks. *_Front. Neurosci._*, *11*, 66. doi:10.3389/fnins.2017.00066.
- Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *_PLoS ONE_*, *7*, e49949. doi:10.1371/journal.pone.0049949.
- Silverman, B. W. (1986) *_Density Estimation_*. London: Chapman and Hall.
- Sturges, H. A. The Choice of a Class Interval. *_J. Am. Statist. Assoc._*, *21*, 65-66.

Examples

```
require(igraph)
g1 <- g2 <- g3 <- list()
for (i in 1:20) {
  G1 <- erdos.renyi.game(50, 0.50)
  g1[[i]] <- get.adjacency(G1)
  G2 <- erdos.renyi.game(50, 0.50)
  g2[[i]] <- get.adjacency(G2)
  G3 <- erdos.renyi.game(50, 0.52)
  g3[[i]] <- get.adjacency(G3)
}
g <- c(g1, g2, g3)
label <- c(rep(1,20),rep(2,20),rep(3,20))
result <- anogva(g, label, numBoot=50)
result
```

cerqueira

*Andressa Cerqueira, Daniel Fraiman, Claudia D. Vargas and Floren-
cia Leonardi non-parametric test of hypotheses to verify if two samples
of random graphs were originated from the same probability distribu-
tion.*

Description

Given two identically independently distributed (idd) samples of graphs g and gp, the test verifies if they have the same distribution by calculating the mean distance D from g to gp. The test rejects the null hypothesis if D is greater than the (1-alpha)-quantile of the distribution of the test under the null hypothesis.

Usage

```
cerqueira(g, gp, maxPer = 300, alpha = 0.05, printResult = FALSE)
```

Arguments

<code>g</code>	the first iid sample of graphs to be compared. Must be a list of igraph objects.
<code>gp</code>	the second iid sample of graphs to be compared. Must be a list of igraph objects.
<code>maxPer</code>	integer indicating the number of bootstrap resamples (default is 300).
<code>alpha</code>	the significance level for the test (default is 0.05).
<code>printResult</code>	logical indicating if the test must print the result (default is FALSE).

Value

A list containing:

<code>test_stats</code>	the value of the test.
<code>p_value</code>	the p-value of the test.
<code>reject_threshold</code>	The 1-alpha quantile of the test distribution under the null hypothesys.
<code>bootstrap_samples</code>	The test distribution on the bootstrap resamples.

References

Andressa Cerqueira, Daniel Fraiman, Claudia D. Vargas and Florencia Leonardi. "A test of hypotheses for random graph distributions built from EEG data", <https://ieeexplore.ieee.org/document/7862892>

Examples

```
require(igraph)
set.seed(42)

## test under H0
a <- b <- list()
for(i in 1:10){
  a[[i]] <- erdos.renyi.game(50,0.5)
  b[[i]] <- erdos.renyi.game(50,0.5)
}
k <- cerqueira(a, b, printResult = TRUE)

## test under H1
a <- b <- list()
for(i in 1:10){
  a[[i]] <- erdos.renyi.game(50,0.5)
  b[[i]] <- erdos.renyi.game(50,0.6)
}
k <- cerqueira(a, b, printResult = TRUE)
```

fraiman*Daniel Fraiman and Ricardo Fraiman test for network differences between groups with an analysis of variance test (ANOVA).*

Description

Given a list of graphs, the test verifies if all the subpopulations have the same mean network, under the alternative that at least one subpopulation has a different mean network.

Usage

```
fraiman(g, maxPer = 300, alpha = 0.05, printResult = FALSE)
```

Arguments

<code>g</code>	the undirected graphs to be compared. Must be a list of lists of igraph objects or a list of lists of adjacency matrices.
<code>maxPer</code>	integer indicating the number of bootstrap resamples (default is 300).
<code>alpha</code>	the significance level for the test (default is 0.05).
<code>printResult</code>	logical indicating if the test must print the result (default is FALSE).

Value

A list containing:

<code>test_stats</code>	the value of the test.
<code>p_value</code>	the p-value of the test.
<code>bootstrap_samples</code>	The test distribution on the bootstrap resamples.

References

Fraiman, Daniel, and Ricardo Fraiman. "An ANOVA approach for statistical comparisons of brain networks", <https://www.nature.com/articles/s41598-018-23152-5>

Examples

```
require(igraph)
set.seed(42)

## test under H0
a <- b <- d <- list()
for(i in 1:10){
  a[[i]] <- erdos.renyi.game(50,0.5)
  b[[i]] <- erdos.renyi.game(50,0.5)
}
d <- list(a,b)
```

```

k <- fraiman(d, printResult = TRUE)

## test under H1
a <- b <- d <- list()
for(i in 1:10){
  a[[i]] <- erdos.renyi.game(50,0.5)
  b[[i]] <- erdos.renyi.game(50,0.6)
}
d <- list(a,b)
k <- fraiman(d, printResult = TRUE)

```

Description

Given two lists of graphs generated by the inhomogeneous random graph model, 'ghoshdastidar' tests if they were generated by the same parameters.

Usage

```
ghoshdastidar(x, y, maxPer = 300, alpha = 0.05, two.sample = FALSE,
  printResult = FALSE)
```

Arguments

- | | |
|-------------|---|
| x | the first list of undirected graphs to be compared. Must be a list of matrices or igraph objects. |
| y | the second list of undirected graphs to be compared. Must be a list of matrices or igraph objects. |
| maxPer | integer indicating the number of bootstrap resamples (default is 300). |
| alpha | the significance level for the test (default is 0.05). |
| two.sample | logical. If TRUE the sets contain only one graph each. If FALSE the sets contain more than one graph each (default is FALSE). |
| printResult | logical indicating if the test must print the result (default is FALSE). |

Value

A list containing:

- | | |
|-------------------|--|
| test_stats | the value of the test. |
| p_value | the p-value of the test (only returned when the parameter 'two.sample' is FALSE). |
| bootstrap_samples | The test distribution on the bootstrap resamples (only returned when the parameter 'two.sample' is FALSE). |

References

- Ghoshdastidar, Debarghya, et al. "Two-sample tests for large random graphs using network statistics". arXiv preprint arXiv:1705.06168 (2017).
- Ghoshdastidar, Debarghya, et al. "Two-sample hypothesis testing for inhomogeneous random graphs". arXiv preprint, arXiv:1707.00833 (2017).

Examples

```

require(igraph)
set.seed(42)

## test for sets with more than one graph each under H0
x <- y <- list()
for(i in 1:10){
  x[[i]] <- as.matrix(get.adjacency(erdos.renyi.game(50,0.6)))
  y[[i]] <- as.matrix(get.adjacency(erdos.renyi.game(50,0.6)))
}
D <- ghoshdastidar(x, y, printResult = TRUE)

## test for sets with more than one graph each under H1
x <- y <- list()
for(i in 1:10){
  x[[i]] <- as.matrix(get.adjacency(erdos.renyi.game(50,0.6)))
  y[[i]] <- as.matrix(get.adjacency(erdos.renyi.game(50,0.7)))
}
D <- ghoshdastidar(x, y, printResult = TRUE)

## test for sets with only one graph each under H0
x <- y <- list()
x[[1]] <- erdos.renyi.game(300, 0.6)
y[[1]] <- erdos.renyi.game(300, 0.6)
D <- ghoshdastidar(x, y, two.sample= TRUE, printResult = TRUE)

## test for sets with only one graph each under H1
x <- y <- list()
x[[1]] <- erdos.renyi.game(300, 0.6)
y[[1]] <- erdos.renyi.game(300, 0.7)
D <- ghoshdastidar(x, y, two.sample= TRUE, printResult = TRUE)

```

Description

'GIC' returns the Kullback-Leibler divergence between an undirected graph and a given graph model.

Usage

```
GIC(A, model, p = NULL, bandwidth = "Silverman", eigenvalues = NULL)
```

Arguments

A	the adjacency matrix of the graph. For an unweighted graph it contains only 0s and 1s. For a weighted graph, it may contain nonnegative real values that correspond to the weights of the edges.
model	either a list, a string, a function or a matrix describing a graph model: A list that represents the spectral density of a model. It contains the components "x" and "y", which are numeric vectors of the same size. The "x" component contains the points at which the density was computed and the "y" component contains the observed density. A string that indicates one of the following models: "ER" (Erdos-Renyi random graph), "GRG" (geometric random graph), "KR" (k regular random graph), "WS" (Watts-Strogatz model), and "BA" (Barabási-Albert model). When the argument 'model' is a string, the user must also provide the model parameter by using the argument 'p'. A function that returns a graph (represented by its adjacency matrix) generated by a graph model. It must contain two arguments: the first one corresponds to the graph size and the second to the parameter of the model. The model parameter will be provided by the argument 'p' of the 'GIC' function. A matrix containing the spectrum of the model. Each column contains the eigenvalues of a graph generated by the model. To estimate the spectral density of the model, the method will estimate the density of the values of each column, and then will take the average density.
p	the model parameter. The user must provide a valid parameter if the argument 'model' is a string or a function. For the predefined models ("ER", "GRG", "KR", "WS", and "BA"), the parameter the probability to connect a pair of vertices, for the "ER" model (Erdos-Renyi random graph); the radius used to construct the geometric graph in a unit square, for the "GRG" model (geometric random graph); the degree 'k' of a regular graph, for the "KR" model (k regular random graph); the probability to reconnect a vertex, for the "WS" model (Watts-Strogatz model); and the scaling exponent, for the "BA" model (Barabási-Albert model).
bandwidth	string indicating which criterion will be used to choose the bandwidth for the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".
eigenvalues	optional parameter. It contains the eigenvalues of matrix A. Then, it can be used when the eigenvalues of A were previously computed. If no value is passed, then the eigenvalues of A will be computed by 'GIC'.

Value

A real number corresponding to the Kullback-Leibler divergence between the observed graph and the graph model.

References

- Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *PLoS ONE*, *7*, e49949. doi:10.1371/journal.pone.0049949.
- Silverman, B. W. (1986) *Density Estimation*. London: Chapman and Hall.
- Sturges, H. A. The Choice of a Class Interval. *J. Am. Statist. Assoc.*, *21*, 65-66.

Examples

```
require(igraph)
A <- as.matrix(get.adjacency(erdos.renyi.game(100, p=0.5)))
# Using a string to indicate the graph model
result1 <- GIC(A, "ER", 0.5)
result1

# Using a function to describe the graph model
# Erdos-Renyi graph
model <- function(n, p) {
  return(as.matrix(get.adjacency(erdos.renyi.game(n, p))))
}
result2 <- GIC(A, model, 0.5)
result2
```

graph.acf

Auto Correlation Function Estimation for Graphs

Description

The function 'graph.acf' computes estimates of the autocorrelation function for graphs.

Usage

```
graph.acf(x, plot = TRUE)
```

Arguments

- | | |
|-------------|--|
| <i>x</i> | a list of adjacency (symmetric) matrices of undirected graphs. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix may contain real values that correspond to the weights of the edges. |
| <i>plot</i> | logical. If TRUE (default) the graph.acf is plotted. |

Value

An object of class acf.

References

Fujita, A., Takahashi, D. Y., Balardin, J. B., Vidal, M. C. and Sato, J. R. (2017) Correlation between graphs with an application to brain network analysis. *Computational Statistics & Data Analysis* *109*, 76–92.

Examples

```
require(igraph)
x <- list()
p <- array(0, 100)
p[1:3] <- rnorm(3)
for (t in 4:100) {
  p[t] <- 0.5*p[t-3] + rnorm(1)
}
ma <- max(p)
mi <- min(p)
p <- (p - mi)/(ma-mi)
for (t in 1:100) {
  x[[t]] <- get.adjacency(erdos.renyi.game(100, p[t]))
}
graph.acf(x, plot=TRUE)
```

graph.cluster

Hierarchical cluster analysis on a list of graphs.

Description

Given a list of graphs, 'graph.cluster' builds a hierarchy of clusters according to the Jensen-Shannon divergence between graphs.

Usage

```
graph.cluster(x, k, method = "complete", bandwidth = "Silverman")
```

Arguments

x	a list of adjacency (symmetric) matrices of undirected graphs. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix may contain real values that correspond to the weights of the edges.
k	the number of clusters.
method	the agglomeration method to be used. This should be (an unambiguous abbreviation of) one of "ward.D", "ward.D2", "single", "complete", "average" (= UPGMA), "mcquitty" (= WPGMA), "median" (= WPGMC) or "centroid" (= UPGMC).
bandwidth	string indicating which criterion will be used to choose the bandwidth for the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".

Value

A list containing:

- | | |
|---------|--|
| hclust | an object of class *hclust* which describes the tree produced by the clustering process. |
| cluster | the clustering labels for each graph. |

References

Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *_PLoS ONE_*, *7*, e49949. doi:10.1371/journal.pone.0049949.

Silverman, B. W. (1986) *_Density Estimation_*. London: Chapman and Hall.

Sturges, H. A. The Choice of a Class Interval. *_J. Am. Statist. Assoc._*, *21*, 65-66.

Examples

```
require(igraph)
g <- list()
for (i in 1:5) {
  g[[i]] <- as.matrix(get.adjacency(
    erdos.renyi.game(50, 0.5, type="gnp",
    directed = FALSE)))
}
for (i in 6:10) {
  g[[i]] <- as.matrix(get.adjacency(
    watts.strogatz.game(1, 50, 8, 0.2)))
}
for (i in 11:15) {
  g[[i]] <- as.matrix(get.adjacency(
    barabasi.game(50, power = 1,
    directed = FALSE)))
}
graph.cluster(g, 3)
```

Description

'graph.cor.test' tests for association between paired samples of graphs, using Spearman's rho correlation coefficient.

Usage

```
graph.cor.test(x, y)
```

Arguments

- x a list of adjacency (symmetric) matrices of undirected graphs. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix contains real values that correspond to the weights of the edges.
- y a list with the same length of 'x'. It contains adjacency (symmetric) matrices of undirected graphs. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix may contain real values that correspond to the weights of the edges.

Value

- statistic the value of the test statistic.
- p.value the p-value of the test.
- estimate the estimated measure of association 'rho'.

References

Fujita, A., Takahashi, D. Y., Balardin, J. B., Vidal, M. C. and Sato, J. R. (2017) Correlation between graphs with an application to brain network analysis. *Computational Statistics & Data Analysis* *109*, 76–92.

Examples

```
require(igraph)
x <- list()
y <- list()

p <- MASS::mvrnorm(50, mu=c(0,0), Sigma=matrix(c(1, 0.5, 0.5, 1), 2, 2))

ma <- max(p)
mi <- min(p)
p[,1] <- (p[,1] - mi)/(ma - mi)
p[,2] <- (p[,2] - mi)/(ma - mi)

for (i in 1:50) {
  x[[i]] <- get.adjacency(erdos.renyi.game(50, p[i,1]))
  y[[i]] <- get.adjacency(erdos.renyi.game(50, p[i,2]))
}

graph.cor.test(x, y)
```

Description

'graph.entropy' returns the spectral entropy of a given undirected graph.

Usage

```
graph.entropy(A = NULL, bandwidth = "Silverman", eigenvalues = NULL)
```

Arguments

A	the adjacency matrix of the graph. For an unweighted graph it contains only 0s and 1s. For a weighted graph, it may contain nonnegative real values that correspond to the weights of the edges.
bandwidth	string indicating which criterion will be used to choose the bandwidth during the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".
eigenvalues	optional parameter. It contains the eigenvalues of matrix A. Then, if the eigenvalues of matrix A have already been computed, this parameter can be used instead of A. If no value is passed, then the eigenvalues of A will be computed by 'graph.entropy'.

Value

a real number corresponding to the graph spectral entropy.

References

Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *_PLoS ONE_*, *7*, e49949. doi:10.1371/journal.pone.0049949.

Silverman, B. W. (1986) *_Density Estimation_*. London: Chapman and Hall.

Sturges, H. A. The Choice of a Class Interval. *_J. Am. Statist. Assoc._*, *21*, 65-66.

Examples

```
require(igraph)
G <- erdos.renyi.game(100, p=0.5)
A <- as.matrix(get.adjacency(G))
entropy <- graph.entropy(A)
entropy
```

Description

'graph.model.selection' selects the graph model that best approximates the observed graph according to the Graph Information Criterion (GIC).

Usage

```
graph.model.selection(A, models = NULL, parameters = NULL,
                      eps = 0.01, bandwidth = "Silverman", eigenvalues = NULL)
```

Arguments

A	the adjacency (symmetric) matrix of an undirected graph. For an unweighted graph it contains only 0s and 1s. For a weighted graph, it contains real values that correspond to the weights of the edges.
models	either a vector of strings, a list of functions or a list of arrays describing graph models: A vector of strings containing some of the following models: "ER" (Erdos-Renyi random graph), "GRG" (geometric random graph), "KR" (k regular random graph), "WS" (Watts-Strogatz model), and "BA" (Barabási-Albert model). A list of functions. Each function returns a graph (represented by its adjacency matrix) generated by a graph model and has two arguments: the graph size and the model parameter, in this order. A list of arrays. Each element of the list is a three-dimensional array containing the precomputed spectrum of each model. Let M be a graph model. For each parameter p considered for M, the array of model M contains the eigenvalues of graphs randomly generated by M with parameter p. The position (i,j,k) of the array contains the j-th eigenvalue of the k-th graph that generated by M with the i-th parameter. The attribute 'rownames' of the array corresponds to the parameters converted to string. If the argument "models" is NULL, then the "ER", "WS", and "BA" models will be considered for the model selection.
parameters	list of numeric vectors. Each vector contains the values that will be considered for the parameter estimation of the corresponding model. If the user does not provide the argument 'parameters', then default values are used for the predefined models ("ER", "GRG", "KR", "WS", and "BA"). The default vector corresponds to a sequence from 0 to 1 with step 'eps' for the "ER" model (Erdos-Renyi random graph), in which the parameter corresponds to the probability to connect a pair of vertices; 0 to $\sqrt{2}$ with step 'eps' for the "GRG" model (geometric random graph), in which the parameter corresponds to the radius used to construct the geometric graph in a unit square; 0 to 'n' with step ' $n \cdot \text{eps}$ ' for the "KR" model (k regular random graph), in which the parameter of the model corresponds to the degree 'k' of a regular graph; 0 to 1 with step 'eps' for the "WS" model (Watts-Strogatz model), in which the parameter corresponds to the probability to reconnect a vertex; and 0 to 3 with step 'eps' for the "BA" model (Barabási-Albert model), in which the parameter corresponds to the scaling exponent.
eps	precision of the grid (default is 0.01).
bandwidth	string indicating which criterion will be used to choose the bandwidth for the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".

eigenvalues optional parameter. It contains the eigenvalues of matrix A. Then, it can be used when the eigenvalues of A were previously computed. If no value is passed, then the eigenvalues of A will be computed by 'graph.model.selection'.

Value

A list containing:

model	the indice(s) or name(s) of the selected model(s), i. e. the model(s) that minimize(s) the Graph Information Criterion (GIC).
estimates	a matrix in which each row corresponds to a model, the column "p" corresponds to the parameter estimate, and the column "GIC" corresponds to the Graph Information Criterion (GIC), i. e. the Kullback-Leibler divergence between the observed graph and the model.

References

Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *PLoS ONE*, *7*, e49949. doi:10.1371/journal.pone.0049949.

Silverman, B. W. (1986) *Density Estimation*. London: Chapman and Hall.

Sturges, H. A. The Choice of a Class Interval. *J. Am. Statist. Assoc.*, *21*, 65-66.

Examples

```
require(igraph)
A <- as.matrix(get.adjacency(erdos.renyi.game(30, p=0.5)))
# Using strings to indicate the graph models
result1 <- graph.model.selection(A, models=c("ER", "WS"), eps=0.5)
result1
# Using functions to describe the graph models
# Erdos-Renyi graph
model1 <- function(n, p) {
  return(as.matrix(get.adjacency(erdos.renyi.game(n, p))))
}
# Watts-Strogatz graph
model2 <- function(n, pr, K=8) {
  return(as.matrix(get.adjacency(watts.strogatz.game(1, n, K, pr))))
}
parameters <- list(seq(0, 1, 0.5), seq(0, 1, 0.5))
result2 <- graph.model.selection(A, list(model1, model2), parameters)
result2
```

<code>graph.mult.scaling</code>	<i>Multidimensional scaling of graphs</i>
---------------------------------	---

Description

'graph.mult.scaling' performs multidimensional scaling of graphs. It takes the Jensen-Shannon divergence between graphs (JS) and uses the 'cmdscale' function from the 'stats' package to obtain a set of points such that the distances between the points are similar to JS.

Usage

```
graph.mult.scaling(x, plot = TRUE, bandwidth = "Silverman",
  type = "n", main = "", ...)
```

Arguments

<code>x</code>	a list of adjacency (symmetric) matrices of undirected graphs. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix may contain real values that correspond to the weights of the edges.
<code>plot</code>	logical. If TRUE (default) the points chosen to represent the Jensen-Shannon divergence between graphs are plotted.
<code>bandwidth</code>	character string indicating which criterion will be used to choose the bandwidth for the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".
<code>type</code>	what type of plot should be drawn. The default value is " <code>"n"</code> ", which indicates that the points will not be plotted (i. e. only the labels of the graphs will be plotted).
<code>main</code>	title of the plot (default value is " <code>""</code> ").
<code>...</code>	additional plotting parameters. See 'plot' function from the 'graphics' package for the complete list.

Value

A matrix in which each column corresponds to a coordinate and each row corresponds to a graph (point). Then, each row gives the coordinates of the points chosen to represent the Jensen-Shannon divergence between graphs.

References

Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *_PLOS ONE_*, *7*, e49949. doi:10.1371/journal.pone.0049949.

Silverman, B. W. (1986) *_Density Estimation_*. London: Chapman and Hall.

Sturges, H. A. The Choice of a Class Interval. *_J. Am. Statist. Assoc._*, *21*, 65-66.

Examples

```
require(igraph)
g <- list()
for (i in 1:5) {
  g[[i]] <- as.matrix(get.adjacency(
    erdos.renyi.game(50, 0.5, type="gnp",
    directed = FALSE)))
}
for (i in 6:10) {
  g[[i]] <- as.matrix(get.adjacency(
    watts.strogatz.game(1, 50, 8, 0.2)))
}
for (i in 11:15) {
  g[[i]] <- as.matrix(get.adjacency(
    barabasi.game(50, power = 1,
    directed = FALSE)))
}
graph.mult.scaling(g)
```

`graph.param.estimator` *Graph parameter estimator*

Description

'`graph.param.estimator`' estimates the parameter that best approximates the model to the observed graph according to the Graph Information Criterion (GIC).

Usage

```
graph.param.estimator(A, model, parameters = NULL, eps = 0.01,
bandwidth = "Silverman", eigenvalues = NULL, spectra = NULL,
classic = FALSE)
```

Arguments

- | | |
|--------------------|---|
| <code>A</code> | the adjacency matrix of the graph. For an unweighted graph it contains only 0s and 1s. For a weighted graph, it may contain nonnegative real values that correspond to the weights of the edges. |
| <code>model</code> | either a string or a function:

A string that indicates one of the following models: "ER" (Erdos-Renyi random graph), "GRG" (geometric random graph), "KR" (k regular random graph), "WS" (Watts-Strogatz model), and "BA" (Barabási-Albert model).

A function that returns a graph (represented by its adjacency matrix) generated by a graph model. It must contain two arguments: the first one corresponds to the graph size and the second to the parameter of the model. |

parameters	numeric vector containing the values that will be considered for the parameter estimation. The 'graph.param.estimator' will return the element of 'parameter' that minimizes the Graph Information Criterion (GIC). If the user does not provide the argument 'parameters', and 'model' is an array, then the values considered for the parameter estimation are the rownames converted to a numeric vector. If 'model' is a string, then default values are used for the predefined models ("ER", "GRG", "KR", "WS", and "BA"). The default 'parameter' argument corresponds to a sequence from
	0 to 1 with step 'eps' for the "ER" model (Erdos-Renyi random graph), in which the parameter corresponds to the probability to connect a pair of vertices;
	0 to sqrt(2) with step 'eps' for the "GRG" model (geometric random graph), in which the parameter corresponds to the radius used to construct the geometric graph in a unit square;
	0 to 'n' with step 'n*eps' for the "KR" model (k regular random graph), in which the parameter of the model corresponds to the degree 'k' of a regular graph;
	0 to 1 with step 'eps' for the "WS" model (Watts-Strogatz model), in which the parameter corresponds to the probability to reconnect a vertex;
	and 0 to 3 with step 'eps' for the "BA" model (Barabási-Albert model), in which the parameter corresponds to the scaling exponent.
eps	precision of the grid (default is 0.01) when 'classic' is TRUE.
bandwidth	string indicating which criterion will be used to choose the bandwidth for the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".
eigenvalues	optional parameter. It contains the eigenvalues of matrix A. Then, it can be used when the eigenvalues of A were previously computed. If no value is passed, then the eigenvalues of A will be computed by 'graph.param.estimator'.
spectra	optional parameter containing the precomputed spectrum of the model. It is a three-dimensional array in which the first dimension corresponds to all parameters that will be explored in the grid, the second dimension has the same size of the given graph, and the third one corresponds to graphs randomly generated by the model. Thus, the position (i,j,k) contains the j-th eigenvalue of the k-th graph generated with the i-th parameter. The attribute 'rownames' of the array corresponds to the parameters converted to string. If spectra is NULL (default), then 'model' is used to generate random graphs and their spectra are computed automatically.
classic	logical. If FALSE (default) parameter is estimated using ternary search. If TRUE parameter is estimated using grid search.

Value

A list containing:

p	the parameter estimate. For the "ER", "GRG", "KR", "WS", and "BA" models, the parameter corresponds to the probability to connect a pair of vertices, the radius used to construct the geometric graph in a unit square, the degree k of a regular graph, the probability to reconnect a vertex, and the scaling exponent, respectively.
---	--

KL the Graph Information Criterion (GIC), i. e. the Kullback-Leibler divergence between the observed graph and the graph model with the estimated parameter.

References

Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *_PLoS ONE_*, *7*, e49949. doi:10.1371/journal.pone.0049949.

Silverman, B. W. (1986) *_Density Estimation_*. London: Chapman and Hall.

Sturges, H. A. The Choice of a Class Interval. *_J. Am. Statist. Assoc._*, *21*, 65-66.

Examples

```
require(igraph)
A <- as.matrix(get.adjacency(erdos.renyi.game(50, p=0.5)))

# Using a string to indicate the graph model
result1 <- graph.param.estimator(A, "ER", eps=0.25)
result1

## Using a function to describe the graph model
## Erdos-Renyi graph
# model <- function(n, p) {
#   return(as.matrix(get.adjacency(erdos.renyi.game(n, p))))
# }
# result2 <- graph.param.estimator(A, model, seq(0.2, 0.8, 0.1))
# result2
```

graph.test

Test for the Jensen-Shannon divergence between graphs

Description

'*graph.test*' tests whether two sets of graphs were generated by the same random graph model. This bootstrap test is based on the Jensen-Shannon (JS) divergence between graphs.

Usage

```
graph.test(x, y, numBoot = 1000, bandwidth = "Silverman")
```

Arguments

- x a list of adjacency (symmetric) matrices. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix contains real values that correspond to the weights of the edges.
- y a list of adjacency (symmetric) matrices. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix contains real values that correspond to the weights of the edges.

numBoot	integer indicating the number of bootstrap resamplings.
bandwidth	string indicating which criterion will be used to choose the bandwidth for the spectral density estimation. The available criteria are "Silverman" (default) and "Sturges".

Details

Given two lists of graphs, 'x' and 'y', 'graph.test' tests H0: "JS divergence between 'x' and 'y' is 0" against H1: "JS divergence between 'x' and 'y' is larger than 0".

Value

A list containing:

JS	the Jensen-Shannon divergence between 'x' and 'y'.
p.value	the p-value of the test.

References

- Takahashi, D. Y., Sato, J. R., Ferreira, C. E. and Fujita A. (2012) Discriminating Different Classes of Biological Networks by Analyzing the Graph Spectra Distribution. *PLoS ONE*, *7*, e49949. doi:10.1371/journal.pone.0049949.
- Silverman, B. W. (1986) *Density Estimation*. London: Chapman and Hall.
- Sturges, H. A. The Choice of a Class Interval. *J. Am. Statist. Assoc.*, *21*, 65-66.

Examples

```
library(igraph)
x <- y <- list()
for (i in 1:20)
  x[[i]] <- as.matrix(get.adjacency(erdos.renyi.game(50, p=0.5)))
for (i in 1:20)
  y[[i]] <- as.matrix(get.adjacency(erdos.renyi.game(50, p=0.51)))

result <- graph.test(x, y, numBoot=100)
result
```

Description

'sp.anogva' statistically tests whether two or more graphs are generated by the same model and set of parameters.

Usage

```
sp.anogva(graph, model, maxBoot = 500, spectra = NULL, eps = 0.01,
classic = FALSE)
```

Arguments

<code>graph</code>	a list of adjacency (symmetric) matrices of the undirected graphs to be compared. For unweighted graphs, each matrix contains only 0s and 1s. For weighted graphs, each matrix contains real values that correspond to the weights of the edges.
<code>model</code>	A string that indicates one of the following models: "ER" (Erdős-Rényi random graph model), "GRG" (geometric random graph model), "WS" (Watts-Strogatz random graph model), and "BA" (Barabási-Albert random graph model).
<code>maxBoot</code>	integer indicating the number of bootstrap resamples (default is 500).
<code>spectra</code>	optional parameter containing the precomputed spectrum of the model. It is a three-dimensional array in which the first dimension corresponds to all parameters that will be explored in the parameter estimation, the second dimension has the same size of the given graph, and the third one corresponds to graphs randomly generated by the model. Thus, the position (i,j,k) contains the j-th eigenvalue of the k-th graph generated with the i-th parameter. The attribute 'rownames' of the array corresponds to the parameters converted to string. If <code>spectra</code> is <code>NULL</code> (default), then <code>model</code> is used to generate random graphs and their spectra are computed automatically.
<code>eps</code>	(default is 0.01) precision of the grid when <code>'classic'</code> = <code>TRUE</code> .
<code>classic</code>	logical. If <code>FALSE</code> (default) parameter is estimated using ternary search, if <code>TRUE</code> parameter is estimated using grid search.

Value

A list containing:

<code>parameter</code>	an array containing the estimated parameters for each graph.
<code>F.value</code>	the F statistic of the test.
<code>p.value</code>	the p-value of the test.

References

Andre Fujita, Eduardo Silva Lira, Suzana de Siqueira Santos, Silvia Yumi Bando, Gabriela Eleuterio Soares, Daniel Yasumasa Takahashi. A semi-parametric statistical test to compare complex networks, Journal of Complex Networks, cnz028, <https://doi.org/10.1093/comnet/cnz028>

Examples

```
## Please uncomment the following lines to run an example
# require(igraph)
# set.seed(42)
```

```

# model <- "ER"
# graph <- list()

## Under H0
# graph[[1]] <- get.adjacency(erdos.renyi.game(50, 0.5))
# graph[[2]] <- get.adjacency(erdos.renyi.game(50, 0.5))
# graph[[3]] <- get.adjacency(erdos.renyi.game(50, 0.5))
# result <- sp.anogva(graph, model, maxBoot = 300)
# result

## Under H1
# graph[[1]] <- get.adjacency(erdos.renyi.game(50, 0.5))
# graph[[2]] <- get.adjacency(erdos.renyi.game(50, 0.55))
# graph[[3]] <- get.adjacency(erdos.renyi.game(50, 0.5))
# result <- sp.anogva(graph, model, maxBoot = 300)
# result

```

tang

Tang hypothesis testing for random graphs.

Description

Given two independent finite-dimensional random dot product graphs, 'tang' tests if they have generating latent positions that are drawn from the same distribution.

Usage

```
tang(G1, G2, dim, sigma = NULL, alpha = 0.05, bootstrap_sample = 200,
     printResult = FALSE)
```

Arguments

G1	the first undirected graph to be compared. Must be an igraph object.
G2	the second undirected graph to be compared. Must be an igraph object.
dim	dimension of the adjacency spectral embedding.
sigma	a real value indicating the kernel bandwidth. If NULL (default) the bandwidth is calculated by the method.
alpha	the significance level for the test (default is 0.05).
bootstrap_sample	integer indicating the number of bootstrap resamples (default is 200).
printResult	logical indicating if the test must print the result (default is FALSE).

Value

A list containing:

X1	the embedding of G1.
X2	the embedding of G2.
test_stats	the value of the test.
p_value	the p-value of the test.
bootstrap_samples	The test distribution on the bootstrap resamples.

References

Tang, Minh, et al. "A nonparametric two-sample hypothesis testing problem for random graphs." Bernoulli 23.3 (2017): 1599-1630.

Tang, Minh, et al. "A semiparametric two-sample hypothesis testing problem for random graphs." Journal of Computational and Graphical Statistics 26.2 (2017): 344-354.

Examples

```
require(igraph)
set.seed(42)

## test under H0
lpvs <- matrix(rnorm(200), 20, 10)
lpvs <- apply(lpvs, 2, function(x) { return (abs(x)/sqrt(sum(x^2))) })
g1 <- sample_dot_product(lpvs)
g2 <- sample_dot_product(lpvs)
D <- tang(g1,g2, 5, printResult = TRUE)

## test under H1
lpvs2 <- matrix(pnorm(200), 20, 10)
lpvs2 <- apply(lpvs2, 2, function(x) { return (abs(x)/sqrt(sum(x^2))) })
g2 <- suppressWarnings(sample_dot_product(lpvs2))
D <- tang(g1,g2, 5, printResult = TRUE)
```

Index

- *Topic **analysis_of_graph_variability**
 - anogva, 3
 - *Topic **autocorrelation**
 - graph.acf, 10
 - *Topic **clustering**
 - graph.cluster, 11
 - *Topic **correlation_coefficient**
 - graph.cor.test, 12
 - *Topic **graph_comparison**
 - graph.test, 20
 - *Topic **graph_information_criterion**
 - GIC, 8
 - *Topic **model_selection**
 - graph.model.selection, 14
 - *Topic **multidimensional_scaling**
 - graph.mult.scaling, 17
 - *Topic **parameter_estimation**
 - graph.param.estimator, 18
 - *Topic **semi_parametric_analysis_of_graph_variability**
 - sp.anogva, 21
 - *Topic **spectral_entropy**
 - graph.entropy, 13
- anogva, 3
- cerqueira, 4
- fraiman, 6
- ghoshdastidar, 7
- GIC, 8
- graph.acf, 10
- graph.cluster, 11
- graph.cor.test, 12
- graph.entropy, 13
- graph.model.selection, 14
- graph.mult.scaling, 17
- graph.param.estimator, 18
- graph.test, 20
- sp.anogva, 21
- statGraph (statGraph-package), 2
- statGraph-package, 2
- tang, 23