

# Package ‘taxlist’

May 31, 2020

**Version** 0.1.9

**Encoding** UTF-8

**Title** Handling Taxonomic Lists

**Depends** R(>= 3.5.0)

**Imports** foreign, methods, stats, taxa, taxize, stringdist, utils,  
vegdata

**Suggests** devtools, goodpractice, knitr, stringi, testthat, rmarkdown,  
roxygen2, covr

**LazyData** true

**Description** Handling taxonomic lists through objects of class 'taxlist'.

This package provides functions to import species lists from 'Turboveg'  
(<https://www.synbiosys.alterra.nl/turboveg>) and the possibility to create  
backups from resulting R-objects.

Also quick displays are implemented as summary-methods.

**License** GPL (>= 2)

**URL** <https://cran.r-project.org/package=taxlist>,  
<https://github.com/kamapu/taxlist>

**BugReports** <https://github.com/kamapu/taxlist/issues>

**Collate** 'imports.R' 'NULLing.R' 'internal.R' 'deprecated-functions.R'  
'replace\_x.R' 'dissect\_name.R' 'clean\_strings.R'  
'taxlist-class.R' 'clean.R' 'as.list.R' 'taxon\_views.R'  
'count\_taxa.R' 'taxon\_names.R' 'taxon\_relations.R'  
'taxon\_traits.R' 'levels.R' 'accepted\_name.R' 'get\_children.R'  
'merge\_taxa.R' 'Extract.R' 'subset.R' 'backup\_object.R'  
'summary.R' 'df2taxlist.R' 'tv2taxlist.R' 'tnrs.R'  
'tax2traits.R' 'match\_names.R' 'print\_name.R'  
'taxlist2taxmap.R' 'Easplist-data.R' 'taxlist-package.R'  
'StartMessage.R'

**VignetteBuilder** knitr

**RoxygenNote** 7.1.0

**NeedsCompilation** no

**Author** Miguel Alvarez [aut, cre] (<<https://orcid.org/0000-0003-1500-1834>>),  
Zachary Foster [ctb] (<<https://orcid.org/0000-0002-5075-0948>>)

**Maintainer** Miguel Alvarez <kamapu78@gmail.com>

**Repository** CRAN

**Date/Publication** 2020-05-31 04:20:09 UTC

## R topics documented:

taxlist-package . . . . .	3
accepted_name . . . . .	3
as.list . . . . .	5
backup_object . . . . .	6
clean . . . . .	8
clean_strings . . . . .	9
count_taxa . . . . .	10
Deprecated-functions . . . . .	11
df2taxlist . . . . .	11
dissect_name . . . . .	13
Easplist-data . . . . .	14
Extract . . . . .	15
get_children . . . . .	16
levels . . . . .	17
match_names . . . . .	18
merge_taxa . . . . .	20
print_name . . . . .	21
replace_x . . . . .	23
subset . . . . .	24
summary . . . . .	25
tax2traits . . . . .	27
taxlist-class . . . . .	28
taxlist2taxmap . . . . .	29
taxon_names . . . . .	30
taxon_relations . . . . .	32
taxon_traits . . . . .	34
taxon_views . . . . .	35
tnrs . . . . .	37
tv2taxlist . . . . .	38
<b>Index</b>	<b>39</b>

---

taxlist-package	<i>taxlist: Handling taxonomic lists.</i>
-----------------	---

---

### Description

The class `taxlist` is defined in this package using the S4 language. The main task of `taxlist` objects is to keep the taxonomic coherence of information included in taxonomic lists and to implement functions (methods) for a proper data handling. Objects of class `taxlist` can be included in further objects, for instance in biodiversity records as done in the package `vegetable`.

### Details

The class `taxlist` is defined in this package using the S4 language. The main task of `taxlist` objects is to keep the taxonomic coherence of information included in taxonomic lists and to implement functions (methods) for a proper data handling. Objects of class `taxlist` can be included in further objects, for instance in biodiversity records as done in the package `vegetable`.

For a more detailed description of this package, see [Alvarez & Luebert \(2018\)](#).

### Author(s)

Miguel Alvarez <kamapu78@gmail.com>

### References

**Alvarez M, Luebert F (2018).** The taxlist package: managing plant taxonomic lists in R. *Biodiversity Data Journal* 6: e23635. <https://doi.org/10.3897/bdj.6.e23635>

---

accepted_name	<i>Manage accepted names, synonyms and basionyms</i>
---------------	--

---

### Description

Taxon usage names for a taxon concept can be divided into three categories: accepted names, basionyms and synonyms. Each single taxon concept may at least have an accepted name, while basionym and synonyms are optional. The functions `accepted_name`, `basionym` and `synonyms` can be used either to display the respective usage names or to set usage names in one of those categories.

### Usage

```
accepted_name(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,numeric'
accepted_name(taxlist, ConceptID, show_traits = FALSE, ...)

## S4 method for signature 'taxlist,missing'
```

```

accepted_name(taxlist, ConceptID, ...)

accepted_name(taxlist, ConceptID) <- value

## S4 replacement method for signature 'taxlist,numeric,numeric'
accepted_name(taxlist, ConceptID) <- value

synonyms(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,numeric'
synonyms(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,missing'
synonyms(taxlist, ConceptID, ...)

basionym(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,numeric'
basionym(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,missing'
basionym(taxlist, ConceptID, ...)

basionym(taxlist, ConceptID) <- value

## S4 replacement method for signature 'taxlist,numeric,numeric'
basionym(taxlist, ConceptID) <- value

```

### Arguments

taxlist	An object of class <code>taxlist</code> .
ConceptID	Integer containing concept IDs where to request or set names for one category.
...	Further arguments passed among methods.
show_traits	Logical value, whether traits should be included in the output of <code>accepted_name</code> or not.
value	Integer containing usage IDs to be set to the respective category in the respective taxon concept.

### Details

The function `accepted_name` retrieves the accepted names for the indicated taxon concepts or for the whole `taxlist` object. By using `show_traits=TRUE`, the respective taxon traits will be displayed as well, providing an overview of taxa included in the object. The replacement method for this function will set the respective usage name IDs as accepted names for the respective taxon concept, provided that these names are already set as synonyms in the respective concepts.

The function `synonyms` is working in a similar way as `accepted_name`, but this function does not include taxon traits in the output and there is no replacing method for synonyms. Alternatives for

inserting new synonyms into a taxon concept are either moving synonyms from other taxa by using `change_concept<-` or inserting new names in the object by using `add_synonym()`.

The function `basionym` is retrieving and setting basionyms in the respective taxon concepts similarly to `accepted_name`, but this function does not retrieve any information on taxon traits, either.

### Value

Most of the methods return information in data frames, while replacement methods do it as `taxlist` objects.

### Author(s)

Miguel Alvarez <kamapu78@gmail.com>

### See Also

`add_synonym()` `change_concept<-`

### Examples

```
## Set a different accepted name for Cyclosorus interruptus
summary(Easplist, "Cyclosorus interruptus")
accepted_name(Easplist, 50074) <- 53097
summary(Easplist, 50074)

## Inserting a new name first
summary(Easplist, "Basella alba")
Easplist <- add_synonym(Easplist, 68, TaxonName="Basella cordifolia",
  AuthorName="Lam.")
summary(Easplist, 68)
accepted_name(Easplist, 68) <- 56139
summary(Easplist, 68)
```

---

as.list

*Coerce an S4 object to a list.*

---

### Description

Coercion of S4 objects to lists can be applied to explore their content, avoiding errors caused by their validation.

### Usage

```
S4_to_list(x)

## S4 method for signature 'taxlist'
as.list(x, ...)
```

## Arguments

x                    An object of class `taxlist` or any S4 class.  
...                   further arguments passed to or from other methods.

## Details

The function `S4_to_list` transforms any S4 object to a list setting slots to elements of the list and it is running internally in the method `as.list` for `taxlist` objects.

## Value

An object of class `list`.

## Author(s)

Miguel Alvarez <kamapu78@gmail.com>

## Examples

```
Easplist <- as.list(Easplist)
class(Easplist)
```

---

backup_object	<i>Make and load backups of R objects</i>
---------------	---

---

## Description

When work with data becomes risky, the best practice is to produce backup files. The function of `backup_object` is a wrapper of `save()`, adding a time stamp and a suffix to the name of the resulting file (an R image file with extension `*.rda`). The function `load_last` is adapted to this style, loading the newest version to the session.

## Usage

```
backup_object(  
  ...,  
  objects = character(),  
  file,  
  stamp = TRUE,  
  overwrite = FALSE  
)  
  
load_last(file, fext = ".rda")
```

**Arguments**

...	Names of the objects to be saved (either symbols or character strings).
objects	A character vector indicating the names of objects to be included in the backup file.
file	A character value indicating the name of the backup file, without the extension.
stamp	A logical value indicating whether time should be stamped in the backup name or not.
overwrite	A logical value indicating whether existing files must be overwritten or not.
fext	A character value indicating the file extension (including the dot symbol).

**Details**

In both functions the argument `file` may include either the path relative to the working directory or the absolute path to the file, excluding stamps and extension. For `overwrite=FALSE` (the default), a numeric suffix will be added to the backup's name, if another backup was produced at the same day. For `overwrite=TRUE` no suffix will be included in the file and existing files will be overwritten.

The function `load_last()` will load the newest version among backups stored in the same folder, provided that the backup name includes a time stamp.

**Value**

An R image with extension **\*.rda**.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**See Also**

[save load](#).

**Examples**

```
## Not run:
## A subset with Pseudognaphalium and relatives
Pseudognaphalium <- subset(Easplist, grepl("Pseudognaphalium", TaxonName),
slot="names")
Pseudognaphalium <- get_parents(Easplist, Pseudognaphalium)

## Create a backup with date stamp
backup_object(Pseudognaphalium, file="Pseudonaphalium")

## The same
backup_object(objects="Pseudognaphalium", file="Pseudonaphalium")

## To load the last backup into a session
load_last("Pseudognaphalium")
```

```
## End(Not run)

## Load pre-installed backup
load_last(file.path(path.package("taxlist"), "extdata", "Podocarpus"))
```

---

clean	<i>Delete orphaned records</i>
-------	--------------------------------

---

### Description

Manipulation of slots may generate orphaned entries in [taxlist](#) objects. The function `clean` deletes such entries and restores the consistency of the objects.

### Usage

```
clean(object, ...)

## S4 method for signature 'taxlist'
clean(object, times = 2, ...)
```

### Arguments

<code>object</code>	A <a href="#">taxlist</a> object.
<code>...</code>	Further arguments passed from or to other methods.
<code>times</code>	An integer indicating how many times the cleaning should be repeated.

### Details

Cleaning of objects will follow the deletion of orphaned names, orphaned taxon trait entries, and orphaned parent entries.

### Value

A clean [taxlist](#) object.

### Author(s)

Miguel Alvarez.

### Examples

```
## Direct manipulation of slot taxonRelations generates an invalid object
Easplist@taxonRelations <- Easplist@taxonRelations[1:5,]
## Not run:
summary(Easplist)

## End(Not run)
```



```
## Now apply cleaning
Easplist <- clean(Easplist)
summary(Easplist)
```

---

clean_strings	<i>Cleaning character strings.</i>
---------------	------------------------------------

---

### Description

Multiple, leading and trailing white spaces as well as wrong encodings may cause serious problems in information dealing with taxonomic names. The function `clean_strings` get rid of them.

### Usage

```
clean_strings(x, ...)

## S4 method for signature 'character'
clean_strings(x, from = "utf8", to = "utf8", ...)

## S4 method for signature 'factor'
clean_strings(x, from = "utf8", to = "utf8", ...)

## S4 method for signature 'data.frame'
clean_strings(x, from = "utf8", to = "utf8", ...)
```

### Arguments

x	Object to be cleaned.
...	Further arguments passed among methods (not yet in use).
from, to	Arguments passed to <code>iconv()</code> .

### Details

This function automatically deletes leading, trailing and multiple white spaces, either in strings (method `character`), levels (method `factor` or in single columns (method `data.frame`)).

### Value

The same as input `x`.

### Author(s)

Miguel Alvarez.

## Examples

```
library(taxlist)
clean_strings(" Cyperus    papyrus L.    ")
```

---

count_taxa	<i>Count taxa within a taxlist object.</i>
------------	--

---

## Description

Counting number of taxa within [taxlist](#) objects or character vectors containing taxon names.

## Usage

```
count_taxa(object, data, ...)

## S4 method for signature 'character,missing'
count_taxa(object, rm.na = TRUE, ...)

## S4 method for signature 'factor,missing'
count_taxa(object, rm.na = TRUE, ...)

## S4 method for signature 'taxlist,missing'
count_taxa(object, level, ...)

## S4 method for signature 'formula,taxlist'
count_taxa(object, data, include_na = FALSE, suffix = "_count", ...)
```

## Arguments

object	An object containing a taxonomic list or a formula.
data	An object of class <a href="#">taxlist</a> in the formula method.
...	further arguments passed among methods.
rm.na	Logical value, whether NAs have to be removed from the input vector or not.
level	Character value indicating the taxonomic rank of counted taxa.
include_na	Logical value indicating whether NA values in a taxon trait should be considered for counting taxa or just ignored (only used in formula method).
suffix	Character value used as suffix for the counted rank in the output data frame (only used in formula method).

## Details

This function is written by convenience in order to reduce code for counting taxa within [taxlist](#) objects and it is just a wrapper of [length\(\)](#).

**Value**

An integer with the number of taxa.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**Examples**

```
## factor method
count_taxa(iris$Species)

## taxlist method
count_taxa(Easplist)
count_taxa(Easplist, level="species")

## using a formula
count_taxa(~ lf_behn_2018, Easplist)
```

---

Deprecated-functions    *Deprecated functions*

---

**Description**

Most of those functions have been replaced by alternative 'update' ones.

**Usage**

```
add_parent()
add_trait()
add_level()
replace_view()
```

---

df2taxlist                    *Convert data frames into taxlist objects*

---

**Description**

Taxon lists may be provided in data frame format, which will be converted to a [taxlist](#) object.

**Usage**

```
df2taxlist(x, AcceptedName, ...)

## S4 method for signature 'data.frame,logical'
df2taxlist(x, AcceptedName, ...)

## S4 method for signature 'data.frame,missing'
df2taxlist(x, AcceptedName, ...)

## S4 method for signature 'character,missing'
df2taxlist(x, AcceptedName, ...)
```

**Arguments**

x	A data frame or a character vector with taxon names.
AcceptedName	A logical vector indicating accepted names with value TRUE.
...	Additional vectors to be added as columns in slottaxonNames.

**Details**

In the method `data.frame`, the input data frame must have following columns:

**TaxonUsageID** Numeric code for the name.  
**TaxonConceptID** Numeric code for the concept.  
**TaxonName** Full name (usage), excluding author name.  
**AuthorName** Author of the combination (taxon name).

If the argument `AcceptedName` is missing, all names will be assumed as accepted names. In the alternative character method, author names have to be added as additional vectors.

Be aware that the resulting object misses any information on taxon views, basionyms, parent concepts, hierarchical levels and taxon traits. All those elements can be added *a posteriori* by further functions provided in this package.

**Value**

A [taxlist](#) object.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>.

**Examples**

```
## Read the table with names of Cyperus species
Cyperus <- read.csv(file.path(path.package("taxlist"), "cyperus",
  "names.csv"), stringsAsFactors=FALSE)
head(Cyperus)
```

```
## Convert to 'taxlist' object
Cyperus <- df2taxlist(Cyperus, AcceptedName=!Cyperus$SYNONYM)
summary(Cyperus)

## Create a 'taxlist' object from character vectors
Plants <- df2taxlist(c("Triticum aestivum", "Zea mays"), AuthorName="L.")
summary(Plants, "all")
```

---

dissect\_name

*Dissect Scientific Names into their Elements*

---

## Description

Depending the degree of resolution and specific roles of nomenclature, strings containing taxon usage names (scientific names) are constructed with different parts. A string with names can be consequently split into those elements, meanwhile the number of elements will suggest the taxonomic ranks.

## Usage

```
dissect_name(x, split = " ", fixed = TRUE, ...)
```

## Arguments

`x` A character vector containing taxon names.  
`split, fixed, ...` Arguments passed to [strsplit\(\)](#).

## Details

This function is using [strsplit\(\)](#) for splitting names. Single spaces will be used to dissect names but it can be changed in the value of argument `split`. The number of columns in the resulting matrix will depend on the longest polynomial string.

## Value

A character matrix with as many rows as names in the input vector.

## Author(s)

Miguel Alvarez <kamapu78@gmail.com>

## See Also

[strsplit\(\)](#)

**Examples**

```
Easplist <- subset(Easplist, Level == "variety", slot="relations")
Easplist <- accepted_name(Easplist)[c(1:10), "TaxonName"]

dissect_name(Easplist)
```

---

Easplist-data

*List of vascular plants from East Africa*

---

**Description**

Example of an incomplete taxonomic list including taxa recorded in East Africa.

**Usage**

```
Easplist
```

**Format**

An object of class [taxlist](#).

**Details**

This list is a subset of the taxonomic list implemented in the database [SWEA-Dataveg](#). Since this list is being complemented regarding stored vegetation plots, it is an incomplete list.

**Source**

[African Plant Database, SWEA-Dataveg](#).

**Examples**

```
summary(Easplist)
```

---

Extract

*Extract or Replace Parts of taxlist Objects*

---

## Description

Quick access to slots `taxonTraits` and `taxonRelations` within `taxlist` objects.

## Usage

```
## S4 method for signature 'taxlist'  
x[i, j, drop = FALSE]
```

```
## S4 method for signature 'taxlist'  
x$name
```

## Arguments

<code>x</code>	Object of class <code>taxlist</code> .
<code>i, j</code>	Indices for access.
<code>drop</code>	A logical value passed to <code>Extract</code> .
<code>name</code>	A name to access.

## Details

While the method `$` automatically recognizes the slot queried, provided that there is no shared column names.

In the method `[]`, the first index is referred to the rows in slot `taxonRelations`, while the second index indicate the columns in slot `taxonTraits`.

A replacement method `$<=` is also implemented.

## Value

The method `$` retrieves a vector, while `[]` retrieves a subset of the input `taxlist` object.

## Author(s)

Miguel Alvarez <kamapu78@gmail.com>.

## See Also

[taxlist subset](#)

**Examples**

```
## Statistics on life forms
summary(as.factor(Easplist$lf_behn_2018))

## First ten concepts in this list
summary(Easplist[1:10,], "all")
```

---

get_children	<i>Retrieve children or parents of taxon concepts</i>
--------------	---

---

**Description**

Retrieve all children or all parents of a queried taxon concept.

**Usage**

```
get_children(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,numeric'
get_children(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,taxlist'
get_children(taxlist, ConceptID, ...)

get_parents(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,numeric'
get_parents(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,taxlist'
get_parents(taxlist, ConceptID, ...)
```

**Arguments**

taxlist	A <a href="#">taxlist</a> object.
ConceptID	Concept IDs for selecting parents or children or a subset of taxlist.
...	Further arguments passed among methods.

**Details**

This function produces subsets of [taxlist](#) objects including all children or parents of queried taxon concepts. Multiple concepts can be queried in these function. The argument ConceptID can be a vector of concept IDs or a subset of the input taxlist object.

**Value**

A [taxlist](#) object with a subset including requested concepts with children or parents.



**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**Examples**

```
## Subset with family Ebenaceae and children
Ebenaceae <- subset(Easplist, charmatch("Ebenaceae", TaxonName))
Ebenaceae <- get_children(Easplist, Ebenaceae)

summary(Ebenaceae)
summary(Ebenaceae, "all", maxsum=100)

## Get parents of Diospyros tricolor
Diostri <- subset(Easplist, TaxonConceptID == 52403, slot="relations")
Diostri <- get_parents(Easplist, Diostri)

summary(Diostri)
summary(Diostri, "all")
```

---

levels

*Set and retrieves hierarchical levels*

---

**Description**

Taxonomic hierarchies can be set as levels in [taxlist](#) objects, ordered from lower to higher levels.

Add taxonomic levels for specific taxon concepts in a [taxlist](#) object. Also changes in concept circumscription may implicate changes in its taxonomic hierarchy.

**Usage**

```
## S4 method for signature 'taxlist'
levels(x, ...)

## S4 replacement method for signature 'taxlist'
levels(x) <- value
```

**Arguments**

x	A <a href="#">taxlist</a> object.
...	Additional arguments passed among methods.
value	A character vector with replacement values for levels of x.

**Details**

Taxonomic levels will be handled as factors in the `taxlist` objects. Those levels are useful for creating subsets of related groups (e.g. by functions `get_children()` or `get_parents()`).

Levels in combination to parent-child relationships will be further used for checking consistency of taxonomic lists.

A replacement method of the form `levels(x) <-value` it is also implemented.

**Value**

A character vector or a `taxlist` object with added or modified taxonomic levels.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**Examples**

```
## Get levels of species list
taxlist::levels(Easplist)

## Add aggregate as new taxonomic level
levels(Easplist) <- c("form", "variety", "subspecies", "species",
  "complex", "aggregate", "genus", "family")
summary(Easplist)
```

---

match\_names

*Search matchings between character and taxlist objects*

---

**Description**

Names provided in a character vector will be compared with names stored in slot `taxonNames` within an object of class `taxlist` by using the function `stringsim()`.

**Usage**

```
match_names(x, object, ...)

## S4 method for signature 'character,character'
match_names(x, object, best = 5, clean = TRUE, ...)

## S4 method for signature 'character,taxlist'
match_names(
  x,
  object,
  clean = TRUE,
  output = "data.frame",
```

```

    best = 5,
    show_concepts = FALSE,
    accepted_only = FALSE,
    method = "lcs",
    ...
)

```

### Arguments

x	A character vector with names to be compared.
object	An object of class <code>taxlist</code> to be compared with.
best	Integer value indicating how many from the best matches have to be displayed (only working for <code>output="list"</code> ).
clean	Logical value, whether leading, tailing and double blanks should be deleted from x.
output	Character value indicating the type of output (see details).
show_concepts	Logical value, whether respective concepts should be displayed in output or not.
accepted_only	Logical value, whether only accepted names should be matched or all.
method, ...	Further arguments passed to <code>stringsim()</code> .

### Details

For `output="list"` a list with the best matches (taxon usage name ID and similarity) for each queried name will be retrieved, where the number is set by argument `best`. Option `accepted_only=TRUE` will only work without `output="data.frame"`. This will be applied especially in those cases where the requested names have more than one match in the reference `taxlist` object (matching homonyms) and will retrieve the one name, that has the status of accepted name, otherwise no matchings will be retrieved.

### Author(s)

Miguel Alvarez <kamapu78@gmail.com>

### See Also

`stringsim()`

### Examples

```

## Names to be compared
species <- c("Cyperus papyrus", "Typha australis", "Luke skywalker")

## Retrieve taxon usage names
match_names(species, Easplist)

## Display accepted names in output
match_names(species, Easplist, show_concepts=TRUE)

```

---

merge_taxa	<i>Merge concepts or move names</i>
------------	-------------------------------------

---

### Description

Merge taxon concepts from a [taxlist](#) object into single ones.

### Usage

```
merge_taxa(object, concepts, level, ...)

## S4 method for signature 'taxlist,numeric,missing'
merge_taxa(object, concepts, print_output = FALSE, ...)

## S4 method for signature 'taxlist,missing,character'
merge_taxa(object, concepts, level, ...)

change_concept(taxlist, UsageID) <- value

## S4 replacement method for signature 'taxlist'
change_concept(taxlist, UsageID) <- value
```

### Arguments

object, taxlist	Object of class <a href="#">taxlist</a> .
concepts	Numeric (integer) vector including taxon concepts to be merged.
level	Character vector indicating the lowest level for merging.
...	Further arguments to be passed to or from other methods.
print_output	Logical value indicating whether the merged concept should be displayed in the console.
UsageID	Numeric vector with taxon usage IDs to be changed from concept.
value	Numeric vector with taxon concept IDs to be assigned to the names.

### Details

Taxon concepts indicated in argument `concepts` will be merged into a single concept. The new concept inherits the ID and respective attributes from slots `taxonRelations` and `taxonTraits` from the first taxon concept indicated in argument `concepts`.

For convenience the resulting concept can be displayed by setting `print_output=TRUE` but only when using argument `concepts`.

An alternative application of this function is implemented through the argument `level`, where all lower rank taxa will be merged to the indicated level or higher (if parent of merged taxa are at a higher rank).

**Value**

An object of class `taxlist`.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**Examples**

```
## Merge Cyperus papyrus and Cyperus dives
summary(Easplist, c(206, 197))

Easplist <- merge_taxa(Easplist, c(206, 197), print_output=TRUE)

## Move the name Typha aethiopica to concept 573 (T. latifolia)
change_concept(Easplist, 53130) <- 573
summary(Easplist, c(50105,573))
```

---

print\_name

*Format usage names for publications*

---

**Description**

When writing on bio-diversity, usage names could be automatically inserted in documents including the typical italic format for different elements of a scientific name. The function `print_name` can be applied either in markdown documents or for graphics.

**Usage**

```
print_name(object, id, ...)

## S4 method for signature 'taxlist,numeric'
print_name(
  object,
  id,
  concept = TRUE,
  second_mention = FALSE,
  include_author = TRUE,
  secundum,
  style = "markdown",
  ...
)
```



```
## Using synonym
text(0, 4, labels=print_name(Easplist, 50037, style="expression",
  concept=FALSE), pos=4)

## Markdown style
text(0, 5, labels=print_name(Easplist, 363, style="markdown"), pos=4)

## HTML style
text(0, 6, labels=print_name(Easplist, 363, style="html"), pos=4)

## LaTeX style for knitr
text(0, 7, labels=print_name(Easplist, 363, style="knitr"), pos=4)
```

---

 replace\_x

*Data manipulation.*


---

## Description

Functions provided for fast replacement and update of data.

## Usage

```
replace_x(x, old, new)

replace_idx(x, idx1, idx2, new)

replace_na(x, idx1, idx2, new)

insert_rows(x, y)
```

## Arguments

x	A vector to be modified or a data frame in the case of <code>insert_rows</code> .
old, new	Vectors containing the values to be replaced and the updated values, respectively.
idx1, idx2	Indices applied for the values in 'x' and the values to be replaced, respectively.
y	Data frame including rows to be inserted in x.

## Details

These are functions implemented for efficient coding of insert and replace routines.

The functions `replace_x` and `replace_idx` replace values in vectors, in the first case comparing values in the vector and in the second one by using indices. The function `replace_na` works in the same way as `replace_idx`, but carries out the replacement only if the previous value is a NA.

The function `insert_rows` inserts `y` as new rows in `x`. If `y` contains columns absent in `x`, they will be added to the output data frame.

**Value**

A vector or data frame with the modified values.

**Author(s)**

Miguel Alvarez.

**Examples**

```
library(taxlist)

## Replace values in vector
replace_x(letters, c("b", "p", "f"), c("bee", "pork", "fungus"))

## Replace values using indices
replace_idx(letters, 1:length(letters), c(2,7,17), c("second", "seven",
  "seventeenth"))

## Replace values if they are NAs
letters[2] <- NA
replace_na(letters, 1:length(letters), c(1:3), c("alpha", "beta", "zeta"))

## Merge data frames including new columns
data(iris)
iris$Species <- paste(iris$Species)
new_iris <- data.frame(Species=rep("humilis", 2), Height=c(15,20),
  stringsAsFactors=FALSE)
insert_rows(iris, new_iris)
```

---

subset

*Subset method for taxlist objects*

---

**Description**

Subset of [taxlist](#) objects will be done applying either logical operations or pattern matchings. Subsets can be referred to information contained either in the slot `taxonNames`, `taxonRelations` or `taxonTraits`.

**Usage**

```
## S4 method for signature 'taxlist'
subset(
  x,
  subset,
  slot = "names",
  keep_children = FALSE,
  keep_parents = FALSE,
  ...
)
```



**Arguments**

x	Object of class <code>taxlist</code> .
subset	Logical vector or logical operation to apply as subset.
slot	Character value indicating the slot to be used for the subset.
keep_children	Logical value applied to hierarchical structures.
keep_parents	Logical value applied to hierarchical structures.
...	Further arguments to be passed to or from other methods.

**Details**

The argument `subset` will be applied to the slot specified in argument `slot`. This argument also allows partial matchings.

Arguments `keep_children` and `keep_parents` are applied to objects including parent-child relationships. When those arguments are set as `FALSE` (the default), children or parents of selected taxon concepts will not be included in the subset.

Be aware that `subset()` won't work properly inside of function definitions.

**Value**

An object of class `taxlist`.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**Examples**

```
Easplist <- subset(Easplist, lf_behn_2018 == "reed_plant", slot="traits")
summary(Easplist)

summary(as.factor(Easplist$lf_behn_2018))
```

---

summary

*Print overviews for taxlist Objects and their content*

---

**Description**

A method to display either an overview of the content of `taxlist` objects or an overview of selected taxa.

**Usage**

```
## S4 method for signature 'taxlist'
summary(
  object,
  ConceptID,
  units = "Kb",
  check_validity = TRUE,
  display = "both",
  maxsum = 5,
  secundum = NULL,
  ...
)
```

**Arguments**

object	A <a href="#">taxlist</a> object.
ConceptID	IDs of concepts to be displayed in the summary.
units	Character value indicating the units shown in the object's allocated space.
check_validity	Logical value indicating whether the validity of object should be checked or not.
display	Character value indicating the field to be displayed (see details).
maxsum	Integer indicating the maximum number of displayed taxa.
secundum	A character value indicating the column from <code>slottaxonViews</code> to be displayed in the summary.
...	Further arguments passed to or from another methods.

**Details**

A general overview indicating number of names, concepts and taxon views included in [taxlist](#) objects. If argument `ConceptID` is a vector with concept IDs or names to be matched by [grepl\(\)](#), then a display of all names included in each concept will be produced. Alternative you can use `taxon="all"` in order to get the listing of names for all concepts included in the object (truncated to the input number of `maxsum`).

For summaries applied to concepts, there are three alternative displays of names using the argument `display`. Use `display="name"` to show the value `TaxonName`, `display="author"` to show the value `AuthorName` or `display="both"` to show both values. Such values are taken from slot `taxonNames`.

For big objects it will be recommended to set `units="Mb"` (see also [object.size\(\)](#) for further alternatives).

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**See Also**

[taxlist](#)

**Examples**

```
## summary of the object
summary(Easplist, units="Mb")

## summary for two taxa
summary(Easplist, c(51128,51140))

## summary for a name
summary(Easplist, "Acmella")

## summary for the first 10 taxa
summary(Easplist, "all", maxsum=10)
```

---

tax2traits

*Set taxonomic information as taxon traits*


---

**Description**

Taxonomic classification can be included in [taxlist](#) objects within the information provided at slot `taxonRelations`. Nevertheless, for statistical analyses it may be more convenient to insert such information in the slot `taxonTraits`.

**Usage**

```
tax2traits(object, ...)

## S4 method for signature 'taxlist'
tax2traits(object, get_names = FALSE, ...)
```

**Arguments**

<code>object</code>	An object of class <a href="#">taxlist</a> .
<code>...</code>	Further arguments to be passed among methods.
<code>get_names</code>	Logical value indicating whether taxon names should be retrieved instead of taxon IDs.

**Details**

This function can only be applied to objects containing parent-child relationships and information on taxonomic levels.

**Value**

An object of class [taxlist](#) with taxonomy added as traits.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>.

**Examples**

```
## Family Acanthaceae with children
Acanthaceae <- subset(Easplist, TaxonName == "Acanthaceae", slot="names",
  keep_children=TRUE)
summary(Acanthaceae)

## Insert taxonomy to taxon traits
Acanthaceae <- tax2traits(Acanthaceae, get_names=TRUE)
head(taxon_traits(Acanthaceae))
```

---

taxlist-class

*An S4 class to represent taxonomic lists.*

---

**Description**

Class for taxonomic lists including synonyms, hierarchical ranks, parent-child relationships, taxon views and taxon traits.

**Slots**

taxonNames (data.frame) Table of taxon usage names (accepted names and synonyms).  
taxonRelations (data.frame) Relations between concepts, accepted names, basionyms, parents and hierarchical level.  
taxonTraits Table of taxon traits.  
taxonViews References used to determine the respective concept circumscription.

**Author(s)**

Miguel Alvarez

**References**

**Alvarez M, Luebert F (2018).** The taxlist package: managing plant taxonomic lists in R. *Biodiversity Data Journal* 6: e23635. <https://doi.org/10.3897/bdj.6.e23635>

**Examples**

```
library(taxlist)

showClass("taxlist")

## Create an empty object
Splist <- new("taxlist")
```

---

taxlist2taxmap	<i>Conversion among taxlist and taxmap objects</i>
----------------	--

---

### Description

Exchange of data between the packages `taxlist` and `taxa`.

This function should be used for the exchange of data between the packages `taxlist-package` and `taxa`.

### Usage

```
taxlist2taxmap(taxlist, ...)

## S4 method for signature 'taxlist'
taxlist2taxmap(taxlist, ...)

taxmap2taxlist(taxmap, relations, traits, synonyms, views, reindex = FALSE)
```

### Arguments

<code>taxlist</code>	Input object of class <code>taxlist</code> .
<code>...</code>	Additional arguments passed among methods.
<code>taxmap</code>	Input object of class <code>taxmap</code> .
<code>relations, traits, synonyms, views</code>	Character values indicating the names of data frames in the <code>taxmap</code> object at data, which should be used for the slots <code>taxonRelations</code> , <code>taxonTraits</code> , <code>taxonNames</code> , and <code>taxonViews</code> , respectively.
<code>reindex</code>	Logical value indicating whether taxon IDs should be assigned anew or not.

### Value

Depending on the applied function, either a `taxlist` or a `Taxmap` object.

### Author(s)

Miguel Alvarez (<kamapu78@gmail.com>) and Zachary Foster (<zacharyfoster1989@gmail.com>).

### Examples

```
## Subset Easplist
Cyperus <- subset(Easplist, grepl("Cyperus", TaxonName))

## Convert to taxmap
Cyperus2 <- taxlist2taxmap(Cyperus)
Cyperus2

## Convert it back to taxlist
```

```
Cyperus2 <- taxmap2taxlist(Cyperus2, traits="traits", views="views",
  synonyms="synonyms")
summary(Cyperus2)
```

---

taxon_names	<i>Handle information on taxon usage names.</i>
-------------	---

---

## Description

The slot `taxonNames` in `taxlist` objects contains taxon usage names for the respective taxon. These functions assist on the access and modification of entries for names.

## Usage

```
taxon_names(taxlist, ...)

## S4 method for signature 'taxlist'
taxon_names(taxlist, ...)

taxon_names(taxlist) <- value

## S4 replacement method for signature 'taxlist,data.frame'
taxon_names(taxlist) <- value

add_synonym(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist'
add_synonym(taxlist, ConceptID, TaxonName, AuthorName, ...)

update_name(taxlist, UsageID, ...)

## S4 method for signature 'taxlist,numeric'
update_name(taxlist, UsageID, ...)

delete_name(taxlist, UsageID, ...)

## S4 method for signature 'taxlist,numeric'
delete_name(taxlist, UsageID, ...)
```

## Arguments

<code>taxlist</code>	A <code>taxlist</code> object to be modified.
<code>...</code>	Further arguments passed among methods. In <code>update_name</code> are vectors including the variables to be updated for the respective taxon usage ID.
<code>value</code>	A data frame used as new slot <code>taxonNames</code> in <code>taxlist</code> .
<code>ConceptID</code>	Numeric vector indicating the concept ID to which the synonyms will be added.

TaxonName, AuthorName  
 Character values used for the new names (synonyms).

UsageID  
 Numeric vector indicating the taxon usage IDs to be updated.

### Details

The replacement method `taxon_names<-` is a quick alternative to include names in empty `taxlist` objects.

The function `add_synonym()` works only for adding names to existing taxon concepts. For adding new taxon concepts as well you should use `add_concept()`.

### Value

A data frame or, in the case of the replacement method, a `taxlist` object with modified slot `taxonNames`.

### Author(s)

Miguel Alvarez <kamapu78@gmail.com>

### See Also

[taxlist](#)

### Examples

```
## Display of slot 'taxonNames'
Euclea <- subset(Easplist, charmatch("Euclea", TaxonName), slot="names",
  keep_children=TRUE)
summary(Euclea)
taxon_names(Euclea)

## Insert a synonym to Diospyros scabra
summary(Easplist, "Diospyros scabra")
Easplist <- add_synonym(Easplist, 51793, TaxonName="Maba scabra",
  AuthorName="Chiov.")
summary(Easplist, "Diospyros scabra")

## Delete a synonym of Launaea cornuta
summary(Easplist, "Launaea cornuta")
Easplist <- delete_name(Easplist, 53821)
summary(Easplist, "Launaea cornuta")
```

---

taxon_relations	<i>Retrieve or replace slot taxonRelations in taxlist objects</i>
-----------------	---

---

### Description

Retrieve the content of slot taxonRelations from a [taxlist](#) object or replace it by a new data frame.

### Usage

```
taxon_relations(taxlist, ...)

## S4 method for signature 'taxlist'
taxon_relations(taxlist, ...)

taxon_relations(taxlist) <- value

## S4 replacement method for signature 'taxlist,data.frame'
taxon_relations(taxlist) <- value

add_concept(taxlist, TaxonName, ...)

## S4 method for signature 'taxlist,character'
add_concept(taxlist, TaxonName, Level, ...)

## S4 method for signature 'taxlist,taxlist'
add_concept(taxlist, TaxonName, insert_view, ...)

update_concept(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,numeric'
update_concept(taxlist, ConceptID, ...)
```

### Arguments

taxlist	A <a href="#">taxlist</a> object.
...	Further arguments passed among methods.
value	A data.frame object to be set as slot taxonRelations.
TaxonName	Character vector with the accepted name for the new taxon concepts.
Level	Character vector indicating the level of the concept in the list.
insert_view	A numeric (integer) vector, indicating the views to be inserted in taxlist or the value TRUE (see details).
ConceptID	Concept IDs to be updated.



**Details**

The replacement method `taxon_relations<-` should be only used when constructing `taxlist` objects from an empty one (prototype).

New concepts should be first added to a `taxlist` object using their respective accepted names. Synonyms can be further provided using the function `add_synonym()`.

Additional named vectors can be provided to be included in slot `taxonNames`, in the cases where those variables already exist, otherwise they will be ignored.

It is recommended also to provide a concept view as `ViewID` (see `taxon_views()`). For adding a new view, use `add_view()`.

**Value**

An object of class `taxlist` with added names and concepts.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**See Also**

`taxlist`

**Examples**

```
## Subset for the genus Euclea and display of slot 'taxonNames'
Euclea <- subset(Easplist, charmatch("Euclea", TaxonName), slot="names")
Euclea <- get_children(Easplist, Euclea)

summary(Euclea)
taxon_relations(Euclea)

## Subset with family Ebenaceae and children
Ebenaceae <- subset(Easplist, charmatch("Ebenaceae", TaxonName))
Ebenaceae <- get_children(Easplist, Ebenaceae)

summary(Ebenaceae)
summary(Ebenaceae, "all", maxsum=100)

## Adding a new concept
Ebenaceae <- add_concept(Ebenaceae, TaxonName="Euclea acutifolia",
  AuthorName="E. Mey. ex A. DC.", Level="species", Parent=55707, ViewID=1)

## A summary again
summary(Ebenaceae)
summary(Ebenaceae, "all", maxsum=100)

## Display two Typha species
summary(Easplist, c("Typha domingensis", "Typha latifolia"))

## Update a concept
```

```
summary(Easplist, "Corchorus olitorius")
Easplist <- update_concept(Easplist, 155, Level="subspecies")
summary(Easplist, "Corchorus olitorius")
```

---

taxon\_traits

*Manipulation of taxon traits in taxlist objects.*


---

## Description

The slot `taxonTraits` in `taxlist` objects contains attributes of taxon concepts (e.g. functional traits). These functions are suitable for replacing, retrieving and appending trait information in taxonomic lists.

## Usage

```
taxon_traits(taxlist, ...)

## S4 method for signature 'taxlist'
taxon_traits(taxlist, ...)

taxon_traits(taxlist) <- value

## S4 replacement method for signature 'taxlist,data.frame'
taxon_traits(taxlist) <- value

update_trait(taxlist, ConceptID, ...)

## S4 method for signature 'taxlist,numeric'
update_trait(taxlist, ConceptID, ...)
```

## Arguments

<code>taxlist</code>	A <code>taxlist</code> object.
<code>...</code>	Further arguments to be passed among methods.
<code>value</code>	Data frame to be set as slot <code>taxonTraits</code> .
<code>ConceptID</code>	A numeric vector with the respective taxon concept IDs.

## Details

Taxon traits are contained in a data frame at the slot `taxonTraits` in `taxlist` objects. To optimise space, this data frame contain only entries for those concepts with information, while taxa with no information are skipped from this table. Thus appending new variables may also have to include new rows in this slot, which is automatically carried out by this function.

The replacement method `taxon_traits<-` should be only used when constructing `taxlist` objects from an empty one.

**Author(s)**

Miguel Alvarez <kamapu78@gmail.com>

**See Also**

[taxlist](#).

**Examples**

```
head(taxon_traits(Easplist))
```

---

taxon\_views

*Management of concept views in taxonomic lists.*

---

**Description**

Retrieve or replace slot taxonViews in an object of class [taxlist](#)

**Usage**

```
taxon_views(taxlist, ...)  
  
## S4 method for signature 'taxlist'  
taxon_views(taxlist, ...)  
  
taxon_views(taxlist) <- value  
  
## S4 replacement method for signature 'taxlist,data.frame'  
taxon_views(taxlist) <- value  
  
add_view(taxlist, ...)  
  
## S4 method for signature 'taxlist'  
add_view(taxlist, ...)
```

**Arguments**

taxlist	A <a href="#">taxlist</a> object.
...	Further arguments to be passed among methods.
value	An object of class <a href="#">data.frame</a> containing the references used to define the circumscription of taxon concepts included in <a href="#">taxlist</a> .

## Details

Taxon views indicate in `taxlist` objects the references determining the circumscription of the respective taxon concepts. When adding a new concept (see `add_concept()`), the respective reference may not yet occur in the input `taxlist` object.

The term taxon view was introduced by **Zhong et al. (1996)** and corresponds to the reference used for the definition of a concept.

This function retrieves the slot `taxonViews` from objects of the class `taxlist`.

The replacement method `taxon_views<-` replaces the whole content of slot `taxonViews` and it is only recommended to use when constructing a new `taxlist` object from an empty prototype.

## Value

An object of class `taxlist` with added views.

## Author(s)

Miguel Alvarez <kamapu78@gmail.com>

## References

**Zhong Y, Jung S, Pramanik S, Beaman JH (1996).** Data model and comparison and query methods for interacting classifications in a taxonomic database. *Taxon* 45: 223–241. <https://doi.org/10.1093/bioinformatics/15.2.149>

## See Also

`taxlist`

## Examples

```
## See existing views
taxon_views(Easplist)

## Add a new view
Easplist <- add_view(Easplist, secundum="Beentje et al. (1952)",
  Title="Flora of Tropical East Africa",
  URL="http://www.kew.org/science/directory/projects/FloraTropEAfrica.html")

taxon_views(Easplist)
```

---

tnrs	<i>Taxonomic Name Resolution Service</i>
------	--

---

## Description

Methods of `taxize::tnrs()` for `taxlist` objects.

## Usage

```
tnrs(query, ...)  
  
## S4 method for signature 'character'  
tnrs(query, ...)  
  
## S4 method for signature 'taxlist'  
tnrs(query, min_score = 0.8, source = "iPlant_TNRS", ...)
```

## Arguments

query	Either a character vector or a <code>taxlist</code> object with names to search.
...	Further arguments passed to <code>taxize::tnrs()</code> .
min_score	Minimum value of score for considering accepted names as suggested by the output.
source	Source database.

## Details

This function checks for matching of taxon names in `taxlist` objects with the Taxonomic Name Resolution Service (TNRS). Misspelled names as well as author names will be replaced in the the new object and new accepted names will be inserted.

A method for character vectors is defined for the original function.

## Value

A data frame or an object of class `taxlist`.

## Author(s)

Miguel Alvarez <kamapu78@gmail.com>

## See Also

`taxize::tnrs()`

---

`tv2taxlist`*Import species lists from Turboveg databases*

---

### Description

Importing species lists from Turboveg <https://www.synbiosys.alterra.nl/turboveg/> databases into an object of class `taxlist`.

### Usage

```
tv2taxlist(taxlist, tv_home = tv.home())
```

### Arguments

<code>taxlist</code>	The name of a species list in Turboveg as character value.
<code>tv_home</code>	Character value indicating the path to the main Turboveg folder.

### Details

This function imports species lists using the function `read.dbf()`. When available, also taxon traits will be imported into the output object (usually the file `ecodbasedbf`). During import of taxon traits, duplicated entries for a same concept will be discarded as well as entries for non-existing concepts.

By default `tv_home` will be set by the function `tv.home()` from the package `vegdata-package`.

By default, the name of the database will be set as concept view for all concepts included in the species list. If this is not correct, consider setting it manually by using the functions `taxon_views()` and `add_view()`.

### Value

An object of class `taxlist`.

### Author(s)

Miguel Alvarez <kamapu78@gmail.com>

### See Also

[taxlist](#)

### Examples

```
## Cyperus data set installed as Turboveg species list
Cyperus <- tv2taxlist("cyperus", file.path(path.package("taxlist"),
  "tv_data"))

summary(Cyperus)
```

# Index

## \*Topic **datasets**

- Easplist-data, 14
- [ (Extract), 15
- [, taxlist-method (Extract), 15
- \$ (Extract), 15
- \$, taxlist-method (Extract), 15
  
- accepted\_name, 3
- accepted\_name, taxlist, missing-method (accepted\_name), 3
- accepted\_name, taxlist, numeric-method (accepted\_name), 3
- accepted\_name<- (accepted\_name), 3
- accepted\_name<-, taxlist, numeric, numeric-method (accepted\_name), 3
- add\_concept (taxon\_relations), 32
- add\_concept(), 31, 36
- add\_concept, taxlist, character-method (taxon\_relations), 32
- add\_concept, taxlist, taxlist-method (taxon\_relations), 32
- add\_level (Deprecated-functions), 11
- add\_parent (Deprecated-functions), 11
- add\_synonym (taxon\_names), 30
- add\_synonym(), 5, 33
- add\_synonym, taxlist-method (taxon\_names), 30
- add\_trait (Deprecated-functions), 11
- add\_view (taxon\_views), 35
- add\_view(), 33, 38
- add\_view, taxlist-method (taxon\_views), 35
- ape::mixedFontLabel(), 22
- as.list, 5
- as.list, taxlist-method (as.list), 5
  
- backup\_object, 6
- basionym (accepted\_name), 3
- basionym, taxlist, missing-method (accepted\_name), 3
- basionym, taxlist, numeric-method (accepted\_name), 3
- basionym<- (accepted\_name), 3
- basionym<-, taxlist, numeric, numeric-method (accepted\_name), 3
  
- change\_concept<-, 5
- change\_concept<- (merge\_taxa), 20
- change\_concept<-, taxlist-method (merge\_taxa), 20
- clean, 8
- clean, taxlist-method (clean), 8
- clean\_strings, 9
- clean\_strings, character-method (clean\_strings), 9
- clean\_strings, data.frame-method (clean\_strings), 9
- clean\_strings, factor-method (clean\_strings), 9
- count\_taxa, 10
- count\_taxa, character, missing-method (count\_taxa), 10
- count\_taxa, factor, missing-method (count\_taxa), 10
- count\_taxa, formula, taxlist-method (count\_taxa), 10
- count\_taxa, taxlist, missing-method (count\_taxa), 10
  
- data.frame, 35
- delete\_name (taxon\_names), 30
- delete\_name, taxlist, numeric-method (taxon\_names), 30
- Deprecated-functions, 11
- df2taxlist, 11
- df2taxlist, character, missing-method (df2taxlist), 11
- df2taxlist, data.frame, logical-method (df2taxlist), 11

- df2taxlist, data.frame, missing-method (df2taxlist), 11
- dissect\_name, 13
- Easplist (Easplist-data), 14
- Easplist-data, 14
- Extract, 15, 15
- get\_children, 16
- get\_children(), 18
- get\_children, taxlist, numeric-method (get\_children), 16
- get\_children, taxlist, taxlist-method (get\_children), 16
- get\_parents (get\_children), 16
- get\_parents(), 18
- get\_parents, taxlist, numeric-method (get\_children), 16
- get\_parents, taxlist, taxlist-method (get\_children), 16
- grepl(), 26
- iconv(), 9
- insert\_rows (replace\_x), 23
- length(), 10
- levels, 17
- levels, taxlist-method (levels), 17
- levels<- (levels), 17
- levels<-, taxlist-method (levels), 17
- list, 6
- load, 7
- load\_last (backup\_object), 6
- match\_names, 18
- match\_names, character, character-method (match\_names), 18
- match\_names, character, taxlist-method (match\_names), 18
- merge\_taxa, 20
- merge\_taxa, taxlist, missing, character-method (merge\_taxa), 20
- merge\_taxa, taxlist, numeric, missing-method (merge\_taxa), 20
- object.size(), 26
- print\_name, 21
- print\_name, taxlist, numeric-method (print\_name), 21
- read.dbf(), 38
- replace\_idx (replace\_x), 23
- replace\_na (replace\_x), 23
- replace\_view (Deprecated-functions), 11
- replace\_x, 23
- S4\_to\_list (as.list), 5
- save, 7
- save(), 6
- stringsim(), 18, 19
- strsplit(), 13
- subset, 15, 24
- subset(), 25
- subset, taxlist-method (subset), 24
- summary, 25
- summary, taxlist-method (summary), 25
- synonyms (accepted\_name), 3
- synonyms, taxlist, missing-method (accepted\_name), 3
- synonyms, taxlist, numeric-method (accepted\_name), 3
- tax2traits, 27
- tax2traits, taxlist-method (tax2traits), 27
- taxize::tnrs(), 37
- taxlist, 3–6, 8, 10–12, 14–22, 24–27, 29–38
- taxlist-class, 28
- taxlist-package, 3, 29
- taxlist2taxmap, 29
- taxlist2taxmap, taxlist-method (taxlist2taxmap), 29
- taxmap, 29
- taxmap2taxlist (taxlist2taxmap), 29
- taxon\_names, 30
- taxon\_names, taxlist-method (taxon\_names), 30
- taxon\_names<- (taxon\_names), 30
- taxon\_names<-, taxlist, data.frame-method (taxon\_names), 30
- taxon\_relations, 32
- taxon\_relations, taxlist-method (taxon\_relations), 32
- taxon\_relations<- (taxon\_relations), 32
- taxon\_relations<-, taxlist, data.frame-method (taxon\_relations), 32
- taxon\_traits, 34
- taxon\_traits, taxlist-method (taxon\_traits), 34



taxon\_traits<- (taxon\_traits), 34  
taxon\_traits<-, taxlist, data.frame-method  
    (taxon\_traits), 34  
taxon\_views, 35  
taxon\_views(), 33, 38  
taxon\_views, taxlist-method  
    (taxon\_views), 35  
taxon\_views<- (taxon\_views), 35  
taxon\_views<-, taxlist, data.frame-method  
    (taxon\_views), 35  
tnrs, 37  
tnrs, character-method (tnrs), 37  
tnrs, taxlist-method (tnrs), 37  
tv.home(), 38  
tv2taxlist, 38  
  
update\_concept (taxon\_relations), 32  
update\_concept, taxlist, numeric-method  
    (taxon\_relations), 32  
update\_name (taxon\_names), 30  
update\_name, taxlist, numeric-method  
    (taxon\_names), 30  
update\_trait (taxon\_traits), 34  
update\_trait, taxlist, numeric-method  
    (taxon\_traits), 34  
  
vegdata-package, 38