

Package ‘tidycensus’

June 10, 2020

Type Package

Title Load US Census Boundary and Attribute Data as 'tidyverse' and 'sf'-Ready Data Frames

Version 0.9.9.5

Date 2020-06-10

URL <https://github.com/walkerke/tidycensus>

BugReports <https://github.com/walkerke/tidycensus/issues>

Description

An integrated R interface to the decennial US Census and American Community Survey APIs and the US Census Bureau's geographic boundary files. Allows R users to return Census and ACS data as tidyverse-ready data frames, and optionally returns a list-column with feature geometry for many geographies.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.3.0)

Imports httr, sf, dplyr (>= 0.7.0), tigris, stringr, jsonlite (>= 1.5.0), purrr, rvest, tidyr (>= 0.7.0), rappdirs, readr, xml2, units, utils

Suggests ggplot2

RoxygenNote 7.1.0

NeedsCompilation no

Author Kyle Walker [aut, cre],
Kris Eberwein [ctb],
Matt Herman [ctb]

Maintainer Kyle Walker <kyle.walker@tcu.edu>

Repository CRAN

Date/Publication 2020-06-10 16:10:03 UTC

R topics documented:

| | |
|----------------|-----------|
| census_api_key | 2 |
| county_laea | 3 |
| fips_codes | 4 |
| get_acs | 5 |
| get_decennial | 7 |
| get_estimates | 9 |
| load_variables | 11 |
| moe_product | 12 |
| moe_prop | 12 |
| moe_ratio | 13 |
| moe_sum | 13 |
| significance | 14 |
| state_laea | 15 |
| tidycensus | 15 |
| Index | 16 |

census_api_key

Install a CENSUS API Key in Your .Renviron File for Repeated Use

Description

This function will add your CENSUS API key to your .Renviron file so it can be called securely without being stored in your code. After you have installed your key, it can be called any time by typing `Sys.getenv("CENSUS_API_KEY")` and can be used in package functions by simply typing `CENSUS_API_KEY`. If you do not have an .Renviron file, the function will create one for you. If you already have an .Renviron file, the function will append the key to your existing file, while making a backup of your original file for disaster recovery purposes.

Usage

```
census_api_key(key, overwrite = FALSE, install = FALSE)
```

Arguments

| | |
|-----------|---|
| key | The API key provided to you from the Census formatted in quotes. A key can be acquired at http://api.census.gov/data/key_signup.html |
| overwrite | If this is set to TRUE, it will overwrite an existing CENSUS_API_KEY that you already have in your .Renviron file. |
| install | if TRUE, will install the key in your .Renviron file for use in future sessions. Defaults to FALSE. |

Examples

```
## Not run:
census_api_key("111111abc", install = TRUE)
# First time, reload your environment so you can use the key without restarting R.
readRenviron("~/.Renviron")
# You can check it with:
Sys.getenv("CENSUS_API_KEY")

## End(Not run)

## Not run:
# If you need to overwrite an existing key:
census_api_key("111111abc", overwrite = TRUE, install = TRUE)
# First time, reload your environment so you can use the key without restarting R.
readRenviron("~/.Renviron")
# You can check it with:
Sys.getenv("CENSUS_API_KEY")

## End(Not run)
```

county_laea

County geometry with Alaska and Hawaii shifted and re-scaled

Description

Built-in dataset for use with `shift_geo = TRUE`

Dataset of US counties with Alaska and Hawaii shifted and re-scaled

Usage

```
data(county_laea)
```

```
data(county_laea)
```

Format

An object of class `sf` (inherits from `data.frame`) with 3143 rows and 2 columns.

Details

Dataset with county geometry for use when shifting Alaska and Hawaii

Built-in dataset for use with the `shift_geo` parameter, with the continental United States in a Lambert azimuthal equal area projection and Alaska and Hawaii counties and Census areas shifted and re-scaled. The data were originally obtained from the `albersusa` R package (<https://github.com/hrbrmstr/albersusa>).

`fips_codes`*Dataset with FIPS codes for US states and counties*

Description

Built-in dataset for smart state and county lookup. To access the data directly, issue the command `data(fips_codes)`.

- `county`: County name, title-case
- `county_code`: County code. (3-digit, 0-padded, character)
- `state`: Upper-case abbreviation of state
- `state_code`: State FIPS code (2-digit, 0-padded, character)
- `state_name`: Title-case name of state

Usage

```
data(fips_codes)
```

Format

An object of class `data.frame` with 3237 rows and 5 columns.

Details

Dataset with FIPS codes for US states and counties

Built-in dataset for use with the `lookup_code` function. To access the data directly, issue the command `data(fips_codes)`.

Note: this dataset includes FIPS codes for all counties that have appeared in the decennial Census or American Community Survey from 2010 to the present. This means that counties that have been renamed or absorbed into other geographic entities since 2010 remain in this dataset along with newly added or renamed counties.

If you need the FIPS codes and names for counties for a particular Census year, you can use the [counties](#) function from the `tigris` package and set the year parameter as required.

| | |
|---------|---|
| get_acs | <i>Obtain data and feature geometry for the five-year American Community Survey</i> |
|---------|---|

Description

Obtain data and feature geometry for the five-year American Community Survey

Usage

```
get_acs(
  geography,
  variables = NULL,
  table = NULL,
  cache_table = FALSE,
  year = 2018,
  endyear = NULL,
  output = "tidy",
  state = NULL,
  county = NULL,
  geometry = FALSE,
  keep_geo_vars = FALSE,
  shift_geo = FALSE,
  summary_var = NULL,
  key = NULL,
  moe_level = 90,
  survey = "acs5",
  show_call = FALSE,
  ...
)
```

Arguments

| | |
|-------------|---|
| geography | The geography of your data. |
| variables | Character string or vector of character strings of variable IDs. tidycensus automatically returns the estimate and the margin of error associated with the variable. |
| table | The ACS table for which you would like to request all variables. Uses lookup tables to identify the variables; performs faster when variable table already exists through <code>load_variables(cache = TRUE)</code> . Only one table may be requested per call. |
| cache_table | Whether or not to cache table names for faster future access. Defaults to FALSE; if TRUE, only needs to be called once per dataset. If variables dataset is already cached via the <code>load_variables</code> function, this can be bypassed. |
| year | The year, or endyear, of the ACS sample. 2009 through 2018 are available. Defaults to 2018. |

| | |
|---------------|---|
| endyear | Deprecated and will be removed in a future release. |
| output | One of "tidy" (the default) in which each row represents an enumeration unit-variable combination, or "wide" in which each row represents an enumeration unit and the variables are in the columns. |
| state | An optional vector of states for which you are requesting data. State names, postal codes, and FIPS codes are accepted. Defaults to NULL. |
| county | The county for which you are requesting data. County names and FIPS codes are accepted. Must be combined with a value supplied to 'state'. Defaults to NULL. |
| geometry | if FALSE (the default), return a regular tibble of ACS data. if TRUE, uses the tigris package to return an sf tibble with simple feature geometry in the 'geometry' column. state, county, tract, block group, block, and ZCTA geometry are supported. |
| keep_geo_vars | if TRUE, keeps all the variables from the Census shapefile obtained by tigris. Defaults to FALSE. |
| shift_geo | if TRUE, returns geometry with Alaska and Hawaii shifted for thematic mapping of the entire US. Geometry was originally obtained from the albersusa R package. |
| summary_var | Character string of a "summary variable" from the ACS to be included in your output. Usually a variable (e.g. total population) that you'll want to use as a denominator or comparison. |
| key | Your Census API key. Obtain one at http://api.census.gov/data/key_signup.html |
| moe_level | The confidence level of the returned margin of error. One of 90 (the default), 95, or 99. |
| survey | The ACS contains one-year, three-year, and five-year surveys expressed as "acs1", "acs3", and "acs5". The default selection is "acs5." |
| show_call | if TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to tidycensus or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE. |
| ... | Other keyword arguments |

Value

A tibble or sf tibble of ACS data

Examples

```
## Not run:
library(tidycensus)
library(tidyverse)
library(viridis)
census_api_key("YOUR KEY GOES HERE")

tarr <- get_acs(geography = "tract", variables = "B19013_001",
```

```

state = "TX", county = "Tarrant", geometry = TRUE)

ggplot(tarr, aes(fill = estimate, color = estimate)) +
  geom_sf() +
  coord_sf(crs = 26914) +
  scale_fill_viridis(option = "magma") +
  scale_color_viridis(options = "magma")

vt <- get_acs(geography = "county", variables = "B19013_001", state = "VT")

vt %>%
mutate(NAME = gsub(" County, Vermont", "", NAME)) %>%
  ggplot(aes(x = estimate, y = reorder(NAME, estimate))) +
  geom_errorbarh(aes(xmin = estimate - moe, xmax = estimate + moe)) +
  geom_point(color = "red", size = 3) +
  labs(title = "Household income by county in Vermont",
        subtitle = "2012-2016 American Community Survey",
        y = "",
        x = "ACS estimate (bars represent margin of error)")

## End(Not run)

```

get_decennial

Obtain data and feature geometry for the decennial Census

Description

Obtain data and feature geometry for the decennial Census

Usage

```

get_decennial(
  geography,
  variables = NULL,
  table = NULL,
  cache_table = FALSE,
  year = 2010,
  sumfile = "sf1",
  state = NULL,
  county = NULL,
  geometry = FALSE,
  output = "tidy",
  keep_geo_vars = FALSE,
  shift_geo = FALSE,
  summary_var = NULL,
  key = NULL,
  show_call = FALSE,

```

```
    ...
  )
```

Arguments

| | |
|---------------|---|
| geography | The geography of your data. |
| variables | Character string or vector of character strings of variable IDs. |
| table | The Census table for which you would like to request all variables. Uses lookup tables to identify the variables; performs faster when variable table already exists through <code>load_variables(cache = TRUE)</code> . Only one table may be requested per call. |
| cache_table | Whether or not to cache table names for faster future access. Defaults to FALSE; if TRUE, only needs to be called once per dataset. If variables dataset is already cached via the <code>load_variables</code> function, this can be bypassed. |
| year | The year for which you are requesting data. 1990, 2000, and 2010 are available. |
| sumfile | The Census summary file. Defaults to <code>sf1</code> ; the function will look in <code>sf3</code> if it cannot find a variable in <code>sf1</code> . |
| state | The state for which you are requesting data. State names, postal codes, and FIPS codes are accepted. Defaults to NULL. |
| county | The county for which you are requesting data. County names and FIPS codes are accepted. Must be combined with a value supplied to 'state'. Defaults to NULL. |
| geometry | if FALSE (the default), return a regular tibble of ACS data. if TRUE, uses the <code>tigris</code> package to return an <code>sf</code> tibble with simple feature geometry in the 'geometry' column. state, county, tract, and block group are supported for 1990 through 2010; block and ZCTA geometry are supported for 2000 and 2010. |
| output | One of "tidy" (the default) in which each row represents an enumeration unit-variable combination, or "wide" in which each row represents an enumeration unit and the variables are in the columns. |
| keep_geo_vars | if TRUE, keeps all the variables from the Census shapefile obtained by <code>tigris</code> . Defaults to FALSE. |
| shift_geo | if TRUE, returns geometry with Alaska and Hawaii shifted for thematic mapping of the entire US. Geometry was originally obtained from the <code>albersusa R</code> package. |
| summary_var | Character string of a "summary variable" from the decennial Census to be included in your output. Usually a variable (e.g. total population) that you'll want to use as a denominator or comparison. |
| key | Your Census API key. Obtain one at http://api.census.gov/data/key_signup.html |
| show_call | if TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to <code>tidycensus</code> or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE. |
| ... | Other keyword arguments |

Value

a tibble or sf tibble of decennial Census data

Examples

```
## Not run:
# Plot of race/ethnicity by county in Illinois for 2010
library(tidycensus)
library(tidyverse)
library(viridis)
census_api_key("YOUR KEY GOES HERE")
vars10 <- c("P005003", "P005004", "P005006", "P004003")

il <- get_decennial(geography = "county", variables = vars10, year = 2010,
                  summary_var = "P001001", state = "IL", geometry = TRUE) %>%
  mutate(pct = 100 * (value / summary_value))

ggplot(il, aes(fill = pct, color = pct)) +
  geom_sf() +
  facet_wrap(~variable)

## End(Not run)
```

get_estimates

Get data from the US Census Bureau Population Estimates APIs

Description

Get data from the US Census Bureau Population Estimates APIs

Usage

```
get_estimates(
  geography,
  product = NULL,
  variables = NULL,
  breakdown = NULL,
  breakdown_labels = FALSE,
  year = 2018,
  state = NULL,
  county = NULL,
  time_series = FALSE,
  output = "tidy",
  geometry = FALSE,
  keep_geo_vars = FALSE,
  shift_geo = FALSE,
```

```

    key = NULL,
    show_call = FALSE,
    ...
)

```

Arguments

| | |
|------------------|--|
| geography | The geography of your data. |
| product | The data product (optional). "population", "components" "housing", and "characteristics" are supported. |
| variables | A character string of requested variables to get specific variables from the population, components, and housing APIs. |
| breakdown | The population breakdown used when product = "characteristics". Acceptable values are "AGEGROUP", "RACE", "SEX", and "HISP", for Hispanic/Not Hispanic. These values can be combined in a vector, returning population estimates in the value column for all combinations of these breakdowns. |
| breakdown_labels | Whether or not to label breakdown elements returned when product = "characteristics". Defaults to FALSE. |
| year | The data year (defaults to 2018) |
| state | The state for which you are requesting data. State names, postal codes, and FIPS codes are accepted. Defaults to NULL. |
| county | The county for which you are requesting data. County names and FIPS codes are accepted. Must be combined with a value supplied to 'state'. Defaults to NULL. |
| time_series | If TRUE, the function will return a time series of observations back to the decennial Census of 2010. The returned column is either "DATE", representing a particular estimate date, or "PERIOD", representing a time period (e.g. births between 2016 and 2017), and contains integers representing those values. Integer to date or period mapping is available at https://www.census.gov/data/developers/data-sets/popest-popproj/popest/popest-vars/2018.html . |
| output | One of "tidy" (the default) in which each row represents an enumeration unit-variable combination, or "wide" in which each row represents an enumeration unit and the variables are in the columns. |
| geometry | if FALSE (the default), return a regular tibble of ACS data. if TRUE, uses the tigris package to return an sf tibble with simple feature geometry in the 'geometry' column. |
| keep_geo_vars | if TRUE, keeps all the variables from the Census shapefile obtained by tigris. Defaults to FALSE. |
| shift_geo | if TRUE, returns geometry with Alaska and Hawaii shifted for thematic mapping of the entire US. |
| key | Your Census API key. Obtain one at http://api.census.gov/data/key_signup.html . Can be stored in your .Renvirom with <code>census_api_key("YOUR KEY", install = TRUE)</code> |

| | |
|-----------|---|
| show_call | if TRUE, display call made to Census API. This can be very useful in debugging and determining if error messages returned are due to tidycensus or the Census API. Copy to the API call into a browser and see what is returned by the API directly. Defaults to FALSE. |
| ... | other keyword arguments |

Value

A tibble, or sf tibble, of population estimates data

| | |
|----------------|---|
| load_variables | <i>Load variables from a decennial Census or American Community Survey dataset to search in R</i> |
|----------------|---|

Description

Load variables from a decennial Census or American Community Survey dataset to search in R

Usage

```
load_variables(year, dataset, cache = FALSE)
```

Arguments

| | |
|---------|---|
| year | The year for which you are requesting variables. Either the year of the decennial Census, or the endyear for a 5-year ACS sample. |
| dataset | One of "sf1", "sf3", "acs1", "acs3", "acs5", "acs1/profile", "acs3/profile", "acs5/profile", "acs1/subject", "acs3/subject", or "acs5/subject". |
| cache | Whether you would like to cache the dataset for future access, or load the dataset from an existing cache. Defaults to FALSE. |

Value

A tibble of variables from the requested dataset.

Examples

```
## Not run:
v15 <- load_variables(2015, "acs5", cache = TRUE)
View(v15)

## End(Not run)
```

| | |
|-------------|--|
| moe_product | <i>Calculate the margin of error for a derived product</i> |
|-------------|--|

Description

Calculate the margin of error for a derived product

Usage

```
moe_product(est1, est2, moe1, moe2)
```

Arguments

| | |
|------|--|
| est1 | The first factor in the multiplication equation (an estimate) |
| est2 | The second factor in the multiplication equation (an estimate) |
| moe1 | The margin of error of the first factor |
| moe2 | The margin of error of the second factor |

Value

A margin of error for a derived product

| | |
|----------|---|
| moe_prop | <i>Calculate the margin of error for a derived proportion</i> |
|----------|---|

Description

Calculate the margin of error for a derived proportion

Usage

```
moe_prop(num, denom, moe_num, moe_denom)
```

Arguments

| | |
|-----------|--|
| num | The numerator involved in the proportion calculation (an estimate) |
| denom | The denominator involved in the proportion calculation (an estimate) |
| moe_num | The margin of error of the numerator |
| moe_denom | The margin of error of the denominator |

Value

A margin of error for a derived proportion

| | |
|-----------|--|
| moe_ratio | <i>Calculate the margin of error for a derived ratio</i> |
|-----------|--|

Description

Calculate the margin of error for a derived ratio

Usage

```
moe_ratio(num, denom, moe_num, moe_denom)
```

Arguments

| | |
|-----------|---|
| num | The numerator involved in the ratio calculation (an estimate) |
| denom | The denominator involved in the ratio calculation (an estimate) |
| moe_num | The margin of error of the numerator |
| moe_denom | The margin of error of the denominator |

Value

A margin of error for a derived ratio

| | |
|---------|--|
| moe_sum | <i>Calculate the margin of error for a derived sum</i> |
|---------|--|

Description

Generates a margin of error for a derived sum. The function requires a vector of margins of error involved in a sum calculation, and optionally a vector of estimates associated with the margins of error. If the associated estimates are not specified, the user risks inflating the derived margin of error in the event of multiple zero estimates. It is recommended to inspect your data for multiple zero estimates before using this function and setting the inputs accordingly.

Usage

```
moe_sum(moe, estimate = NULL, na.rm = FALSE)
```

Arguments

| | |
|----------|---|
| moe | A vector of margins of error involved in the sum calculation |
| estimate | A vector of estimates, the same length as moe, associated with the margins of error |
| na.rm | A logical value indicating whether missing values (including NaN) should be removed |

Value

A margin of error for a derived sum

See Also

https://www2.census.gov/programs-surveys/acs/tech_docs/accuracy/MultiyearACSAccuracyofData2015.pdf

| | |
|--------------|---|
| significance | <i>Evaluate whether the difference in two estimates is statistically significant.</i> |
|--------------|---|

Description

Evaluate whether the difference in two estimates is statistically significant.

Usage

```
significance(est1, est2, moe1, moe2, clevel = 0.9)
```

Arguments

| | |
|--------|---|
| est1 | The first estimate. |
| est2 | The second estimate |
| moe1 | The margin of error of the first estimate |
| moe2 | The margin of error of the second estimate |
| clevel | The confidence level. May be 0.9, 0.95, or 0.99 |

Value

TRUE if the difference is statistically significant, FALSE otherwise.

See Also

https://www.census.gov/content/dam/Census/library/publications/2018/acs/acs_general_handbook_2018_ch07.pdf

| | |
|------------|--|
| state_laea | <i>State geometry with Alaska and Hawaii shifted and re-scaled</i> |
|------------|--|

Description

Built-in dataset for use with `shift_geo = TRUE`
Dataset of US states with Alaska and Hawaii shifted and re-scaled

Usage

```
data(state_laea)

data(state_laea)
```

Format

An object of class `sf` (inherits from `data.frame`) with 51 rows and 2 columns.

Details

Dataset with state geometry for use when shifting Alaska and Hawaii
Built-in dataset for use with the `shift_geo` parameter, with the continental United States in a Lambert azimuthal equal area projection and Alaska and Hawaii shifted and re-scaled. The data were originally obtained from the `albersusa` R package (<https://github.com/hrbrmstr/albersusa>).

| | |
|------------|--|
| tidycensus | <i>Return tidy data frames from the US Census Bureau API</i> |
|------------|--|

Description

This packages uses US Census Bureau data but is neither endorsed nor supported by the US Census Bureau.

Author(s)

Kyle Walker

Index

*Topic **datasets**

county_laea, 3

fips_codes, 4

state_laea, 15

census_api_key, 2

counties, 4

county_laea, 3

fips_codes, 4

get_acs, 5

get_decennial, 7

get_estimates, 9

load_variables, 11

moe_product, 12

moe_prop, 12

moe_ratio, 13

moe_sum, 13

significance, 14

state_laea, 15

tidycensus, 15