

Package ‘ubiquity’

July 5, 2020

Type Package

Title PKPD, PBPK, and Systems Pharmacology Modeling Tools

Version 1.0.2

Author John Harrold [aut, cre]

Maintainer John Harrold <john.m.harrold@gmail.com>

Description Complete work flow for the analysis of pharmacokinetic pharmacodynamic (PKPD), physiologically-based pharmacokinetic (PBPK) and systems pharmacology models including: creation of ordinary differential equation-based models, pooled parameter estimation, individual/population based simulations, rule-based simulations for clinical trial design and modeling assays, deployment with a customizable 'Shiny' app, and non-compartmental analysis. System-specific analysis templates can be generated and each element includes integrated reporting with 'PowerPoint' and 'Word'.

URL <https://r.ubiquity.tools/>

SystemRequirements Perl

BugReports <https://github.com/john-harrold/ubiquity/issues>

License BSD_2_clause + file LICENSE

Encoding UTF-8

LazyData TRUE

Imports deSolve, digest, doParallel, flextable, foreach, gridExtra, grid, gdata, ggplot2, knitr, MASS, officer (>= 0.3.7), optimx, PKNCA, pso, rmarkdown, rhandsontable, rstudioapi, stats, stringr, shiny,

Suggests GA, GGally, gridGraphics, webshot, testthat, ggrepel

VignetteBuilder knitr

RoxygenNote 7.1.0

NeedsCompilation no

Depends R (>= 3.5.0)

Repository CRAN

Date/Publication 2020-07-05 15:00:04 UTC

R topics documented:

build_system	3
calculate_halfife	4
gg_axis	5
gg_log10_xaxis	6
gg_log10_yaxis	7
linspace	8
logspace	9
md_to_officer	10
pad_string	10
prepare_figure	11
run_simulation_titrate	12
run_simulation_ubiquity	13
simulate_subjects	14
som_to_df	15
system_check_requirements	16
system_check_steady_state	16
system_clear_cohorts	18
system_define_cohort	18
system_define_cohorts_nm	21
system_estimate_parameters	23
system_fetch_guess	24
system_fetch_iiv	24
system_fetch_parameters	25
system_fetch_set	26
system_fetch_template	27
system_fetch_TSsys	28
system_glp_init	29
system_glp_save	29
system_glp_scenario	30
system_load_data	33
system_log_debug_save	34
system_log_init	35
system_nca_run	35
system_new	37
system_new_list	39
system_new_tt_rule	40
system_od_general	41
system_plot_cohorts	42
system_report_doc_add_content	43
system_report_doc_format_section	45
system_report_doc_set_ph	46
system_report_estimation	47
system_report_fetch	47
system_report_glp	48
system_report_init	49
system_report_nca	50

system_report_ph_content	50
system_report_save	52
system_report_set	53
system_report_slide_content	53
system_report_slide_section	54
system_report_slide_title	55
system_report_slide_two_col	56
system_report_view_layout	57
system_select_set	58
system_set_bolus	59
system_set_covariate	60
system_set_guess	61
system_set_iiv	62
system_set_option	63
system_set_parameter	67
system_set_rate	68
system_set_tt_cond	69
system_set_tt_rate	73
system_simulate_estimation_results	74
system_view	74
system_zero_inputs	75
tic	76
toc	77
var2string	78
vp	78
workshop_fetch	79

Index 81

build_system	<i>Building The System</i>
--------------	----------------------------

Description

Builds the specified system file creating the targets for R and other languages as well as the templates for performing simulations and estimations.

Usage

```
build_system(
  system_file = "system.txt",
  distribution = "automatic",
  perlcmd = "perl",
  output_directory = file.path(".", "output"),
  temporary_directory = file.path(".", "transient"),
  verbose = TRUE,
  ubiquity_app = FALSE,
  debug = TRUE
)
```

Arguments

system_file	name of the file defining the system in the ubiquity format (default = 'system.txt'), if the file does not exist a template will be created and compiled.
distribution	indicates weather you are using a 'package' or a 'stand alone' distribution of ubiquity. If set to 'automatic' the build script will first look to see if the ubiquity R package is installed. If it is installed it will use the package. Otherwise, it will assume a "sand alone" distribution.
perlcmd	system command to run perl ("perl")
output_directory	location to store analysis outputs (file.path(".", "output"))
temporary_directory	location to templates and otehr files after building the system (file.path(".", "transient"))
verbose	enable verbose messaging (TRUE)
ubiquity_app	set to TRUE when building the system to be used with the ubiquity App (FALSE)
debug	Boolean variable indicating if debugging information should be displayed (TRUE)

Value

initialized ubiquity system object

Examples

```
fr = system_new(file_name      = "system.txt",
                system_file   = "mab_pk",
                overwrite      = TRUE,
                output_dir     = tempdir())
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_dir   = file.path(tempdir(), "output"),
                  temporary_dir = tempdir())
```

calculate_halflife *Calculate the halflife of data*

Description

Determines the terminal halflife of a sequence of corresponding times and values with optional minimum and maximum times to censor data.

Usage

```
calculate_halflife(times = NULL, values = NULL, tmin = NULL, tmax = NULL)
```

Arguments

times	- sequence of times
values	- corresponding sequence of values
tmin	- minimum time to include (NULL)
tmax	- maximum time to include (NULL)

Value

List with the following names

- thalf Halflife in units of times above
- mod Result of lm used to fit the log transformed data
- df Dataframe with the data and predicted values at the time within tmin and tmax

Examples

```
x = c(0:100)
y = exp(-.1*x)
th = calculate_half-life(times=x, values=y)
thalf = th$thalf
```

gg_axis

Make Pretty ggplot x- or y-Axis Log 10 Scale

Description

used to convert the x and y-axis of a ggplot to a log 10 scale that is more visually satisfying than the ggplot default.

Usage

```
gg_axis(  
  fo,  
  yaxis_scale = TRUE,  
  xaxis_scale = TRUE,  
  ylim_min = NULL,  
  ylim_max = NULL,  
  xlim_min = NULL,  
  xlim_max = NULL,  
  x_tick_label = TRUE,  
  y_tick_label = TRUE  
)
```

Arguments

fo	ggplot figure object
yaxis_scale	TRUE indicates that the y-axis should be log10 scaled
xaxis_scale	TRUE indicates that the x-axis should be log10 scaled
ylim_min	set to a number to define the lower bound of the y-axis
ylim_max	set to a number to define the upper bound of the y-axis
xlim_min	set to a number to define the lower bound of the x-axis
xlim_max	set to a number to define the upper bound of the x-axis
x_tick_label	TRUE to show x tick labels, FALSE to hide the x tick labels
y_tick_label	TRUE to show y tick labels, FALSE to hide the y tick labels

Value

ggplot object with formatted axis

See Also

[gg_log10_xaxis](#) and [gg_log10_yaxis](#)

Examples

```
library("ggplot2")
df = data.frame(x = seq(0.01,10,.01),
               y = seq(0.01,10,.01)^2)
p = ggplot(df, aes(x=x, y=y)) + geom_line()
# pretty up the axes
p = prepare_figure(fo=p, purpose="print")
# pretty log10 y-axis
p_logy = gg_log10_yaxis(fo=p)
# pretty log10 x-axis
p_logx = gg_log10_xaxis(fo=p)
# pretty log10 yx-axis
p_logxy = gg_axis(fo=p)
```

gg_log10_xaxis

Make Pretty ggplot x-Axis Log 10 Scale

Description

Wrapper for [gg_axis](#) to create a log 10 x-axis

Usage

```
gg_log10_xaxis(  
  fo,  
  xlim_min = NULL,  
  xlim_max = NULL,  
  y_tick_label = TRUE,  
  x_tick_label = TRUE  
)
```

Arguments

fo	ggplot figure object
xlim_min	set to a number to define the lower bound of the x-axis
xlim_max	set to a number to define the upper bound of the x-axis
y_tick_label	TRUE to show y tick labels, FALSE to hide the y tick labels
x_tick_label	TRUE to show x tick labels, FALSE to hide the x tick labels

Value

ggplot object with formatted axis

See Also

[gg_axis](#) and [gg_log10_xaxis](#)

Examples

```
library("ggplot2")  
df = data.frame(x = seq(0.01,10,.01),  
               y = seq(0.01,10,.01)^2)  
p = ggplot(df, aes(x=x, y=y)) + geom_line()  
# pretty up the axes  
p = prepare_figure(fo=p, purpose="print")  
# pretty log10 y-axis  
p_logy = gg_log10_yaxis(fo=p)  
# pretty log10 x-axis  
p_logx = gg_log10_xaxis(fo=p)  
# pretty log10 yx-axis  
p_logxy = gg_axis(fo=p)
```

gg_log10_yaxis

Make Pretty ggplot y-Axis Log 10 Scale

Description

Wrapper for [gg_axis](#) to create a log 10 y-axis

Usage

```
gg_log10_yaxis(
  fo,
  ylim_min = NULL,
  ylim_max = NULL,
  y_tick_label = TRUE,
  x_tick_label = TRUE
)
```

Arguments

fo	ggplot figure object
ylim_min	set to a number to define the lower bound of the y-axis
ylim_max	set to a number to define the upper bound of the y-axis
y_tick_label	TRUE to show y tick labels, FALSE to hide the y tick labels
x_tick_label	TRUE to show x tick labels, FALSE to hide the x tick labels

Value

ggplot object with formatted axis

See Also

[gg_axis](#) and [gg_log10_xaxis](#)

Examples

```
library("ggplot2")
df = data.frame(x = seq(0.01,10,.01),
               y = seq(0.01,10,.01)^2)
p = ggplot(df, aes(x=x, y=y)) + geom_line()
# pretty up the axes
p = prepare_figure(fo=p, purpose="print")
# pretty log10 y-axis
p_logy = gg_log10_yaxis(fo=p)
# pretty log10 x-axis
p_logx = gg_log10_xaxis(fo=p)
# pretty log10 yx-axis
p_logxy = gg_axis(fo=p)
```

linspace

Implementation of the linspace Function from Matlab

Description

Creates a vector of n elements equally spaced apart.

Usage

```
linspace(a, b, n = 100)
```

Arguments

a	initial number
b	final number
n	number of elements (integer ≥ 2)

Value

vector of numbers from a to b with n linearly spaced apart

Examples

```
linspace(0,100, 20)
```

logspace

Implementation of the logspace Function from Matlab

Description

Creates a vector of n elements logarithmically spaced apart.

Usage

```
logspace(a, b, n = 100)
```

Arguments

a	initial number
b	final number
n	number of elements (integer ≥ 2)

Value

vector of numbers from a to b with n logarithmically (base 10) spaced apart

Examples

```
logspace(-2, 3,20)
```

md_to_officer	<i>Parse Markdown for OfficeR</i>
---------------	-----------------------------------

Description

Parses text in Markdown format and returns fpar command strings to be used with OfficeR

Usage

```
md_to_officer(str)
```

Arguments

str string containing Markdown can contain the following elements:

- paragraph Two or more new lines creates a paragraph
- "bold" Can be either `"*text in bold*"` or `"_text in bold_"`
- "italic" Can be either `"**text in bold**"` or `"__text in bold__"`
- "subscript" `"Normal~subscript~"`
- "superscript" `"Normal^superscript^"`

Value

list with parsed paragraph elements ubiquity system object with the content added to the body, each paragraph can be found in a numbered list element (e.g. pgraph_1, pgraph_2, etc) each with the following elements:

- locs Dataframe showing the locations of markdown elements in the current paragraph
- pele These are the individual parsed paragraph elements
- fpar_cmd String containing the fpar_cmd that can be run using eval to return the output of fpar. For example:

```
myfpar = eval(parse(text=pgparse$pgraph_1$fpar_cmd))
```

pad_string	<i>Pad String with Spaces</i>
------------	-------------------------------

Description

Adds spaces to the beginning or end of strings until it reaches the maxlen. Used for aligning text.

Usage

```
pad_string(str, maxlen = 1, location = "beginning")
```

Arguments

str	string
maxlength	length to pad to
location	either "beginning" to pad the left or "end" to pad the right

Value

Padded string

Examples

```
pad_string("bob", maxlength=10)
pad_string("bob", maxlength=10, location="end")
```

prepare_figure	<i>Make ggplot Figure Pretty</i>
----------------	----------------------------------

Description

Takes a ggplot object and alters the line thicknesses and makes other cosmetic changes to make it more appropriate for exporting.

Usage

```
prepare_figure(
  purpose = "present",
  fo,
  y_tick_minor = FALSE,
  y_tick_major = FALSE,
  x_tick_minor = FALSE,
  x_tick_major = FALSE
)
```

Arguments

purpose	either "present" (default), "print" or "shiny"
fo	ggplot figure object
y_tick_minor	Boolean value to control grid lines
y_tick_major	Boolean value to control grid lines
x_tick_minor	Boolean value to control grid lines
x_tick_major	Boolean value to control grid lines

Value

ggplot object

Examples

```

library("ggplot2")
df = data.frame(x = seq(0.01,10,.01),
               y = seq(0.01,10,.01)^2)
p      = ggplot(df, aes(x=x, y=y)) + geom_line()
# pretty up the axes
p      = prepare_figure(fo=p, purpose="print")
# pretty log10 y-axis
p_logy = gg_log10_yaxis(fo=p)
# pretty log10 x-axis
p_logx = gg_log10_xaxis(fo=p)
# pretty log10 yx-axis
p_logxy = gg_axis(fo=p)

```

```
run_simulation_titrate
```

Simulate With Titration or Rule-Based Inputs

Description

Provides an interface to [run_simulation_ubiquity](#) to start and stop simulations and apply rules to control dosing and state-resets.

Usage

```
run_simulation_titrate(SIMINT_p, SIMINT_cfg, SIMINT_dropfirst = TRUE)
```

Arguments

SIMINT_p	list of system parameters
SIMINT_cfg	ubiquity system object
SIMINT_dropfirst	when TRUE it will drop the first sample point (prevents bolus doses from starting at 0)

Value

som

See Also

[system_new_tt_rule](#), [system_set_tt_cond](#) and the titration vignette (`vignette("Titration", package = "ubiquity")`)

run_simulation_ubiquity
Simulate Individual Response

Description

Controls the execution of individual simulations with deSolve using either R scripts or loadable C libraries.

Usage

```
run_simulation_ubiquity(SIMINT_parameters, SIMINT_cfg, SIMINT_dropfirst = TRUE)
```

Arguments

SIMINT_parameters
vector of parameters

SIMINT_cfg ubiquity system object

SIMINT_dropfirst
when TRUE it will drop the first sample point (prevents bolus doses from starting at 0)

Value

The simulation output is mapped (som) is a list. time-course is stored in the simout element.

- The first column (time) contains the simulation time in the units of the simulation.
- Next there is a column for each: State, output and system parameter
- Models with covariate will contain the initial value (prefix: SIMINT_CVIC_) as well as the values at each time point
- Each static and dynamic system parameter is also passed through
- A column for each timescale is returned with a "ts." prefix.

See Also

Simulation vignette (`vignette("Simulation", package = "ubiquity")`)

simulate_subjects *Run Population Simulations*

Description

Used to run Population/Monte Carlo simulations with subjects generated from either provided variance/covariance information or a dataset.

Usage

```
simulate_subjects(  
  parameters,  
  cfg,  
  show_progress = TRUE,  
  progress_message = "Simulating Subjects:"  
)
```

Arguments

parameters	list containing the typical value of parameters
cfg	ubiquity system object
show_progress	Boolean value controlling the display of a progress indicator (TRUE)
progress_message	text string to prepend when called from the ShinyApp

Details

Failures due to numerical instability or other integration errors will be captured within the function. Data for those subjects will be removed from the output. Their IDs will be displayed as messages and stored in the output.

For more information on setting options for population simulation see the stochastic section of the [system_set_option](#) help file.

Value

Mapped simulation output with individual predictions, individual parameters, and summary statistics of the parameters. The Vignettes below details on the format of the output.

See Also

Vignette on simulation (`vignette("Simulation", package = "ubiquity")`) titration (`vignette("Titration", package = "ubiquity")`) as well as [som_to_df](#)

som_to_df	<i>Converts the Wide/Verbose Output Simulation Functions into Data Frames</i>
-----------	---

Description

The functions [run_simulation_ubiquity](#), [simulate_subjects](#), or [run_simulation_titrate](#) provide outputs in a more structured format, but it may be useful to convert this "wide" format to a tall/skinny format.

Usage

```
som_to_df(cfg, som)
```

Arguments

cfg	ubiquity system object
som	simulation output from run_simulation_ubiquity , simulate_subjects , or run_simulation_titrate

Value

Data frame of the format:

When applied to the output of [run_simulation_ubiquity](#) or [run_simulation_titrate](#)

- `ts.time` - timescale of the system
- `ts.ts1, ... ts.tsn` - timescales defined in the system (<TS>)
- `pred` - predicted/simulated response
- `tt.ti1.x` - titration event information (*)
- `name` - state or output (<O>) name corresponding to the prediction

When applied to the output of [simulate_subjects](#)

- `ID` - subject ID
- `ts.time` - timescale of the system
- `ts.ts1, ... ts.tsn` - timescales defined in the system (<TS>)
- `pred` - predicted/simulated response
- `tt.ti1.x` - titration event information (*)
- `P1, P2, ... Pn` - system parameters for the subject (<P>)
- `name` - state or output (<O>) name corresponding to the prediction

(* - field present when titration is enabled)

See Also

[run_simulation_titrate](#) internally when running simulations.

system_check_requirements

Check For Perl and C Tools

Description

Check the local installation for perl and verify C compiler is installed and working.

Usage

```
system_check_requirements(  
  checklist = list(perl = list(check = TRUE, perlcmd = "perl"), C = list(check = TRUE)),  
  verbose = TRUE  
)
```

Arguments

checklist	list with names corresponding to elements of the system to check.
verbose	enable verbose messaging

Value

List fn result of all packages

Examples

```
invisible(system_check_requirements())
```

system_check_steady_state

Verify System Steady State

Description

Takes the ubiquity system object and other optional inputs to verify the system is running at steady state. This also provides information that can be helpful in debugging systems not running at steady state.

Usage

```

system_check_steady_state(
  cfg,
  parameters = NULL,
  zero_rates = TRUE,
  zero_bolus = TRUE,
  output_times = seq(0, 100, 1),
  offset_tol = .Machine$double.eps * 100,
  derivative_tol = .Machine$double.eps * 100,
  derivative_time = 0
)

```

Arguments

cfg	ubiquity system object
parameters	optional set of parameters (NULL) to check at steady state (if set to NULL then the parameters for the currently selected parameter set will be used)
zero_rates	Boolean value to control removing all rate inputs (TRUE)
zero_bolus	Boolean value to control removing all bolus inputs (TRUE)
output_times	sequence of output times to simulate for offset determination (seq(0, 100, 1))
offset_tol	maximum percent offset to be considered zero (.Machine\$double.eps*100)
derivative_tol	maximum derivative value to be considered zero (.Machine\$double.eps*100)
derivative_time	time to evaluate derivatives to identify deviations (0), set to NULL to skip derivative evaluation

Value

List with the following names

- steady_state Boolean indicating weather the system was at steady state
- states_derivative Derivatives that had values greater than the derivative_tol
- states_simulation States that had values greater than the offset_tol
- som Simulated output
- derivatives Derivatives
- states_derivative_NA_NaN States that had derivatives that evaluated as either NA or NaN
- states_simulation_NA_NaN States with simulation values that had either NA or NaN
- derivative_tc Data frame with the timecourse of states where the derivative was found to be greater than tolerance (states_derivative)

system_clear_cohorts *Clear all Cohorts*

Description

Clear previously defined cohorts

Usage

```
system_clear_cohorts(cfg)
```

Arguments

cfg ubiquity system object

Value

ubiquity system object with no cohorts defined

system_define_cohort *Define Estimation Cohort*

Description

Define a cohort to include in a parameter estimation

Usage

```
system_define_cohort(cfg, cohort)
```

Arguments

cfg ubiquity system object
cohort list with cohort information

Details

Each cohort has a name (eg d5mpk), and the dataset containing the information for this cohort is identified (the name defined in [system_load_data](#))

```
cohort = list(  
  name                 = "d5mpk",  
  dataset              = "pm_data",  
  inputs               = NULL,  
  outputs              = NULL)
```

Next if only a portion of the dataset applies to the current cohort, you can define a filter (cf field). This will be applied to the dataset to only return values relevant to this cohort. For example, if we only want records where the column DOSE is 5 (for the 5 mpk cohort). We can use the following:

```
cohort[["cf"]] = list(DOSE = c(5))
```

If the dataset has the headings ID, DOSE and SEX and cohort filter had the following format:

```
cohort[["cf"]] = list(ID = c(1:4),
                      DOSE = c(5,10),
                      SEX = c(1))
```

It would be translated into the boolean filter:

```
(ID==1) | (ID==2) | (ID==3) | (ID==4) & ((DOSE == 5) | (DOSE==10)) & (SEX == 1)
```

Optionally you may want to fix a system parameter to a different value for a given cohort. This can be done using the cohort parameter (cp) field. For example if you had the body weight defined as a system parameter (BW), and you wanted to fix the body weight to 70 for the current cohort you would do the following:

```
cohort[["cp"]] = list(BW = c(70))
```

Note that you can only fix parameters that are not being estimated.

Next we define the dosing for this cohort. It is only necessary to define those inputs that are non-zero. So if the data here were generated from animals given a single 5 mpk IV at time 0. Bolus dosing is defined using <B:times> and <B:events>. If Cp is the central compartment, you would pass this information to the cohort in the following manner:

```
cohort[["inputs"]][["bolus"]] = list()
cohort[["inputs"]][["bolus"]][["Cp"]] = list(TIME=NULL, AMT=NULL)
cohort[["inputs"]][["bolus"]][["Cp"]][["TIME"]] = c( 0)
cohort[["inputs"]][["bolus"]][["Cp"]][["AMT"]] = c( 5)
```

Inputs can also include any infusion rates (infusion_rates) or covariates (covariates). Covariates will have the default value specified in the system file unless overwritten here. The units here are the same as those in the system file

Next we need to map the outputs in the model to the observation data in the dataset. Under the outputs field there is a field for each output. Here the field ONAME can be replaced with something more useful (like PK).

```
cohort[["outputs"]][["ONAME"]] = list()
```

If you want to further filter the dataset. Say for example you have two outputs and the cf applied above reduces your dataset down to both outputs. Here you can use the "of" field to apply an "output filter" to further filter the records down to those that apply to the current output ONAME.

```
cohort[["outputs"]][["ONAME"]][["of"]] = list(
  COLNAME      = c(),
  COLNAME      = c())
```

If you do not need further filtering of data, you can just omit the field.

Next you need to identify the columns in the dataset that contain your times and observations. This is found in the obs field for the current observation:

```
cohort[["outputs"]][["ONAME"]][["obs"]] = list(
  time         = "TIMECOL",
  value        = "OBSCOL",
  missing      = -1)
```

The times and observations in the dataset are found in the 'TIMECOL' column and the 'OBSCOL' column (optional missing data option specified by -1).

These observations in the dataset need to be mapped to the appropriate elements of your model defined in the system file. This is done with the model field:

```
cohort[["outputs"]][["ONAME"]][["model"]] = list(
  time         = "TS",
  value        = "MODOUTPUT",
  variance     = "PRED^2")
```

First the system time scale indicated by the TS placeholder above must be specified. The time scale must correspond to the data found in TIMECOL above. Next the model output indicated by the MODOUTPUT placeholder needs to be specified. This is defined in the system file using <O> and should correspond to OBSCOL from the dataset. Lastly the variance field specifies the variance model. You can use the keyword PRED (the model predicted output) and any variance parameters. Some examples include:

- variance = "1" - Least squares
- variance = "PRED^2" - Weighted least squares proportional to the prediction squared
- variance = "(SLOPE*PRED)^2" Maximum likelihood estimation where SLOPE is defined as a variance parameter (<VP>)

The following controls the plotting aspects associated with this output. The color, shape and line values are the values used by ggplot functions.

```
cohort[["outputs"]][["ONAME"]][["options"]] = list(
  marker_color = "black",
  marker_shape = 16,
  marker_line  = 1 )
```

If the cohort has multiple outputs, simply repeat the process above for the additional cohorts. The estimation vignettes contains examples of this.

Note: Output names should be consistent between cohorts so they will be grouped together when plotting results.

Value

ubiquity system object with cohort defined

See Also

Estimation vignette (`vignette("Estimation", package = "ubiquity")`)

system_define_cohorts_nm

Define Cohorts from NONMEM Input File

Description

This function allows the user to define cohorts automatically from a NONMEM dataset

Usage

```
system_define_cohorts_nm(
  cfg,
  DS = "DSNAME",
  col_ID = "ID",
  col_CMT = "CMT",
  col_DV = "DV",
  col_TIME = "TIME",
  col_AMT = "AMT",
  col_RATE = "RATE",
  col_EVID = "EVID",
  col_GROUP = NULL,
  filter = NULL,
  INPUTS = NULL,
  OBS = NULL
)
```

Arguments

cfg	ubiquity system object
DS	Name of the dataset loaded using <code>system_load_data</code>
col_ID	Column of unique subject identifier
col_CMT	Compartment column
col_DV	Column with observations or '.' for input
col_TIME	Column with system time of each record
col_AMT	Infusion/dose amounts (these need to be in the same units specified in the <code>system.txt</code> file)
col_RATE	Rate of infusion or '.' for bolus

col_EVID	EVID (0 - observation, 1 dose)
col_GROUP	Column name to use for defining similar cohorts when generating figures.
filter	List used to filter the dataset or NULL if the whole dataset is to be used (see filter rules or nm_select_records or a description of how to use this option)
INPUTS	List mapping input information in the dataset to names used in the system.txt file
OBS	List mapping observation information in the dataset to names used in the system.txt file

Details

NOTE: to use this function it is necessary that a timescale be define for the system time scale. For example, if the system time scale was days, something like the following is needed:

```
<TS:days> 1
```

Include all records in the dataset

```
filter = NULL
```

Include only records matching the following filter

```
filter = list()
filter$COLNAME = c()
```

Mapping information:

The inputs mapping information (INPUTMAP) is alist with a field for each type of input: input:

- bolus List with a name for each bolus state in the dataset (<B: ?>): each bolus name should have a CMT_NUM field indicating the compartment number for that state
- infusion_rates List with a name for each rate in the dataset (<R: ?>): each rate name should have a CMT_NUM field indicating the compartment number for that state
- covariates List with for each covariate in the dataset (<CV: ?>): each covariate name should have a col_COV indicating the column in the database that contains that covariate

From a coding perspective it looks like this:

```
INPUTMAP = list()
INPUTMAP$bolus$SPECIES$CMT_NUM      = 1
INPUTMAP$infusion_rates$RATE$CMT_NUM = 1
INPUTMAP$covariates$CVNAME$col_COV  = 'CNAME'
```

The observation mapping information (OBSMAP) is a list with elements for each output as described in for system_define_cohort. Each output is a list with the following names:

- variance Variance model for this output
- CMT Compartment number mapping observations for this output

- output Name of the output (<O>) corresponding with the observations
- missing Value indicating a missing observation or NULL

From a coding perspective it looks like this:

```
OBSMAP = list()
OBSMAP$ONAME=list(variance    = 'PRED^2',
                  CMT         = 1,
                  output      = '<O>',
                  missing     = NULL )
```

Value

ubiquity system object with cohorts defined.

See Also

Estimation vignette (`vignette("Estimation", package = "ubiquity")`)

system_estimate_parameters

Control Estimation Process

Description

Manages the flow of parameter estimation using data specified with `system_define_cohort`.

Usage

```
system_estimate_parameters(
  cfg,
  flowctl = "plot guess",
  analysis_name = "my_analysis",
  archive_results = TRUE
)
```

Arguments

<code>cfg</code>	ubiquity system object
<code>flowctl</code>	string to control what the flow of the function
<code>analysis_name</code>	string containing the name of the analysis
<code>archive_results</code>	boolean variable to control whether results will be archived

Details

The flowctl argument can have the following values

- "plot guess" return the initial guess
- "estimate" perform estimation
- "previous estimate as guess" load previous estimate for analysis_name and use that as the initial guess
- "plot previous estimate" return the previous estimate for analysis_name

Value

parameter estimates

system_fetch_guess	<i>Fetch Current Parameter Guesses</i>
--------------------	--

Description

Fetch a list of the guesses for the current parameter set and parameters selected for estimation

Usage

```
system_fetch_guess(cfg)
```

Arguments

cfg	ubiquity system object
-----	------------------------

Value

list of current parameter gauesses

system_fetch_iiv	<i>Fetch Variability Terms</i>
------------------	--------------------------------

Description

Extract elements of the current variance/covariance matrix specified in the system file with <IIV: ??> ?, <IIVCOR: ??>?, <IIVSET: ??> ?, <IIVCORSET: ??>?

Usage

```
system_fetch_iiv(cfg, IIV1, IIV2)
```


Arguments

cfg	ubiquity system object
IIV1	row name of the variance/covariance matrix
IIV2	column name of the variance/covariance matrix

Value

Value from the variance/covariance matrix

See Also

[system_set_iiv](#)

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Covariance term for ETACL and ETAVc
val = system_fetch_iiv(cfg, IIV1="ETACL", IIV2="ETAVc")
```

system_fetch_parameters

Fetch System Parameters

Description

Fetch the parameters of the currently selected parameter set. To switch between parameter sets use [system_select_set](#)

Usage

```
system_fetch_parameters(cfg)
```

Arguments

cfg	ubiquity system object
-----	------------------------

Value

List of parameters for the selected parameter set

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Fetching the default parameter set
parameters = system_fetch_parameters(cfg)
```

system_fetch_set	<i>Fetch Mathematical Set</i>
------------------	-------------------------------

Description

Fetch the elements of the specified mathematical set that was defined in the system file.

Usage

```
system_fetch_set(cfg, set_name = NULL)
```

Arguments

cfg	ubiquity system object
set_name	name of mathematical set

Value

A sequence containing the elements of the parameter set or NULL if there was a problem.

Examples

```
# Creating a system file from the pbpk example
fr = system_new(file_name      = "system.txt",
                system_file    = "pbpk",
                overwrite       = TRUE,
                output_directory = tempdir())
```

```
# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
  output_directory = file.path(tempdir(), "output"),
  temporary_directory = tempdir())

# Fetching the contents of the ORG mathematical set
ORG_elements = system_fetch_set(cfg, "ORG")
```

system_fetch_template *Create New Template After Building System File*

Description

Building a system file will produce templates for R and other languages. This function provides a method to make local copies of these templates.

Usage

```
system_fetch_template(
  cfg,
  template = "Simulation",
  overwrite = FALSE,
  output_directory = getwd()
)
```

Arguments

cfg	ubiquity system object
template	template type
overwrite	if TRUE the new system file will overwrite any existing files present
output_directory	directory where workshop files will be placed (getwd())

Details

The template argument can have the following values

- "Simulation" produces analysis_simulate.R: R-Script named with placeholders used to run simulations
- "Estimation" produces analysis_estimate.R: R-Script named with placeholders used to perform naive-pooled parameter estimation
- "NCA" produces analysis_nca.R: R-Script to perform non-compartmental analysis (NCA) and report out the results
- "ShinyApp" produces ubiquity_app.R, server.R and ui.R: files needed to run the model through a Shiny App either locally or on a Shiny Server

- "Model Diagram" produces `system.svg`: SVG template for producing a model diagram (Goto <https://inkscape.org> for a free SVG editor)
- "Shiny Rmd Report" produces `system_report.Rmd` and `test_system_report.R`: R-Markdown file used to generate report tabs for the Shiny App and a script to test it
- "myOrg" produces `myOrg.R`: R-Script for defining functions used within your organization
- "mrgsolve" produces `system_mrgsolve.cpp`: text file with the model and the currently selected parameter set in mrgsolve format
- "Berkeley Madonna" produces `system_berkeley_madonna.txt`: text file with the model and the currently selected parameter set in Berkeley Madonna format
- "Adapt" produces `system_adapt.for` and `system_adapt.prm`: Fortran and parameter files for the currently selected parameter set in Adapt format.

Value

List with vectors of template sources, destinations and corresponding write success (`write_file`), also a list element indicating the overall success of the function call (`isgood`)

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Creating a simulation template
fr = system_fetch_template(cfg,
                          template = "Simulation",
                          output_directory = tempdir())
```

system_fetch_TSsys *Fetch System Timescale*

Description

Reads through the system information and tries to determine the system time scale (the timescale that has a value of 1)

Usage

```
system_fetch_TSsys(cfg)
```

Arguments

cfg ubiquity system object

Value

Name of the system timescale or NULL if it was not found

system_glp_init *Initialize GLP study design*

Description

Creates a new GLP study design

Usage

```
system_glp_init(cfg, study_title = "Study Title", study_name = "default")
```

Arguments

cfg ubiquity system object
 study_title String containing descriptive information about the study
 study_name short name used to identify the study in other functions ("default")

Value

cfg ubiquity system object with the study initialized

system_glp_save *Save results from a GLP Study design*

Description

Saves files associated with a GLP study.

Usage

```
system_glp_save(  

  cfg,  

  study_name = "default",  

  rptname = "default",  

  output_directory = NULL,  

  prefix = NULL  

)
```

Arguments

cfg	ubiquity system object
study_name	name of the study to save ("default")
rptname	short name used to identify the report to attach results to the study in other functions (default)
output_directory	optional location to save results (default value of NULL will use the output folder specified at build time)
prefix	optional string to prepend to files generated (default value of NULL will use study_name)

Value

List with the following names

- isgood Boolean variable indicating success (TRUE) or failure (FALSE)
- files List with names of the files exported and values containing the paths to the files

See Also

[system_glp_init](#), [system_glp_scenario](#)

system_glp_scenario *Design GLP Study For a Scenario*

Description

Identifies the top dose required in a GLP tox study in order to match human metrics (Cmax and AUCs) within a specified multiplier.

For a given set of human parameters the human doses required to hit the target Cmin and AUC (both or one) will be identified. The Cmax and AUC associated with the largest of those doses will be determined and the corresponding doses for a tox species (and provided parameters) will be determined for specific tox multipliers.

Optionally, simulations can be run by specifying doses for either/or the human or tox species. Sample times can also be specified to generate annotated figures and tables to be given to analysts to facilitate assay design.

The system file requires the following components:

- Output for the drug concentration - Output for the cumulative AUC - Bolus dosing defined in a specific compartment - Timescale specified for the system timescale (e.g. if the timescale is hours then you need <TS> hours = 1.0)

Usage

```

system_glp_scenario(
  cfg,
  output_Conc = NULL,
  output_AUC = NULL,
  timescale = NULL,
  units_Conc = "",
  units_AUC = "",
  study_scenario = "Tox Study",
  human_sim_times = NULL,
  study_name = "default",
  human_parameters = NULL,
  human_bolus = NULL,
  human_ndose = 1,
  human_dose_interval = 1,
  human_Cmin = NULL,
  human_AUC = NULL,
  human_sample_interval = NULL,
  human_sim_doses = NULL,
  human_sim_samples = NULL,
  tox_species = "Tox",
  tox_sim_times = NULL,
  tox_parameters = NULL,
  tox_bolus = NULL,
  tox_ndose = 1,
  tox_dose_interval = 1,
  tox_Cmax_multiple = 10,
  tox_AUC_multiple = 10,
  tox_sample_interval = NULL,
  tox_sim_doses = NULL,
  tox_sim_samples = NULL,
  annotate_plots = TRUE
)

```

Arguments

cfg	ubiquity system object
output_Conc	model output specified with <O> containing the concentration associated with drug exposure.
output_AUC	model output specified with <O> containing the cumulative exposure
timescale	system timescale specified with <TS> used for AUC comparisons and plotting
units_Conc	units of concentration (' ')
units_AUC	units of AUC (' ')
study_scenario	string containing a descriptive name for the tox study
human_sim_times	user-specified simulation output times for humans (same timescale as the system)

study_name	name of the study to append the scenario to set with 'system_glp_init()' ('default'): When a report is initialized using <code>system_report_init</code> the report name is 'default' unless otherwise specified. To disable reporting set this to NULL, and to use a different report specify the name here.
human_parameters	list containing the human parameters
human_bolus	string containing the dosing state for human doses (specified with <B: ?>)
human_ndose	number of human doses to simulate
human_dose_interval	dosing interval in humans (time units specified with <B: ?>)
human_Cmin	target Cmin in humans (corresponding to output_Conc above)
human_AUC	target AUC in humans (corresponding to output_AUC above)
human_sample_interval	time interval in units specified by timescale above to evaluate the trough concentration and AUC (e.g c(1.99, 4.001) would consider the interval between 2 and 4)
human_sim_doses	optional list of doses into human_bolus to simulate (see Details below)
human_sim_samples	optional list of sample times in units specified by timescale above to label on plots of simulated doses (the default NULL will disable labels)
tox_species	optional name of the tox species ("Tox")
tox_sim_times	user-specified simulation output times for the tox species (same timescale as the system)
tox_parameters	list containing the parameters for the tox species
tox_bolus	string containing the dosing state for tox species doses (specified with <B: ?>)
tox_ndose	number of tox doses to simulate
tox_dose_interval	dosing interval in the tox species (time units specified with <B: ?>)
tox_Cmax_multiple	for each target (Cmin and AUC) the dose in the tox species will be found to cover this multiple over the projected Cmax in humans (10)
tox_AUC_multiple	for each target (Cmin and AUC) the dose in the tox species will be found to cover this multiple over the projected AUC in humans (10)
tox_sample_interval	interval to consider the AUC and Cmax for comparing the human prediction to the tox multiple
tox_sim_doses	optional list of doses into tox_bolus to simulate (see Details below)
tox_sim_samples	optional list of sample times in units specified by timescale above to label on plots of simulated doses (the default NULL will disable labels)
annotate_plots	Boolean switch to indicate if human_sim_samples and tox_sim_samples should be labeled on their respective plots (TRUE)

Details

Both `human_sim_doses` and `tox_sim_doses` are lists with names corresponding to the label of the dose. Each element has an `AMT` and `TIME` element which corresponds to the dosing times and amounts in the units specified with `<B: ?>` in the system file.

For example if you wanted to simulate four weekly doses of 20 mg to a 70 kg person and the units of bolus doses were days and mg/kg for the times and amounts you would do the following:

```
human_sim_doses = list()
human_sim_doses[["20 mg QW"]]$TIME = c(    0,    7,   14,   21)
human_sim_doses[["20 mg QW"]]$AMT  = c(0.2857, 0.2857, 0.2857, 0.2857)
```

Value

cfg ubiquity system object with the scenario added if successful

system_load_data	<i>Loading Datasets</i>
------------------	-------------------------

Description

Loads datasets at the scripting level from a variable if `data_file` is a data.frame or from the the following formats (based on the file extension)

- csv - comma delimited
- tab - tab delimited
- xls - excel spread sheet

Multiple datasets can be loaded as long as they are given different names. Datasets should be in a NONMEM-ish format with the first row containing the column header names.

Usage

```
system_load_data(cfg, dsname, data_file, data_sheet)
```

Arguments

<code>cfg</code>	ubiquity system object
<code>dsname</code>	short name of the dataset to be used to link this dataset to different operations
<code>data_file</code>	the file name of the dataset or a data frame containing the data
<code>data_sheet</code>	argument identifying the name of the sheet in an excel file

Value

Ubiquity system object with the dataset loaded

system_log_debug_save *Save variables to files*

Description

Triggered when debugging is enabled, this function will save the contents of values to the specified file name in the ubiquity temporary directory.

Usage

```
system_log_debug_save(cfg, file_name = "my_file", values = NULL)
```

Arguments

cfg	ubiquity system object
file_name	name of the save file without the ".RData" extension
values	named list of variables to save

Value

Boolean variable indicating success

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# enable debugging:
cfg=system_set_option(cfg,group = "logging",
                     option = "debug",
                     value = TRUE)

# Saving the cfg variable
system_log_debug_save(cfg,
                      file_name = 'my_file',
                      values = list(cfg=cfg))
```

system_log_init	<i>Initialize System Log File</i>
-----------------	-----------------------------------

Description

Initializes the currently specified system log file.

Usage

```
system_log_init(cfg)
```

Arguments

cfg ubiquity system object

Value

ubiquity system object with logging enabled

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Initializing the log file
system_log_init(cfg)
```

system_nca_run	<i>Automatic NCA</i>
----------------	----------------------

Description

Performs NCA in an automated fashion

Usage

```

system_nca_run(
  cfg,
  dsname = "PKDS",
  dscale = 1,
  NCA_min = 4,
  analysis_name = "analysis",
  dsfilter = NULL,
  extrap_C0 = TRUE,
  extrap_N = 2,
  sparse = FALSE,
  dsmap = list(TIME = "TIME", NTIME = "NTIME", CONC = "CONC", DOSE = "DOSE", ID = "ID",
    ROUTE = "ROUTE", DOSENUM = NULL, BACKEXTRAP = NULL, SPARSEGROUP = NULL),
  digits = 3,
  dsinc = NULL
)

```

Arguments

cfg	ubiquity system object
dsname	name of dataset loaded with (system_load_data)
dscale	factor to multiply the dose to get it into the same units as concentration (default 1): if you are dosing in mg/kg and your concentrations is in ng/ml, then dscale = 1e6
NCA_min	minimum number of points required to perform NCA for a given subset (default 4)
analysis_name	string containing the name of the analysis (default 'analysis') to archive to files and reference results later
dsfilter	list of names corresponding to the column names in the dataset and values are a sequence indicating values to keep (default NULL. Multiple names are and-ed together. For example the following would keep all of the records where dose is 1, 2, or 5 and the dose_number is 1 dsfilter = list(dose=c(1,2,5), dose_number = c(1))
extrap_C0	Boolean variable to enable automatic determination of initial drug concentration if no value is specified; the rules used by WinNonlin will be used: <ul style="list-style-type: none"> • If the route is "iv infusion" or "extra-vascular" and the data is single dose data, then a concentration of zero will be used. If repeat dosing is used, the minimum value from the previous dosing interval will be used. • If the route is "iv bolus" then log-linear regression of the number of observations specified by extrap_N will be used. If the slope of these points is positive the first positive observation will be used as an estimate of C0
extrap_N	number of points to use for back extrapolation (default 2); this number can be overwritten for each subject using the BACKEXTRAP column in the dataset
sparse	Boolean variable used to indicate data used sparse sampling and the analysis should use the average at each time point (the SPARSEGROUP column must be specified in the dsmap below)

dsmap	list with names specifying the columns in the dataset (* required): <ul style="list-style-type: none"> • TIME* Time since the first dose; "TIME" (default) • NTIME* Nominal time since last dose; "NTIME" (default) • CONC* Concentration data; "CONC" (default) • DOSE* Dose given; ("DOSE" (default) • ID* Subject ID; ("ID" (default) • ROUTE* Route of administration; "ROUTE" (default), can be either "iv bolus", "iv infusion" or "extra-vascular" • DOSENUM Numeric dose (starting at 1) used for grouping multiple dose data; optional, NULL (default) for single dose data) • BACKEXTRAP Specifying the number of points to use to extrapolate the initial concentration for "iv bolus" dosing; optional f NULL (default) will use the value defined in <code>extrap_N</code> (note this value must be \leq <code>NCA_min</code>) • SPARSEGROUP Column containing a unique value grouping cohorts for pooling data. Needed when <code>sparse</code> is set to TRUE; optional, NULL (default)
digits	number of significant digits to report 3 (default), set to NULL to disable rounding
dsinc	(NOT CURRENTLY IMPLEMENTED) optional character vector of columns from the dataset to include in the output summary (default NULL)

Value

cfg ubiquity system object with the NCA results and if the analysis name is specified:

- `output/analysis_name-nca_summary-pknca.csv` NCA summary
- `output/analysis_name-pknca_summary.csv` Raw output from PKNCA with subject and dose number columns appended
- `output/analysis_name-nca_data.RData` objects containing the NCA summary and a list with the ggplot grobs

See Also

Vignette on NCA (`vignette("NCA", package = "ubiquity")`)

system_new

Create New system.txt File

Description

Copy a blank template (`system_file="template"`) file to the working directory or an example by specifying the following:

- "template" - Empty system file template
- "adapt" - Parent/metabolite model taken from the adapt manual used in estimation examples [ADAPT]

- "two_cmt_macro" - Two compartment model parameterized in terms of clearances (macro constants)
- "one_cmt_macro" - One compartment model parameterized in terms of clearances (macro constants)
- "two_cmt_micro" - Two compartment model parameterized in terms of rates (micro constants)
- "one_cmt_micro" - One compartment model parameterized in terms of rates (micro constants)
- "mab_pk" - General compartmental model of mAb PK from Davda 2014 [DG]
- "pbpk" - PBPK model of mAb disposition in mice from Shah 2012 [SB]
- "pbpk_template" - System parameters from Shah 2012 [SB] have been defined for all species along with the set notation to be used as a template for developing models with physiological parameters
- "pwc" - Example showing how to make if/then or piece-wise continuous variables
- "tmdd" - Model of antibody with target-mediated drug disposition
- "tumor" - Transit tumor growth model taken from Lobo 2002 [LB]

Usage

```
system_new(
  file_name = "system.txt",
  system_file = "template",
  overwrite = FALSE,
  output_directory = getwd()
)
```

Arguments

file_name	name of the new file to create
system_file	name of the system file to copy
overwrite	if TRUE the new system file will overwrite any existing files present
output_directory	getwd() directory where system file will be placed

Details

References

- [ADAPT] Adapt 5 Users Guide <https://bmsr.usc.edu/files/2013/02/ADAPT5-User-Guide.pdf>
- [DG] Davda et. al. mAbs (2014) 6(4):1094-1102 <http://doi.org/10.4161/mabs.29095>
- [LB] Lobo, E.D. & Balthasar, J.P. AAPS J (2002) 4, 212-222 <https://doi.org/10.1208/ps040442>
- [SB] Shah, D.K. & Betts, A.M. JPKPD (2012) 39 (1), 67-86 <https://doi.org/10.1007/s10928-011-9232-2>

Value

TRUE if the new file was created and FALSE otherwise

Examples

```
# To create an example system file named example_system.txt:
system_new(system_file      = "mab_pk",
            file_name       = "system_example.txt",
            overwrite        = TRUE,
            output_directory = tempdir())
```

system_new_list	<i>Fetch list of internal system templates</i>
-----------------	--

Description

Returns a list of internal templates with descriptions of their contents and file locations

Usage

```
system_new_list()
```

Value

list with the template names as the keys

- file_path Full path to the system file
- description Description of what this system file provides

Examples

```
# To get a list of systems
systems = system_new_list()
```

system_new_tt_rule *Titration Rules*

Description

Defines a new titration rule and the times when that rule is evaluated

Usage

```
system_new_tt_rule(cfg, name, times, timescale)
```

Arguments

cfg	ubiquity system object
name	name for the titration rule
times	list of times when the rule will be evaluated
timescale	time scale associated with the titration times (as defined by <TS: ?>)

Details

```
cfg = system_new_tt_rule(cfg,  
                        name      = "rname",  
                        times     = c(0, 2, 4),  
                        timescale = "weeks")'
```

A titration rule identifies a set of times (`times`) and an associated time scale (`timescale`) in which titration events can potentially occur. Any times scale, as defined in the system file with <TS: ?>, can be used in place of "weeks" above. The name, "rname" above, is used to link the titration rule to different conditions discussed below. The name should be a string beginning with a letter, and it can contain any combination of numbers, letters, and underscores. With the rule created we can then add conditions to that rule.

Value

Ubiquity system object with the titration rule created

See Also

[system_set_tt_cond](#), [run_simulation_titrate](#)

system_od_general	<i>General Observation Details Function</i>
-------------------	---

Description

Used to calculate observation details based on cohorts created with `system_define_cohort`

Usage

```
system_od_general(pest, cfg, estimation = TRUE, details = FALSE)
```

Arguments

<code>pest</code>	vector of parameters to be estimated
<code>cfg</code>	ubiquity system object
<code>estimation</code>	TRUE when called during an estimation and FALSE when called to test objective function or generate observation information for plotting
<code>details</code>	TRUE to display information about cohorts as they are simulated (useful for debugging when passed through system_simulate_estimation_results)

Value

If `estimation` is TRUE then the output is a matrix of observation details of the format:

```
od$pred = [TIME, OBS, PRED, VAR, OUTPUT, COHORT]
```

The values are the observed (OBS) data, predicted values (PRED) and variance (VAR) at the given TIME. The columns OUTPUT and COHORT can be used for sorting. These should be unique numbers.

When `estimation` is FALSE we output `od$pred` is a data frame with the following headings:

```
od$pred = [TIME, OBS, PRED, VAR, SMOOTH, OUTPUT, COHORT]
```

The TIME, OBS, PRED and VAR are the same as those listed above. The SMOOTH variable is FALSE for rows that correspond to records in the dataset and TRUE when the PRED represents the smooth predictions. The OUTPUT and COHORT columns here are text values used when defining the cohorts.

Also the `od$all` list item is created with all of the simulation information stored for each cohort:

```
od$all = [ts.time, ts.ts1, ... ts.tsn, pred, name, cohort]
```

- `ts.time` - timescale of the system
- `ts.ts1, ... ts.tsn` - timescales defined in the system
- `pred` - smooth prediction
- `name` - state or output name corresponding to the prediction
- `cohort` - name of the cohort for these predictions

Lastly the field `isgood` will be set to FALSE if any problems are encountered, and TRUE if everything worked.

```
od$isgood = TRUE
```

See Also

[system_define_cohort](#) and [system_simulate_estimation_results](#)

system_plot_cohorts *Plot Estimation Results*

Description

Generates figures for each cohort/output for a given set of parameter estimates.

Usage

```
system_plot_cohorts(
  erp,
  plot_opts = c(),
  cfg,
  analysis_name = "analysis",
  archive_results = TRUE,
  prefix = NULL
)
```

Arguments

erp	output from system_simulate_estimation_results
plot_opts	list controlling how predictions and data are overlaid
cfg	ubiquity system object
analysis_name	string containing the name of the analysis
archive_results	boolean variable to control whether results will be archived
prefix	deprecated input mapped to analysis_name

Details

The general format for a plot option for a given output (OUTPUT) is:

```
plot_opts$outputs$OUTPUTt$option = value
```

The following options are:

- yscale and xscale = "linear" or "log"
- ylabel and xlabel = "text"
- xlim and ylim = c(min,max)

It is also possible to control the height and width of the time course tc and observed vs predicted op file by specifying the following in the default units of ggsave.

- plot_opts\$tc\$width = 10

- `plot_optstcheight = 5.5`
- `plot_optsopwidth = 10`
- `plot_optsopheight = 8.0`

To control the figures that are generated you can set the purpose to either "print", "present" (default) or "shiny".

```
plot_opts$purpose = "present"
```

Value

List of plot outputs containing two elements `timecourse` and `obs_pred`, for the time course of and observed vs predicted, respectively. Both of these fields contain three elements for a given output. For example, say there is an output named PK the both the `timecourse` and `obs_pred` elements will have a field named PK containing a ggplot object and two fields `PK_png` and `PK_pdf` containing the paths to the files containing that figure in the respective formats.

See Also

The estimation vignette (`vignette("Estimation", package = "ubiquity")`)

system_report_doc_add_content

Add content to Body of a Word Document Report

Description

Appends content to the body of a word document

Usage

```
system_report_doc_add_content(
  cfg,
  rptname = "default",
  content_type = NULL,
  content = NULL
)
```

Arguments

<code>cfg</code>	ubiquity system object
<code>rptname</code>	report name initialized with <code>system_report_init</code>
<code>content_type</code>	name of the placeholder
<code>content</code>	list containing content to add

For each content type listed below the different content is expected. Text can be specified in different formats: "text" indicates plain text, "fpar" is formatted text defined by the `fpar` command from the `officer` package, and "md" is text formatted in markdown format (`?md_to_officer` for markdown details).

- "break" page break, content is (NULL) and a page break will be inserted here
- "toc" generates the table of contents, and content is a list
 - "level" number indicating the depth of the contents to display (3)
- "text" content is a list containing a paragraph of text with the following elements
 - "text" string containing the text content either a string or the output of "fpar" for formatted text.
 - "style" string containing the style either "normal", "code", "h1", "h2", "h3"
 - "format" string containing the format, either "text", "fpar", or "md" (default NULL assumes "text" format)
- "imagefile" content is a list containing describing an image file with the following elements
 - image string containing path to image file
 - caption caption of the image (NULL)
 - caption_format string containing the format, either "text", "fpar", or "md" (default NULL assumes "text" format)
 - height height of the image (NULL)
 - width width of the image (NULL)
- "ggplot" content is a list containing an image from a ggplot object, (eg. p = ggplot() +) with the following elements
 - image ggplot object
 - caption caption of the image (NULL)
 - caption_format string containing the format, either "text", "fpar", or "md" (default NULL assumes "text" format)
 - height height of the image (NULL)
 - width width of the image (NULL)
- "table" content list containing the table content and other options with the following elements:
 - table data frame containing the tabular data
 - caption caption of the table (NULL)
 - caption_format string containing the format, either "text", "fpar", or "md" (default NULL assumes "text" format)
 - header Boolean variable to control displaying the header (TRUE)
 - first_row Boolean variable to indicate that the first row contains header information (TRUE)
- "flexible" list containing flexible content and other options with the following elements (defaults in parenthesis):
 - table Data frame containing the tabular data
 - caption caption of the table (NULL)
 - caption_format string containing the format, either "text", "fpar", or "md" (default NULL assumes "text" format)

- header_top, header_middle, header_bottom (NULL) a list with the same names as the data frame names containing the tabular data and values with the header text to show in the table
- merge_header (TRUE) Set to true to combine column headers with the same information
- table_body_alignment, table_header_alignment ("center") Controls alignment
- table_autofit (TRUE) Automatically fit content, or specify the cell width and height with cwidth (0.75) and cheight (0.25)
- table_theme ("theme_vanilla") Table theme

Value

cfg ubiquity system object with the content added to the body

system_report_doc_format_section

Formats the Current Document Section

Description

Sets the section format for the content added since the last section content type was defined. This is a wrapper for the body_end_section* functions in officer.

Usage

```
system_report_doc_format_section(
  cfg,
  rptname = "default",
  section_type = NULL,
  w = NULL,
  h = NULL,
  sep = FALSE,
  widths = NULL,
  space = NULL
)
```

Arguments

cfg	ubiquity system object
rptname	report name initialized with system_report_init
section_type	type of section to apply, either "columns", "continuous", "landscape", "portrait", "columns", or "columns_landscape"
w	width in inches of the section of the page (NULL)
h	height in inches of the section of the page (NULL)

sep	Boolean value controlling line separating columns (FALSE)
widths	column widths in inches, number of columns set by number of values (NULL)
space	space in inches between columns (NULL)

Value

cfg ubiquity system object with the section added to the body

system_report_doc_set_ph

Sets Placeholder Content for Word Document Report

Description

Adds or updates content to be substituted for placeholders in the specified report.

For example if you have <HEADER_LEFT> in the header of your document and you wanted to replace it with the text "Upper left" you would do the following:

```
cfg = system_report_doc_set_ph(cfg, ph_content = "Upper Left", ph_name = "HEADER_LEFT", ph_location = "header")
```

Notice the ph_name just has HEADER_LEFT and leaves off the <>

Usage

```
system_report_doc_set_ph(
    cfg,
    rptname = "default",
    ph_name = NULL,
    ph_content = NULL,
    ph_location = "body"
)
```

Arguments

cfg	ubiquity system object
rptname	report name initialized with system_report_init
ph_name	name of the placeholder
ph_content	content to be replaced
ph_location	location of the placeholder: "body" (default), "header", or "footer"

Value

cfg ubiquity system object with the placeholder content set

system_report_estimation

Generate a Report from Parameter Estimation

Description

This will take the output generated during a parameter estimation and append those results to a specified report.

Usage

```
system_report_estimation(cfg, rptname = "default", analysis_name = NULL)
```

Arguments

cfg	ubiquity system object
rptname	report name (either PowerPoint or Word)
analysis_name	string containing the name of the estimation analysis and used as a prefix to store the results

Value

ubiquity system object with estimation report appended

See Also

[system_report_init](#), the reporting vignette (`vignette("Reporting", package = "ubiquity")`) and the estimation vignette (`vignette("Estimation", package = "ubiquity")`)

system_report_fetch

Retrieve the officer Object of a Report

Description

Reports are stored in the ubiquity system object and this provides a method for retrieving them by name. They can then be modified using the officer functions directly.

Usage

```
system_report_fetch(cfg, rptname = "default")
```

Arguments

cfg	ubiquity system object
rptname	report name

Value

officer pptx object with the of the report named rptname

See Also

[system_report_init](#) and [system_report_set](#)

system_report_glp *Report GLP Study*

Description

Append GLP study design a report

Usage

```
system_report_glp(  
  cfg,  
  study_title = "Study Title",  
  study_name = "default",  
  rptname = "default"  
)
```

Arguments

cfg	ubiquity system object
study_title	String containing descriptive information about the study
study_name	short name used to identify the study in other functions ("default")
rptname	short name used to identify the report to attach results to the study in other functions ("default")

Value

cfg ubiquity system object with the study report information added

system_report_init *Initialize a New Officer Report*

Description

Creates a new officer report based either on the ubiquity template or one specified by the user. Once created, content can then be added.

Usage

```
system_report_init(  
    cfg,  
    template = NULL,  
    rptname = "default",  
    rpttype = NULL,  
    meta = NULL  
)
```

Arguments

cfg	ubiquity system object
template	path to template file (NULL will load the default ubiquity template)
rptname	report name
rpttype	type of report to create, can be either NULL, "PowerPoint" or "Word"
meta	list containing metadata identifying relevant indices for slide layouts

Details

Either the rpttype can be specified or the template. If a report type is specified the internal ubiquity template for that type will be used. If the user specifies a template, the type will be determined from the file extension. If both values are NULL the report type will default to "PowerPoint" internally.

Value

ubiquity system object with estimation report initialized

See Also

Reporting vignette (vignette("Reporting", package = "ubiquity"))

system_report_nca *Report NCA*

Description

Appends the results of NCA to a report

Usage

```
system_report_nca(
  cfg,
  rptname = "default",
  analysis_name = "analysis",
  rows_max = 10,
  table_headers = TRUE
)
```

Arguments

cfg	ubiquity system object
rptname	report name (either PowerPoint or Word)
analysis_name	string containing the name of the analysis (default 'analysis') to archive to files and reference results later
rows_max	maximum number of rows per slide when generating tabular data
table_headers	Boolean variable to add descriptive headers to output tables (default TRUE)

Value

cfg ubiquity system object with the NCA results appended to the specified report and if the analysis name is specified:

See Also

Vignette on NCA (`vignette("NCA", package = "ubiquity")`)

system_report_ph_content
Populate Placeholder In Officer Report

Description

Places content in a PowerPoint placeholder for a given Officer document.

Usage

```

system_report_ph_content(
  cfg,
  rpt,
  content_type,
  content,
  type,
  index,
  ph_label
)

```

Arguments

cfg	ubiquity system object
rpt	officer pptx object
content_type	string indicating the content type
content	content
type	placeholder type ("body")
index	placeholder index (integer)
ph_label	placeholder location (text)

Details

For each content type listed below the following content is expected:

- "text" text string of information
- "list" vector of paired values (indent level and text), eg. c(1, "Main Bullet", 2 "Sub Bullet")
- "imagefile" string containing path to image file
- "ggplot" ggplot object, eg. p = ggplot() +
- "table" list containing the table content and other options with the following elements (defaults in parenthesis):
 - table Data frame containing the tabular data
 - header Boolean variable to control displaying the header (TRUE)
 - first_row Boolean variable to indicate that the first row contains header information (TRUE)
- "flextable" list containing flextable content and other options with the following elements (defaults in parenthesis):
 - table Data frame containing the tabular data
 - header_top, header_middle, header_bottom (NULL) a list with the same names as the data frame names containing the tabular data and values with the header text to show in the table
 - merge_header (TRUE) Set to true to combine column headers with the same information
 - table_body_alignment, table_header_alignment ("center") Controls alignment
 - table_autofit (TRUE) Automatically fit content, or specify the cell width and height with cwidth (0.75) and cheight (0.25)
 - table_theme ("theme_vanilla") Table theme

Value

officer pptx object with the content added

See Also

[system_report_view_layout](#)

system_report_save *Save Report to File*

Description

Save the contents of rptname to the file output_file

Usage

```
system_report_save(cfg, rptname = "default", output_file = NULL)
```

Arguments

cfg	ubiquity system object
rptname	report name initialized with system_report_init
output_file	file name of saved report

Details

If you don't specify an output file it will save the report either report.pptx or report.docx (depending on the type of report) in the current directory.

Value

Boolean variable indicating success (TRUE) or failure (FALSE)

See Also

[system_report_init](#)

system_report_set *Overwrite officer Object for a Given Report*

Description

Replace the report named rptname with the contents in rpt

Usage

```
system_report_set(cfg, rptname = "default", rpt = NULL)
```

Arguments

cfg	ubiquity system object
rptname	report name initialized with system_report_init
rpt	officer object

Value

ubiquity system object with rpt as content for rptname

See Also

[system_report_init](#) and [system_report_fetch](#)

system_report_slide_content
Add Slide With Main Body of Content

Description

Creates a report slide with a title and single large area of content

Usage

```
system_report_slide_content(  
  cfg,  
  title = "Title",  
  sub_title = NULL,  
  rptname = "default",  
  content_type = "text",  
  content = "Text"  
)
```

Arguments

cfg	ubiquity system object
title	string with slide title ("Title")
sub_title	string with slide sub title (codeNULL)
rptname	report name initialized with system_report_init
content_type	type of content for main body of slide
content	content of main body of slide

Details

For information on the format of content, see [system_report_ph_content](#).

Value

ubiquity system object with slide added to report

See Also

[system_report_init](#) and the reporting vignette (`vignette("Reporting", package = "ubiquity")`)

system_report_slide_section

Generate Slide with Section Break

Description

Creates a report slide with a section break.

Usage

```
system_report_slide_section(
  cfg,
  title = "Title",
  sub_title = NULL,
  rptname = "default"
)
```

Arguments

cfg	ubiquity system object
title	string with slide title ("Title")
sub_title	string with slide sub title (NULL)
rptname	report name initialized with system_report_init

Value

ubiquity system object with slide added to report

See Also

[system_report_init](#) and the reporting vignette (`vignette("Reporting", package = "ubiquity")`)

system_report_slide_title

Generate Title Slide

Description

Creates a report title slide.

Usage

```
system_report_slide_title(  
  cfg,  
  title = "Title",  
  sub_title = NULL,  
  rptname = "default"  
)
```

Arguments

cfg	ubiquity system object
title	string with slide title ("Title")
sub_title	string with slide sub title (codeNULL)
rptname	report name initialized with system_report_init

Value

ubiquity system object with slide added to report

See Also

[system_report_init](#) and the reporting vignette (`vignette("Reporting", package = "ubiquity")`)

system_report_slide_two_col

Generate Slide with Two Column Layout

Description

Creates a report slide with a title two columns of content with optional headers over the columns

Usage

```
system_report_slide_two_col(
    cfg,
    title = "Title",
    sub_title = NULL,
    rptname = "default",
    content_type = "text",
    left_content = NULL,
    left_content_type = NULL,
    right_content = NULL,
    right_content_type = NULL,
    left_content_header = NULL,
    left_content_header_type = "text",
    right_content_header = NULL,
    right_content_header_type = "text"
)
```

Arguments

cfg	ubiquity system object
title	string with slide title ("Title")
sub_title	string with slide sub title (codeNULL)
rptname	report name initialized with system_report_init
content_type	type of content for body text elements 'list' or 'text'
left_content	content of left column
left_content_type	inherits the main 'content_type' above unless you wish to specify an image or table
right_content	content of right column
right_content_type	inherits the main 'content_type' above unless you wish to specify an image or table
left_content_header	content of left column header
left_content_header_type	'text' unless you wish to specify an image or table

right_content_header
 content of right column header
 right_content_header_type
 'text' unless you wish to specify an image or table

Details

For information on the format of content, see [system_report_ph_content](#).

Value

ubiquity system object with slide added to report

See Also

[system_report_init](#) and the reporting vignette (`vignette("Reporting", package = "ubiquity")`)

system_report_view_layout

Generate Annotated Layout for Report Templates

Description

Elements of slide masters are identified by placeholder labels. As PowerPoint masters are created the labels can be difficult to predict. Word documents are identified by style names. This function will create a layout file identifying all of the elements of each slide master for a PowerPoint template or each paragraph and table style for a Word template.

Usage

```
system_report_view_layout(cfg, rptname = "default", output_file = NULL)
```

Arguments

cfg	ubiquity system object
rptname	report name initialized with <code>system_report_init</code>
output_file	name of file to place the annotated layout information, set to NULL and it will generate a file named layout with the appropriate extension

Value

officer object with the layout of the template annotated,

See Also

[system_report_init](#) and the reporting vignette (`vignette("Reporting", package = "ubiquity")`)

system_select_set	<i>Selecting Parameter Sets</i>
-------------------	---------------------------------

Description

The system file can contain multiple parameterizations using the <PSET:?:?> notation. This function provides the means for switching between these parameterizations, and (optionally) specifying a subset of parameters estimated when performing parameter estimation.

Usage

```
system_select_set(cfg, set_name = "default", parameter_names = NULL)
```

Arguments

cfg	ubiquity system object
set_name	string containing the name of the parameter set
parameter_names	list of parameter names to be estimated

Value

Ubiquity system object with the specified parameter set active

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite      = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Selecting the default parameter set
cfg = system_select_set(cfg, "default")
```

system_set_bolus	<i>Set Bolus Inputs</i>
------------------	-------------------------

Description

Defines infusion rates specified in the system file using <B:times> and <B:events>

Usage

```
system_set_bolus(cfg, state, times, values)
```

Arguments

cfg	ubiquity system object
state	name of the state to apply the bolus
times	list of injection times
values	corresponding list injection values

Value

Ubiquity system object with the bolus information set

See Also

[system_zero_inputs](#)

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Clearing all inputs
cfg = system_zero_inputs(cfg)

# SC dose of 200 mg
cfg = system_set_bolus(cfg, state = "At",
                      times = c( 0.0), # day
                      values = c(200.0)) # mg
```

system_set_covariate *Set Covariate Values*

Description

Covariates specified in the system file using <CV: ?> and <CVSET: ? : ?> will have their default values for a given parameter set. This function is a means to overwrite those values.

Usage

```
system_set_covariate(cfg, covariate, times, values)
```

Arguments

cfg	ubiquity system object
covariate	name of the covariate
times	list of times (system time units)
values	corresponding list of values

Value

Ubiquity system object with the covariate set

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Setting the covariate WT to 50
cfg = system_set_covariate(cfg,
                          covariate = "WT",
                          times      = c(0),
                          values     = c(50))
```

system_set_guess	<i>Alter Initial Guess and Parameter Bounds</i>
------------------	---

Description

Default values for parameters are taken from the `system.txt` file either when the parameter was defined (<P>) or when it was reassigned for a parameter set (<PSET:?:?>?). These can be altered at the scripting level using this function.

Usage

```
system_set_guess(cfg, pname, value, lb = NULL, ub = NULL)
```

Arguments

cfg	ubiquity system object
pname	name of parameter to set
value	value to assign
lb	optionally change the lower bound (NULL)
ub	optionally change the upper bound (NULL)

Details

When performing a parameter estimation, the initial guess will be the value specified in the `system.txt` file for the currently selected parameter set. The following command can be used after the parameter set has been selected to specify the value (VALUE) of the parameter PNAME and optionally the lower (lb) and upper (ub) bounds:

```
cfg = system_set_guess(cfg, pname="PNAME", value=VALUE, lb=NULL, ub=NULL)
```

To set the initial guess for the parameter Vc to a value of 3, the following would be used:

```
cfg = system_set_guess(cfg, "Vc", value=3)
```

To specify the guess and overwrite the upper bound on Vc and set it to 5

```
cfg = system_set_guess(cfg, "Vc", value=3, ub=5)
```

Value

cfg ubiquity system object with guess and bounds assigned

system_set_iiv	<i>Set Variability Terms</i>
----------------	------------------------------

Description

Set elements of the current variance covariance matrix specified in the system file with <IIV:?:?> ?, <IIVCOR:?:?>?, <IIVSET:?:?> ?, <IIVCORSET:?:?>?

Usage

```
system_set_iiv(cfg, IIV1, IIV2, value)
```

Arguments

cfg	ubiquity system object
IIV1	row name of the variance/covariance matrix
IIV2	column name of the variance/covariance matrix element
value	value to assign to the variance/covariance matrix element

Value

Ubiquity system object with IIV information set

See Also

[system_fetch_iiv](#)

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Clearing all inputs
cfg = system_zero_inputs(cfg)

# Setting the covariance element for CL and Vc to 0.03
cfg = system_set_iiv(cfg,
                    IIV1 = "ETACL",
                    IIV2 = "ETAVc",
```

```
value=0.03)
```

system_set_option *Setting Analysis Options*

Description

Different options associated performing analyses (e.g running simulations, performing parameter estimation, logging, etc.) can be set with this function

Usage

```
system_set_option(cfg, group, option, value)
```

Arguments

cfg	ubiquity system object
group	options are grouped together by the underlying activity being performed: "solver", "stochastic", "simulation", "estimation", "logging", or "titration"
option	for each group there are a set of options
value	corresponding value for the option

Details

```
group=logging
```

By default ubiquity prints different information to the console and logs this information to a log file. The following options can be used to control this behavior:

- "enabled" = Boolean variable to control logging: TRUE
- "file" = String containing the name of the log file: `file.path("transient", "ubiquity_log.txt")`
- "timestamp" = Boolean switch to control appending a time stamp to log entries: TRUE
- "ts_str" = String format of timestamp: "
- "debug" = Boolean switch to control debugging (see below): FALSE
- "verbose" = Boolean switch to control printing to the console FALSE

To enable debugging of different functions (like when performing estimation), set the debug option to TRUE. Important function calls will be trapped and information will be logged and reported to the console.

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "debug",
                        value = FALSE)
```

```
group=solver
```

Depending on the solver, different options can be set. The documentation for [deSolve](#) lists the different solvers. For a full list of options, see the documentation for the specific solver (e.g. `?lsoda`). Some common options to consider are:

- "atol" - Relative error tolerance
- "rtol" - Absolute error tolerance
- "hmin" - Minimum integration step size
- "hmax" - Maximum integration step size

To select the vode solver and set the maximum step size to 0.01, the following would be used:

```
cfg=system_set_option(cfg,
                      group = "simulation",
                      option = "solver",
                      value  = "vode")
```

```
cfg=system_set_option(cfg,
                      group = "solver",
                      option = "hmax",
                      value  = 0.01)
```

```
group="simulation"
```

- "include_important_output_times" - Automatically add bolus, infusion rate switching times, etc: "yes"(default), "no".
- "integrate_with" - Specify if the ODE solver should use the Rscript ("r-file") or compiled C ("c-file"), if the build process can compile and load the C version it will be the default otherwise it will switch over to the R script.
- "output_times" - Vector of times to evaluate the simulation (default `seq(0, 100, 1)`).
- "solver" - Selects the ODE solver: "lsoda" (default), "lsode", "vode", etc.; see the documentation for [deSolve](#) for an exhaustive list.
- "sample_bolus_delta" - Spacing used when sampling around bolus events (default `1e-6`).
- "sample_forcing_delta" - Spacing used when sampling around forcing functions (infusion rates, covariates, etc) (default `1e-3`).

```
group="stochastic"
```

When running stochastic simulations (inter-individual variability applied to system parameters) it can be useful to specify the following:

- "ci" - Confidence interval (default 95)
- "nsub" - Number of subjects (default 100)
- "seed" - Seed for the random number generator (default 8675309)
- "ponly" - Only generate the subject parameters but do not run the simulations (default FALSE)
- "outputs" - A list of the predicted outputs to include (default all outputs defined by `<O>`)
- "states" - A list of the predicted states to include (default all states)

- "sub_file" - Name of data set loaded with ([system_load_data](#)) containing subject level parameters and covariates
- "sub_file_sample" - Controls how subjects are sampled from the dataset

If you wanted to generate 1000 subjects but only wanted the parameters, you would use the following:

```
cfg = system_set_option(cfg,
                        group = "stochastic",
                        option = "nsub ",
                        value = 1000)
```

```
cfg = system_set_option(cfg,
                        group = "stochastic",
                        option = "ponly",
                        value = TRUE )
```

If you wanted to exclude states and only include the output Cp_nM, you would do the following:

```
cfg = system_set_option (cfg,
                        group = "stochastic",
                        option = "states",
                        value = list())
```

```
cfg = system_set_option (cfg,
                        group = "stochastic",
                        option = "outputs",
                        value = c("Cp_nM"))
```

To pull subject information from a data file instead of generating the subject parameters from IIV information the sub_file option can be used. The value here SUBFILE_NAME is the name given to a dataset loaded with ([system_load_data](#)):

```
cfg=system_set_option(cfg,
                      group = "stochastic",
                      option = "sub_file",
                      value = "SUBFILE_NAME")
```

Sampling from the dataset can be controlled using the sub_file_sample option:

```
cfg=system_set_option(cfg,
                      group = "stochastic",
                      option = "sub_file_sample",
                      value = "with replacement")
```

Sampling can be done sequentially ("sequential"), with replacement ("with replacement"), or without replacement ("without replacement")

```
group="estimation"
```

The default estimation in R is performed using either the `optim` or `optimx` libraries. This is selected by setting the `optimizer` option:

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "optimizer",
                        value = "optim")
```

The optimization routine then specified using the method. By default this option is set to Nelder-Mead.

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "method",
                        value = "Nelder-Mead")
```

And different attributes are then selected using the control.

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "control",
                        value = list(trace = TRUE,
                                    maxit = 500,
                                    REPORT = 10))
```

For the different methods and control options, see the documentation for the `optim` and `optimx` libraries.

To perform a global optimization you can install either the particle swarm (ps) genetic algorithm (GA) libraries. To use the particle swarm set the optimizer and method:

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "optimizer",
                        value = "pso")
```

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "method",
                        value = "psoptim")
```

The control option is a list described pso documentation.

To use the genetic algorithm set the optimizer and method:

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "optimizer",
                        value = "ga")
```

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "method",
                        value = "ga")
```

The control option is a list and the list elements are the named options in the GA documentation. Use the following as an example:

```
cfg = system_set_option(cfg,
                        group = "estimation",
                        option = "control",
                        value = list(maxiter = 10000,
                                    optimArgs = list(
                                        method = "Nelder-Mead",
                                        maxiter = 1000)))
```

To alter initial guesses see: [system_set_guess](#)

```
group="titration"
```

"titrate" - By default titration is disable (set to FALSE). If you are going to use titration, enable it here by setting this option to TRUE. This will force #' [simulate_subjects](#) to use [run_simulation_titrate](#) internally when running simulations.

Value

Ubiquity system object with the option set

system_set_parameter *Set Value for Parameter*

Description

Assigns a value for a named parameter in a parameter list.

Usage

```
system_set_parameter(cfg, parameters, pname, value)
```

Arguments

cfg	ubiquity system object
parameters	vector of parameters
pname	parameter name
value	value

Details

To set the parameter Vc to a value of 3, the following would be used:

```
parameters = system_fetch_parameters(cfg)
parameters = system_set_parameter(cfg, parameters, pname = 'Vc', value = 3)
```

Value

parameters vector with pname set to value

system_set_rate	<i>Set Infusion Rate Inputs</i>
-----------------	---------------------------------

Description

Defines infusion rates specified in the system file using <R: ?>

Usage

```
system_set_rate(cfg, rate, times, levels)
```

Arguments

cfg	ubiquity system object
rate	name of infusion rate
times	list of time values
levels	corresponding list of infusion values

Value

Ubiquity system object with the infusion rate set

See Also

[system_zero_inputs](#)

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Clearing all inputs
cfg = system_zero_inputs(cfg)

# 5 minute infusion at 10 mg/min
cfg = system_set_rate(cfg,
                    rate = "Dinf",
                    times = c(0, 5),
                    levels = c(10, 0))
```

system_set_tt_cond *Define Titration Triggers and Actions*

Description

Once a rule has been defined using `system_new_tt_rule`, it can then be used by specifying checks at each of the titration time points that, when true, will perform some actions.

Usage

```
system_set_tt_cond(cfg, name, cond, action, value = "-1")
```

Arguments

cfg	ubiquity system object
name	string containing the name for the titration rule to which this condition applies
cond	string that evaluates a boolean value that is TRUE when the action should be triggered
action	stringing that evaluates to what should be done when the condition is met (e.g. changing the dose, state change, etc)
value	code to be stored in the titration history to track when this condition has been triggered

Details

The general syntax for setting a new condition is:

```
cfg = system_new_tt_cond(cfg,
                        name = "rname",
                        cond = "BOOLEAN EXPRESSION",
                        action = "EXPRESSION",
                        value = "VALUE")
```

The name input will associate this condition with a previously defined rule. For each time defined when the rule was created, the condition (cond) will be evaluated. If that condition evaluates as TRUE then the action will be evaluated. Lastly, when a condition action is evaluated, the value is stored in the titration history.

Multiple conditions can be associated with a rule. The internal titration history will track each one where a condition has been evaluated as true, but the simulation output will only show the **last** condition to be evaluated as true.

The cond field is a string that, when evaluated, will produce a boolean value (TRUE or FALSE). If you simply want to force an action at each of the times for a given rule you can use: cond = "TRUE". Alternatively you can provide mathematical expressions or even complicated user defined functions.

The action field is evaluated when cond is true. To modify how a simulation is going to be performed, you will want to modify the SIMINT_cfg_tt variable using the different system commands. Certain common tasks have prototype functions created to make it easier for the user:

- SI_TT_BOLUS - Set bolus dosing
- SI_TT_RATE - Set infusion inputs
- SI_TT_STATE - Reset system states

Note: Prototype functions are strings but sometimes it is necessary to specify strings within this string. For the main string use double quotes (") and for the internal strings use single quotes (')

SI_TT_BOLUS

The simplest way to apply a bolus when the condition is true is to use the following:

```
action = "SI_TT_BOLUS[state='At',
                values=c(10, 10, 10),
                times=c(0, 1, 2)]"
```

The values and times are vectors of numbers of equal length. The dosing and time units are those specified in the system.txt file for the <B:?> delimiter. The times are relative to the titration time. So 0 above means at the titration time.

It's possible to specify an interval and a number of times to repeat the last dose using the following:

```
action = "SI_TT_BOLUS[state      = 'At',
                values   = c(5, 5, 10),
                times    = c(0, 2, 4),
                repdose  = 'last',
                number   = 7,
                interval = 4]"
```

This will give a dose of 5 at the titration point and 2 time units later. The dose of 10 at time 4 will be repeated 7 times every 4 time units. So a total of 8 (7 + 1) doses at 10 will be administered. Remember the time units were those defined in <B:?.>. The input repdose can be either 'last' or 'none'.

Note: The main string is in double quotes " " but the strings in the prototype argument (e.g. 'last') are in single quotes ' '.

SI_TT_RATE

If you created an infusion named Dinf using <R:?.> and the infusion units are min (times) and mg/min (rates). To have a 60 minute infusion of 20 mg/min then we would do the following:

```
action = "SI_TT_RATE[rate='Dinf', times=c(0, 60), levels=c(20.0, 0)]"
```

If we wanted to do this every day for 9 more days (a total of 10 days) we can repeat the sequence:

```
action = "SI_TT_RATE[rate      = 'Dinf',
                times   = c(0, 60),
                levels  = c(20, 0),
                repdose = 'sequence',
                number  = 9,
                interval = 24*60]"
```

The input `redose` can be either 'sequence' or 'none'.

Note: The time units and dosing rate are those specified using `<R: ?>`.

SI_TT_STATE

To provide fine control over states at titration points the state reset prototype is provided. For example, if you are modeling an assay where there is a wash step and you want to drop a concentration to zero. If you have a state named `Cc` defined in your `system.txt` and you want to set it to `0.0` in a condition the following action would work.

```
action = "SI_TT_STATE[Cc][0.0]"
```

The value here is a number but you can use any mathematical combination of variables available in the titration environment. Also you can create your own user function and place the function call within the brackets above.

Titration Environment

The `cond`, `action`, and `value` statements can use any variables available in the titration environment. If you want to perform complicated actions, you can simply create a user defined functions and pass it the variables from the titration environment that you need. These include named variables from the model as well as internal variables used to control the titration.

States and Parameters

System parameters (`<P>`), static secondary parameters (`<As>`) and the initial value of covariates are available. Also the state values (at the current titration time) can be used. These are all available as the names specified in the `system.txt` file. Since system resets (SI_TT_STATE) are processed first, any changes made to states are the values that are active for other actions.

Internal Simulation Variables

Internal variables are used to control titration activities. These variables can also be used in the conditions and actions.

- SIMINT_p - list of system parameters
- SIMINT_cfg - system configuration sent into the titration routine
- SIMINT_cfgtt - system configuration at the current titration event time
- SIMINT_ttimes - vector of titration times (in simulation units)
- SIMINT_ttime - current titration time (in simulation units)
- SIMINT_tt_ts - list of time scales for the current titration
- SIMINT_history - data frame tracking the history of conditions that evaluated true with the following structure:
 - - tname - name of titration rule
 - - value - value indicating condition that was satisfied
 - - simtime - simulation time when that rule/value were triggered
 - - timescale - time at the rule timescale when that rule/value were triggered

Individual Simulations

To run an individual titration simulation use the following:

```
som = run_simulation_titrate(parameters, cfg)
```

This provides the same output as `run_simulation_ubiquity` with two extra fields. The first, `som$titration`, contains three columns for each titration rule. The columns will have a length equal and corresponding to the simulation times. If the rule name is `rname`, then the column headers will have the following names and meanings:

- `tt.rname.value` - Value of the rule for the active condition or -1 if not triggered
- `tt.rname.simtime` - Simulation time where the last condition became active
- `tt.rname.timescale` - Simulation time in the time scale the rule was specified in

The second field is `som$titration_history` which contains a summary list of all of the titration events that were triggered.

- `tname` - Titration rule name
- `value` - Value of the rule for the active condition or -1 if not triggered
- `simtime` - Simulation time where the last condition became active
- `timescale` - Simulation time in the time scale the rule was specified in

To convert this structured list into a data frame the `som_to_df` command can be used:

```
sdf = som_to_df(cfg, som)
```

To run stochastic titration simulations, the same function is used:

```
som = simulate_subjects(parameters, cfg)
```

This will add a data a list element called `som$titration` with three fields for each titration rule:

- `tt.rname.value` - Value of the rule for the active condition or -1 if not triggered
- `tt.rname.simtime` - Simulation time where the last condition became active
- `tt.rname.timescale` - Simulation time in the time scale the rule was specified in

Each of these fields is a matrix with an entry for each simulation time (column) and each subject (row). This data structure can also be converted to a data frame using `som_to_df`.

Value

Ubiquity system object with the titration condition defined

See Also

[system_new_tt_rule](#), [run_simulation_titrate](#), [som_to_df](#), [simulate_subjects](#)

system_set_tt_rate *Actual Function Called by SI_TT_RATE*

Description

The prototype function SI_TT_RATE provides an abstract interface to this function. Based on the input from SI_TT_RATE infusion rate inputs will be updated for the current titration time.

Usage

```
system_set_tt_rate(
  cfg,
  rate,
  times,
  levels,
  tt_ts,
  tsinfo,
  repdose = "none",
  interval = 1,
  number = 0
)
```

Arguments

cfg	ubiquity system object
rate	name of the infusion rate to update(Defined in <R: ?>)
times	vector of switching times relative to the current titration time (in time units defined by <R: ?>)
levels	vector of infusion rates (in dosing units defined by <R: ?>)
tt_ts	list of timescale values for the current titration time
tsinfo	list with timescale information for inputs (bolus, rates, etc)
repdose	"none" or "sequence"
interval	interval to repeat in the units defined in <R: ?>
number	number of times to repeat

Value

ubiquity system object with the infusion rates updated.

system_simulate_estimation_results
Simulate Results at Estimates

Description

Simulates the system at the parameter estimates pest for creating diagnostic plots

Usage

```
system_simulate_estimation_results(pest, cfg, details = FALSE)
```

Arguments

pest	vector of parameters
cfg	ubiquity system object
details	set TRUE to display information about cohorts as they are simulated (useful for debugging)

Value

observations in a list, see [system_od_general](#) when estimation=FALSE

See Also

[system_define_cohort](#), [system_plot_cohorts](#) and the vignette on parameter estimation (`vignette("Estimation", package = "ubiquity")`)

system_view *View Information About the System*

Description

Displays information (dosing, simulation options, covariates, etc) about the system.

Usage

```
system_view(cfg, field = "all")
```

Arguments

cfg	ubiquity system object
field	string indicating the aspect of the system to display

Value

sequence of strings with system information (one line per element)

The field

- "all" will show all information about the system
- "parameters" summary of parameter information
- "bolus" currently set bolus dosing
- "rate" infusion rate dosing
- "covariate" covariates
- "iiv" variance/covariance information
- "datasets" loaded datasets
- "simulation" simulation options
- "estimation" estimation options

Examples

```
# To log and display the current system information:

# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

vp(cfg, system_view(cfg))
```

system_zero_inputs *Zero All Model Inputs*

Description

Multiple default inputs can be specified in the system file. At the scripting level this function can be used to set all inputs to zero. Then only the subsequently specified inputs will be applied.

Usage

```
system_zero_inputs(cfg, bolus = TRUE, rates = TRUE)
```

Arguments

cfg	ubiquity system object
bolus	Boolean value indicating whether bolus inputs should be set to zero
rates	Boolean value indicating whether infusion rate inputs should be set to zero

Value

Ubiquity system object with the specified inputs set to zero

See Also

[system_set_rate](#), [system_set_bolus](#)

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file   = "mab_pk",
                overwrite      = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Clear only infusion rates
cfg = system_zero_inputs(cfg, bolus=TRUE, rates=FALSE)

# Clear all inputs:
cfg = system_zero_inputs(cfg)
```

 tic

Implementation of Matlab tic() command

Description

Used in conjunction with `toc()` to find the elapsed time when code is executed. Adapted from: <http://stackoverflow.com/questions/1716012/stopwatch-function-in-r>

Usage

```
tic(gcFirst = TRUE, type = c("elapsed", "user.self", "sys.self"))
```

Arguments

gcFirst controls garbage collection
type can be either "elapsed" "user.self" or "sys.self"

Value

time tic was called

See Also

[toc](#)

Examples

```
tic()  
Sys.sleep(3)  
toc()
```

toc

Implementation of Matlab toc() command

Description

Used in conjunction with tic() to find the elapsed time when code is executed. Adapted from: <http://stackoverflow.com/questions/1716012/stopwatch-function-in-r>

Usage

```
toc()
```

Value

time in seconds since tic() was called

See Also

[tic](#)

Examples

```
tic()  
Sys.sleep(3)  
toc()
```

var2string	<i>Converts Numeric Variables into Padded Strings</i>
------------	---

Description

Mechanism for converting numeric variables into strings for reporting.

Usage

```
var2string(vars, maxlength = 0, nsig_e = 3, nsig_f = 4)
```

Arguments

vars	numeric variable or a vector of numeric variables
maxlength	if this value is greater than zero spaces will be added to the beginning of the string until the total length is equal to maxlength
nsig_e	number of significant figures for scientific notation
nsig_f	number of significant figures for numbers (2.123)

Value

Number as a string padded

Examples

```
var2string(pi, nsig_f=20)
var2string(.0001121, nsig_e=2, maxlength=10)
```

vp	<i>Print and Log Messages</i>
----	-------------------------------

Description

Used to print messages to the screen and the log file.

Usage

```
vp(cfg, str)
```

Arguments

cfg	ubiquity system object
str	sequence of strings to print

Value

Boolean variable indicating success (TRUE) or failure (FALSE)

Examples

```
# Creating a system file from the mab_pk example
fr = system_new(file_name      = "system.txt",
                system_file    = "mab_pk",
                overwrite       = TRUE,
                output_directory = tempdir())

# Building the system
cfg = build_system(system_file = file.path(tempdir(), "system.txt"),
                  output_directory = file.path(tempdir(), "output"),
                  temporary_directory = tempdir())

# Initializing the log file
vp(cfg, "Message that will be logged")
```

workshop_fetch

Fetch Ubiquity Workshop Sections

Description

With the ubiquity package this function can be used to fetch example files for different sections of the workshop.

Usage

```
workshop_fetch(
  section = "Simulation",
  overwrite = FALSE,
  copy_files = TRUE,
  output_directory = getwd()
)
```

Arguments

section	Name of the section of workshop to retrieve ("Simulation")
overwrite	if TRUE the new workshop files will overwrite any existing files present (FALSE)
copy_files	if TRUE the files will be written to the output_directory, if FALSE only the names and locations of the files will be returned (TRUE)
output_directory	directory where workshop files will be placed (getwd())

Details

Valid sections are "Simulation", "Estimation", "Titration" "Reporting", and "NCA"

Value

list

Examples

```
workshop_fetch("Estimation", output_directory=tempdir(), overwrite=TRUE)
```


Index

build_system, 3

calculate_half-life, 4

deSolve, 64

gg_axis, 5, 6–8

gg_log10_xaxis, 6, 6, 7, 8

gg_log10_yaxis, 6, 7

linspace, 8

logspace, 9

md_to_officer, 10

nm_select_records, 22

pad_string, 10

prepare_figure, 11

run_simulation_titrate, 12, 15, 40, 67, 72

run_simulation_ubiquity, 12, 13, 15, 72

simulate_subjects, 14, 15, 67, 72

som_to_df, 14, 15, 72

system_check_requirements, 16

system_check_steady_state, 16

system_clear_cohorts, 18

system_define_cohort, 18, 42, 74

system_define_cohorts_nm, 21

system_estimate_parameters, 23

system_fetch_guess, 24

system_fetch_iiv, 24, 62

system_fetch_parameters, 25

system_fetch_set, 26

system_fetch_template, 27

system_fetch_TSSys, 28

system_glp_init, 29, 30

system_glp_save, 29

system_glp_scenario, 30, 30

system_load_data, 18, 33, 36, 65

system_log_debug_save, 34

system_log_init, 35

system_nca_run, 35

system_new, 37

system_new_list, 39

system_new_tt_rule, 12, 40, 69, 72

system_od_general, 41, 74

system_plot_cohorts, 42, 74

system_report_doc_add_content, 43

system_report_doc_format_section, 45

system_report_doc_set_ph, 46

system_report_estimation, 47

system_report_fetch, 47, 53

system_report_glp, 48

system_report_init, 32, 47, 48, 49, 52–55, 57

system_report_nca, 50

system_report_ph_content, 50, 54, 57

system_report_save, 52

system_report_set, 48, 53

system_report_slide_content, 53

system_report_slide_section, 54

system_report_slide_title, 55

system_report_slide_two_col, 56

system_report_view_layout, 52, 57

system_select_set, 25, 58

system_set_bolus, 59, 76

system_set_covariate, 60

system_set_guess, 61, 67

system_set_iiv, 25, 62

system_set_option, 14, 63

system_set_parameter, 67

system_set_rate, 68, 76

system_set_tt_cond, 12, 40, 69

system_set_tt_rate, 73

system_simulate_estimation_results, 41, 42, 74

system_view, 74

system_zero_inputs, 59, 68, 75

tic, [76](#), [77](#)

toc, [77](#), [77](#)

var2string, [78](#)

vp, [78](#)

workshop_fetch, [79](#)